

Author index

- Akuzawa, S., Miyake, A., Miyata, K. and Fukutomi, H.
Comparison of [^3H]YM060 binding to native and cloned rat 5-HT $_3$ receptors (296) 227
- Alves, A.C., see Diaz, B.L. (296) 173
- Amemiya, M., see Iimura, O. (296) 319
- Amishima, M., see Nasuhara, Y. (296) 161
- Asano, Y., see Iimura, O. (296) 319
- Avenet, P., Léonardon, J., Besnard, F., Graham, D., Frost, J., Depoortere, H., Langer, S.Z. and Scatton, B.
Antagonist properties of the stereoisomers of ifenprodil at NR1A/NR2A and NR1A/NR2B subtypes of the NMDA receptor expressed in *Xenopus* oocytes (296) 209
- Bakogeorgou, E., see Hatzoglou, A. (296) 199
- Balducci, C., see Bono, G. (296) 233
- Barnes, P.J., see Kidney, J.C. (296) 81
- Baron, B.M., see Siegel, B.W. (296) 307
- Barth, Z., Strauss, J.D., Dohet, C. and Rüegg, J.C.
The Ca $^{2+}$ sensitizer EMD 53998 antagonizes the effect of 2,3-butanedione monoxime on skinned cardiac muscle fibres (296) 285
- Becker, H.C. and Jarvis, M.F.
Chronic ethanol exposure selectively increases diazepam-insensitive [^3H]RO15-4513 binding in mouse cerebellum (296) 43
- Besnard, F., see Avenet, P. (296) 209
- Blackburn, T., see Lightowler, S. (296) 137
- Boddeke, H.W.G.M., see Laurie, D.J. (296) R1
- Bono, G., Balducci, C., Richelmi, P., Koob, G.F. and Pulvirenti, L.
Dopamine partial receptor agonists reduce ethanol intake in the rat (296) 233
- Brown, T., see Lightowler, S. (296) 137
- Carmeliet, E., see Tytgat, J. (296) 189
- Carroll, F.I., see Gatley, S.J. (296) 145
- Castanas, E., see Hatzoglou, A. (296) 199
- Chan, B., see Yoshihara, S. (296) 291
- Chen, R., see Gatley, S.J. (296) 145
- Cheng, X., see Palacios, B. (296) 75
- Chung, K.F., see Kidney, J.C. (296) 81
- Clark, E.A. and Hill, S.J.
Sensitivity of histamine H $_3$ receptor agonist-stimulated [^{35}S]GTP γ [S] binding to pertussis toxin (296) 223
- Conte Camerino, D., see De Luca, A. (296) 215
- Cordeiro, R.S.B., see Diaz, B.L. (296) 173
- Coy, D.H., see Martínez, V. (296) 153
- Danysz, W., see Misztal, M. (296) 1
- Danysz, W., see Zajackowski, W. (296) 239
- Delagrange, P., see Ying, S.-W. (296) 33
- De Luca, A., Pierino, S. and Conte Camerino, D.
Effect of taurine depletion on excitation-contraction coupling and Cl $^-$ conductance of rat skeletal muscle (296) 215
- Depoortere, H., see Avenet, P. (296) 209
- De Wildt, D.J., see Van Buren, T. (296) 277
- Diaz, B.L., Serra, M.F., Alves, A.C., Cordeiro, R.S.B., Martins, M.A. and Silva, P.M.R.
Local exposure to salbutamol or Bt $_2$ cyclic AMP inhibits pleural exudation and leukocyte influx caused by antigen in rats (296) 173
- Dohet, C., see Barth, Z. (296) 285
- Doucet, J., see Pham, I. (296) 267
- Driessen, B. and Gonçalves, J.
Inhibition of neural ATP release by atrial natriuretic peptide in guinea-pig vas deferens (296) 261
- Ebinger, G., see Sarre, S. (296) 247
- Edmundson, R., see Wang, S.Z. (296) 113
- El-Fakahany, E.E., see Wang, S.Z. (296) 113
- Endoh, M., see Yang, H.-T. (296) 47
- Fournié-Zaluski, M.-C., see Pham, I. (296) 267
- Fowler, J.S., see Gatley, S.J. (296) 145
- Frankiewicz, T., see Misztal, M. (296) 1
- Freedman, J., see Siegel, B.W. (296) 307
- Frost, J., see Avenet, P. (296) 209
- Fujino, M., see Kusumoto, K. (296) 65
- Fujiwara, A., see Kusumoto, K. (296) 65
- Fukutomi, H., see Akuzawa, S. (296) 227
- Gatley, S.J., Volkow, N.D., Chen, R., Fowler, J.S., Carroll, F.I. and Kuhar, M.J.
Displacement of RTI-55 from the dopamine transporter by cocaine (296) 145
- Gauthier, T.W., see Scalia, R. (296) 181
- Geppetti, P., see Yoshihara, S. (296) 291
- Gispén, W.H., see Van Buren, T. (296) 277
- Glen, A., see Lightowler, S. (296) 137
- Gonçalves, J., see Driessen, B. (296) 261
- Gonzalez, W., see Pham, I. (296) 267
- Goudreau, N., see Jagers Schmidt, A. (296) 97
- Graham, D., see Avenet, P. (296) 209
- Gross, S.S., see Hattori, Y. (296) 107
- Guardiola-Lemaître, B., see Ying, S.-W. (296) 33
- Guillaume-Rousselet, N., see Jagers Schmidt, A. (296) 97
- Hagiwara, M., see Shimasue, K. (296) 347
- Hara, M., see Yoshihara, S. (296) 291
- Hattori, Y., Nakanishi, N., Kasai, K., Shimoda, S.-I. and Gross, S.S.
Pyrrolidine dithiocarbamate inhibits immunostimulant-induced tetrahydrobiopterin synthesis in rat vascular smooth muscle (296) 107
- Hatzoglou, A., Bakogeorgou, E. and Castanas, E.
The antiproliferative effect of opioid receptor agonists on the T47D human breast cancer cell line, is partially mediated through opioid receptors (296) 199
- Hawksworth, G.M., see Pertwee, R.G. (296) 169
- Herman, A.G., see Loenders, B. (296) 89
- Hill, S.J., see Clark, E.A. (296) 223
- Hiltscher, R., see Laurie, D.J. (296) R1

- Hirabayashi, A., Nishiwaki, K., Shimada, Y. and Ishikawa, N.
Role of neuropeptide Y and its receptor subtypes in neurogenic pulmonary edema (296) 297
- Homma, Y., see Nasuhara, Y. (296) 161
- Hymel, L.J., see Ruiz-Velasco, V. (296) 327
- Iimura, O., Kusano, E., Amemiya, M., Muto, S., Ikeda, U., Shimada, K. and Asano, Y.
Dipyridamole enhances interleukin-1 β -stimulated nitric oxide production by cultured rat vascular smooth muscle cells (296) 319
- Ikeda, S., see Kusumoto, K. (296) 65
- Ikeda, U., see Iimura, O. (296) 319
- Ishikawa, N., see Hirabayashi, A. (296) 297
- Itoh, T., see Wada, K. (296) 335
- Iwatsubo, K., see Kawabata, A. (296) 23
- Jagerschmidt, A., Guillaume-Rousselet, N., Vikland, M.-L., Goudreau, N., Maigret, B. and Roques, B.-P.
His³⁸¹ of the rat CCK_B receptor is essential for CCK_B versus CCK_A receptor antagonist selectivity (296) 97
- Jain, S., see Kolesnikov, Y. (296) 17
- Jarvis, M.F., see Becker, H.C. (296) 43
- Joe-Adigwe, G., see Pertwee, R.G. (296) 169
- Jorens, P.G., see Loenders, B. (296) 89
- Kamisaki, Y., see Wada, K. (296) 335
- Karaki, H., see Kuwahara, M. (296) 55
- Kasai, K., see Hattori, Y. (296) 107
- Kasbergen, C.M., see Van Buren, T. (296) 277
- Kawabata, A., Iwatsubo, K., Takaya, S. and Takagi, H.
Central antinociceptive effect of L-ornithine, a metabolite of L-arginine, in rats and mice (296) 23
- Kawakami, Y., see Nasuhara, Y. (296) 161
- Kennett, G., see Lightowler, S. (296) 137
- Kidney, J.C., Lötvall, J.O., Lei, Y., Chung, K.F. and Barnes, P.J.
The effect of inhaled K⁺ channel openers on bronchoconstriction and airway microvascular leakage in anaesthetised guinea pigs (296) 81
- Kolesnikov, Y., Jain, S. and Pasternak, G.W.
Modulation of opioid analgesia by agmatine (296) 17
- Koob, G.F., see Bono, G. (296) 233
- Kuhar, M.J., see Gatley, S.J. (296) 145
- Kuroda, S., see Ujike, H. (296) 123
- Kusano, E., see Iimura, O. (296) 319
- Kusumoto, K., Fujiwara, A., Ikeda, S., Watanabe, T. and Fujino, M.
Pharmacological characterization of cardiovascular responses induced by endothelin-1 in the perfused rat heart (296) 65
- Kuwahara, M., Masuda, T., Tsubone, H., Sugano, S. and Karaki, H.
Cardiovascular responses mediated by two types of endothelin ET_B receptor in spontaneously hypertensive and Wistar-Kyoto rats (296) 55
- Langer, S.Z., see Avenet, P. (296) 209
- Laurie, D.J., Boddeke, H.W.G.M., Hiltcher, R. and Sommer, B.
HmGlu_{1d}, a novel splice variant of the human type I metabotropic glutamate receptor (296) R1
- Lefer, A.M., see Scalia, R. (296) 181
- Lei, Y., see Kidney, J.C. (296) 81
- Léonardon, J., see Avenet, P. (296) 209
- Lightowler, S., Wood, M., Brown, T., Glen, A., Blackburn, T., Tulloch, I. and Kennett, G.
An investigation of the mechanism responsible for fluoxetine-induced hypophagia in rats (296) 137
- Lin, W.W.
Erratum to 'Effects of protein kinase A activation on endothelin- and ATP-induced signal transduction' [Eur. J. Pharmacol. – Mol. Pharmacol. Sect. 291 (1995) 1–7] (296) 231
- Lindén, A., see Yoshihara, S. (296) 291
- Lloyd, K.C.K., see Martínez, V. (296) 153
- Loenders, B., Jorens, P.G. and Herman, A.G.
Epithelial modulation of cholinergic responses in rabbit trachea is partly due to neutral endopeptidase activity (296) 89
- Lötvall, J.O., see Kidney, J.C. (296) 81
- Maigret, B., see Jagerschmidt, A. (296) 97
- Martínez, V., Coy, D.H., Lloyd, K.C.K. and Taché, Y.
Intracerebroventricular injection of somatostatin sst₅ receptor agonist inhibits gastric acid secretion in rats (296) 153
- Martins, M.A., see Diaz, B.L. (296) 173
- Masuda, T., see Kuwahara, M. (296) 55
- Mayer, M.B., see Ruiz-Velasco, V. (296) 327
- Michel, J.-B., see Pham, I. (296) 267
- Michotte, Y., see Sarre, S. (296) 247
- Misztal, M., Frankiewicz, T., Parsons, C.G. and Danysz, W.
Learning deficits induced by chronic intraventricular infusion of quinolinic acid – protection by MK-801 and memantine (296) 1
- Miyake, A., see Akuzawa, S. (296) 227
- Miyata, K., see Akuzawa, S. (296) 227
- Mocaër, E., see Ying, S.-W. (296) 33
- Morot Gaudry-Talarmain, Y. and Moulian, N.
Cyclosporin A affects functions concerning acetylcholine release of cholinergic *Torpedo* synaptosomes (296) 341
- Moryl, E., see Papp, M. (296) 129
- Moulian, N., see Morot Gaudry-Talarmain, Y. (296) 341
- Munakata, M., see Nasuhara, Y. (296) 161
- Murohara, T., see Scalia, R. (296) 181
- Muto, S., see Iimura, O. (296) 319
- Nadel, J.A., see Yoshihara, S. (296) 291
- Nagao, T., see Shimasue, K. (296) 347
- Nakamoto, K., see Wada, K. (296) 335
- Nakanishi, N., see Hattori, Y. (296) 107
- Nakazawa, K. and Ohno, Y.
Dopamine and 5-hydroxytryptamine selectively potentiate neuronal type ATP receptor channels (296) 119
- Nasuhara, Y., Munakata, M., Sato, A., Amishima, M., Homma, Y. and Kawakami, Y.
Mechanisms of epidermal growth factor-induced contraction of guinea pig airways (296) 161
- Negri, L., Noviello, L. and Noviello, V.
Antinociceptive and behavioral effects of synthetic deltorphin analogs (296) 9
- Nishiwaki, K., see Hirabayashi, A. (296) 297
- Norota, I., see Yang, H.-T. (296) 47
- Noviello, L., see Negri, L. (296) 9
- Noviello, V., see Negri, L. (296) 9
- Ohno, Y., see Nakazawa, K. (296) 119
- Otsuki, S., see Ujike, H. (296) 123
- Palacios, B., Cheng, X. and Pang, C.C.Y.
Reversal of in vitro lipopolysaccharide-induced suppression of contraction in rat aorta by N^G-nitro-arginine, diphenylethylidonium and di-2-thienyliodonium (296) 75
- Pang, C.C.Y., see Palacios, B. (296) 75
- Papp, M., Moryl, E. and Willner, P.
Pharmacological validation of the chronic mild stress model of depression (296) 129
- Parsons, C.G., see Misztal, M. (296) 1
- Pasternak, G.W., see Kolesnikov, Y. (296) 17
- Pertwee, R.G., Joe-Adigwe, G. and Hawksworth, G.M.
Further evidence for the presence of cannabinoid CB₁ receptors in mouse vas deferens (296) 169

- Pham, I., Gonzalez, W., Doucet, J., Fournié-Zaluski, M.-C., Roques, B.P. and Michel, J.-B.
Effects of angiotensin-converting enzyme and neutral endopeptidase inhibitors: influence of bradykinin (296) 267
- Pierno, S., see De Luca, A. (296) 215
- Pulvirenti, L., see Bono, G. (296) 233
- Quack, G., see Zajackowski, W. (296) 239
- Renard, P., see Ying, S.-W. (296) 33
- Ricciardolo, F.L.M., see Yoshihara, S. (296) 291
- Richelmi, P., see Bono, G. (296) 233
- Roques, B.-P., see Jagerschmidt, A. (296) 97
- Roques, B.P., see Pham, I. (296) 267
- Rüegg, J.C., see Barth, Z. (296) 285
- Ruiz-Velasco, V., Mayer, M.B. and Hymel, L.J.
Dihydropyridine-sensitive Ca^{2+} influx modulated by stretch in A7r5 vascular smooth muscle cells (296) 327
- Rusak, B., see Ying, S.-W. (296) 33
- Sarre, S., Ebinger, G. and Michotte, Y.
Levodopa biotransformation in hemi-Parkinson rats: effect of dopamine receptor agonists and antagonists (296) 247
- Sato, A., see Nasuhara, Y. (296) 161
- Scalia, R., Gauthier, T.W., Murohara, T. and Lefer, A.M.
Oligotide attenuates leukocyte-endothelial cell interaction via P-selectin in the rat mesenteric vascular bed (296) 181
- Scatton, B., see Avenet, P. (296) 209
- Serra, M.F., see Diaz, B.L. (296) 173
- Shimada, K., see Iimura, O. (296) 319
- Shimada, Y., see Hirabayashi, A. (296) 297
- Shimasue, K., Urushidani, T., Hagiwara, M. and Nagao, T.
Effects of anandamide and arachidonic acid on specific binding of (+)-PN200-110, diltiazem and (-)-desmethoxyverapamil to L-type Ca^{2+} channel (296) 347
- Shimoda, S.-I., see Hattori, Y. (296) 107
- Siegel, B.W., Freedman, J., Vaal, M.J. and Baron, B.M.
Activities of novel aryloxyalkylimidazolines on rat 5-HT_{2A} and 5-HT_{2C} receptors (296) 307
- Silva, P.M.R., see Diaz, B.L. (296) 173
- Sommer, B., see Laurie, D.J. (296) R1
- Strauss, J.D., see Barth, Z. (296) 285
- Sugano, S., see Kuwahara, M. (296) 55
- Taché, Y., see Martínez, V. (296) 153
- Takagi, H., see Kawabata, A. (296) 23
- Takaya, S., see Kawabata, A. (296) 23
- Tsubone, H., see Kuwahara, M. (296) 55
- Tulloch, I., see Lightowler, S. (296) 137
- Tytgat, J., Vereecke, J. and Carmeliet, E.
Mechanism of L- and T-type Ca^{2+} channel blockade by flunarizine in ventricular myocytes of the guinea-pig (296) 189
- Ujike, H., Kuroda, S. and Otsuki, S.
 σ Receptor antagonists block the development of sensitization to cocaine (296) 123
- Urushidani, T., see Shimasue, K. (296) 347
- Vaal, M.J., see Siegel, B.W. (296) 307
- Van Buren, T., Kasbergen, C.M., Gispen, W.H. and De Wildt, D.J.
Presynaptic deficit of sympathetic nerves: a cause for disturbed sciatic nerve blood flow responsiveness in diabetic rats (296) 277
- Vereecke, J., see Tytgat, J. (296) 189
- Vikland, M.-L., see Jagerschmidt, A. (296) 97
- Volkow, N.D., see Gatley, S.J. (296) 145
- Wada, K., Kamisaki, Y., Nakamoto, K. and Itoh, T.
Effect of cystathionine as a scavenger of superoxide generated from human leukocytes or derived from xanthine oxidase in vitro (296) 335
- Wang, S.Z., Edmundson, R., Zhu, S.Z. and El-Fakahany, E.E.
Selective enhancement of antagonist ligand binding at muscarinic M₂ receptors by heparin due to receptor uncoupling (296) 113
- Watanabe, T., see Kusumoto, K. (296) 65
- Willner, P., see Papp, M. (296) 129
- Wood, M., see Lightowler, S. (296) 137
- Yang, H.-T., Norota, I., Zhu, Y. and Endoh, M.
Methoxamine-induced inhibition of the positive inotropic effect of endothelin via α_1 -adrenoceptors in the rabbit heart (296) 47
- Ying, S.-W., Rusak, B., Delagrangé, P., Mocaër, E., Renard, P. and Guardiola-Lemaître, B.
Melatonin analogues as agonists and antagonists in the circadian system and other brain areas (296) 33
- Yoshihara, S., Geppetti, P., Hara, M., Lindén, A., Ricciardolo, F.L.M., Chan, B. and Nadel, J.A.
Cold air-induced bronchoconstriction is mediated by tachykinin and kinin release in guinea pigs (296) 291
- Zajackowski, W., Quack, G. and Danysz, W.
Infusion of (+)-MK-801 and memantine – contrasting effects on radial maze learning in rats with entorhinal cortex lesion (296) 239
- Zhu, S.Z., see Wang, S.Z. (296) 113
- Zhu, Y., see Yang, H.-T. (296) 47