

Author index

- Abe, K., Watanabe, Y. and Saito, H.
Differential role of nitric oxide in long-term potentiation in the medial and lateral amygdala (297) 43
- Arnt, J., see Sánchez, C. (297) 1
- Barf, T., Korte, S.M., Korte-Bouws, G., Sonesson, C., Damsma, G., Bohus, B. and Wikström, H.
Potential anxiolytic properties of *R*-(+)-8-OSO₂CF₃-PAT, a 5-HT_{1A} receptor agonist (297) 205
- Barg, J., see Heldman, E. (297) 283
- Barnes, N.M., see Ge, J. (297) 299
- Barroso, N. and Rodriguez, M.
Action of β -phenylethylamine and related amines on nigrostriatal dopamine neurotransmission (297) 195
- Bélichard, P., see Pruneau, D. (297) 53
- Bertrand, V., see Dufresne, M. (297) 165
- Bohus, B., see Barf, T. (297) 205
- Buckner, S.A., Oheim, K.W., Morse, P.A., Knepper, S.M. and Hancock, A.A.
 α_1 -Adrenoceptor-induced contractility in rat aorta is mediated by the α_{1D} subtype (297) 241
- Chang, M.C., Yang, R.S., Lin, C.H. and Huang, T.F.
Integrin $\alpha_v\beta_3$ and phospholipase C regulate prostacyclin formation of endothelial cells caused by anandron-generated fibrin (297) 129
- Cheng, P.Y., see Szeto, H.H. (297) 77
- Cherng, C.-H., see Wong, C.-S. (297) 27
- Chiba, S., see Yamazaki, K. (297) 233
- Clarke, D.E., see Lachnit, W.G. (297) 83
- Clerc, P., see Dufresne, M. (297) 165
- Costa, L.G., see Guizzetti, M. (297) 265
- Costa, P., see Guizzetti, M. (297) 265
- Cox, B.M., see Izenwasser, S. (297) 187
- Cox, B.M., see Izenwasser, S. (297) 9
- Damsma, G., see Barf, T. (297) 205
- Davies, M.P., McCurrie, J.R. and Wood, D.
Comparative effects of K⁺ channel modulating agents on contractions of rat intestinal smooth muscle (297) 249
- Davis, T.P., see Konkoy, C.S. (297) 47
- Defrène, E., see Pruneau, D. (297) 53
- Dobashi, K., see Mita, Y. (297) 121
- Dubocovich, M.L., see Larson-Prior, L.J. (297) 181
- Duc, D., see Thoss, V.S. (297) 145
- Dufresne, M., Escricut, C., Clerc, P., Le Huerou-Luron, I., Prats, H., Bertrand, V., Le Meuth, V., Guilloteau, P., Vaysse, N. and Fourmy, D.
Molecular cloning, developmental expression and pharmacological characterization of the CCK_B/gastrin receptor in the calf pancreas (297) 165
- Elghozi, J.L., see Ponchon, P. (297) 61
- El Hadri, K., Fève, B. and Pairault, J.
Developmental expression and functional activity of β_1 - and β_3 -adrenoceptors in murine 3T3-F442A differentiating adipocytes (297) 107
- Escricut, C., see Dufresne, M. (297) 165
- Fève, B., see El Hadri, K. (297) 107
- Fisher, A., see Heldman, E. (297) 283
- Ford, A.P.D.W., see Lachnit, W.G. (297) 83
- Fourmy, D., see Dufresne, M. (297) 165
- Fujii, E., Irie, K., Ogawa, A., Ohba, K.-i. and Muraki, T.
Role of nitric oxide and prostaglandins in lipopolysaccharide-induced increase in vascular permeability in mouse skin (297) 257
- Furukawa, Y., see Yamazaki, K. (297) 233
- Ge, J. and Barnes, N.M.
Alterations in angiotensin AT₁ and AT₂ receptor subtype levels in brain regions from patients with neurodegenerative disorders (297) 299
- Guilloteau, P., see Dufresne, M. (297) 165
- Guizzetti, M., Costa, P., Peters, J. and Costa, L.G.
Acetylcholine as a mitogen: muscarinic receptor-mediated proliferation of rat astrocytes and human astrocytoma cells (297) 265
- Håkanson, R., see Wang, Z.-Y. (297) 157
- Hancock, A.A., see Buckner, S.A. (297) 241
- Hayashi, T., see Takebayashi, M. (297) 137
- Heldman, E., Barg, J., Fisher, A., Levy, R., Pittel, Z., Zimlichman, R., Kushnir, M. and Vogel, Z.
Pharmacological basis for functional selectivity of partial muscarinic receptor agonists (297) 283
- Heller, B., see Izenwasser, S. (297) 187
- Ho, S.-T., see Wong, C.-S. (297) 27
- Hotta, K., see Ichikawa, T. (297) 87
- Hoyer, D., see Thoss, V.S. (297) 145
- Huang, T.F., see Chang, M.C. (297) 129
- Ichikawa, T., Ishihara, K., Shibata, M., Yamaura, T., Saigenji, K. and Hotta, K.
Stimulation of mucin biosynthesis in rat gastric mucosa by FRG-8813 and its structural analogs (297) 87
- Idänpään-Heikkilä, J.-J., see Mansikka, H. (297) 19
- Imamura, H., see Yamazaki, K. (297) 233
- Irie, K., see Fujii, E. (297) 257
- Ishihara, K., see Ichikawa, T. (297) 87
- Izenwasser, S., Heller, B. and Cox, B.M.
Continuous cocaine administration enhances μ - but not δ -opioid receptor-mediated inhibition of adenylyl cyclase activity in nucleus accumbens (297) 187

- Izenwasser, S., Newman, A.H., Cox, B.M. and Katz, J.L.
The cocaine-like behavioral effects of meperidine are mediated by activity at the dopamine transporter (297) 9
- Kagaya, A., see Takebayashi, M. (297) 137
- Kang, J.X. and Leaf, A.
Protective effects of free polyunsaturated fatty acids on arrhythmias induced by lysophosphatidylcholine or palmitoylcarnitine in neonatal rat cardiac myocytes (297) 97
- Kanthasamy, A.G., Vu, T.Q., Yun, R.J. and Truong, D.D.
Antimyoclonic effect of gabapentin in a posthypoxic animal model of myoclonus (297) 219
- Kasama, M., see Yamazaki, K. (297) 233
- Katz, J.L., see Izenwasser, S. (297) 9
- Kitagawa, S., Yamaguchi, Y., Shinozuka, K., Kwon, Y.M. and Kunitomo, M.
Dietary cholesterol enhances impaired endothelium-dependent relaxations in aortas of salt-induced hypertensive Dahl rats (297) 71
- Knepper, S.M., see Buckner, S.A. (297) 241
- Ko, Y., see Nickenig, G. (297) 307
- Konkoy, C.S., Waters, S.M. and Davis, T.P.
Subchronic haloperidol administration decreases aminopeptidase N activity and [Met⁵]enkephalin metabolism in rat striatum and cortex (297) 47
- Korte-Bouws, G., see Barf, T. (297) 205
- Korte, S.M., see Barf, T. (297) 205
- Kunitomo, M., see Kitagawa, S. (297) 71
- Kushnir, M., see Heldman, E. (297) 283
- Kwon, Y.M., see Kitagawa, S. (297) 71
- Lachnit, W.G., Ford, A.P.D.W. and Clarke, D.E.
SDZ NV1 085, an α_{1A} -adrenoceptor agonist with 5-HT_{2A} receptor antagonist properties (297) 83
- Lacković, Z., see Trkulja, V. (297) 93
- Lahtinen, H., Ylinen, A., Lukkariinen, U., Sirviö, J., Miettinen, R. and Riekkinen Sr., P.
Failure of carbamazepine to prevent behavioural and histopathological sequels of experimentally induced status epilepticus (297) 213
- Larson-Prior, L.J., Siuciak, J.A. and Dubocovich, M.L.
Localization of 2-[¹²⁵I]iodomelatonin binding sites in visual areas of the turtle brain (297) 181
- Leaf, A., see Kang, J.X. (297) 97
- Le Huerou-Luron, I., see Dufresne, M. (297) 165
- Le Meuth, V., see Dufresne, M. (297) 165
- Levy, R., see Heldman, E. (297) 283
- Lin, C.H., see Chang, M.C. (297) 129
- Luccarini, J.-M., see Pruneau, D. (297) 53
- Luk, H.-N., see Wong, C.-S. (297) 27
- Lukkariinen, U., see Lahtinen, H. (297) 213
- Mansikka, H., Idänpään-Heikkilä, J.-J. and Pertovaara, A.
Different roles of α_2 -adrenoceptors of the medulla versus the spinal cord in modulation of mustard oil-induced central hyperalgesia in rats (297) 19
- McCurrie, J.R., see Davies, M.P. (297) 249
- Miettinen, R., see Lahtinen, H. (297) 213
- Mita, Y., Dobashi, K., Suzuki, K., Mori, M. and Nakazawa, T.
Induction of muscarinic receptor subtypes in monocytic/macrophagic cells differentiated from EoL-1 cells (297) 121
- Mizoguchi, K., see Tanaka, T. (297) 35
- Moltzen, E.K., see Sánchez, C. (297) 1
- Monstein, H.-J., see Wang, Z.-Y. (297) 157
- Mori, M., see Mita, Y. (297) 121
- Morse, P.A., see Buckner, S.A. (297) 241
- Motohashi, N., see Takebayashi, M. (297) 137
- Muraki, T., see Fujii, E. (297) 257
- Muramatsu, I., see Nishio, M. (297) 293
- Nakazawa, T., see Mita, Y. (297) 121
- Newman, A.H., see Izenwasser, S. (297) 9
- Nickenig, G., Sachinidis, A., Ko, Y. and Vetter, H.
Regulation of angiotensin AT₁ receptor gene expression during cell growth of vascular smooth muscle cells (297) 307
- Nishio, M., Muramatsu, I. and Yasumoto, T.
Na⁺-permeable channels induced by maitotoxin in guinea-pig single ventricular cells (297) 293
- Oda, M., see Yamamoto, N. (297) 225
- Ogawa, A., see Fujii, E. (297) 257
- Ohba, K.-i., see Fujii, E. (297) 257
- Oheim, K.W., see Buckner, S.A. (297) 241
- Pairault, J., see El Hadri, K. (297) 107
- Paquet, J.-L., see Pruneau, D. (297) 53
- Pertovaara, A., see Mansikka, H. (297) 19
- Peters, J., see Guizzetti, M. (297) 265
- Pittel, Z., see Heldman, E. (297) 283
- Ponchon, P. and Elghozi, J.L.
Contribution of the renin-angiotensin and kallikrein-kinin systems to short-term variability of blood pressure in two-kidney, one-clip hypertensive rats (297) 61
- Prats, H., see Dufresne, M. (297) 165
- Pruneau, D., Luccarini, J.-M., Defrène, E., Paquet, J.-L. and Bélichard, P.
Characterisation of bradykinin receptors from juvenile pig coronary artery (297) 53
- Riekkinen Sr., P., see Lahtinen, H. (297) 213
- Rodriguez, M., see Barroso, N. (297) 195
- Sachinidis, A., see Nickenig, G. (297) 307
- Saigenji, K., see Ichikawa, T. (297) 87
- Saito, H., see Abe, K. (297) 43
- Sánchez, C., Arnt, J. and Moltzen, E.K.
The antiaggressive potency of (–)-penbutolol involves both 5-HT_{1A} and 5-HT_{1B} receptors and β -adrenoceptors (297) 1
- Schoepp, D.D., see Wright, R.A. (297) 275
- Shibata, M., see Ichikawa, T. (297) 87
- Shinozuka, K., see Kitagawa, S. (297) 71
- Sirviö, J., see Lahtinen, H. (297) 213
- Siuciak, J.A., see Larson-Prior, L.J. (297) 181
- Sonesson, C., see Barf, T. (297) 205
- Soong, Y., see Szeto, H.H. (297) 77
- Suzuki, K., see Mita, Y. (297) 121
- Szeto, H.H., Wu, D., Cheng, P.Y., Soong, Y., Taylor, C.C. and Yee, J.
Cardiovascular and respiratory actions of U50,488H in the unanaesthetized ovine foetus (297) 77
- Takebayashi, M., Kagaya, A., Hayashi, T., Motohashi, N. and Yamawaki, S.
 γ -Aminobutyric acid increases intracellular Ca²⁺ concentration in cultured cortical neurons: role of Cl[–] transport (297) 137
- Tanaka, M., see Tanaka, T. (297) 35
- Tanaka, T., Yoshida, M., Yokoo, H., Mizoguchi, K. and Tanaka, M.
ATP-sensitive K⁺ channel openers block sulpiride-induced dopamine release in the rat striatum (297) 35
- Taylor, C.C., see Szeto, H.H. (297) 77
- Thoss, V.S., Duc, D. and Hoyer, D.
Somatostatin receptors in the developing rat brain (297) 145
- Trkulja, V. and Lacković, Z.
Involvement of muscarinic receptors in the control of female puberty in the rat (297) 93

- Truong, D.D., see Kanthasamy, A.G. (297) 219
- Tung, C.-S., see Wong, C.-S. (297) 27
- Vaysse, N., see Dufresne, M. (297) 165
- Vetter, H., see Nickenig, G. (297) 307
- Vogel, Z., see Heldman, E. (297) 283
- Vu, T.Q., see Kanthasamy, A.G. (297) 219
- Wang, Z.-Y., Monstein, H.-J. and Håkanson, R.
Release of preprotachykinin-A mRNA from rabbit iris upon C-fibre stimulation (297) 157
- Watanabe, Y., see Abe, K. (297) 43
- Waters, S.M., see Konkoy, C.S. (297) 47
- Wikström, H., see Barf, T. (297) 205
- Wong, C.-S., Cherng, C.-H., Luk, H.-N., Ho, S.-T. and Tung, C.-S.
Effects of NMDA receptor antagonists on inhibition of morphine tolerance in rats: binding at μ -opioid receptors (297) 27
- Wood, D., see Davies, M.P. (297) 249
- Wright, R.A. and Schoepp, D.D.
Differentiation of group 2 and group 3 metabotropic glutamate receptor cAMP responses in the rat hippocampus (297) 275
- Wu, D., see Szeto, H.H. (297) 77
- Yamaguchi, Y., see Kitagawa, S. (297) 71
- Yamamoto, N., Yokota, K., Yamashita, A. and Oda, M.
Effect of KBT-3022, a new cyclooxygenase inhibitor, on experimental brain edema in vitro and in vivo (297) 225
- Yamashita, A., see Yamamoto, N. (297) 225
- Yamaura, T., see Ichikawa, T. (297) 87
- Yamawaki, S., see Takebayashi, M. (297) 137
- Yamazaki, K., Furukawa, Y., Kasama, M., Imamura, H. and Chiba, S.
Negative chronotropic and dromotropic effects of E-4031, an I_{K_r} blocker, on the atrioventricular node in anesthetized dog hearts (297) 233
- Yang, R.S., see Chang, M.C. (297) 129
- Yasumoto, T., see Nishio, M. (297) 293
- Yee, J., see Szeto, H.H. (297) 77
- Ylinen, A., see Lahtinen, H. (297) 213
- Yokoo, H., see Tanaka, T. (297) 35
- Yokota, K., see Yamamoto, N. (297) 225
- Yoshida, M., see Tanaka, T. (297) 35
- Yun, R.J., see Kanthasamy, A.G. (297) 219
- Zimlichman, R., see Heldman, E. (297) 283