

Author index

- Abeywardena, M., see McLennan, P. (300) 83
- Aldasoro, M., see Medina, P. (300) 221
- Barnes, N.M., see Ge, J. (300) 113
- Blanchard, J.-C., see Boireau, A. (300) 237
- Böing, C., see Fink, K. (300) 79
- Boireau, A., Malgouris, C., Burgevin, M.-C., Pény, C., Durand, G., Bordier, F., Meunier, M., Miquet, J.M., Daniel, M., Chevet, T., Jimonet, P., Mignani, S., Blanchard, J.-C. and Doble, A.
Neuroprotective effects of RPR 104632, a novel antagonist at the glycine site of the NMDA receptor, in vitro (300) 237
- Borbély, A.A., see Schwierin, B. (300) 163
- Bordier, F., see Boireau, A. (300) 237
- Boser, M., see Höhle, S. (300) 119
- Brusasco, V., see Sannita, W.G. (300) 33
- Burgevin, M.-C., see Boireau, A. (300) 237
- Butterworth, R.F., see Mousseau, D.D. (300) 191
- Canella, R., see Mazzari, S. (300) 227
- Chevet, T., see Boireau, A. (300) 237
- Chiba, S., see Furukawa, Y. (300) 203
- Chizh, B.A. and Headley, P.M.
Thyrotropin-releasing hormone facilitates spinal nociceptive responses by potentiating NMDA receptor-mediated transmission (300) 183
- Chuan, P., see Medina, P. (300) 221
- Coderre, T.J., see Fundytus, M.E. (300) 173
- Colpaert, F.C., see Pauwels, P.J. (300) 137
- Colpaert, F.C., see Pauwels, P.J. (300) 141
- Crimi, E., see Sannita, W.G. (300) 33
- Culman, J., see Höhle, S. (300) 119
- Dafny, N., see Gaytan, O. (300) 1
- Damaj, M.I. and Martin, B.R.
Tolerance to the antinociceptive effect of epibatidine after acute and chronic administration in mice (300) 51
- Daniel, M., see Boireau, A. (300) 237
- Doble, A., see Boireau, A. (300) 237
- Durand, G., see Boireau, A. (300) 237
- Fink, K., Böing, C. and Göthert, M.
Presynaptic 5-HT autoreceptors modulate *N*-methyl-D-aspartate-evoked 5-hydroxytryptamine release in the guinea-pig brain cortex (300) 79
- Friend, J.M., see Xue, B.G. (300) 125
- Funada, M., Schutz, C.G. and Shippenberg, T.S.
Role of δ -opioid receptors in mediating the aversive stimulus effects of morphine withdrawal in the rat (300) 17
- Fundytus, M.E. and Coderre, T.J.
Chronic inhibition of intracellular Ca^{2+} release or protein kinase C activation significantly reduces the development of morphine dependence (300) 173
- Furukawa, Y., Xue, Y.-x., Chiba, S. and Hashimoto, K.
Effects of zatebradine on ouabain-, two-stage coronary ligation- and epinephrine-induced ventricular tachyarrhythmias (300) 203
- Gaytan, O., Swann, A.C. and Dafny, N.
Effects of amphetamine at the beginning of the light cycle on multiple indices of motor activity in the rat (300) 1
- Ge, J., Towers, P., Patel, A.C. and Barnes, N.M.
[¹²⁵I]S(-)-zacopride labels a novel 5-hydroxytryptamine sensitive recognition site in rat duodenum and ileum (300) 113
- Gee, K.W., see Xue, B.G. (300) 125
- Girard, J., Panizzon, K. and Wallis, R.A.
Azelastine protects against CA1 traumatic neuronal injury in the hippocampal slice (300) 43
- Goshima, Y., see Miyamae, T. (300) 105
- Göthert, M., see Fink, K. (300) 79
- Hara, Y., see Oh-ishi, S. (300) 255
- Hashimoto, K., see Furukawa, Y. (300) 203
- Hashimoto, S., see Izumi, T. (300) 25
- Hattori, S., see Hattori, Y. (300) 147
- Hattori, Y., Murakami, Y., Hattori, S., Kuroda, H., Kasai, K. and Shimoda, S.-I.
Ursodeoxycholic acid inhibits the induction of nitric oxide synthase (300) 147
- Hayama, T., see Woo, J.-T. (300) 131
- Head, R., see McLennan, P. (300) 83
- Headley, P.M., see Chizh, B.A. (300) 183
- Hirayama, Y., see Yasumitsu, R. (300) 215
- Hiroi, J., see Yasumitsu, R. (300) 215
- Höhle, S., Culman, J., Boser, M., Qadri, F. and Unger, T.
Effect of angiotensin AT₂ and muscarinic receptor blockade on osmotically induced vasopressin release (300) 119
- Howe, P., see McLennan, P. (300) 83
- Imai, T., see Yasumitsu, R. (300) 215
- Inoue, T., see Izumi, T. (300) 25
- Izumi, T., Inoue, T., Tsuchiya, K., Hashimoto, S., Ohmori, T. and Koyama, T.
Effect of the selective CCK_B receptor antagonist LY288513 on conditioned fear stress in rats (300) 25
- Jeng, A.Y., see Tayag, E.C. (300) 261
- Jimonet, P., see Boireau, A. (300) 237
- Kamei, J., Morita, K., Saitoh, A., Suzuki, T. and Nagase, H.
Antinociceptive and antitussive effects of morphine in the DA-bg/bg (Beige) rat (300) 75
- Kasai, K., see Hattori, Y. (300) 147
- Knapp, R.J., see Li, X. (300) R1
- Kobori, T., see Woo, J.-T. (300) 131
- Komuro, Y., see Oh-ishi, S. (300) 255
- Kondo, K., see Woo, J.-T. (300) 131
- Kongsamut, S., see Tang, L. (300) 71
- Koyama, T., see Izumi, T. (300) 25
- Koyama, T., see Odagaki, Y. (300) 151
- Kuitunen, J., see Riekkinen, M. (300) 9
- Kuroda, H., see Hattori, Y. (300) 147

- Lehmann, J.C., see Tayag, E.C. (300) 261
- Leon, A., see Mazzari, S. (300) 227
- Li, X., Varga, E.V., Stropova, D., Zalewska, T., Malatynska, E., Knapp, R.J., Roeske, W.R. and Yamamura, H.I.
 δ -Opioid receptor: the third extracellular loop determines naltrindole selectivity (300) R1
- Lluch, S., see Medina, P. (300) 221
- Löscher, W., see Richter, A. (300) 197
- Maas, M.A.W., see Zwaveling, J. (300) 91
- Malatynska, E., see Li, X. (300) R1
- Malgouris, C., see Boireau, A. (300) 237
- Mano, M., see McLennan, P. (300) 83
- Marcolongo, G., see Mazzari, S. (300) 227
- Martin, B.R., see Damaj, M.I. (300) 51
- Martínez, M.C., see Medina, P. (300) 221
- Mazzari, S., Canella, R., Petrelli, L., Marcolongo, G. and Leon, A.
N-(2-Hydroxyethyl)hexadecanamide is orally active in reducing edema formation and inflammatory hyperalgesia by down-modulating mast cell activation (300) 227
- McLennan, P., Howe, P., Abeywardena, M., Muggli, R., Raederstorff, D., Mano, M., Rayner, T. and Head, R.
 The cardiovascular protective role of docosahexaenoic acid (300) 83
- Medina, P., Martínez, M.C., Aldasoro, M., Vila, J.M., Chuan, P. and Lluch, S.
 Contractile responses of human deferential artery and vas deferens to vasopressin (300) 221
- Meunier, M., see Boireau, A. (300) 237
- Mignani, S., see Boireau, A. (300) 237
- Minami, M., see Yabuuchi, K. (300) 59
- Miquet, J.M., see Boireau, A. (300) 237
- Misu, Y., see Miyamae, T. (300) 105
- Miyamae, T., Yue, J.-L., Goshima, Y. and Misu, Y.
 Depressor action of *L*-threo-dihydroxyphenylserine in the rat nucleus tractus solitarius (300) 105
- Miyamoto, S., see Muramatsu, I. (300) 155
- Miyayasu, K., see Yasumitsu, R. (300) 215
- Morin, C., see Sapena, R. (300) 159
- Morin, D., see Sapena, R. (300) 159
- Morita, K., see Kamei, J. (300) 75
- Mørk, A., see Petersen, B. (300) 67
- Mousseau, D.D., Rao, V.L.R. and Butterworth, R.F.
 Na^+ , K^+ -ATPase activity is selectively increased in thalamus in thiamine deficiency prior to the appearance of neurological symptoms (300) 191
- Muggli, R., see McLennan, P. (300) 83
- Murakami, Y., see Hattori, Y. (300) 147
- Muramatsu, I., Takita, M., Suzuki, F., Miyamoto, S., Sakamoto, S. and Ohmura, T.
 Subtype selectivity of a new α_1 -adrenoceptor antagonist, JTH-601: comparison with prazosin (300) 155
- Nagase, H., see Kamei, J. (300) 75
- Nishi, N., see Odagaki, Y. (300) 151
- Nishiyori, A., see Yabuuchi, K. (300) 59
- Odagaki, Y., Nishi, N. and Koyama, T.
 Functional coupling between metabotropic glutamate receptors and G proteins in rat brain membranes (300) 151
- Oh-ishi, S., Utsunomiya, I., Yamamoto, T., Komuro, Y. and Hara, Y.
 Effects of prostaglandins and cyclic AMP on cytokine production in rat leukocytes (300) 255
- Ohba, Y., see Woo, J.-T. (300) 131
- Ohmori, T., see Izumi, T. (300) 25
- Ohmura, T., see Muramatsu, I. (300) 155
- Panizzon, K., see Girard, J. (300) 43
- Patel, A.C., see Ge, J. (300) 113
- Pauwels, P.J. and Colpaert, F.C.
 Selective antagonism of human 5-HT_{1D} and 5-HT_{1B} receptor-mediated responses in stably transfected C6-glia cells by ketanserin and GR 127,935 (300) 141
- Pauwels, P.J. and Colpaert, F.C.
 Stereoselectivity of 8-OH-DPAT enantiomers at cloned human 5-HT_{1D} receptor sites (300) 137
- Pény, C., see Boireau, A. (300) 237
- Petersen, B. and Mørk, A.
 Chronic treatment with citalopram induces noradrenaline receptor hypoactivity. A microdialysis study (300) 67
- Petrelli, L., see Mazzari, S. (300) 227
- Pfaffendorf, M., see Zwaveling, J. (300) 91
- Qadri, F., see Höhle, S. (300) 119
- Raederstorff, D., see McLennan, P. (300) 83
- Rao, V.L.R., see Mousseau, D.D. (300) 191
- Rayner, T., see McLennan, P. (300) 83
- Richter, A. and Löscher, W.
 Antidystonic effects of L-type Ca^{2+} channel antagonists in a hamster model of idiopathic dystonia (300) 197
- Riekkinen, M., Stefanski, R., Kuitunen, J. and Riekkinen Jr., P.
 Effects of combined block of α_1 -adrenoceptors and NMDA receptors on spatial and passive avoidance behavior in rats (300) 9
- Riekkinen Jr., P., see Riekkinen, M. (300) 9
- Riela, S., see Sannita, W.G. (300) 33
- Roeske, W.R., see Li, X. (300) R1
- Rosadini, G., see Sannita, W.G. (300) 33
- Ruetten, H., see Wu, C.-C. (300) 99
- Ruzycky, A.L.
 Effects of 17 β -estradiol and progesterone on mitogen-activated protein kinase expression and activity in rat uterine smooth muscle (300) 247
- Saitoh, A., see Kamei, J. (300) 75
- Sakamoto, S., see Muramatsu, I. (300) 155
- Sannita, W.G., Crimi, E., Riela, S., Rosadini, G. and Brusasco, V.
 Cutaneous antihistaminic action of cetirizine and dose-related EEG concomitants of sedation in man (300) 33
- Sapena, R., Morin, D., Zini, R., Morin, C. and Tillement, J.-P.
 Desipramine treatment differently down-regulates β -adrenoceptors of freshly isolated neurons and astrocytes (300) 159
- Satoh, M., see Yabuuchi, K. (300) 59
- Savage, P., see Tayag, E.C. (300) 261
- Saxena, P.R., see Van der Graaf, P.H. (300) 211
- Schutz, C.G., see Funada, M. (300) 17
- Schwierin, B., Borbély, A.A. and Tobler, I.
 Effects of *N*⁶-cyclopentyladenosine and caffeine on sleep regulation in the rat (300) 163
- Shimoda, S.-I., see Hattori, Y. (300) 147
- Shippenberg, T.S., see Funada, M. (300) 17
- Sigeizumi, S., see Woo, J.-T. (300) 131
- Stam, W.B., see Van der Graaf, P.H. (300) 211
- Stefanski, R., see Riekkinen, M. (300) 9
- Stropova, D., see Li, X. (300) R1
- Sugimoto, K., see Woo, J.-T. (300) 131
- Sumitani, K., see Woo, J.-T. (300) 131
- Suzuki, F., see Muramatsu, I. (300) 155
- Suzuki, T., see Kamei, J. (300) 75
- Swann, A.C., see Gaytan, O. (300) 1
- Tagami, K., see Woo, J.-T. (300) 131
- Takita, M., see Muramatsu, I. (300) 155
- Tang, L. and Kongsamut, S.
 Frequency-dependent inhibition of neurotransmitter release by besipridine and HP 184 (300) 71

- Tayag, E.C., Jeng, A.Y., Savage, P. and Lehmann, J.C.
Rat striatum contains pure population of ET_B receptors (300) 261
- Terrón, J.A.
GR127935 is a potent antagonist of the 5-HT₁-like receptor mediating contraction in the canine coronary artery (300) 109
- Thiemermann, C., see Wu, C.-C. (300) 99
- Tillement, J.-P., see Sapena, R. (300) 159
- Tobler, I., see Schwierin, B. (300) 163
- Towers, P., see Ge, J. (300) 113
- Tsuchiya, K., see Izumi, T. (300) 25
- Tsuji, T., see Woo, J.-T. (300) 131
- Unger, T., see Höhle, S. (300) 119
- Utsunomiya, I., see Oh-ishi, S. (300) 255
- Van der Graaf, P.H., Stam, W.B. and Saxena, P.R.
Benextramine acts as an irreversible noncompetitive antagonist of U46619-mediated contraction of the rat small mesenteric artery (300) 211
- Van Zwieten, P.A., see Zwaveling, J. (300) 91
- Varga, E.V., see Li, X. (300) R1
- Vila, J.M., see Medina, P. (300) 221
- Wallis, R.A., see Girard, J. (300) 43
- Winkler Prins, E.A., see Zwaveling, J. (300) 91
- Woo, J.-T., Yamaguchi, K., Hayama, T., Kobori, T., Sigeizumi, S., Sugimoto, K., Kondo, K., Tsuji, T., Ohba, Y., Tagami, K. and Sumitani, K.
Suppressive effect of *N*-(benzyloxycarbonyl)-L-phenylalanyl-L-tyrosinal on bone resorption in vitro and in vivo (300) 131
- Wu, C.-C., Ruetten, H. and Thiemermann, C.
Comparison of the effects of aminoguanidine and *N*^ω-nitro-L-arginine methyl ester on the multiple organ dysfunction caused by endotoxaemia in the rat (300) 99
- Xue, B.G., Friend, J.M. and Gee, K.W.
Loreclezole modulates [³⁵S]γ-butyrbicyclopophosphorothionate and [³H]flunitrazepam binding via a distinct site on the GABA_A receptor complex (300) 125
- Xue, Y.-x., see Furukawa, Y. (300) 203
- Yabuuchi, K., Nishiyori, A., Minami, M. and Satoh, M.
Biphasic effects of intracerebroventricular interleukin-1β on mechanical nociception in the rat (300) 59
- Yamaguchi, K., see Woo, J.-T. (300) 131
- Yamamoto, T., see Oh-ishi, S. (300) 255
- Yamamura, H.I., see Li, X. (300) R1
- Yasumitsu, R., Hirayama, Y., Imai, T., Miyayasu, K. and Hiroi, J.
Effects of specific tachykinin receptor antagonists on citric acid-induced cough and bronchoconstriction in unanesthetized guinea pigs (300) 215
- Yue, J.-L., see Miyamae, T. (300) 105
- Zalewska, T., see Li, X. (300) R1
- Zini, R., see Sapena, R. (300) 159
- Zwaveling, J., Winkler Prins, E.A., Maas, M.A.W., Pfaffendorf, M. and Van Zwieten, P.A.
The influence of hyperthyroidism on pharmacologically induced contractions of isolated resistance arteries (300) 91