

Keyword index

A-61603

BMY 7378; 5-Methylurapidil; α_1 -Adrenoceptor; Arterial pressure (Zhou, L. (305) 173)

Acamprosate

Alcohol; Alcohol-deprivation effect; Craving; Relapse; (Rat) (Spanagel, R. (305) 39)

Alcohol; Withdrawal; Radiotelemetry; (Rat) (Spanagel, R. (305) 45)

Ethanol; Drug discrimination; NMDA receptor antagonist; (Rat) (Spanagel, R. (305) 51)

Adenosine

Taurine; Adenosine transport inhibitor; Spreading depression; NMDA receptor; Hippocampus (Hada, J. (305) 101)

Adenosine A₁ receptor

Dopamine D₁ receptor; EEG (electroencephalographic) arousal; (Rabbit) (Popoli, P. (305) 123)

Adenosine transport inhibitor

Taurine; Adenosine; Spreading depression; NMDA receptor; Hippocampus (Hada, J. (305) 101)

α_1 -Adrenoceptor

BMY 7378; 5-Methylurapidil; A-61603; Arterial pressure (Zhou, L. (305) 173)

β_3 -Adrenoceptor

β -Adrenoceptor; β -Adrenoceptor, atypical; Isomeric activity ratio; Trimetoquinol; Atrium, rat; Trachea, rat; Distal colon, rat; Brown adipose tissue, rat (Konkar, A.A. (305) 63)

β -Adrenoceptor

β -Adrenoceptor, atypical; β_3 -Adrenoceptor; Isomeric activity ratio; Trimetoquinol; Atrium, rat; Trachea, rat; Distal colon, rat; Brown adipose tissue, rat (Konkar, A.A. (305) 63)

β -Adrenoceptor, atypical

β -Adrenoceptor; β_3 -Adrenoceptor; Isomeric activity ratio; Trimetoquinol; Atrium, rat; Trachea, rat; Distal colon, rat; Brown adipose tissue, rat (Konkar, A.A. (305) 63)

α_1 -Adrenoceptor stimulation

Tamsulosin; Electrical field stimulation; Prostate, human (Chueh, S.-C. (305) 177)

Agonist

Muscarinic receptor; Allosteric modulation; Alcuronium; Heart (Maaß, A. (305) 231)

Alcohol

Acamprosate; Alcohol-deprivation effect; Craving; Relapse; (Rat) (Spanagel, R. (305) 39)

Acamprosate; Withdrawal; Radiotelemetry; (Rat) (Spanagel, R. (305) 45)

Alcohol-deprivation effect

Acamprosate; Alcohol; Craving; Relapse; (Rat) (Spanagel, R. (305) 39)

Alcuronium

Muscarinic receptor, heart; Muscarinic receptor, allosteric control; Allosteric interaction; Eburnamonine; Vincamine; Strychnine (Proška, J. (305) 201)

Muscarinic receptor; Allosteric modulation; Agonist; Heart (Maaß, A. (305) 231)

Allosteric interaction

Muscarinic receptor, heart; Muscarinic receptor, allosteric control; Eburnamonine; Vincamine; Alcuronium; Strychnine (Proška, J. (305) 201)

Allosteric modulation

Muscarinic receptor; Alcuronium; Agonist; Heart (Maaß, A. (305) 231)

Allosteric site

Muscarinic receptor subtype; Muscarinic toxin (Waelbroeck, M. (305) 187)

Ambulation

N-Cyanomethylmethamphetamine; Methamphetamine; Haloperidol; Behavioral sensitization; (Mouse) (Kuribara, H. (305) 1)

4-Aminopyridine

NMDA receptor antagonist; Seizure; Excitatory amino acid neurotransmission (Morales-Villagrán, A. (305) 87)

AMPA receptor

NMDA receptor; Spinal cord; Hyperalgesia; (Mouse) (Brambilla, A. (305) 115)

Amphetamine

Reserpine; Oral dyskinesia; Tongue protrusion; Dopamine; 6-Hydroxydopamine; Tardive dyskinesia; Nigrostriatal; Caudate-putamen; (Rat) (Neisewander, J.L. (305) 13)

Angiotensin IV binding

Aortic endothelial cell; (Porcine) (Riva, L. (305) 193)

Antidepressant

Imipramine; 5-HT_{1A} receptor; 8-OH-DPAT (8-hydroxy-2-(di-*n*-propylamino)tetralin); 5-HT (5-hydroxytryptamine, serotonin); Baclofen; Hippocampal slice (Bijak, M. (305) 79)

Antipsychotic drug

Norepinephrine; Risperidone; Primary olfactory cortex; Electrophysiology (Marek, G.J. (305) 95)

Aortic endothelial cell

Angiotensin IV binding; (Porcine) (Riva, L. (305) 193)

Appetite

Drinking; Food intake; Isatin; Motivation; 5-HT (5-hydroxytryptamine, serotonin); Tubulin; (Mouse) (Morley, J.E. (305) 23)

Arterial pressure

BMV 7378; 5-Methylurapidil; A-61603; α_1 -Adrenoceptor (Zhou, L. (305) 173)

Ataxia

Ethanol; IGF-I (insulin-like growth factor I); IGF binding protein 1; Hypothermia; Hypnosis; Tolerance; Blood alcohol concentration; (Transgenic mouse) (Pucilowski, O. (305) 57)

Atrium, rat

β -Adrenoceptor; β -Adrenoceptor, atypical; β_3 -Adrenoceptor; Isomeric activity ratio; Trimetoquinol; Trachea, rat; Distal colon, rat; Brown adipose tissue, rat (Konkar, A.A. (305) 63)

Baclofen

Antidepressant; Imipramine; 5-HT_{1A} receptor; 8-OH-DPAT (8-hydroxy-2-(di-*n*-propylamino)tetralin); 5-HT (5-hydroxytryptamine, serotonin); Hippocampal slice (Bijak, M. (305) 79)

Behavioral sensitization

N-Cyanomethylmethamphetamine; Methamphetamine; Haloperidol; Ambulation; (Mouse) (Kuribara, H. (305) 1)

Benzodiazepine

Drug discrimination; Time course; Bretazenil; Chlordiazepoxide; (Rat) (Bronson, M. (305) 7)

Blood alcohol concentration

Ethanol; IGF-I (insulin-like growth factor I); IGF binding protein 1; Ataxia; Hypothermia; Hypnosis; Tolerance; (Transgenic mouse) (Pucilowski, O. (305) 57)

BMV 7378

5-Methylurapidil; A-61603; α_1 -Adrenoceptor; Arterial pressure (Zhou, L. (305) 173)

Brain

Melatonin; Kainate; Lipid peroxidation; (Rat) (Melchiorri, D. (305) 239)

Bretazenil

Benzodiazepine; Drug discrimination; Time course; Chlordiazepoxide; (Rat) (Bronson, M. (305) 7)

Brown adipose tissue, rat

β -Adrenoceptor; β -Adrenoceptor, atypical; β_3 -Adrenoceptor; Isomeric activity ratio; Trimetoquinol; Atrium, rat; Trachea, rat; Distal colon, rat (Konkar, A.A. (305) 63)

Ca²⁺ entry

Histamine H₁ receptor; Neomycin; Phospholipase C (Sipma, H. (305) 207)

Capsaicin

Gastrointestinal microcirculation; Laser Doppler; Resiniferatoxin (Abdel Salam, O.M.E. (305) 127)

Caudate-putamen

Reserpine; Oral dyskinesia; Tongue protrusion; Dopamine; 6-Hydroxydopamine; Amphetamine; Tardive dyskinesia; Nigrostriatal; (Rat) (Neisewander, J.L. (305) 13)

Chlordiazepoxide

Benzodiazepine; Drug discrimination; Time course; Bretazenil; (Rat) (Bronson, M. (305) 7)

Cisplatin

DNA repair; Drug resistance; Multidrug resistance (Chao, C.C.-K. (305) 213)

Coronary circulation

Nitric oxide (NO); Vasodilation; Nitric oxide (NO) synthase (Abdul-Husain, M.N. (305) 155)

Cortex, prefrontal

Dopamine; 5-HT_{1A} receptor; Ipsapirone; WAY 100135; NAN-190; Microdialysis (Wędzony, K. (305) 73)

CP-122,721

Emesis; Tachykinin NK₁ receptor antagonist; (Ferret) (Gonsalves, S. (305) 181)

Craving

Acamprosate; Alcohol; Alcohol-deprivation effect; Relapse; (Rat) (Spanagel, R. (305) 39)

***N*-Cyanomethylmethamphetamine**

Methamphetamine; Haloperidol; Behavioral sensitization; Ambulation; (Mouse) (Kuribara, H. (305) 1)

Cyclic adenosine monophosphate

Verbascoside; Langendorff heart preparation; (*Eremophila alternifolia*) (Pennacchio, M. (305) 169)

Distal colon, rat

β -Adrenoceptor; β -Adrenoceptor, atypical; β_3 -Adrenoceptor; Isomeric activity ratio; Trimetoquinol; Atrium, rat; Trachea, rat; Brown adipose tissue, rat (Konkar, A.A. (305) 63)

DNA repair

Cisplatin; Drug resistance; Multidrug resistance (Chao, C.C.-K. (305) 213)

Dopamine

Reserpine; Oral dyskinesia; Tongue protrusion; 6-Hydroxydopamine; Amphetamine; Tardive dyskinesia; Nigrostriatal; Caudate-putamen; (Rat) (Neisewander, J.L. (305) 13)

Cortex, prefrontal; 5-HT_{1A} receptor; Ipsapirone; WAY 100135; NAN-190; Microdialysis (Wędzony, K. (305) 73)

Na⁺,K⁺ATPase, activity; Dopamine receptor; Dopamine signal transduction; Smooth muscle, vascular; Smooth muscle cell, aortic; (Rat) (Rashed, S.M.K. (305) 223)

Dopamine D₃ receptor

Receptor reserve; 7-OH-DPAT (7-hydroxy-*N,N*-di-*n*-propyl-2-amino-tetralin) (Aretha, C.W. (305) 119)

Dopamine D₁ receptor

Adenosine A₁ receptor; EEG (electroencephalographic) arousal; (Rabbit) (Popoli, P. (305) 123)

Dopamine receptor

Na⁺,K⁺ATPase, activity; Dopamine; Dopamine signal transduction; Smooth muscle, vascular; Smooth muscle cell, aortic; (Rat) (Rashed, S.M.K. (305) 223)

Dopamine signal transduction

Na⁺,K⁺ATPase, activity; Dopamine; Dopamine receptor; Smooth muscle, vascular; Smooth muscle cell, aortic; (Rat) (Rashed, S.M.K. (305) 223)

Drinking

Appetite; Food intake; Isatin; Motivation; 5-HT (5-hydroxytryptamine, serotonin); Tubulin; (Mouse) (Morley, J.E. (305) 23)

Drug discrimination

Acamprosate; Ethanol; NMDA receptor antagonist; (Rat) (Spanagel, R. (305) 51)

Drug discrimination

Benzodiazepine; Time course; Bretazenil; Chlordiazepoxide; (Rat) (Bronson, M. (305) 7)

Drug resistance

Cisplatin; DNA repair; Multidrug resistance (Chao, C.C.-K. (305) 213)

Eburnamonine

Muscarinic receptor, heart; Muscarinic receptor, allosteric control; Allosteric interaction; Vincamine; Alcuronium; Strychnine (Proška, J. (305) 201)

EEG (electroencephalographic) arousal

Dopamine D₁ receptor; Adenosine A₁ receptor; (Rabbit) (Popoli, P. (305) 123)

Electrical field stimulation

Tamsulosin; α_1 -Adrenoceptor stimulation; Prostate, human (Chueh, S.-C. (305) 177)

Electrophysiology

Norepinephrine; Risperidone; Primary olfactory cortex; Antipsychotic drug (Marek, G.J. (305) 95)

Emesis

Tachykinin NK₁ receptor antagonist; CP-122,721; (Ferret) (Gonsalves, S. (305) 181)

Endothelin

Myocardium, stunned; TAK-044; (Dog) (Kitayoshi, T. (305) 137)

Ethanol

Acamprosate; Drug discrimination; NMDA receptor antagonist; (Rat) (Spanagel, R. (305) 51)

IGF-I (insulin-like growth factor I); IGF binding protein 1; Ataxia; Hypothermia; Hypnosis; Tolerance; Blood alcohol concentration; (Transgenic mouse) (Pucilowski, O. (305) 57)

Excitatory amino acid neurotransmission

4-Aminopyridine; NMDA receptor antagonist; Seizure (Morales-Villagrán, A. (305) 87)

Food intake

Appetite; Drinking; Isatin; Motivation; 5-HT (5-hydroxytryptamine, serotonin); Tubulin; (Mouse) (Morley, J.E. (305) 23)

Gastrointestinal microcirculation

Laser Doppler; Capsaicin; Resiniferatoxin (Abdel Salam, O.M.E. (305) 127)

Haloperidol

N-Cyanomethylmethamphetamine; Methamphetamine; Behavioral sensitization; Ambulation; (Mouse) (Kuribara, H. (305) 1)

Heart

Muscarinic receptor; Allosteric modulation; Alcuronium; Agonist (Maaß, A. (305) 231)

Hippocampal slice

Antidepressant; Imipramine; 5-HT_{1A} receptor; 8-OH-DPAT (8-hydroxy-2-(di-*n*-propylamino)tetralin); 5-HT (5-hydroxytryptamine, serotonin); Baclofen (Bijak, M. (305) 79)

Hippocampus

Taurine; Adenosine transport inhibitor; Adenosine; Spreading depression; NMDA receptor (Hada, J. (305) 101)

Histamine H₁ receptor

Neomycin; Ca²⁺ entry; Phospholipase C (Sipma, H. (305) 207)

5-HT (5-hydroxytryptamine, serotonin)

Appetite; Drinking; Food intake; Isatin; Motivation; Tubulin; (Mouse) (Morley, J.E. (305) 23)

Antidepressant; Imipramine; 5-HT_{1A} receptor; 8-OH-DPAT (8-hydroxy-2-(di-*n*-propylamino)tetralin); Baclofen; Hippocampal slice (Bijak, M. (305) 79)

5-HT_{1A} receptor

Dopamine; Cortex, prefrontal; Ipsapirone; WAY 100135; NAN-190; Microdialysis (Wędzony, K. (305) 73)

Antidepressant; Imipramine; 8-OH-DPAT (8-hydroxy-2-(di-*n*-propylamino)tetralin); 5-HT (5-hydroxytryptamine, serotonin); Baclofen; Hippocampal slice (Bijak, M. (305) 79)

6-Hydroxydopamine

Reserpine; Oral dyskinesia; Tongue protrusion; Dopamine; Amphetamine; Tardive dyskinesia; Nigrostriatal; Caudate-putamen; (Rat) (Neisewander, J.L. (305) 13)

Hyperalgesia

NMDA receptor; AMPA receptor; Spinal cord; (Mouse) (Brambilla, A. (305) 115)

Hypnosis

Ethanol; IGF-I (insulin-like growth factor I); IGF binding protein 1; Ataxia; Hypothermia; Tolerance; Blood alcohol concentration; (Transgenic mouse) (Pucilowski, O. (305) 57)

Hypothermia

Ethanol; IGF-I (insulin-like growth factor I); IGF binding protein 1; Ataxia; Hypnosis; Tolerance; Blood alcohol concentration; (Transgenic mouse) (Pucilowski, O. (305) 57)

IGF binding protein 1

Ethanol; IGF-I (insulin-like growth factor I); Ataxia; Hypothermia; Hypnosis; Tolerance; Blood alcohol concentration; (Transgenic mouse) (Pucilowski, O. (305) 57)

IGF-I (insulin-like growth factor I)

Ethanol; IGF binding protein 1; Ataxia; Hypothermia; Hypnosis; Tolerance; Blood alcohol concentration; (Transgenic mouse) (Pucilowski, O. (305) 57)

Imipramine

Antidepressant; 5-HT_{1A} receptor; 8-OH-DPAT (8-hydroxy-2-(di-*n*-propylamino)tetralin); 5-HT (5-hydroxytryptamine, serotonin); Baclofen; Hippocampal slice (Bijak, M. (305) 79)

Inositol(1,4,5)trisphosphate

μ -Opioid receptor; SH-SY5Y cell; Phospholipase C; Tyr-D-Arg²-Phe-sarcosine⁴ (TAPS) (Smart, D. (305) 235)

Ipsapirone

Dopamine; Cortex, prefrontal; 5-HT_{1A} receptor; WAY 100135; NAN-190; Microdialysis (Wędzony, K. (305) 73)

Isatin

Appetite; Drinking; Food intake; Motivation; 5-HT (5-hydroxytryptamine, serotonin); Tubulin; (Mouse) (Morley, J.E. (305) 23)

Isomeric activity ratio

β -Adrenoceptor; β -Adrenoceptor, atypical; β_3 -Adrenoceptor; Trimetoprim; Atrium, rat; Trachea, rat; Distal colon, rat; Brown adipose tissue, rat (Konkar, A.A. (305) 63)

JTP-4819

Prolyl endopeptidase; Morris water maze task; Passive avoidance task; TRH (thyrotropin-releasing hormone); Middle cerebral artery occlusion (Shinoda, M. (305) 31)

Kainate

Melatonin; Lipid peroxidation; Brain; (Rat) (Melchiorri, D. (305) 239)

K_{ATP} channel

Nicorandil; Myocardial ischemia; Ventricular arrhythmia; Nitric oxide (NO); Reperfusion (Vegh, A. (305) 163)

Langendorff heart preparation

Verbascoside; Cyclic adenosine monophosphate; (*Eremophila alternifolia*) (Pennacchio, M. (305) 169)

Laser Doppler

Gastrointestinal microcirculation; Capsaicin; Resiniferatoxin (Abdel Salam, O.M.E. (305) 127)

Lipid peroxidation

Melatonin; Kainate; Brain; (Rat) (Melchiorri, D. (305) 239)

Melatonin

Kainate; Lipid peroxidation; Brain; (Rat) (Melchiorri, D. (305) 239)

Memantine

Paraventricular nucleus of the hypothalamus; Myocardial oxygen demand; MK-801; (Rabbit) (Monassier, L. (305) 109)

Methamphetamine

N-Cyanomethylmethamphetamine; Haloperidol; Behavioral sensitization; Ambulation; (Mouse) (Kuribara, H. (305) 1)

5-Methylurapidil

BMV 7378; A-61603; α_1 -Adrenoceptor; Arterial pressure (Zhou, L. (305) 173)

Microdialysis

Dopamine; Cortex, prefrontal; 5-HT_{1A} receptor; Ipsapirone; WAY 100135; NAN-190 (Wędzony, K. (305) 73)

Middle cerebral artery occlusion

JTP-4819; Prolyl endopeptidase; Morris water maze task; Passive avoidance task; TRH (thyrotropin-releasing hormone) (Shinoda, M. (305) 31)

MK-801

Paraventricular nucleus of the hypothalamus; Myocardial oxygen demand; Memantine; (Rabbit) (Monassier, L. (305) 109)

Morris water maze task

JTP-4819; Prolyl endopeptidase; Passive avoidance task; TRH (thyrotropin-releasing hormone); Middle cerebral artery occlusion (Shinoda, M. (305) 31)

Motivation

Appetite; Drinking; Food intake; Isatin; 5-HT (5-hydroxytryptamine, serotonin); Tubulin; (Mouse) (Morley, J.E. (305) 23)

Multidrug resistance

Cisplatin; DNA repair; Drug resistance (Chao, C.C.-K. (305) 213)

Muscarinic receptor

Allosteric modulation; Alcuronium; Agonist; Heart (Maaß, A. (305) 231)

Muscarinic receptor, allosteric control

Muscarinic receptor, heart; Allosteric interaction; Eburnamone; Vincamine; Alcuronium; Strychnine (Proška, J. (305) 201)

Muscarinic receptor, heart

Muscarinic receptor, allosteric control; Allosteric interaction; Eburnamone; Vincamine; Alcuronium; Strychnine (Proška, J. (305) 201)

Muscarinic receptor subtype

Muscarinic toxin; Allosteric site (Waelbroeck, M. (305) 187)

Muscarinic toxin

Muscarinic receptor subtype; Allosteric site (Waelbroeck, M. (305) 187)

Myocardial ischemia

Nicorandil; Ventricular arrhythmia; K_{ATP} channel; Nitric oxide (NO); Reperfusion (Vegh, A. (305) 163)

Myocardial oxygen demand

Paraventricular nucleus of the hypothalamus; MK-801; Memantine; (Rabbit) (Monassier, L. (305) 109)

Myocardium, stunned

Endothelin; TAK-044; (Dog) (Kitayoshi, T. (305) 137)

Na⁺, K⁺ ATPase, activity

Dopamine; Dopamine receptor; Dopamine signal transduction; Smooth muscle, vascular; Smooth muscle cell, aortic; (Rat) (Rashed, S.M.K. (305) 223)

NAN-190

Dopamine; Cortex, prefrontal; 5-HT_{1A} receptor; Ipsapirone; WAY 100135; Microdialysis (Wędzony, K. (305) 73)

Neomycin

Histamine H₁ receptor; Ca²⁺ entry; Phospholipase C (Sipma, H. (305) 207)

Neuropeptide Y Y₁ receptor antagonist

SR 120107A; Sympathetic vasoconstriction; (Pig) (Malmström, R.E. (305) 145)

Nicorandil

Myocardial ischemia; Ventricular arrhythmia; K_{ATP} channel; Nitric oxide (NO); Reperfusion (Vegh, A. (305) 163)

Nigrostriatal

Reserpine; Oral dyskinesia; Tongue protrusion; Dopamine; 6-Hydroxydopamine; Amphetamine; Tardive dyskinesia; Caudate-putamen; (Rat) (Neisewander, J.L. (305) 13)

Nitric oxide (NO)

Vasodilation; Coronary circulation; Nitric oxide (NO) synthase (Abdul-Hussain, M.N. (305) 155)

Nicorandil; Myocardial ischemia; Ventricular arrhythmia; K_{ATP} channel; Reperfusion (Vegh, A. (305) 163)

Nitric oxide (NO) synthase

Nitric oxide (NO); Vasodilation; Coronary circulation (Abdul-Hussain, M.N. (305) 155)

NMDA receptor

Taurine; Adenosine transport inhibitor; Adenosine; Spreading depression; Hippocampus (Hada, J. (305) 101)

AMPA receptor; Spinal cord; Hyperalgesia; (Mouse) (Brambilla, A. (305) 115)

NMDA receptor antagonist

Acamprosate; Ethanol; Drug discrimination; (Rat) (Spanagel, R. (305) 51)

4-Aminopyridine; Seizure; Excitatory amino acid neurotransmission (Morales-Villagr  n, A. (305) 87)

Norepinephrine

Risperidone; Primary olfactory cortex; Electrophysiology; Antipsychotic drug (Marek, G.J. (305) 95)

8-OH-DPAT (8-hydroxy-2-(di-*n*-propylamino)tetralin)

Antidepressant; Imipramine; 5-HT_{1A} receptor; 5-HT (5-hydroxytryptamine, serotonin); Baclofen; Hippocampal slice (Bijak, M. (305) 79)

7-OH-DPAT (7-hydroxy-*N,N*-di-*n*-propyl-2-aminotetralin)

Receptor reserve; Dopamine D₃ receptor (Aretha, C.W. (305) 119)

 μ -Opioid receptor

SH-SY5Y cell; Inositol(1,4,5)trisphosphate; Phospholipase C; Tyr-D-Arg²-Phe-sarcosine⁴ (TAPS) (Smart, D. (305) 235)

Oral dyskinesia

Reserpine; Tongue protrusion; Dopamine; 6-Hydroxydopamine; Amphetamine; Tardive dyskinesia; Nigrostriatal; Caudate-putamen; (Rat) (Neisewander, J.L. (305) 13)

Paraventricular nucleus of the hypothalamus

Myocardial oxygen demand; MK-801; Memantine; (Rabbit) (Monassier, L. (305) 109)

Passive avoidance task

JTP-4819; Prolyl endopeptidase; Morris water maze task; TRH (thyrotropin-releasing hormone); Middle cerebral artery occlusion (Shinoda, M. (305) 31)

Phospholipase C

Histamine H₁ receptor; Neomycin; Ca²⁺ entry (Sipma, H. (305) 207)

μ -Opioid receptor; SH-SY5Y cell; Inositol(1,4,5)trisphosphate; Tyr-D-Arg²-Phe-sarcosine⁴ (TAPS) (Smart, D. (305) 235)

Primary olfactory cortex

Norepinephrine; Risperidone; Electrophysiology; Antipsychotic drug (Marek, G.J. (305) 95)

Prolyl endopeptidase

JTP-4819; Morris water maze task; Passive avoidance task; TRH (thyrotropin-releasing hormone); Middle cerebral artery occlusion (Shinoda, M. (305) 31)

Prostate, human

Tamsulosin; Electrical field stimulation; α_1 -Adrenoceptor stimulation (Chueh, S.-C. (305) 177)

Radiotelemetry

Acamprosate; Alcohol; Withdrawal; (Rat) (Spanagel, R. (305) 45)

Receptor reserve

Dopamine D₃ receptor; 7-OH-DPAT (7-hydroxy-*N,N*-di-*n*-propyl-2-aminotetralin) (Aretha, C.W. (305) 119)

Relapse

Acamprosate; Alcohol; Alcohol-deprivation effect; Craving; (Rat) (Spanagel, R. (305) 39)

Reperfusion

Nicorandil; Myocardial ischemia; Ventricular arrhythmia; K_{ATP} channel; Nitric oxide (NO) (Vegh, A. (305) 163)

Reserpine

Oral dyskinesia; Tongue protrusion; Dopamine; 6-Hydroxydopamine; Amphetamine; Tardive dyskinesia; Nigrostriatal; Caudate-putamen; (Rat) (Neisewander, J.L. (305) 13)

Resiniferatoxin

Gastrointestinal microcirculation; Laser Doppler; Capsaicin (Abdel Salam, O.M.E. (305) 127)

Risperidone

Norepinephrine; Primary olfactory cortex; Electrophysiology; Antipsychotic drug (Marek, G.J. (305) 95)

Seizure

4-Aminopyridine; NMDA receptor antagonist; Excitatory amino acid neurotransmission (Morales-Villagr  n, A. (305) 87)

SH-SY5Y cell

μ -Opioid receptor; Inositol(1,4,5)trisphosphate; Phospholipase C; Tyr-D-Arg²-Phe-sarcosine⁴ (TAPS) (Smart, D. (305) 235)

Smooth muscle cell, aortic

Na⁺, K⁺ ATPase, activity; Dopamine; Dopamine receptor; Dopamine signal transduction; Smooth muscle, vascular; (Rat) (Rashed, S.M.K. (305) 223)

Smooth muscle, vascular

Na⁺, K⁺ ATPase, activity; Dopamine; Dopamine receptor; Dopamine signal transduction; Smooth muscle cell, aortic; (Rat) (Rashed, S.M.K. (305) 223)

Spinal cord

NMDA receptor; AMPA receptor; Hyperalgesia; (Mouse) (Brambilla, A. (305) 115)

Spreading depression

Taurine; Adenosine transport inhibitor; Adenosine; NMDA receptor; Hippocampus (Hada, J. (305) 101)

SR 120107A

Neuropeptide Y Y₁ receptor antagonist; Sympathetic vasoconstriction; (Pig) (Malmstr  m, R.E. (305) 145)

Strychnine

Muscarinic receptor, heart; Muscarinic receptor, allosteric control; Allosteric interaction; Eburnamonine; Vincamine; Alcuronium (Pro  ka, J. (305) 201)

Sympathetic vasoconstriction

Neuropeptide Y Y₁ receptor antagonist; SR 120107A; (Pig) (Malmstr  m, R.E. (305) 145)

Tachykinin NK₁ receptor antagonist

Emesis; CP-122,721; (Ferret) (Gonsalves, S. (305) 181)

TAK-044

Endothelin; Myocardium, stunned; (Dog) (Kitayoshi, T. (305) 137)

Tamsulosin

Electrical field stimulation; α_1 -Adrenoceptor stimulation; Prostate, human (Chueh, S.-C. (305) 177)

Tardive dyskinesia

Reserpine; Oral dyskinesia; Tongue protrusion; Dopamine; 6-Hydroxydopamine; Amphetamine; Nigrostriatal; Caudate-putamen; (Rat) (Neisewander, J.L. (305) 13)

Taurine

Adenosine transport inhibitor; Adenosine; Spreading depression; NMDA receptor; Hippocampus (Hada, J. (305) 101)

Time course

Benzodiazepine; Drug discrimination; Bretazenil; Chlordiazepoxide; (Rat) (Bronson, M. (305) 7)

Tolerance

Ethanol; IGF-I (insulin-like growth factor I); IGF binding protein 1; Ataxia; Hypothermia; Hypnosis; Blood alcohol concentration; (Transgenic mouse) (Pucilowski, O. (305) 57)

Tongue protrusion

Reserpine; Oral dyskinesia; Dopamine; 6-Hydroxydopamine; Amphetamine; Tardive dyskinesia; Nigrostriatal; Caudate-putamen; (Rat) (Neisewander, J.L. (305) 13)

Trachea, rat

β -Adrenoceptor; β -Adrenoceptor, atypical; β_3 -Adrenoceptor; Isomeric activity ratio; Trimetoquinol; Atrium, rat; Distal colon, rat; Brown adipose tissue, rat (Konkar, A.A. (305) 63)

TRH (thyrotropin-releasing hormone)

JTP-4819; Prolyl endopeptidase; Morris water maze task; Passive avoidance task; Middle cerebral artery occlusion (Shinoda, M. (305) 31)

Trimetoquinol

β -Adrenoceptor; β -Adrenoceptor, atypical; β_3 -Adrenoceptor; Isomeric activity ratio; Atrium, rat; Trachea, rat; Distal colon, rat; Brown adipose tissue, rat (Konkar, A.A. (305) 63)

Tubulin

Appetite; Drinking; Food intake; Isatin; Motivation; 5-HT (5-hydroxytryptamine, serotonin); (Mouse) (Morley, J.E. (305) 23)

Tyr-D-Arg²-Phe-sarcosine⁴ (TAPS)

μ -Opioid receptor; SH-SY5Y cell; Inositol(1,4,5)trisphosphate; Phospholipase C (Smart, D. (305) 235)

Vasodilation

Nitric oxide (NO); Coronary circulation; Nitric oxide (NO) synthase (Abdul-Hussain, M.N. (305) 155)

Ventricular arrhythmia

Nicorandil; Myocardial ischemia; K_{ATP} channel; Nitric oxide (NO); Reperfusion (Vegh, A. (305) 163)

Verbascoside

Cyclic adenosine monophosphate; Langendorff heart preparation; (*Eremophila alternifolia*) (Pennacchio, M. (305) 169)

Vincamine

Muscarinic receptor, heart; Muscarinic receptor, allosteric control; Allosteric interaction; Eburnamonine; Alcuronium; Strychnine (Proška, J. (305) 201)

WAY 100135

Dopamine; Cortex, prefrontal; 5-HT_{1A} receptor; Ipsapirone; NAN-190; Microdialysis (Wędzony, K. (305) 73)

Withdrawal

Acamprosate; Alcohol; Radiotelemetry; (Rat) (Spanagel, R. (305) 45)