

Author index

- Abreu, J.-N., see Friedrichs, G.S. (306) 99
- Ahn, S.K., Shin, Y.K., Kang, H.J., Han, E.S. and Lee, C.S.
Effects of protein kinase inhibitors on the stimulated neutrophil responses by degraded immunoglobulin G (306) 175
- Amann, R., Schuligoi, R., Lanz, I. and Peskar, B.A.
Effect of a 5-lipoxygenase inhibitor on nerve growth factor-induced thermal hyperalgesia in the rat (306) 89
- Antonelli, T., see Ferraro, L. (306) 33
- Araki, T., Kato, H., Shuto, K., Fujiwara, T., Kogure, K. and Itoyama, Y.
Effects of cerebral ischemia on dopamine receptors in the gerbil striatum (306) 73
- Bennai, F., Grenay, H., Vonthron, C., Bousquet, P. and Dontenwill, M.
Polyclonal anti-idiotypic antibodies to idazoxan and their interaction with human brain imidazoline binding sites (306) 211
- Black, S.C., see Friedrichs, G.S. (306) 99
- Boucher, M., Chassaing, C. and Chapuy, E.
Cardiac electrophysiological effects of fapipamil in the conscious dog: comparison with alinidine (306) 93
- Bousquet, P., see Bennai, F. (306) 211
- Brutesco, C., see Valette, H. (306) 133
- Burnet, P.W.J., see McGowan, S. (306) 249
- Casley, D., see Murone, C. (306) 237
- Chai, S.Y., see Murone, C. (306) 237
- Chapuy, E., see Boucher, M. (306) 93
- Chassaing, C., see Boucher, M. (306) 93
- Chen, T.-S., see Koutsilieri, E. (306) 181
- Chi, L., see Friedrichs, G.S. (306) 99
- Chiu, T.H., see Zhao, T.-j. (306) 61
- Colombo, S., see Letari, O. (306) 325
- Cowan, A., see Ryan, R.R. (306) 307
- Dahl, S.G., see Kristiansen, K. (306) 195
- Daniel, J.L., see Ryan, R.R. (306) 307
- De Beun, R., Lohmann, A., Schneider, R. and De Vry, J.
Comparison of the stimulus properties of ethanol and the Ca^{2+} channel antagonist nimodipine in rats (306) 5
- De la Fuente, M.T., Maroto, R., Esquerro, E., Sánchez-García, P. and García, A.G.
The actions of ouabain and lithium chloride on cytosolic Ca^{2+} in single chromaffin cells (306) 219
- Demirdamar, R., see Gumusel, B. (306) 107
- Den Hertog, A., see Sipma, H. (306) 187
- De Vry, J., see De Beun, R. (306) 5
- De Wildt, D.J., see Herz, R.C.G. (306) 113
- Dontenwill, M., see Bennai, F. (306) 211
- Eastwood, S.L., see McGowan, S. (306) 249
- Eltze, M. and Ullrich, B.
Characterization of vascular P_2 purinoceptors in the rat isolated perfused kidney (306) 139
- Esquerro, E., see De la Fuente, M.T. (306) 219
- Ferraro, L., Tanganelli, S., O'Connor, W.T., Antonelli, T., Rambert, F. and Fuxe, K.
The vigilance promoting drug modafinil increases dopamine release in the rat nucleus accumbens via the involvement of a local GABAergic mechanism (306) 33
- Flanigan, T.P., see McGowan, S. (306) 249
- Fredholm, B.B., see Sipma, H. (306) 187
- Friedrichs, G.S., Abreu, J.-N., Black, S.C., Chi, L. and Lucchesi, B.R.
5-Hydroxydecanoate fails to attenuate ventricular fibrillation in a conscious canine model of sudden cardiac death (306) 99
- Fujiwara, T., see Araki, T. (306) 73
- Fuseau, C., see Valette, H. (306) 133
- Fuxe, K., see Ferraro, L. (306) 33
- García, A.G., see De la Fuente, M.T. (306) 219
- Gregg, K., see Rabin, B.C. (306) 51
- Grenay, H., see Bennai, F. (306) 211
- Gumusel, B., Tel, B.C., Demirdamar, R. and Sahin-Erdemli, I.
Reactive oxygen species-induced impairment of endothelium-dependent relaxation in rat aortic rings: protection by L-arginine (306) 107
- Guo, T.-Z., see Rabin, B.C. (306) 51
- Han, E.S., see Ahn, S.K. (306) 175
- Harrison, P.J., see McGowan, S. (306) 249
- Hartman, J.C., see Wall, T.M. (306) 165
- Healy, D.J. and Meador-Woodruff, J.H.
Receptor gene expression in hippocampus is differentially regulated by the NMDA receptor antagonist MK-801 (306) 257
- Henmi, S., Imaizumi, Y., Muraki, K. and Watanabe, M.
Time course of Ca^{2+} -dependent K^+ and Cl^- currents in single smooth muscle cells of guinea-pig trachea (306) 227
- Herz, R.C.G., De Wildt, D.J. and Versteeg, D.H.G.
The effects of γ_2 -melanocyte-stimulating hormone and nimodipine on cortical blood flow and infarction volume in two rat models of middle cerebral artery occlusion (306) 113
- Hill, S.J., see Peakman, M.-C. (306) 281
- Hoffman, P.L., see Szabó, G. (306) 67
- Hornfeldt, C.S., Kitto, K.F. and Larson, A.A.
Evidence that the NH_2 -terminus of substance P modulates *N*-methyl-D-aspartate-induced activity by an action involving σ receptors (306) 15
- Imaizumi, Y., see Henmi, S. (306) 227
- Itoyama, Y., see Araki, T. (306) 73
- Kang, H.J., see Ahn, S.K. (306) 175
- Kato, H., see Araki, T. (306) 73
- Kawashima, Y., see Matsuno, K. (306) 271
- Kishimoto, T., see Wei, E.T. (306) 161
- Kitamura, Y., Takahashi, H., Nomura, Y. and Taniguchi, T.
Possible involvement of Janus kinase Jak2 in interferon- γ induction of nitric oxide synthase in rat glial cells (306) 297
- Kitto, K.F., see Hornfeldt, C.S. (306) 15
- Kogure, K., see Araki, T. (306) 73
- Koutsilieri, E., Chen, T.-S., Rausch, W.-D. and Riederer, P.
Selegiline is neuroprotective in primary brain cultures treated with 1-methyl-4-phenylpyridinium (306) 181

- Kristiansen, K. and Dahl, S.G.
Molecular modeling of serotonin, ketanserin, ritanserin and their 5-HT_{2C} receptor interactions (306) 195
- Kunz, D., see Walker, G. (306) 265
- Lanz, I., see Amann, R. (306) 89
- Larson, A.A., see Hornfeldt, C.S. (306) 15
- Lee, C.S., see Ahn, S.K. (306) 175
- Letari, O., Mennuni, L., Revel, L., Colombo, S. and Makovec, F.
Cytosolic Ca²⁺ evaluation in rabbit parietal cells: a novel method to screen gastrin receptor antagonists (306) 325
- Linseman, D.A., see Wall, T.M. (306) 165
- Lodge, D., see Nooney, J.M. (306) 41
- Lohmann, A., see De Beun, R. (306) 5
- Lucchesi, B.R., see Friedrichs, G.S. (306) 99
- MacGregor, D.P., see Murone, C. (306) 237
- Makovec, F., see Letari, O. (306) 325
- Maroto, R., see De la Fuente, M.T. (306) 219
- Matsuno, K., Nakazawa, M., Okamoto, K., Kawashima, Y. and Mita, S.
Binding properties of SA4503, a novel and selective σ_1 receptor agonist (306) 271
- Maze, M., see Rabin, B.C. (306) 51
- McGowan, S., Eastwood, S.L., Mead, A., Burnet, P.W.J., Smith, C., Flanigan, T.P. and Harrison, P.J.
Hippocampal and cortical G protein (G_s α , G_o α and G_{i2} α) mRNA expression after electroconvulsive shock or lithium carbonate treatment (306) 249
- Mead, A., see McGowan, S. (306) 249
- Meador-Woodruff, J.H., see Healy, D.J. (306) 257
- Mendelsohn, F.A.O., see Murone, C. (306) 237
- Mennuni, L., see Letari, O. (306) 325
- Mita, S., see Matsuno, K. (306) 271
- Müller-Esterl, W., see Murone, C. (306) 237
- Muraki, K., see Henmi, S. (306) 227
- Murone, C., Perich, R.B., Schlawe, I., Chai, S.Y., Casley, D., MacGregor, D.P., Müller-Esterl, W. and Mendelsohn, F.A.O.
Characterization and localization of bradykinin B₂ receptors in the guinea-pig using a radioiodinated HOE140 analogue (306) 237
- Nakazawa, M., see Matsuno, K. (306) 271
- Nelemans, A., see Sipma, H. (306) 187
- Nomura, Y., see Kitamura, Y. (306) 297
- Nooney, J.M. and Lodge, D.
The use of invertebrate peptide toxins to establish Ca²⁺ channel identity of CA3-CA1 neurotransmission in rat hippocampal slices (306) 41
- Nunley, K.R., see Szabó, G. (306) 67
- O'Connor, W.T., see Ferraro, L. (306) 33
- Ohoi, I. and Takeo, S.
Involvement of superoxide and nitric oxide in the genesis of reperfusion arrhythmias in rats (306) 123
- Okamoto, K., see Matsuno, K. (306) 271
- Olds, M.E.
Dopaminergic basis for the facilitation of brain stimulation reward by the NMDA receptor antagonist, MK-801 (306) 23
- Peakman, M.-C. and Hill, S.J.
Adenosine A₁ receptor-mediated inhibition of cyclic AMP accumulation in type-2 but not type-1 rat astrocytes (306) 281
- Perich, R.B., see Murone, C. (306) 237
- Peskar, B.A., see Amann, R. (306) 89
- Pfeilschifter, J., see Walker, G. (306) 265
- Pignat, W., see Walker, G. (306) 265
- Prehn, J.H.M.
Marked diversity in the action of growth factors on *N*-methyl-D-aspartate-induced neuronal degeneration (306) 81
- Price, J.S., see Wei, E.T. (306) 161
- Rabin, B.C., Guo, T.-Z., Gregg, K. and Maze, M.
Role of serotonergic neurotransmission in the hypnotic response to dexmedetomidine, an α_2 -adrenoceptor agonist (306) 51
- Rambert, F., see Ferraro, L. (306) 33
- Rausch, W.-D., see Koutsilieri, E. (306) 181
- Revel, L., see Letari, O. (306) 325
- Riederer, P., see Koutsilieri, E. (306) 181
- Rosenberg, H.C., see Zhao, T.-j. (306) 61
- Roumy, M. and Zajac, J.-M.
Effects of neuropeptide FF on intracellular Ca²⁺ in mouse spinal ganglion neurons (306) 291
- Ryan, R.R., Taylor, J.E., Daniel, J.L. and Cowan, A.
Pharmacological profiles of two bombesin analogues in cells transfected with human neuromedin B receptors (306) 307
- Sadeghi, A.-I., see Zarrindast, M.-R. (306) 1
- Sahin-Erdemli, I., see Gumusel, B. (306) 107
- Sánchez-García, P., see De la Fuente, M.T. (306) 219
- Savola, J.-M., see Savola, M.K.T. (306) 315
- Savola, M.K.T. and Savola, J.-M.
[³H]Dexmedetomidine, an α_2 -adrenoceptor agonist, detects a novel imidazole binding site in adult rat spinal cord (306) 315
- Scarpignato, C., see Varga, G. (306) 153
- Schlawe, I., see Murone, C. (306) 237
- Schneider, R., see De Beun, R. (306) 5
- Schuligoi, R., see Amann, R. (306) 89
- Sharifzadeh, M., see Zarrindast, M.-R. (306) 1
- Shin, Y.K., see Ahn, S.K. (306) 175
- Shuto, K., see Araki, T. (306) 73
- Sipma, H., Fredholm, B.B., Den Hertog, A. and Nelemans, A.
Plasma membrane Ca²⁺ pumping plays a prominent role in adenosine A₁ receptor mediated changes in [Ca²⁺]_i in DDT₁ MF-2 cells (306) 187
- Smith, C., see McGowan, S. (306) 249
- Syrota, A., see Valette, H. (306) 133
- Szabó, G., Nunley, K.R. and Hoffman, P.L.
Antisense oligonucleotide to *c-fos* blocks the ability of arginine vasopressin to maintain ethanol tolerance (306) 67
- Takahashi, H., see Kitamura, Y. (306) 297
- Takeo, S., see Ohoi, I. (306) 123
- Tanganelli, S., see Ferraro, L. (306) 33
- Taniguchi, T., see Kitamura, Y. (306) 297
- Taylor, J.E., see Ryan, R.R. (306) 307
- Tel, B.C., see Gumusel, B. (306) 107
- Thomas, H.A., see Wei, E.T. (306) 161
- Ullrich, B., see Eltze, M. (306) 139
- Valette, H., Syrota, A., Fuseau, C. and Brutesco, C.
In vivo effect of methyl-quinuclidinyl-benzylate on myocardial β -adrenoceptor density (306) 133
- Van den Bosch, H., see Walker, G. (306) 265
- Varga, G. and Scarpignato, C.
Camostate- and caerulein-induced delay of gastric emptying in the rat: effect of CCK receptor antagonists (306) 153
- Versteeg, D.H.G., see Herz, R.C.G. (306) 113
- Vonthron, C., see Bennai, F. (306) 211
- Walker, G., Kunz, D., Pignat, W., Wiesenberg, I., Van den Bosch, H. and Pfeilschifter, J.

- Tetranactin inhibits interleukin 1β and cAMP induction of group II phospholipase A_2 in rat renal mesangial cells (306) 265
- Wall, T.M., Linseman, D.A. and Hartman, J.C.
Ramiprilat attenuates hypoxia/reoxygenation injury to cardiac myocytes via a bradykinin-dependent mechanism (306) 165
- Watanabe, M., see Henmi, S. (306) 227
- Wei, E.T., Thomas, H.A., Price, J.S. and Kishimoto, T.
[D-Pro⁵]Corticotropin-releasing factor analogs as selective agonists at corticotropin-releasing factor receptors (306) 161
- Wiesenberg, I., see Walker, G. (306) 265
- Zajac, J.-M., see Roumy, M. (306) 291
- Zarrindast, M.-R., Sharifzadeh, M. and Sadeghi, A.-I.
Theophylline-induced grooming: possible indirect dopaminergic mechanism (306) 1
- Zhao, T.-j., Rosenberg, H.C. and Chiu, T.H.
Treatment with an antisense oligodeoxynucleotide to the GABA_A receptor γ_2 subunit increases convulsive threshold for β -CCM, a benzodiazepine 'inverse agonist', in rats (306) 61