

Author index

- Adachi, K., see Koshikawa, N. (308) 227
- Adachi, Y., Hashimoto, K., Hisa, H., Yoshida, M., Suzuki-Kusaba, M. and Satoh, S.
Angiotensin II-induced renal responses in anesthetized rabbits: effects of *N*^ω-nitro-L-arginine methyl ester and losartan (308) 165
- Advenier, C., see Biyah, K. (308) 325
- Alekseev, A.E., see Brady, P.A. (308) 343
- Anouar, A., Clerget, M.-S., Durroux, T., Barberis, C. and Germain, G.
Comparison of vasopressin and oxytocin receptors in the rat uterus and vascular tissue (308) 87
- Araki, H., see Noguchi, K. (308) 53
- Araújo, C., see Lopes-Martins, R. (308) 287
- Arisawa, H., see Iga, Y. (308) 13
- Aroviita, L., see Riekkinen, M. (308) 243
- Aulakh, C.S., see Mazzola-Pomietto, P. (308) 329
- Bach, N.J., see Fox, N. (308) 195
- Baldik, Y., see Ulugöl, A. (308) 49
- Banke, T., see Wahl, P. (308) 211
- Banner, S.E., Smith, M.I., Bywater, D., Gaster, L.M. and Sanger, G.J.
Increased defaecation caused by 5-HT₄ receptor activation in the mouse (308) 181
- Barberis, C., see Anouar, A. (308) 87
- Bartolini, A., see Galeotti, N. (308) 125
- Berdeu, D., Puech, R., Loubatières-Mariani, M.-M. and Bertrand, G.
Agmatine is not a good candidate as endogenous ligand for imidazole sites of pancreatic B cells and vascular bed (308) 301
- Berendsen, H.H.G., Kester, R.C.H., Peeters, B.W.M.M. and Broekkamp, C.L.E.
Modulation of 5-HT receptor subtype-mediated behaviours by corticosterone (308) 103
- Berthelot, P., see Kerr, D.I.B. (308) R1
- Bertrand, G., see Berdeu, D. (308) 301
- Bieroń, K., see Gryglewski, R.J. (308) 61
- Biyah, K., Molimard, M., Emonds-Alt, X. and Advenier, C.
SR 140333 prevents potentiation by citric acid of plasma exudation induced by histamine in airways (308) 325
- Bobbitt, J.L., see Fox, N. (308) 195
- Booze, R.M., see Wallace, D.R. (308) 283
- Brady, P.A., Zhang, S., López, J.R., Jovanovic, A., Alekseev, A.E. and Terzic, A.
Dual effect of glyburide, an antagonist of K_{ATP} channels, on metabolic inhibition-induced Ca²⁺ loading in cardiomyocytes (308) 343
- Briejer, M.R. and Schuurkes, J.A.J.
5-HT₃ and 5-HT₄ receptors and cholinergic and tachykinergic neurotransmission in the guinea-pig proximal colon (308) 173
- Broekkamp, C.L.E., see Berendsen, H.H.G. (308) 103
- Brotchie, J.M., see Maneuf, Y.P. (308) 161
- Bywater, D., see Banner, S.E. (308) 181
- Cabib, S., see Mele, A. (308) 1
- Caccia, S., see Mele, A. (308) 1
- Carlson, D.G., see Fox, N. (308) 195
- Carter, C., see Klarica, M. (308) 135
- Castañeda-Hernández, G., see López-Muñoz, F.J. (308) 275
- Castellano, C., see Mele, A. (308) 1
- Catelli, M., see Lopes-Martins, R. (308) 287
- Chayvialle, J.-A., see Miampamba, M. (308) 251
- Chéry-Croze, S., see Miampamba, M. (308) 251
- Clerget, M.-S., see Anouar, A. (308) 87
- Cools, A.R., see Koshikawa, N. (308) 227
- Cools, A.R., see Koshikawa, N. (308) 235
- Cordeiro, R., see Lopes-Martins, R. (308) 287
- Crossman, A.R., see Maneuf, Y.P. (308) 161
- Danhof, M., see Van Schaick, E.A. (308) 311
- Debaert, M., see Kerr, D.I.B. (308) R1
- Delarue, C., see Esneu, M. (308) 187
- Détolle-Sarbach, S., see Miampamba, M. (308) 251
- Dillard, R.D., see Fox, N. (308) 195
- Dökmeci, D., see Ulugöl, A. (308) 49
- Dökmeci, İ., see Ulugöl, A. (308) 49
- Dossin, O., Hanoun, N. and Zajac, J.-M.
Involvement of locus coeruleus projections in opiate withdrawal but not in opiate tolerance in mice (308) 271
- Draheim, S.E., see Fox, N. (308) 195
- Drijfhout, W.J., Grol, C.J. and Westerink, B.H.C.
Parasympathetic inhibition of pineal indole metabolism by prejunctional modulation of noradrenaline release (308) 117
- Duckles, S.P., see McNeill, A.M. (308) 305
- Durroux, T., see Anouar, A. (308) 87
- Emonds-Alt, X., see Biyah, K. (308) 325
- Esneu, M., Delarue, C., Fournier, A. and Vaudry, H.
Characterization of the receptor mediating the effect of calcitonin gene-related peptide in the frog adrenal gland (308) 187
- Estate, V., see Lopes-Martins, R. (308) 287
- Fage, D., see Klarica, M. (308) 135
- Felici, A., see Mele, A. (308) 1
- Feller, D.R., see Lezama, E.J. (308) 69
- Fisher, L., see Fox, N. (308) 195
- Flores-Murrieta, F.J., see López-Muñoz, F.J. (308) 275
- Flouquet, N., see Kerr, D.I.B. (308) R1
- Fournier, A., see Esneu, M. (308) 187
- Fox, N., Song, M., Schrementi, J., Sharp, J.D., White, D.L., Snyder, D.W., Hartley, L.W., Carlson, D.G., Bach, N.J., Dillard, R.D., Draheim, S.E., Bobbitt, J.L., Fisher, L. and Mihelich, E.D.
Transgenic model for the discovery of novel human secretory non-pancreatic phospholipase A₂ inhibitors (308) 195
- Frei, K., see Lorenzl, S. (308) 335
- Gainetdinov, R.R., Sotnikova, T.D., Grekhova, T.V. and Rayevsky, K.S.
In vivo evidence for preferential role of dopamine D₃ receptor in the presynaptic regulation of dopamine release but not synthesis (308) 261
- Galeotti, N., Ghelardini, C. and Bartolini, A.
Effect of pertussis toxin on morphine, diphenhydramine, baclofen, clomipramine and physostigmine antinociception (308) 125

- Gassen, M., Glinka, Y., Pinchasi, B. and Youdim, M.B.H.
Apomorphine is a highly potent free radical scavenger in rat brain mitochondrial fraction (308) 219
- Gaster, L.M., see Banner, S.E. (308) 181
- Geiger, J.D., see Parkinson, F.E. (308) 97
- Germain, G., see Anouar, A. (308) 87
- Ghelardini, C., see Galeotti, N. (308) 125
- Glinka, Y., see Gassen, M. (308) 219
- Granados-Soto, V., see López-Muñoz, F.J. (308) 275
- Grekhova, T.V., see Gainetdinov, R.R. (308) 261
- Grol, C.J., see Drijfhout, W.J. (308) 117
- Gryglewski, R.J., Korbut, R., Świąs, J., Kostka-Trąbka, E., Bieroń, K. and Robak, J.
Thrombolytic action of ticlopidine: possible mechanisms (308) 61
- Guez, D., see Miampamba, M. (308) 251
- Hanoun, N., see Dossin, O. (308) 271
- Hansen, H.C., see Jackson, H.C. (308) 21
- Hartley, L.W., see Fox, N. (308) 195
- Hashimoto, K., see Adachi, Y. (308) 165
- Henry, J.L., see Yashpal, K. (308) 41
- Higuchi, S., see Noguchi, K. (308) 53
- Hisa, H., see Adachi, Y. (308) 165
- Hui-Chan, C.W.Y., see Yashpal, K. (308) 41
- Iga, Y., Arisawa, H., Ise, M., Yasuda, H. and Takeshita, Y.
Modulation of rhythmical slow activity, long-term potentiation and memory by muscarinic receptor agonists (308) 13
- Izerman, A.P., see Van Schaick, E.A. (308) 311
- Imamura, T., see Takada, Y. (308) 205
- Inami, T., see Takada, Y. (308) 205
- Ise, M., see Iga, Y. (308) 13
- Ishihara, H., see Takada, Y. (308) 205
- Ishiki, M., see Takada, Y. (308) 205
- Itoh, Z., see Tamura, T. (308) 315
- Iwanishi, M., see Takada, Y. (308) 205
- Jackson, H.C., Hansen, H.C., Kristiansen, M., Suzdak, P.D., Klitgaard, H., Judge, M.E. and Swedberg, M.D.B.
Anticonvulsant profile of the imidazoquinazolines NNC 14-0185 and NNC 14-0189 in rats and mice (308) 21
- Jacobson, K.A., see Van Schaick, E.A. (308) 311
- Jovanovic, A., see Brady, P.A. (308) 343
- Judge, M.E., see Jackson, H.C. (308) 21
- Kanfer, J.N., see Sorrentino, G. (308) 81
- Karadağ, H.Ç., see Ulugöl, A. (308) 49
- Kelso, E., Spiers, P., McDermott, B., Scholfield, N. and Silke, B.
Dual effects of endothelin-1 on the L-type Ca^{2+} current in ventricular cardiomyocytes (308) 351
- Kerr, D.I.B., Ong, J., Vaccher, C., Berthelot, P., Flouquet, N., Vaccher, M.-P. and Debaert, M.
GABA_B receptor antagonism by resolved (*R*)-saclofen in the guinea-pig ileum (308) R1
- Kester, R.C.H., see Berendsen, H.H.G. (308) 103
- Kim, H.O., see Van Schaick, E.A. (308) 311
- Kitamura, M., see Koshikawa, N. (308) 235
- Kivipelto, M., see Riekkinen, M. (308) 243
- Klarica, M., Fage, D. and Carter, C.
Pharmacology of *N*-methyl-D-aspartate-evoked [³H]noradrenaline release in adult rat spinal cord (308) 135
- Klitgaard, H., see Jackson, H.C. (308) 21
- Kobayashi, M., see Koshikawa, N. (308) 227
- Kobayashi, M., see Koshikawa, N. (308) 235
- Kobayashi, M., see Takada, Y. (308) 205
- Ködel, U., see Lorenzl, S. (308) 335
- Kokubu, N., see Satoh, M. (308) 145
- Konkar, A.A., see Lezama, E.J. (308) 69
- Korbut, R., see Gryglewski, R.J. (308) 61
- Koshikawa, N., Kitamura, M., Kobayashi, M. and Cools, A.R.
Behavioural effects of 7-OH-DPAT are solely due to stimulation of dopamine D₂ receptors in the shell of the nucleus accumbens; turning behaviour (308) 235
- Koshikawa, N., Miwa, Y., Adachi, K., Kobayashi, M. and Cools, A.R.
Behavioural effects of 7-OH-DPAT are solely due to stimulation of dopamine D₂ receptors in the shell of the nucleus accumbens; jaw movements (308) 227
- Kostka-Trąbka, E., see Gryglewski, R.J. (308) 61
- Kow, L.-M., see Zhang, C. (308) 153
- Krause, D.N., see McNeill, A.M. (308) 305
- Kristiansen, M., see Jackson, H.C. (308) 21
- Krogsgaard-Larsen, P., see Wahl, P. (308) 211
- Leid, M., see Musser, B. (308) 357
- Lezama, E.J., Konkar, A.A., Salazar-Bookaman, M.M., Miller, D.D. and Feller, D.R.
Pharmacological study of atypical β -adrenoceptors in rat esophageal smooth muscle (308) 69
- Linden, J., see Musser, B. (308) 357
- Lopes-Martins, R., Catelli, M., Araújo, C., Estado, V., Cordeiro, R. and Tibiriçá, E.
Pharmacological evidence of a role for platelet activating factor as a modulator of vasomotor tone and blood pressure (308) 287
- López, J.R., see Brady, P.A. (308) 343
- López-Muñoz, F.J., Castañeda-Hernández, G., Flores-Murrieta, F.J. and Granados-Soto, V.
Effect of caffeine coadministration and of nitric oxide synthesis inhibition on the antinociceptive action of ketorolac (308) 275
- Lorenzl, S., Ködel, U., Frei, K. and Pfister, H.-W.
Effect of the bradykinin B₂ receptor antagonist Hoel40 in experimental pneumococcal meningitis in the rat (308) 335
- Loubatières-Mariani, M.-M., see Berdeu, D. (308) 301
- Lynch, A.M., see See, R.E. (308) 279
- Madsen, U., see Wahl, P. (308) 211
- Maneuf, Y.P., Nash, J.E., Crossman, A.R. and Brotchie, J.M.
Activation of the cannabinoid receptor by Δ^9 -tetrahydrocannabinol reduces γ -aminobutyric acid uptake in the globus pallidus (308) 161
- Massarelli, R., see Sorrentino, G. (308) 81
- Masumiya, H., see Noguchi, K. (308) 53
- Matsuo, K., see Satoh, M. (308) 145
- Mazzola-Pomietto, P., Aulakh, C.S. and Murphy, D.L.
NMDA receptor antagonists block development of tolerance to m-CPP-induced increases in ACTH concentrations in rats (308) 329
- McDermott, B., see Kelso, E. (308) 351
- McNeill, A.M., Duckles, S.P. and Krause, D.N.
Relaxant effects of 17 β -estradiol in the rat tail artery are greater in females than males (308) 305
- Mele, A., Castellano, C., Felici, A., Cabib, S., Caccia, S. and Oliverio, A.
Dopamine-*N*-methyl-D-aspartate interactions in the modulation of locomotor activity and memory consolidation in mice (308) 1
- Miampamba, M., Chéry-Croze, S., Détolle-Sarbach, S., Guez, D. and Chayvialle, J.-A.
Antinociceptive effects of oral clonidine and S12813-4 in acute colon inflammation in rats (308) 251
- Mihelich, E.D., see Fox, N. (308) 195
- Miller, D.D., see Lezama, E.J. (308) 69
- Miwa, Y., see Koshikawa, N. (308) 227
- Mizumoto, A., see Tamura, T. (308) 315
- Molimard, M., see Biyah, K. (308) 325
- Morgan, M.E., see Musser, B. (308) 357
- Morioka, H., see Takada, Y. (308) 205
- Mukherjee, K., see Parkinson, F.E. (308) 97
- Murphy, D.L., see Mazzola-Pomietto, P. (308) 329

- Murray, T.F., see Musser, B. (308) 357
- Musser, B., Morgan, M.E., Leid, M., Murray, T.F., Linden, J. and Vestal, R.E.
Corrigendum to 'Species comparison of adenosine and β -adrenoceptors in mammalian atrial and ventricular myocardium'. [Eur. J. Pharmacol. Mol. Pharmacol. Sect. 246 (1993) 105–111] (308) 357
- Nash, J.E., see Maneuf, Y.P. (308) 161
- Noguchi, K., Masumiya, H., Sasaki, T., Takahashi, K., Araki, H., Higuchi, S., Tanaka, H. and Shigenobu, K.
Relative selectivity for negative chronotropic and inotropic effects of a novel dihydropyridine derivative, CD-832 (308) 53
- Oliverio, A., see Mele, A. (308) 1
- Ong, J., see Kerr, D.I.B. (308) R1
- Parkinson, F.E., Mukherjee, K. and Geiger, J.D.
[³H]Adenosine transport in DDT₁ MF-2 smooth muscle cells: inhibition by metabolites of propentofylline (308) 97
- Peeters, B.W.M.M., see Berendsen, H.H.G. (308) 103
- Pfaff, D.W., see Zhang, C. (308) 153
- Pfister, H.-W., see Lorenzl, S. (308) 335
- Pinchasi, B., see Gassen, M. (308) 219
- Pini, L.A., Sandrini, M. and Vitale, G.
The antinociceptive action of paracetamol is associated with changes in the serotonergic system in the rat brain (308) 31
- Popik, P., Vetulani, J. and Van Ree, J.M.
Facilitation and attenuation of social recognition in rats by different oxytocin-related peptides (308) 113
- Puech, R., see Berdeu, D. (308) 301
- Rayevsky, K.S., see Gainetdinov, R.R. (308) 261
- Riekkinen, M., Aroviita, L., Kivipelto, M., Taskila, K. and Riekkinen Jr., P.
Depletion of serotonin, dopamine and noradrenaline in aged rats decreases the therapeutic effect of nicotine, but not of tetrahydroaminoacridine (308) 243
- Riekkinen Jr., P., see Riekkinen, M. (308) 243
- Robak, J., see Gryglewski, R.J. (308) 61
- Ruskoaho, H., see Taskinen, P. (308) 295
- Salazar-Bookaman, M.M., see Lezama, E.J. (308) 69
- Sandrini, M., see Pini, L.A. (308) 31
- Sanger, G.J., see Banner, S.E. (308) 181
- Sano, I., see Tamura, T. (308) 315
- Sasaki, T., see Noguchi, K. (308) 53
- Satoh, M., Matsuo, K., Kokubu, N. and Takayanagi, I.
Inhibitory effect of phorbol 12,13-dibutyrate on norepinephrine-induced contraction in rabbit iris dilator muscle (308) 145
- Satoh, M., see Tamura, T. (308) 315
- Satoh, S., see Adachi, Y. (308) 165
- Satoh, Y., see Takada, Y. (308) 205
- Sawa, T., see Takada, Y. (308) 205
- Scholfield, N., see Kelso, E. (308) 351
- Schousboe, A., see Wahl, P. (308) 211
- Schrementi, J., see Fox, N. (308) 195
- Schuurkes, J.A.J., see Briejer, M.R. (308) 173
- See, R.E. and Lynch, A.M.
Duration-dependent increase in striatal glutamate following prolonged fluphenazine administration in rats (308) 279
- Sharp, J.D., see Fox, N. (308) 195
- Shigenobu, K., see Noguchi, K. (308) 53
- Silke, B., see Kelso, E. (308) 351
- Singh, I.N., see Sorrentino, G. (308) 81
- Smith, M.I., see Banner, S.E. (308) 181
- Snyder, D.W., see Fox, N. (308) 195
- Song, M., see Fox, N. (308) 195
- Sorrentino, G., Singh, I.N., Massarelli, R. and Kanfer, J.N.
Stimulation of phospholipase C activity by norepinephrine, *t*-ACPD and bombesin in LA-N-2 cells (308) 81
- Sotnikova, T.D., see Gainetdinov, R.R. (308) 261
- Spiers, P., see Kelso, E. (308) 351
- Suzdak, P.D., see Jackson, H.C. (308) 21
- Suzuki-Kusaba, M., see Adachi, Y. (308) 165
- Swedberg, M.D.B., see Jackson, H.C. (308) 21
- Świąć, J., see Gryglewski, R.J. (308) 61
- Takada, Y., Takata, Y., Iwanishi, M., Imamura, T., Sawa, T., Morioka, H., Ishihara, H., Ishiki, M., Usui, I., Temaru, R., Urakaze, M., Satoh, Y., Inami, T., Tsuda, S. and Kobayashi, M.
Effect of glimepiride (HOE 490) on insulin receptors of skeletal muscles from genetically diabetic KK-Ay mouse (308) 205
- Takahashi, K., see Noguchi, K. (308) 53
- Takata, Y., see Takada, Y. (308) 205
- Takayanagi, I., see Satoh, M. (308) 145
- Takeshita, Y., see Iga, Y. (308) 13
- Tamura, T., Sano, I., Satoh, M., Mizumoto, A. and Itoh, Z.
Pharmacological characterization of 5-hydroxytryptamine-induced motor activity (in vitro) in the guinea pig gastric antrum and corpus (308) 315
- Tanaka, H., see Noguchi, K. (308) 53
- Taskila, K., see Riekkinen, M. (308) 243
- Taskinen, P. and Ruskoaho, H.
Stretch-induced increase in atrial natriuretic peptide secretion is blocked by thapsigargin (308) 295
- Temaru, R., see Takada, Y. (308) 205
- Terzic, A., see Brady, P.A. (308) 343
- Tibirić, E., see Lopes-Martins, R. (308) 287
- Tsuda, S., see Takada, Y. (308) 205
- Ulugöl, A., Karadağ, H.Ç., Dökmeci, D., Baldık, Y. and Dökmeci, İ.
The role of histamine H₁ receptors in the thermoregulatory effect of morphine in mice (308) 49
- Urakaze, M., see Takada, Y. (308) 205
- Usui, I., see Takada, Y. (308) 205
- Vaccher, C., see Kerr, D.I.B. (308) R1
- Vaccher, M.-P., see Kerr, D.I.B. (308) R1
- Van Ree, J.M., see Popik, P. (308) 113
- Van Schaick, E.A., Jacobson, K.A., Kim, H.O., Uzman, A.P. and Danhof, M.
Hemodynamic effects and histamine release elicited by the selective adenosine A₃ receptor agonist 2-Cl-IB-MECA in conscious rats (308) 311
- Vaudry, H., see Esneu, M. (308) 187
- Vestal, R.E., see Musser, B. (308) 357
- Vetulani, J., see Popik, P. (308) 113
- Vitale, G., see Pini, L.A. (308) 31
- Wahl, P., Madsen, U., Banke, T., Krosgaard-Larsen, P. and Schousboe, A.
Different characteristics of AMPA receptor agonists acting at AMPA receptors expressed in *Xenopus* oocytes (308) 211
- Wallace, D.R. and Booze, R.M.
Dopamine D₃ receptor density elevation in aged Fischer-344 × Brown-Norway (F1) rats (308) 283
- Westerink, B.H.C., see Drijfhout, W.J. (308) 117
- White, D.L., see Fox, N. (308) 195
- Yashpal, K., Hui-Chan, C.W.Y. and Henry, J.L.
SR 48968 specifically depresses neurokinin A- vs. substance P-induced hyperalgesia in a nociceptive withdrawal reflex (308) 41
- Yasuda, H., see Iga, Y. (308) 13
- Yoshida, M., see Adachi, Y. (308) 165

Youdim, M.B.H., see Gassen, M. (308) 219

Zajac, J.-M., see Dossin, O. (308) 271

Zhang, C., Pfaff, D.W. and Kow, L.-M.

Functional analysis of opioid receptor subtypes in the ventromedial
hypothalamic nucleus of the rat (308) 153

Zhang, S., see Brady, P.A. (308) 343