

Author index

- Abu-Dalu, R., Zhang, J.M. and Hanani, M.
The actions of ketotifen on intestinal smooth muscles (309) 189
- Argiolas, L., see Fabi, F. (309) 41
- Armstead, W.M., see Wilderman, M.J. (309) 243
- Bandarage, U.K., see Layer, R.T. (309) 159
- Bartfai, T., see Lundkvist, J. (309) 195
- Bédard, P.J., see Blanchet, P.J. (309) 13
- Bedingfield, J.S., Jane, D.E., Kemp, M.C., Toms, N.J. and Roberts, P.J.
Novel potent selective phenylglycine antagonists of metabotropic glutamate receptors (309) 71
- Bertha, C.M., see Layer, R.T. (309) 159
- Bienkowski, P., see Stefanski, R. (309) 141
- Birdsall, N.J.M., see Cohen, F.R. (309) 111
- Blanchet, P.J., Grondin, R., Bédard, P.J., Shiosaki, K. and Britton, D.R.
Dopamine D₁ receptor desensitization profile in MPTP-lesioned primates (309) 13
- Bohus, B., see Korte, S.M. (309) 281
- Borman, R.A. and Burleigh, D.E.
Human colonic mucosa possesses a mixed population of 5-HT receptors (309) 271
- Bradberry, C.W., see Gruen, R.J. (309) 115
- Britton, D.R., see Blanchet, P.J. (309) 13
- Burleigh, D.E., see Borman, R.A. (309) 271
- Buwalda, B., see Korte, S.M. (309) 281
- Calapai, G., see Nava, F. (309) 223
- Caputi, A.P., see Nava, F. (309) 223
- Cebere, A., see Hou, Y.-N. (309) 307
- Cebers, G., see Hou, Y.-N. (309) 307
- Chai, Z., see Lundkvist, J. (309) 195
- Champion, H.C., Garrison, E.A., Estrada, L.S., Potter, J.M. and Kadowitz, P.J.
Analysis of responses to angiotensin I and angiotensin I-(3–10) in the mesenteric vascular bed of the cat (309) 251
- Chiavarelli, M., see Fabi, F. (309) 41
- Chiba, S., see Yonezawa, T. (309) 51
- Cohen, F.R., Lazareno, S. and Birdsall, N.J.M.
The affinity of adenosine for the high- and low-affinity states of the human adenosine A₁ receptor (309) 111
- Collins, S.M., see Hogaboam, C.M. (309) 261
- Connolly, S., see Mullany, P. (309) 311
- Cooper, J.C., Gutbrod, O., Witzemann, V. and Methfessel, C.
Pharmacology of the nicotinic acetylcholine receptor from fetal rat muscle expressed in *Xenopus* oocytes (309) 287
- Cozzi, N.V. and Nichols, D.E.
5-HT_{2A} receptor antagonists inhibit potassium-stimulated γ -aminobutyric acid release in rat frontal cortex (309) 25
- De Kloet, E.R., see Korte, S.M. (309) 281
- Del Basso, P., see Fabi, F. (309) 41
- Delehanty, J.M., see Lai, L.-P. (309) 235
- De Sarro, A., see Nava, F. (309) 223
- Dohi, T., see Kitayama, S. (309) 107
- Düsing, R., see Sachinidis, A. (309) 95
- Düsing, R., see Weber, A.-A. (309) 209
- Elam, H., see Lai, L.-P. (309) 201
- Estrada, L.S., see Champion, H.C. (309) 251
- Fabi, F., Argiolas, L., Chiavarelli, M. and Del Basso, P.
Nitric oxide-dependent and -independent modulation of sympathetic vasoconstriction in the human saphenous vein (309) 41
- Fan, T.-H.M., see Lai, L.-P. (309) 235
- Fernández, A.G., see Silvestre, J.S. (309) 219
- Friedhoff, A.J., see Gruen, R.J. (309) 115
- Fukuda, S., see Szeto, H.H. (309) 183
- Furukawa, Y., see Yonezawa, T. (309) 51
- Garrison, E.A., see Champion, H.C. (309) 251
- Goshima, Y., Miyamae, T., Nakamura, S., Miki, K., Kosaka, K. and Misu, Y.
Ventral tegmental injection of nicotine induces locomotor activity and L-DOPA release from nucleus accumbens (309) 229
- Grondin, R., see Blanchet, P.J. (309) 13
- Gruen, R.J., Wenberg, K., Selim, M., Friedhoff, A.J. and Bradberry, C.W.
Novelty-associated locomotion: correlation with cortical and subcortical GABA_A receptor binding (309) 115
- Gürün, M.S., see Savci, V. (309) 275
- Gutbrod, O., see Cooper, J.C. (309) 287
- Hanani, M., see Abu-Dalu, R. (309) 189
- Handrock, R. and Herzog, S.
Stereoselectivity of Ca²⁺ channel block by dihydropyridines: no modulation by the voltage protocol (309) 317
- Hasanvan, H., see Lundkvist, J. (309) 195
- Hertel, P., see Mathé, J.M. (309) 1
- Herzog, S., see Handrock, R. (309) 317
- Hildebrand, B.E., see Mathé, J.M. (309) 1
- Hogaboam, C.M., Muller, M.J., Collins, S.M. and Hunt, R.H.
An orally active non-selective endothelin receptor antagonist, bosentan, markedly reduces injury in a rat model of colitis (309) 261
- Hou, Y.-N., Cebers, G., Cebere, A., Terenius, L. and Liljequist, S.
N-Methyl-D-aspartate-induced enhancement of activator protein-1 DNA binding activity is blocked by ethanol in cerebellar granule cells (309) 307
- Hoyano, Y., see Yonezawa, T. (309) 51
- Hunt, R.H., see Hogaboam, C.M. (309) 261
- Imamura, H., see Yonezawa, T. (309) 51
- Jagadish, M., Raviprakash, V., Telang, A.G. and Mishra, S.K.
Modulation of vascular K_{ATP} channels in hypothyroidism (309) 63
- Jane, D.E., see Bedingfield, J.S. (309) 71
- Jane, D.E., see Kemp, M.C. (309) 79
- Jenck, F., see Lundkvist, J. (309) 195
- Jirillo, E., see Mitolo-Chieppa, D. (309) 175
- Joppa, M.A., see Meisel, R.L. (309) 21

- Kadowitz, P.J., see Champion, H.C. (309) 251
- Kaldenberg-Stasch, S., see Michel, M.C. (309) 87
- Kamei, H., Kameyama, T. and Nabeshima, T.
(+)-SKF-10,047 and dextromethorphan ameliorate conditioned fear stress via dopaminergic systems linked to phenytoin-regulated σ_1 sites (309) 149
- Kameyama, T., see Kamei, H. (309) 149
- Kampine, J.P., see Mizoguchi, H. (309) 37
- Kasama, M., see Yonezawa, T. (309) 51
- Kemp, M.C., Jane, D.E., Tse, H.-W. and Roberts, P.J.
Agonists of cyclic AMP-coupled metabotropic glutamate receptors in adult rat cortical slices (309) 79
- Kemp, M.C., see Bedingfield, J.S. (309) 71
- Kiran, B.K., see Savci, V. (309) 275
- Kitayama, S., Morita, K. and Dohi, T.
Cocaine inhibits the release of MPP⁺ but not dopamine through the rat dopamine transporter (309) 107
- Ko, Y., see Sachinidis, A. (309) 95
- Kohara, A., see Okada, F. (309) 299
- Korte, S.M., Buwalda, B., De Kloet, E.R. and Bohus, B.
Adrenaline release by the 5-HT_{1A} receptor agonist 8-OH-DPAT is partly responsible for pituitary activation (309) 281
- Kosaka, K., see Goshima, Y. (309) 229
- Kostowski, W., see Stefanski, R. (309) 141
- Kuehne, M.E., see Layer, R.T. (309) 159
- Kuitunen, J., see Riekkinen Jr., P. (309) 121
- Lai, L.-P., Fan, T.-H.M., Delehanty, J.M., Yatani, A. and Liang, C.-s.
Elevated myocardial interstitial norepinephrine concentration contributes to the regulation of Na⁺/K⁺-ATPase in heart failure (309) 235
- Lai, L.-P., Suematsu, M., Elam, H. and Liang, C.-s.
Differential changes of myocardial β -adrenoceptor subtypes and G-proteins in dogs with right-sided congestive heart failure (309) 201
- Layer, R.T., Skolnick, P., Bertha, C.M., Bandarage, U.K., Kuehne, M.E. and Popik, P.
Structurally modified ibogaine analogs exhibit differing affinities for NMDA receptors (309) 159
- Lazareno, S., see Cohen, F.R. (309) 111
- Liang, C.-s., see Lai, L.-P. (309) 201
- Liang, C.-s., see Lai, L.-P. (309) 235
- Liljequist, S., see Hou, Y.-N. (309) 307
- Lundkvist, J., Chai, Z., Teheranian, R., Hasanvan, H., Bartfai, T., Jenck, F., Widmer, U. and Moreau, J.-L.
A non peptidic corticotropin releasing factor receptor antagonist attenuates fever and exhibits anxiolytic-like activity (309) 195
- Lynch, M.A., see McGahon, B. (309) 323
- Lynch, M.A., see Mullany, P. (309) 311
- Maes, J.H.R., Van Rijn, C.M. and Vossen, J.M.H.
Drug states as modulators of conditioned immobility in a latent discrimination procedure (309) 131
- Mansi, G., see Mitolo-Chieppa, D. (309) 175
- Mathé, J.M., Nomikos, G.G., Hildebrand, B.E., Hertel, P. and Svensson, T.H.
Prazosin inhibits MK-801-induced hyperlocomotion and dopamine release in the nucleus accumbens (309) 1
- Matsuki, N., see Okada, F. (309) 33
- McGahon, B. and Lynch, M.A.
The synergism between ACPD and arachidonic acid on glutamate release in hippocampus is age-dependent (309) 323
- Meisel, R.L., Joppa, M.A. and Rowe, R.K.
Dopamine receptor antagonists attenuate conditioned place preference following sexual behavior in female Syrian hamsters (309) 21
- Methfessel, C., see Cooper, J.C. (309) 287
- Meyer zu Brickwedde, M.K., see Sachinidis, A. (309) 95
- Michel, M.C., Kaldenberg-Stasch, S. and Wieland, T.
Cytoskeletal inhibitors impair Ca²⁺ elevations via neuropeptide Y and other G_i-coupled receptors (309) 87
- Miki, K., see Goshima, Y. (309) 229
- Mishra, S.K., see Jagadish, M. (309) 63
- Misu, Y., see Goshima, Y. (309) 229
- Mitolo-Chieppa, D., Serio, M., Potenza, M.A., Montagnani, M., Mansi, G., Pece, S., Jirillo, E. and Stoclet, J.-C.
Hyporeactivity of mesenteric vascular bed in endotoxin-treated rats (309) 175
- Miyamae, T., see Goshima, Y. (309) 229
- Mizoguchi, H., Narita, M., Kampine, J.P. and Tseng, L.F.
Pretreatment with pertussis toxin spinally, but not supraspinally, blocks the cold water swimming-induced antinociception in the mouse (309) 37
- Montagnani, M., see Mitolo-Chieppa, D. (309) 175
- Moreau, J.-L., see Lundkvist, J. (309) 195
- Morita, K., see Kitayama, S. (309) 107
- Moshé, S.L., see Velišková, J. (309) 167
- Mullany, P., Connolly, S. and Lynch, M.A.
Ageing is associated with changes in glutamate release, protein tyrosine kinase and Ca²⁺/calmodulin-dependent protein kinase II in rat hippocampus (309) 311
- Muller, M.J., see Hogaboam, C.M. (309) 261
- Nabeshima, T., see Kamei, H. (309) 149
- Nakamura, S., see Goshima, Y. (309) 229
- Narita, M., see Mizoguchi, H. (309) 37
- Nava, F., Calapai, G., De Sarro, A. and Caputi, A.P.
Interleukin-1 receptor antagonist does not reverse lipopolysaccharide-induced inhibition of water intake in rat (309) 223
- Neuhaus, T., see Weber, A.-A. (309) 209
- Nichols, D.E., see Cozzi, N.V. (309) 25
- Nomikos, G.G., see Mathé, J.M. (309) 1
- Nunes, M.L., see Velišková, J. (309) 167
- Okada, F., Saito, H. and Matsuki, N.
Prophylactic effect of serotonin uptake inhibitors against motion sickness in *Suncus murinus* (309) 33
- Okada, M., Kohara, A. and Yamaguchi, T.
Characterization of YM90K, a selective and potent antagonist of AMPA receptors, in rat cortical mRNA-injected *Xenopus* oocytes (309) 299
- Palacios, J.M., see Silvestre, J.S. (309) 219
- Pece, S., see Mitolo-Chieppa, D. (309) 175
- Popik, P., see Layer, R.T. (309) 159
- Potenza, M.A., see Mitolo-Chieppa, D. (309) 175
- Potter, J.M., see Champion, H.C. (309) 251
- Raviprakash, V., see Jagadish, M. (309) 63
- Riekkinen, M., see Riekkinen Jr., P. (309) 121
- Riekkinen Jr., P., Schmidt, B., Stefanski, R., Kuitunen, J. and Riekkinen, M.
Metrifonate improves spatial navigation and avoidance behavior in scopolamine-treated, medial septum-lesioned and aged rats (309) 121
- Roberts, P.J., see Bedingfield, J.S. (309) 71
- Roberts, P.J., see Kemp, M.C. (309) 79
- Rowe, R.K., see Meisel, R.L. (309) 21
- Sachinidis, A., Schulte, K.B., Ko, Y., Seul, C., Meyer zu Brickwedde, M.K., Düsing, R. and Vetter, H.
Oligodeoxynucleotides directed to early growth response gene-1 mRNA inhibit DNA synthesis in the smooth muscle cell (309) 95
- Sachinidis, A., see Weber, A.-A. (309) 209
- Saito, H., see Okada, F. (309) 33

- Savci, V., Gürün, M.S., Ulus, I.H. and Kiran, B.K.
Effect of intracerebroventricularly injected choline on plasma ACTH and β -endorphin levels in conscious rats (309) 275
- Schmidt, B., see Riekkinen Jr., P. (309) 121
- Schrör, K., see Weber, A.-A. (309) 209
- Schulte, K.B., see Sachinidis, A. (309) 95
- Selim, M., see Gruen, R.J. (309) 115
- Serio, M., see Mitolo-Chieppa, D. (309) 175
- Seul, C., see Sachinidis, A. (309) 95
- Seul, C., see Weber, A.-A. (309) 209
- Shiosaki, K., see Blanchet, P.J. (309) 13
- Silvestre, J.S., Fernández, A.G. and Palacios, J.M.
Effects of 5-HT₄ receptor antagonists on rat behaviour in the elevated plus-maze test (309) 219
- Skolnick, P., see Layer, R.T. (309) 159
- Sogabe, K., see Takiguchi, Y. (309) 59
- Soong, Y., see Szeto, H.H. (309) 183
- Stefanski, R., Bienkowski, P. and Kostowski, W.
Studies on the role of 5-HT₃ receptors in the mediation of the ethanol interoceptive cue (309) 141
- Stefanski, R., see Riekkinen Jr., P. (309) 121
- Stoclet, J.-C., see Mitolo-Chieppa, D. (309) 175
- Suematsu, M., see Lai, L.-P. (309) 201
- Svensson, T.H., see Mathé, J.M. (309) 1
- Szeto, H.H., Wu, D., Yee, J.S., Soong, Y., Fukuda, S. and Taylor, C.T.
U50,488H-induced pressor effect in the ovine foetus is mediated by sympathetic activation and vasopressin (309) 183
- Takiguchi, Y. and Sogabe, K.
The selective endothelin ET_A receptor antagonist FR139317 inhibits neointimal thickening in the rat (309) 59
- Taylor, C.T., see Szeto, H.H. (309) 183
- Teheranian, R., see Lundkvist, J. (309) 195
- Telang, A.G., see Jagadish, M. (309) 63
- Terenius, L., see Hou, Y.-N. (309) 307
- Toms, N.J., see Bedingfield, J.S. (309) 71
- Tse, H.-W., see Kemp, M.C. (309) 79
- Tseng, L.F., see Mizoguchi, H. (309) 37
- Ulus, I.H., see Savci, V. (309) 275
- Van Rijn, C.M., see Maes, J.H.R. (309) 131
- Velíšek, L., see Velíšková, J. (309) 167
- Velíšková, J., Velíšek, L., Nunes, M.L. and Moshé, S.L.
Developmental regulation of regional functionality of substantia nigra GABA_A receptors involved in seizures (309) 167
- Vetter, H., see Sachinidis, A. (309) 95
- Vetter, H., see Weber, A.-A. (309) 209
- Vossen, J.M.H., see Maes, J.H.R. (309) 131
- Weber, A.-A., Neuhaus, T., Seul, C., Düsing, R., Schrör, K., Sachinidis, A. and Vetter, H.
Biotransformation of glyceryl trinitrate by blood platelets as compared to vascular smooth muscle cells (309) 209
- Wenberg, K., see Gruen, R.J. (309) 115
- Widmer, U., see Lundkvist, J. (309) 195
- Wieland, T., see Michel, M.C. (309) 87
- Wilderman, M.J. and Armstead, W.M.
Influence of cAMP on cerebrospinal fluid opioid concentration: role in cAMP-induced pial artery dilation (309) 243
- Witzemann, V., see Cooper, J.C. (309) 287
- Woods, C.M., see Young, L.T. (309) 215
- Wu, D., see Szeto, H.H. (309) 183
- Yamaguchi, T., see Okada, M. (309) 299
- Yatani, A., see Lai, L.-P. (309) 235
- Yee, J.S., see Szeto, H.H. (309) 183
- Yonezawa, T., Furukawa, Y., Kasama, M., Hoyano, Y., Imamura, H. and Chiba, S.
Inhibition by bertosamil of cardiac responses to pinacidil or Bay k 8644 in isolated dog atria and ventricles (309) 51
- Young, L.T. and Woods, C.M.
Mood stabilizers have differential effects on endogenous ADP ribosylation in C6 glioma cells (309) 215
- Zhang, J.M., see Abu-Dalu, R. (309) 189