

Author index

- Akil, H., see Meng, F. (311) 285
- Andersen, P.H., Tygesen, C.K., Rasmussen, J.S., Sørensen-Nielsen, L., Hansen, A., Hansen, K., Kierner, A. and Stidsen, C.E.
Stable expression of homomeric AMPA-selective glutamate receptors in BHK cells (311) 95
- Asano, M., Kuwako, M., Nomura, Y., Suzuki, Y., Shibuya, M., Sugita, K. and Ito, K.
Possible mechanism of the potent vasoconstrictor responses to ryanodine in dog cerebral arteries (311) 53
- Barcellini, W., see Nicoletti, F. (311) 213
- Barnes, J.C., see Brown, J.D. (311) 305
- Bazan, E., Campbell, A.K. and Rapoport, R.M.
Erratum to 'Time course of phorbol ester-induced contraction and protein kinase C activation in rat aorta'. [Eur. J. Pharmacol. Mol. Pharmacol. Sect. 290 (1995) 253–257] (311) 101
- Beltrami, B., see Nicoletti, F. (311) 213
- Beswick, P., see Brown, J.D. (311) 305
- Bézie, Y., Mesnard, L., Longrois, D., Samson, F., Perret, C., Mercadier, J.-J. and Laurent, S.
Interactions between endothelin-1 and atrial natriuretic peptide influence cultured chick cardiac myocyte contractility (311) 241
- Bhargava, H.N., Zhao, G.-M., House, R.V. and Thomas, P.T.
Effects of chronic administration of 7-benzylidene-7-dehydronaltrexone and naltriben on the antinociceptive actions of δ_1 - and δ_2 -opioid receptor agonists (311) 127
- Bianchi, C., see Calò, G. (311) R3
- Bogoni, G., see Calò, G. (311) R3
- Boja, J.W., see Fleckenstein, A.E. (311) 109
- Borella, F., see Gorio, A. (311) 21
- Borghi, M.O., see Nicoletti, F. (311) 213
- Borsini, F., see Pitsikas, N. (311) 115
- Brown, J.D., O'Shaughnessy, C.T., Kilpatrick, G.J., Scopes, D.I.C., Beswick, P., Clitherow, J.W. and Barnes, J.C.
Characterisation of the specific binding of the histamine H_3 receptor antagonist radioligand [3H]GR168320 (311) 305
- Bunn, S.J., see Loneragan, K. (311) 87
- Burcher, E., see Strigas, J. (311) 177
- Calixto, J.B., see Teixeira, R.M. (311) 7
- Calò, G., Rizzi, A., Bogoni, G., Neugebauer, V., Salvadori, S., Guerrini, R., Bianchi, C. and Regoli, D.
The mouse vas deferens: a pharmacological preparation sensitive to nociceptin (311) R3
- Campbell, A.K., see Bazan, E. (311) 101
- Carroll, F.I., see Fleckenstein, A.E. (311) 109
- Cheah, T.B., see Loneragan, K. (311) 87
- Christie, M.J., see Nguyen, V.H. (311) 233
- Clitherow, J.W., see Brown, J.D. (311) 305
- Compton, D.R., see Moore, K.A. (311) 133
- Deng, H.-W., see Li, Y.-J. (311) 163
- Di Giulio, A.M., see Gorio, A. (311) 21
- Donadoni, M.L., see Gorio, A. (311) 21
- Dun, N.J., see Narita, M. (311) 121
- Dun, S.L., see Narita, M. (311) 121
- Eltze, M.
Functional evidence for an α_{1B} -adrenoceptor mediating contraction of the mouse spleen (311) 187
- Erdő, S.L., see Molnár, P. (311) 311
- Etienne, P., Parés-Herbuté, N. and Monnier, L.
Regulation of growth of cultured smooth muscle cells from diabetic rats by interleukin-1 β : role of nitric oxide (311) 79
- Fain, C., see Nicoletti, F. (311) 213
- Farr, S., see Morley, J.E. (311) 15
- Finco, C., see Gorio, A. (311) 21
- Fleckenstein, A.E., Kopajtic, T.A., Boja, J.W., Carroll, F.I. and Kuhar, M.J.
Highly potent cocaine analogs cause long-lasting increases in locomotor activity (311) 109
- Flood, J.F., see Morley, J.E. (311) 15
- Fukasawa, H., see Hotta, N. (311) 199
- Fuller, R.W., see Hemrick-Luecke, S.K. (311) 207
- Furuhama, K., see Zafirov, D. (311) 61
- García-Sáinz, J.A., Romero-Avila, M.T. and González-Espinosa, C.
Coexpression of α_{1A} - and α_{1B} -adrenoceptors in the liver of the rhesus monkey (*Macaca mulatta*) (311) 277
- George, S.R., see Ng, G.Y.K. (311) 45
- Gerhardt, C.C., Leysen, J.E., Planta, R.J., Vreugdenhil, E. and Van Heerikhuizen, H.
Functional characterisation of a 5-HT $_2$ receptor cDNA 1 cloned from *Lymnaea stagnalis* (311) 249
- González-Espinosa, C., see García-Sáinz, J.A. (311) 277
- Gorio, A., Donadoni, M.L., Finco, C., Borella, F. and Di Giulio, A.M.
Alterations of protein mono-ADP-ribosylation and diabetic neuropathy: a novel pharmacological approach (311) 21
- Guerrini, R., see Calò, G. (311) R3
- Hamada, Y., see Hotta, N. (311) 199
- Hansen, A., see Andersen, P.H. (311) 95
- Hansen, K., see Andersen, P.H. (311) 95
- Hara, T., see Hotta, N. (311) 199
- Hasegawa, Y., see Kobayashi, H. (311) 29
- Hashii, M., see Katsumori, H. (311) 37
- Hashimoto, S., see Inoue, T. (311) 1
- Hassan, A.H.S., see Mousa, S.A. (311) 221
- Hemrick-Luecke, S.K. and Fuller, R.W.
Involvement of 5-HT $_{2A}$ receptors in the elevation of rat serum corticosterone concentrations by quipazine and MK-212 (311) 207
- Higashida, H., see Katsumori, H. (311) 37
- Ho, I.K., see Kimura, T. (311) 265

- Hotta, N., Koh, N., Sakakibara, F., Nakamura, J., Hamada, Y., Hara, T., Fukasawa, H., Kakuta, H. and Sakamoto, N.
Effect of propionyl-L-carnitine on oscillatory potentials in electroretinogram in streptozotocin-diabetic rats (311) 199
- House, R.V., see Bhargava, H.N. (311) 127
- Hoversten, M.T., see Meng, F. (311) 285
- Inoue, T., Hashimoto, S., Tsuchiya, K., Izumi, T., Ohmori, T. and Koyama, T.
Effect of citalopram, a selective serotonin reuptake inhibitor, on the acquisition of conditioned freezing (311) 1
- Ito, K., see Asano, M. (311) 53
- Ito, Y., see Katsumori, H. (311) 37
- Izumi, T., see Inoue, T. (311) 1
- Johnston, G.A.R., see Nguyen, V.H. (311) 233
- Kakuta, H., see Hotta, N. (311) 199
- Kamato, T., see Nagakura, Y. (311) 67
- Kassiou, M., see Nguyen, V.H. (311) 233
- Katsumori, H., Ito, Y., Higashida, H., Hashii, M. and Minabe, Y.
Anti- and proconvulsive actions of levcromakalim, an opener of ATP-sensitive K^+ channel, in the model of hippocampus-generating partial seizures in rats (311) 37
- Kiemer, A., see Andersen, P.H. (311) 95
- Kilpatrick, G.J., see Brown, J.D. (311) 305
- Kimura, T., Kuze, J., Watanabe, K., Kondo, S., Ho, I.K. and Yamamoto, I.
 N^3 -Phenacyluridine, a novel hypnotic compound, interacts with the benzodiazepine receptor (311) 265
- Kits, K.S., see Mansvelder, H.D. (311) 293
- Kobayashi, H., Hasegawa, Y. and Ono, H.
Cyclobenzaprine, a centrally acting muscle relaxant, acts on descending serotonergic systems (311) 29
- Koh, N., see Hotta, N. (311) 199
- Kondo, S., see Kimura, T. (311) 265
- Kopajtic, T.A., see Fleckenstein, A.E. (311) 109
- Koyama, T., see Inoue, T. (311) 1
- Kuhar, M.J., see Fleckenstein, A.E. (311) 109
- Kumar, V.B., see Morley, J.E. (311) 15
- Kuwako, M., see Asano, M. (311) 53
- Kuze, J., see Kimura, T. (311) 265
- Lambert, G. and Michalick, J.
Effect of antimigraine drugs on dural blood flows and resistances and the responses to trigeminal stimulation (311) 141
- Laurent, S., see Bézie, Y. (311) 241
- Leventhal, L., see Rossi, G.C. (311) R7
- Leysen, J.E., see Gerhardt, C.C. (311) 249
- Li, Y.-J., Xiao, Z.-S., Peng, C.-F. and Deng, H.-W.
Calcitonin gene-related peptide-induced preconditioning protects against ischemia-reperfusion injury in isolated rat hearts (311) 163
- Loneragan, K., Cheah, T.B., Bunn, S.J. and Marley, P.D.
The role of protein kinase C in nicotinic responses of bovine chromaffin cells (311) 87
- Longrois, D., see Bézie, Y. (311) 241
- Mansvelder, H.D., Stoof, J.C. and Kits, K.S.
Dihydropyridine block of ω -agatoxin IVA- and ω -conotoxin GVIA-sensitive Ca^{2+} channels in rat pituitary melanotrophic cells (311) 293
- Marley, P.D., see Loneragan, K. (311) 87
- Mattammal, M.B., see Morley, J.E. (311) 15
- Meng, F., Ueda, Y., Hoversten, M.T., Thompson, R.C., Taylor, L., Watson, S.J. and Akil, H.
Mapping the receptor domains critical for the binding selectivity of δ -opioid receptor ligands (311) 285
- Mercadier, J.-J., see Bézie, Y. (311) 241
- Meroni, P.L., see Nicoletti, F. (311) 213
- Mesnard, L., see Bézie, Y. (311) 241
- Michalick, J., see Lambert, G. (311) 141
- Minabe, Y., see Katsumori, H. (311) 37
- Mirshahi, T., see Moore, K.A. (311) 133
- Mitchell, W.M., see Mousa, S.A. (311) 221
- Miyata, K., see Nagakura, Y. (311) 67
- Molnár, P. and Erdő, S.L.
Differential effects of five glycine site antagonists on NMDA receptor desensitisation (311) 311
- Monnier, L., see Etienne, P. (311) 79
- Moore, K.A., Mirshahi, T., Compton, D.R., Poklis, A. and Woodward, J.J.
Pharmacological characterization of BNMPA (α -benzyl-N-methylphenethylamine), an impurity of illicit methamphetamine synthesis (311) 133
- Morley, J.E., Kumar, V.B., Mattammal, M.B., Farr, S., Morley, P.M.K. and Flood, J.F.
Inhibition of feeding by a nitric oxide synthase inhibitor: effects of aging (311) 15
- Morley, P.M.K., see Morley, J.E. (311) 15
- Mottola, L., see Nicoletti, F. (311) 213
- Mousa, S.A., Schäfer, M., Mitchell, W.M., Hassan, A.H.S. and Stein, C.
Local upregulation of corticotropin-releasing hormone and interleukin-1 receptors in rats with painful hindlimb inflammation (311) 221
- Nagakura, Y., Naitoh, Y., Kamato, T., Yamano, M. and Miyata, K.
Compounds possessing 5-HT₃ receptor antagonistic activity inhibit intestinal propulsion in mice (311) 67
- Naitoh, Y., see Nagakura, Y. (311) 67
- Nakamura, J., see Hotta, N. (311) 199
- Narita, M., Dun, S.L., Dun, N.J. and Tseng, L.F.
Hyperalgesia induced by pituitary adenylate cyclase-activating polypeptide in the mouse spinal cord (311) 121
- Neugebauer, V., see Calò, G. (311) R3
- Nève, J., see Parij, N. (311) 259
- Ng, G.Y.K., O'Dowd, B.F. and George, S.R.
Genotypic differences in mesolimbic enkephalin gene expression in DBA/2J and C57BL/6J inbred mice (311) 45
- Nguyen, V.H., Kassiou, M., Johnston, G.A.R. and Christie, M.J.
Comparison of binding parameters of σ_1 and σ_2 binding sites in rat and guinea pig brain membranes: novel subtype-selective trishomocubanes (311) 233
- Nicoletti, F., Borghi, M.O., Barcellini, W., Fain, C., Beltrami, B., Del Papa, N., Schorlemmer, H.U., Mottola, L. and Meroni, P.L.
Immunosuppressive activity of 15-deoxyspergualin on normal and autoimmune peripheral blood mononuclear cells (311) 213
- Nihonyanagi, K. and Oba, T.
Gold ion inhibits silver ion induced contracture and activates ryanodine receptors in skeletal muscle (311) 271
- Nomura, Y., see Asano, M. (311) 53
- Oba, T., see Nihonyanagi, K. (311) 271
- O'Dowd, B.F., see Ng, G.Y.K. (311) 45
- Ohmori, T., see Inoue, T. (311) 1
- Okamura, T., see Zhang, J.-X. (311) 169
- Ono, H., see Kobayashi, H. (311) 29
- O'Shaughnessy, C.T., see Brown, J.D. (311) 305
- Parés-Herbuté, N., see Etienne, P. (311) 79
- Parij, N. and Nève, J.
Nonsteroidal antiinflammatory drugs interact with horseradish peroxidase in an in vitro assay system for hydrogen peroxide scavenging (311) 259
- Pasternak, G.W., see Rossi, G.C. (311) R7
- Peng, C.-F., see Li, Y.-J. (311) 163

- Perret, C., see Bézie, Y. (311) 241
- Pitsikas, N. and Borsini, F.
 Itasetron (DAU 6215) prevents age-related memory deficits in the rat
 in a multiple choice avoidance task (311) 115
- Planta, R.J., see Gerhardt, C.C. (311) 249
- Poklis, A., see Moore, K.A. (311) 133
- Rae, G.A., see Teixeira, R.M. (311) 7
- Rapoport, R.M., see Bazan, E. (311) 101
- Rasmussen, J.S., see Andersen, P.H. (311) 95
- Regoli, D., see Calò, G. (311) R3
- Ribeiro, S.J., see Teixeira, R.M. (311) 7
- Rizzi, A., see Calò, G. (311) R3
- Romero-Avila, M.T., see García-Sáinz, J.A. (311) 277
- Rossi, G.C., Leventhal, L. and Pasternak, G.W.
 Naloxone sensitive orphanin FQ-induced analgesia in mice (311) R7
- Sakakibara, F., see Hotta, N. (311) 199
- Sakamoto, N., see Hotta, N. (311) 199
- Salvadori, S., see Calò, G. (311) R3
- Samson, F., see Bézie, Y. (311) 241
- Santos, A.R.S., see Teixeira, R.M. (311) 7
- Savci, V. and Ulus, I.H.
 Central choline reverses hypotension caused by α -adrenoceptor or
 ganglion blockade in rats: the role of vasopressin (311) 153
- Schäfer, M., see Mousa, S.A. (311) 221
- Schorlemmer, H.U., see Nicoletti, F. (311) 213
- Scopes, D.I.C., see Brown, J.D. (311) 305
- Shibuya, M., see Asano, M. (311) 53
- Shieh, G.-J. and Walters, D.E.
 Stimulating dopamine D₁ receptors increases the locomotor activity of
 developing rats (311) 103
- Søgaard-Nielsen, L., see Andersen, P.H. (311) 95
- Stein, C., see Mousa, S.A. (311) 221
- Stidsen, C.E., see Andersen, P.H. (311) 95
- Stoof, J.C., see Mansvelder, H.D. (311) 293
- Strigas, J. and Burcher, E.
 Autoradiographic localization of tachykinin NK₂ and NK₁ receptors
 in the guinea-pig lung, using selective radioligands (311) 177
- Su, T.-P., see Tsao, L.-I. (311) R1
- Sugita, K., see Asano, M. (311) 53
- Suzuki, Y., see Asano, M. (311) 53
- Taylor, L., see Meng, F. (311) 285
- Teixeira, R.M., Santos, A.R.S., Ribeiro, S.J., Calixto, J.B., Rae, G.A. and
 De Lima, T.C.M.
 Effects of central administration of tachykinin receptor agonists and
 antagonists on plus-maze behavior in mice (311) 7
- Theobald Jr., R.J.
 The effect of *N*^G-monomethyl-L-arginine on bladder function (311)
 73
- Thomas, P.T., see Bhargava, H.N. (311) 127
- Thompson, R.C., see Meng, F. (311) 285
- Toda, N., see Zhang, J.-X. (311) 169
- Tsao, L.-I. and Su, T.-P.
 IP₃ receptor antagonist heparin uncompetitively inhibits [³H](+)-
 SKF-10047 binding to σ receptors (311) R1
- Tseng, L.F., see Narita, M. (311) 121
- Tsuchiya, K., see Inoue, T. (311) 1
- Tygesen, C.K., see Andersen, P.H. (311) 95
- Ueda, Y., see Meng, F. (311) 285
- Ulus, I.H., see Savci, V. (311) 153
- Van Heerikhuizen, H., see Gerhardt, C.C. (311) 249
- Vreugdenhil, E., see Gerhardt, C.C. (311) 249
- Walters, D.E., see Shieh, G.-J. (311) 103
- Watanabe, K., see Kimura, T. (311) 265
- Watson, S.J., see Meng, F. (311) 285
- Wood, J.D., see Zafirov, D. (311) 61
- Woodward, J.J., see Moore, K.A. (311) 133
- Xia, Y., see Zafirov, D. (311) 61
- Xiao, Z.-S., see Li, Y.-J. (311) 163
- Yamamoto, I., see Kimura, T. (311) 265
- Yamano, M., see Nagakura, Y. (311) 67
- Zafirov, D., Xia, Y., Furuhashi, K. and Wood, J.D.
 Actions of Daiichi DQ-2511 on electrical and synaptic behavior of
 enteric neurons in the guinea-pig small intestine (311) 61
- Zhang, J.-X., Okamura, T. and Toda, N.
 Pre- and postjunctional modulation by endothelin-1 of the adrenergic
 neurogenic response in canine mesenteric arteries (311) 169
- Zhao, G.-M., see Bhargava, H.N. (311) 127