

## Author index

- Adler-Graschinsky, E., see Lorenzo, P.S. (312) 203  
 Ahmmed, G.U., see Yoshida, A. (312) 115  
 Akima, M., see Tamura, K. (312) 195  
 Alcaraz, M.J., see Payá, M. (312) 97  
 Alves, A.C., Pires, A.L.A., Cruz, H.N., Serra, M.F., Diaz, B.L., Cordeiro, R.S.B., Lagente, V., Martins, M.A. and E Silva, P.M.R.  
 Selective inhibition of phosphodiesterase type IV suppresses the chemotactic responsiveness of rat eosinophils in vitro (312) 89  
 Ausina, P., Savineau, J.-P., Pinto, F.M., Martin, J.D. and Candenás, L.  
 Ca<sup>2+</sup>-independent contraction induced by hyperosmolar K<sup>+</sup>-rich solutions in rat uterus (312) 309  
 Balster, R.L., see Bowen, S.E. (312) 131  
 Barajas-López, C., Peres, A.L., Espinosa-Luna, R., Reyes-Vázquez, C. and Prieto-Gómez, B.  
 Melatonin modulates cholinergic transmission by blocking nicotinic channels in the guinea-pig submucous plexus (312) 319  
 Barf, T., see Saxena, P.R. (312) 53  
 Baron, B.M., see Siegel, B.W. (312) 357  
 Bates, J.N., see Lewis, S.J. (312) R3  
 Bax, W.A., see Saxena, P.R. (312) 53  
 Beatty, M.F., see Chen, S.-W. (312) 241  
 Bergman, J., see Gatch, M.B. (312) 389  
 Bettelli, C., see Giardino, L. (312) 183  
 Bi, Y., see Iyo, M. (312) 163  
 Bo, X., see Vallejo, A.I. (312) 209  
 Borea, P.A., see Dalpiaz, A. (312) 107  
 Borowicz, K., see Gasior, M. (312) 27  
 Borsini, F., see Ceci, A. (312) 189  
 Bowen, S.E., Wiley, J.L. and Balster, R.L.  
 The effects of abused inhalants on mouse behavior in an elevated plus-maze (312) 131  
 Brown, P., see Hinks, G.L. (312) 153  
 Burnstock, G., see Vallejo, A.I. (312) 209  
 Cailmail, S., see Pilette, C. (312) 63  
 Calignano, A., see Mancuso, F. (312) 327  
 Calixto, J.B., see Gonçalves de Moraes, V.L. (312) 333  
 Callado, L.F., see Meana, J.J. (312) 385  
 Calzà, L., see Giardino, L. (312) 183  
 Candenás, L., see Ausina, P. (312) 309  
 Carlsson, P.-O., Sandler, S. and Jansson, L.  
 Influence of the neurotoxin capsaicin on rat pancreatic islets in culture, and on the pancreatic islet blood flow of rats (312) 75  
 Ceci, A. and Borsini, F.  
 Effects of desipramine and maprotiline on the coeruleus-cortical noradrenergic system in anaesthetized rats (312) 189  
 Chen, S.-W., Maguire, P.A., Davies, M.F., Beatty, M.F. and Loew, G.H.  
 Evidence for  $\mu_1$ -opioid receptor involvement in fentanyl-mediated respiratory depression (312) 241  
 Claustrat, B., see Deprés-Brummer, P. (312) 171  
 Collu, M., see Diana, M. (312) 179  
 Cordeiro, R.S.B., see Alves, A.C. (312) 89  
 Coupar, I.M., see McLean, P.G. (312) 215  
 Cozzolino, A., see Mancuso, F. (312) 327  
 Cruz, H.N., see Alves, A.C. (312) 89  
 Curzon, G., see O'Connell, M.T. (312) 137  
 Czuczwar, S.J., see Gasior, M. (312) 27  
 Dallaporta, M., see Himmi, T. (312) 273  
 Dalpiaz, A., Borea, P.A., Gessi, S. and Gilli, G.  
 Binding thermodynamics of 5-HT<sub>1A</sub> receptor ligands (312) 107  
 Davies, M.F., see Chen, S.-W. (312) 241  
 DeLander, G.E., see Keil II, G.J. (312) 7  
 Delton-Vandenbroucke, I., Sarda, N., Molière, P., Lagarde, M. and Gharib, A.  
 Modulation of norepinephrine-stimulated cyclic AMP accumulation in rat pinealocytes by n-3 fatty acids (312) 379  
 De Mol, N.J., see Paulussen, J.J.C. (312) 121  
 Deprés-Brummer, P., Metzger, G., Morin, D., Urien, S., Touitou, Y., Tillement, J.-P., Claustrat, B. and Lévi, F.  
 Pharmacokinetically guided melatonin scheduling in rats with circadian system suppression (312) 171  
 De Vries, P., see Saxena, P.R. (312) 53  
 Diana, M., Muntoni, A.L., Pistis, M., Collu, M., Forgione, A. and Gessa, G.L.  
 Chronic administration of *l*-sulpiride at low doses reduces A10 but not A9 somatodendritic dopamine autoreceptor sensitivity (312) 179  
 Diaz, B.L., see Alves, A.C. (312) 89  
 Dyer, D.C., see Nair, R. (312) 45  
 Endo, T., see Taniguchi, H. (312) 227  
 Endoh, M., see Yang, H.-T. (312) 281  
 Erradi, F., see Payá, M. (312) 97  
 E Silva, P.M.R., see Alves, A.C. (312) 89  
 Espinosa-Luna, R., see Barajas-López, C. (312) 319  
 Ferrándiz, M.L., see Payá, M. (312) 97  
 Field, M., see Hinks, G.L. (312) 153  
 Fischer, M.J.E., see Paulussen, J.J.C. (312) 121  
 Forgione, A., see Diana, M. (312) 179  
 Fournié-Zaluski, M.-C., see Valverde, O. (312) 15  
 Fuentes, J.A., see Reche, I. (312) 391  
 Fujimoto, Y., see Yoshida, A. (312) 115  
 Fukui, S., see Iyo, M. (312) 163  
 García-Sevilla, J.A., see Meana, J.J. (312) 385  
 Gasior, M., Borowicz, K., Starownik, R., Kleinrok, Z. and Czuczwar, S.J.  
 Ca<sup>2+</sup> channel blockade and the antielectroshock activity of NMDA receptor antagonists, CGP 40116 and CGP 43487, in mice (312) 27  
 Gatch, M.B., Liguori, A., Negus, S.S., Mello, N.K. and Bergman, J.  
 Corrigendum to 'Naloxonazine antagonism of levorphanol-induced antinociception and respiratory depression in rhesus monkeys'. [Eur. J. Pharmacol. 298 (1996) 31–36] (312) 389  
 Gessa, G.L., see Diana, M. (312) 179  
 Gessi, S., see Dalpiaz, A. (312) 107  
 Gharib, A., see Delton-Vandenbroucke, I. (312) 379  
 Giardino, L., Zanni, M., Bettelli, C., Savina, M.A. and Calzà, L.  
 Regulation of glutamic acid decarboxylase mRNA expression in rat brain after sertraline treatment (312) 183

- Gilli, G., see Dalpiaz, A. (312) 107
- Gonçalves de Moraes, V.L., Runjanek, V.M. and Calixto, J.B.  
Jatrophone and 12-*O*-tetradecanoyl phorbol-13-acetate antagonism of stimulation of natural killer activity and lymphocyte proliferation (312) 333
- Gonzalez, M.L., Patmore, L. and Wilson, C.A.  
Effect of delequamine (RS15385) on female sexual behaviour in the rat (312) 1
- Grigorjev, C., see Navarro Becerra, N. (312) 83
- Grijalba, B., see Meana, J.J. (312) 385
- Hasegawa, Y., see Wada, T. (312) 263
- Hashimoto, K., see Iyo, M. (312) 163
- Hattori, K., see Yoshida, A. (312) 115
- Hatzidimitriou, G., see McCann, U.D. (312) R1
- Heiligers, J.P.C., see Saxena, P.R. (312) 53
- Hidaka, T., see Ishizuka, T. (312) 367
- Higashi, M., see Yamaguchi, Y. (312) 149
- Himmi, T., Dallaporta, M., Perrin, J. and Orsini, J.-C.  
Neuronal responses to  $\Delta^9$ -tetrahydrocannabinol in the solitary tract nucleus (312) 273
- Hinks, G.L., Brown, P., Field, M., Poat, J.A. and Hughes, J.  
The anxiolytics CI-988 and chlórdiazepoxide fail to reduce immediate early gene mRNA stimulation following exposure to the rat elevated X-maze (312) 153
- Hiraoka, M., see Sunami, A. (312) 245
- Hisamichi, N., Kawasaki, T., Suzuki, K.-i., Kaku, S., Sakai, Y., Taniuchi, Y., Sato, K., Inagaki, O., Tomioka, K., Yanagisawa, I., Takenaka, T., Yanagi, K. and Ohshima, N.  
Synergistic effect of aurointricarboxylic acid and triflavin in a photochemically induced thrombosis model in rats (312) 69
- Hisatome, I., see Yoshida, A. (312) 115
- Hoffmann, W.E., see Piercey, M.F. (312) 35
- Hogg, J.E., Myers, J. and Hutson, P.H.  
The human neuroblastoma cell line, IMR-32, expresses functional corticotropin-releasing factor receptors (312) 257
- Hughes, J., see Hinks, G.L. (312) 153
- Hutson, P.H., see Hogg, J.E. (312) 257
- Hyslop, D.K., see Piercey, M.F. (312) 35
- Ienaga, Y., see Katsumata, S. (312) 349
- Igawa, O., see Yoshida, A. (312) 115
- Inada, T., see Iyo, M. (312) 163
- Inagaki, O., see Hisamichi, N. (312) 69
- Ishizuka, T., Suzuki, K., Kawakami, M., Hidaka, T., Matsuki, Y. and Nakamura, H.  
Thromboxane A<sub>2</sub> receptor blockade suppresses intercellular adhesion molecule-1 expression by stimulated vascular endothelial cells (312) 367
- Iyo, M., Bi, Y., Hashimoto, K., Inada, T. and Fukui, S.  
Prevention of methamphetamine-induced behavioral sensitization in rats by a cyclic AMP phosphodiesterase inhibitor, rolipram (312) 163
- Jang, D., Szabo, C. and Murrell, G.A.C.  
S-Substituted isothioureas are potent inhibitors of nitric oxide biosynthesis in cartilage (312) 341
- Janssen, L.H.M., see Paulussen, J.J.C. (312) 121
- Jansson, L., see Carlsson, P.-O. (312) 75
- Kaku, S., see Hisamichi, N. (312) 69
- Kamei, J. and Morita, K.  
Antitussive effect of moguisteine on the enhanced coughing associated with enalapril in guinea-pig (312) 235
- Kanematsu, K., see Katsumata, S. (312) 349
- Kato, T., see Tamura, K. (312) 195
- Katsumata, S., Ienaga, Y., Minami, M., Nakagawa, T., Kanematsu, K. and Satoh, M.  
Pharmacological characterization of KT-90 using cloned  $\mu$ -,  $\delta$ - and  $\kappa$ -opioid receptors (312) 349
- Kawakami, M., see Ishizuka, T. (312) 367
- Kawasaki, T., see Hisamichi, N. (312) 69
- Keil II, G.J. and DeLander, G.E.  
Altered sensory behaviors in mice following manipulation of endogenous spinal adenosine neurotransmission (312) 7
- Kijjoo, A., see Payá, M. (312) 97
- Kirstetter, P., see Pilette, C. (312) 63
- Kleinrok, Z., see Gasior, M. (312) 27
- Kobayashi, H., see Yamaguchi, Y. (312) 149
- Kobayashi, T., see Matsuno, K. (312) 267
- Koga, T., see Tamura, K. (312) 195
- Kok-Van Esterik, J.A.E., see Paulussen, J.J.C. (312) 121
- Kusayama, T., Yamazaki, J. and Nagao, T.  
Flow dependence of nitric oxide-mediated pressure change in rat mesenteric beds with different tonus (312) 301
- Lagarde, M., see Delton-Vandenbroucke, I. (312) 379
- Lagente, V., see Alves, A.C. (312) 89
- Lebrec, D., see Pilette, C. (312) 63
- Lévi, F., see Deprés-Brummer, P. (312) 171
- Lewis, S.J., Travis, M.D. and Bates, J.N.  
Stereoselective S-nitrosocysteine recognition sites in rat brain (312) R3
- Liguori, A., see Gatch, M.B. (312) 389
- Loew, G.H., see Chen, S.-W. (312) 241
- Lorenzo, P.S., Rubio, M.C., Medina, J.H. and Adler-Graschinsky, E.  
Involvement of monoamine oxidase and noradrenaline uptake in the positive chronotropic effects of apigenin in rat atria (312) 203
- MaassenVanDenBrink, A., see Saxena, P.R. (312) 53
- Maguire, P.A., see Chen, S.-W. (312) 241
- Maldonado, R., see Valverde, O. (312) 15
- Manabe, I., see Yoshida, A. (312) 115
- Mancuso, F., Calignano, A., Cozzolino, A., Metafora, S. and Porta, R.  
Inhibition of zymosan-induced air-pouch inflammation by rat seminal vesicle protein and by its spermidine derivative (312) 327
- Martin, J.D., see Ausina, P. (312) 309
- Martins, M.A., see Alves, A.C. (312) 89
- Matsuki, Y., see Ishizuka, T. (312) 367
- Matsuno, K., Kobayashi, T., Tanaka, M.K. and Mita, S.  
 $\sigma_1$  Receptor subtype is involved in the relief of behavioral despair in the mouse forced swimming test (312) 267
- McCann, U.D., Hatzidimitriou, G. and Ricaurte, G.A.  
Prolactin response to fenfluramine is independent of serotonin release (312) R1
- McLean, P.G. and Coupar, I.M.  
Characterisation of a postjunctional 5-HT<sub>7</sub>-like and a prejunctional 5-HT<sub>3</sub> receptor mediating contraction of rat isolated jejunum (312) 215
- Meana, J.J., Callado, L.F., Pazos, A., Grijalba, B. and García-Sevilla, J.A.  
The subtype-selective  $\alpha_2$ -adrenoceptor antagonists BRL 44408 and ARC 239 also recognize 5-HT<sub>1A</sub> receptors in the rat brain (312) 385
- Medina, J.H., see Lorenzo, P.S. (312) 203
- Mello, N.K., see Gatch, M.B. (312) 389
- Metafora, S., see Mancuso, F. (312) 327
- Metzger, G., see Deprés-Brummer, P. (312) 171
- Minami, M., see Katsumata, S. (312) 349
- Mita, S., see Matsuno, K. (312) 267
- Mitani, Y., see Yoshida, A. (312) 115
- Mizuchi, A., see Wada, T. (312) 263
- Molière, P., see Delton-Vandenbroucke, I. (312) 379
- Moreau, R., see Pilette, C. (312) 63
- Mori, A., see Yoshida, A. (312) 115
- Morin, D., see Deprés-Brummer, P. (312) 171
- Morita, K., see Kamei, J. (312) 235
- Munaro, N., see Navarro Becerra, N. (312) 83
- Muntoni, A.L., see Diana, M. (312) 179

- Murrell, G.A.C., see Jang, D. (312) 341  
 Myers, J., see Hogg, J.E. (312) 257
- Nabata, H., see Tamura, K. (312) 195  
 Nagao, T., see Kusayama, T. (312) 301  
 Nagasaki, M., see Taniguchi, H. (312) 227  
 Nair, R. and Dyer, D.C.  
     Pharmacological characterization of  $\alpha_1$ -adrenoceptors in porcine uterine artery (312) 45  
 Nakagawa, T., see Katsumata, S. (312) 349  
 Nakamura, H., see Ishizuka, T. (312) 367  
 Navarro Becerra, N., Grigorjev, C. and Munaro, N.  
     Glutamic acid decarboxylase in rat olfactory bulb: effect of ovarian steroids or male pheromones (312) 83  
 Nawada, T., see Yoshida, A. (312) 115  
 Negus, S.S., see Gatch, M.B. (312) 389
- O'Connell, M.T. and Curzon, G.  
     A comparison of the effects of 8-OH-DPAT pretreatment on different behavioural responses to 8-OH-DPAT (312) 137  
 Ohno, M. and Watanabe, S.  
     Interactive processing between glutamatergic and cholinergic systems involved in inhibitory avoidance learning of rats (312) 145  
 Ohshima, N., see Hisamichi, N. (312) 69  
 Ono, H., see Wada, T. (312) 263  
 Orsini, J.-C., see Himmi, T. (312) 273  
 Otsu, T., see Wada, T. (312) 263
- Patmore, L., see Gonzalez, M.I. (312) 1  
 Paulussen, J.J.C., Fischer, M.J.E., Kok-Van Esterik, J.A.E., Tiemessen, R.C., De Mol, N.J. and Janssen, L.H.M.  
     Influence of the anti-allergic drug oxatomide on the signal transduction mechanism in a mast cell model (312) 121  
 Payá, M., Ferrándiz, M.L., Erradi, F., Terencio, M.C., Kijjoa, A., Pinto, M.M.M. and Alcaraz, M.J.  
     Inhibition of inflammatory responses by a series of novel dolabrane derivatives (312) 97  
 Pazos, A., see Meana, J.J. (312) 385  
 Peres, A.L., see Barajas-López, C. (312) 319  
 Perrin, J., see Himmi, T. (312) 273  
 Piercey, M.F., Hoffmann, W.E., Smith, M.W. and Hyslop, D.K.  
     Inhibition of dopamine neuron firing by pramipexole, a dopamine D<sub>3</sub> receptor-preferring agonist: comparison to other dopamine receptor agonists (312) 35  
 Pilette, C., Moreau, R., Sogni, P., Kirstetter, P., Cailmail, S., Pussard, E. and Lebre, D.  
     Haemodynamic and hormonal responses to long-term inhibition of nitric oxide synthesis in rats with portal hypertension (312) 63  
 Pinto, F.M., see Ausina, P. (312) 309  
 Pinto, M.M.M., see Payá, M. (312) 97  
 Pires, A.L.A., see Alves, A.C. (312) 89  
 Pistis, M., see Diana, M. (312) 179  
 Poat, J.A., see Hinks, G.L. (312) 153  
 Porta, R., see Mancuso, F. (312) 327  
 Prieto-Gómez, B., see Barajas-López, C. (312) 319  
 Pussard, E., see Pilette, C. (312) 63
- Reche, I., Fuentes, J.A. and Ruiz-Gayo, M.  
     Erratum to 'A role for central cannabinoid and opioid systems in peripheral  $\Delta^9$ -tetrahydrocannabinol-induced analgesia in mice'. [Eur. J. Pharmacol. 301 (1996) 75–81] (312) 391  
 Reyes-Vázquez, C., see Barajas-López, C. (312) 319  
 Ricaurte, G.A., see McCann, U.D. (312) R1  
 Riva, E. and Traquandi, C.  
     Dose-response studies with idrapril in the rat heart during acute myocardial ischaemia and reperfusion (312) 293
- Roques, B.P., see Valverde, O. (312) 15  
 Rubio, M.C., see Lorenzo, P.S. (312) 203  
 Ruiz-Gayo, M., see Reche, I. (312) 391  
 Rumjanek, V.M., see Gonçalves de Moraes, V.L. (312) 333
- Sakai, Y., see Hisamichi, N. (312) 69  
 Sandler, S., see Carlsson, P.-O. (312) 75  
 Sarda, N., see Delton-Vandenbroucke, I. (312) 379  
 Sasaki, N., see Yoshida, A. (312) 115  
 Sato, K., see Hisamichi, N. (312) 69  
 Sato, R., see Yoshida, A. (312) 115  
 Satoh, M., see Katsumata, S. (312) 349  
 Savina, M.A., see Giardino, L. (312) 183  
 Savineau, J.-P., see Ausina, P. (312) 309  
 Saxena, P.R., De Vries, P., Heiligers, J.P.C., MaassenVanDenBrink, A., Bax, W.A., Barf, T. and Wikström, H.  
     Investigations with GMC2021 in experimental models predictive of antimigraine activity and coronary side-effect potential (312) 53  
 Serra, M.F., see Alves, A.C. (312) 89  
 Shigemasa, C., see Yoshida, A. (312) 115  
 Shikano, T., see Taniguchi, H. (312) 227  
 Siegel, B.W., Sreekrishna, K. and Baron, B.M.  
     Binding of the radiolabeled glycine site antagonist [<sup>3</sup>H]MDL 105,519 to homomeric NMDA-NR1a receptors (312) 357  
 Smith, M.W., see Piercey, M.F. (312) 35  
 Sogni, P., see Pilette, C. (312) 63  
 Sreekrishna, K., see Siegel, B.W. (312) 357  
 Starownik, R., see Gasior, M. (312) 27  
 Sunami, A. and Hiraoka, M.  
     Blockade of cardiac Na<sup>+</sup> channels by a charged class I antiarrhythmic agent, bisaramil: possible interaction of the drug with a pre-open closed state (312) 245  
 Suzuki, K., see Ishizuka, T. (312) 367  
 Suzuki, K.-i., see Hisamichi, N. (312) 69  
 Suzuki, Y., see Tamura, K. (312) 195  
 Szabo, C., see Jang, D. (312) 341
- Takenaka, T., see Hisamichi, N. (312) 69  
 Tamura, K., Suzuki, Y., Koga, T., Akima, M., Kato, T. and Nabata, H.  
     Actions of CP-060S on veratridine-induced Ca<sup>2+</sup> overload in cardiomyocytes and mechanical activities in vascular strips (312) 195  
 Tanaka, M.K., see Matsuno, K. (312) 267  
 Tanaka, Y., see Yoshida, A. (312) 115  
 Taniguchi, H., Yazaki, N., Yomota, E., Shikano, T., Endo, T. and Nagasaki, M.  
     Pharmacological profile of T-0632, a novel potent and selective CCK<sub>A</sub> receptor antagonist, in vivo (312) 227  
 Taniguchi, S.-i., see Yoshida, A. (312) 115  
 Taniuchi, Y., see Hisamichi, N. (312) 69  
 Terencio, M.C., see Payá, M. (312) 97  
 Tiemessen, R.C., see Paulussen, J.J.C. (312) 121  
 Tillement, J.-P., see Deprés-Brummer, P. (312) 171  
 Tomioka, K., see Hisamichi, N. (312) 69  
 Touitou, Y., see Deprés-Brummer, P. (312) 171  
 Traquandi, C., see Riva, E. (312) 293  
 Travis, M.D., see Lewis, S.J. (312) R3
- Ueta, Y., see Yoshida, A. (312) 115  
 Urien, S., see Deprés-Brummer, P. (312) 171
- Vallejo, A.I., Bo, X. and Burnstock, G.  
     P2Y purinoceptors in gastric gland plasma membranes (312) 209  
 Valverde, O., Fournié-Zaluski, M.-C., Roques, B.P. and Maldonado, R.  
     Similar involvement of several brain areas in the antinociception of endogenous and exogenous opioids (312) 15

- Wada, T., Otsu, T., Hasegawa, Y., Mizuchi, A. and Ono, H.  
Characterization of  $\alpha_1$ -adrenoceptor subtypes in rat spinal cord (312) 263
- Watanabe, M., see Yoshida, A. (312) 115
- Watanabe, S., see Ohno, M. (312) 145
- Wikström, H., see Saxena, P.R. (312) 53
- Wiley, J.L., see Bowen, S.E. (312) 131
- Wilson, C.A., see Gonzalez, M.I. (312) 1
- Yamaguchi, Y., Higashi, M. and Kobayashi, H.  
Effects of ginsenosides on impaired performance caused by scopolamine in rats (312) 149
- Yamazaki, J., see Kusayama, T. (312) 301
- Yanagi, K., see Hisamichi, N. (312) 69
- Yanagisawa, I., see Hisamichi, N. (312) 69
- Yang, H.-T. and Endoh, M.  
( $\pm$ )-Tamsulosin, an  $\alpha_{1A}$ -adrenoceptor antagonist, inhibits the positive inotropic effect but not the accumulation of inositol phosphates in rabbit heart (312) 281
- Yazaki, N., see Taniguchi, H. (312) 227
- Yomota, E., see Taniguchi, H. (312) 227
- Yoshida, A., Hisatome, I., Nawada, T., Sasaki, N., Taniguchi, S.-i., Tanaka, Y., Manabe, I., Ahmmed, G.U., Sato, R., Mori, A., Hattori, K., Ueta, Y., Mitani, Y., Watanabe, M., Igawa, O., Fujimoto, Y. and Shigemasa, C.  
Amitriptyline inhibits the G protein and  $K^+$  channel in the cloned thyroid cell line (312) 115
- Zanni, M., see Giardino, L. (312) 183