

Author index

- Aliev, G., see Ralevic, V. (313) 221
- Antkiewicz-Michaluk, L., see Karolewicz, B. (313) 181
- Antoine, M.-H., Ouedraogo, R., Sergiooris, J., Hermann, M., Herchuelz, A. and Lebrun, P.
Hydroxylamine, a nitric oxide donor, inhibits insulin release and activates K_{ATP}^+ channels (313) 229
- Baldwin, B.A., see Wattanathorn, J. (313) 69
- Bastide, B., see Hervé, J.-C. (313) 243
- Beart, P.M., see Cheung, N.S. (313) 159
- Beaugé, F., see Naassila, M. (313) 273
- Beitner, R., see Glass-Marmor, L. (313) 265
- Bellot, R.G., Camarini, R., Vital, M.A.B.F., Palermo-Neto, J., Leyton, V. and Frussa-Filho, R.
Monosialoganglioside attenuates the excitatory and behavioural sensitization effects of ethanol (313) 175
- Blazicek, P., see Viator, I. (313) 119
- Bode, D.C., see De Garavilla, L. (313) 89
- Boden, P.R., see Lee, K. (313) 163
- Brann, M.R., see Bräuner-Osborne, H. (313) 145
- Bräuner-Osborne, H., Ebert, B., Brann, M.R., Falch, E. and Krogsgaard-Larsen, P.
Functional partial agonism at cloned human muscarinic acetylcholine receptors (313) 145
- Brown, R.E., see McGregor, I.S. (313) 43
- Buccafusco, J.J., see Feldman, D.S. (313) 211
- Buchholz, R.A., see De Garavilla, L. (313) 89
- Burnstock, G., see Ralevic, V. (313) 221
- Bustamante, D., see Gozariu, M. (313) 51
- Cagnotto, A., Parotti, L. and Mennini, T.
In vitro affinity of pibedil for dopamine D_3 receptor subtypes, an autoradiographic study (313) 63
- Cai, H., Yao, H., Ibayashi, S., Takaba, H. and Fujishima, M.
Amlodipine, a Ca^{2+} channel antagonist, modifies cerebral blood flow autoregulation in hypertensive rats (313) 103
- Camarini, R., see Bellot, R.G. (313) 175
- Casalotti, S.O., see Wattanathorn, J. (313) 69
- Cheung, N.S., O'Callaghan, D., Ryan, M.C., Dutton, R., Wong, M.G. and Beart, P.M.
Structure-activity relationships of competitive NMDA receptor antagonists (313) 159
- Choi, D.-S., see Kim, Y.-B. (313) 107
- Ciabattini, G., see Montuschi, P. (313) R1
- Colleoni, M., see Costa, B. (313) 17
- Cooper, S.J., see Higgs, S. (313) 1
- Costa, B., Parolaro, D. and Colleoni, M.
Chronic cannabinoid, CP-55,940, administration alters biotransformation in the rat (313) 17
- Cronier, L., see Hervé, J.-C. (313) 243
- Currò, D., see Montuschi, P. (313) R1
- Daoust, M., see Naassila, M. (313) 273
- Dastur, F.N., see McGregor, I.S. (313) 43
- De Garavilla, L., Pagani, E.D., Buchholz, R.A., Dundore, R., Bode, D.C., Volberg, M.L., Jackson, K.N., Pratt, P. and Silver, P.J.
Zaprinast, but not diprydamole, reverses hemodynamic tolerance to nitroglycerin in vivo (313) 89
- Délèze, J., see Hervé, J.-C. (313) 243
- Dundore, R., see De Garavilla, L. (313) 89
- Dutton, R., see Cheung, N.S. (313) 159
- Ebert, B., see Bräuner-Osborne, H. (313) 145
- Falch, E., see Bräuner-Osborne, H. (313) 145
- Falcone, J., see Grider, J. (313) 115
- Feldman, D.S., Terry Jr., A.V. and Buccafusco, J.J.
Spinal muscarinic cholinergic and nitric oxide systems in cardiovascular regulation (313) 211
- Fredholm, B.B., see Zhang, Y. (313) 237
- Frussa-Filho, R., see Bellot, R.G. (313) 175
- Fujii, E., Irie, K., Uchida, Y., Tsukahara, F., Ohba, K.-i., Ogawa, A. and Muraki, T.
Tolerance to lipopolysaccharide-induced increase in vascular permeability in mouse skin (313) 129
- Fujiki, H., Mori, T., Yoshida, K., Imaizumi, T. and Tominaga, M.
OPC-18790, a novel positive inotropic agent, has both arterial and venous vascular dilating actions in the dog (313) 191
- Fujishima, M., see Cai, H. (313) 103
- Fukasawa, H., see Hotta, N. (313) 201
- Glass-Marmor, L., Morgenstern, H. and Beitner, R.
Calmodulin antagonists decrease glucose 1,6-bisphosphate, fructose 1,6-bisphosphate, ATP and viability of melanoma cells (313) 265
- Govitrapong, P., see Wattanathorn, J. (313) 69
- Gozariu, M., Bustamante, D., Le Bars, D. and Willer, J.-C.
Effects of clonidine on a C-fibre reflex in the rat (313) 51
- Gray, A.M.
Effect of alprazolam on opiate withdrawal: a combined behavioural and microdialysis study (313) 73
- Grider, J., Falcone, J., Kilpatrick, E., Ott, C. and Jackson, B.
Effect of luminal vasopressin on NaCl transport in the medullary thick ascending limb of the rat (313) 115
- Hamada, Y., see Hotta, N. (313) 201
- Han, B.-G., see Kim, Y.-B. (313) 107
- Hara, T., see Hotta, N. (313) 201
- Hatano, A., Tang, R., Walden, P.D. and Lepor, H.
The α -adrenoceptor antagonist properties of the enantiomers of doxazosin in the human prostate (313) 135
- Hedqvist, P., see Zhang, Y. (313) 237
- Herchuelz, A., see Antoine, M.-H. (313) 229
- Hermann, M., see Antoine, M.-H. (313) 229
- Hervé, J.-C., Pluciennik, F., Bastide, B., Cronier, L., Verrecchia, F., Malassiné, A., Joffre, M. and Délèze, J.
Contraceptive gossypol blocks cell-to-cell communication in human and rat cells (313) 243
- Higgs, S. and Cooper, S.J.
Hyperphagia induced by direct administration of midazolam into the parabrachial nucleus of the rat (313) 1

- Hotta, N., Koh, N., Sakakibara, F., Nakamura, J., Hamada, Y., Hara, T., Mori, K., Naruse, K., Fukasawa, H., Kakuta, H. and Sakamoto, N.
Nerve function and blood flow in Otsuka Long-Evans Tokushima Fatty rats with sucrose feeding: effect of an anticoagulant (313) 201
- Hunter, L.W., Tyce, G.M. and Rorie, D.K.
Neuropeptide Y release and contractile properties: differences between canine veins and arteries (313) 79
- Hur, G.-H., see Kim, Y.-B. (313) 107
- Ibayashi, S., see Cai, H. (313) 103
- Ibbotson, T., see Lee, K. (313) 163
- Imaizumi, T., see Fujiki, H. (313) 191
- Irie, K., see Fujii, E. (313) 129
- Ishibashi, Y., see Tsuji, M. (313) 169
- Ishine, T. and Lee, T.J.F.
Norepinephrine attenuates serotonin inhibition of pial venous tone (313) 97
- Ito, S., see Tabo, M. (313) 151
- Jackson, B., see Grider, J. (313) 115
- Jackson, K.N., see De Garavilla, L. (313) 89
- Joffre, M., see Hervé, J.-C. (313) 243
- Kakuta, H., see Hotta, N. (313) 201
- Kameyama, T., see Ukai, M. (313) 11
- Kaneko, T., see Tanabe, M. (313) 187
- Karolewicz, B., Antkiewicz-Michaluk, L., Michaluk, J. and Vetulani, J.
Different effects of chronic administration of haloperidol and pimozide on dopamine metabolism in the rat brain (313) 181
- Kilpatrick, E., see Grider, J. (313) 115
- Kim, Y.-B., Hur, G.-H., Choi, D.-S., Shin, S., Han, B.-G., Lee, Y.-S. and Sok, D.-E.
Effects of calmodulin antagonists and anesthetics on the skin lesions induced by 2-chloroethylthyl sulfide (313) 107
- Kleven, M., Prinssen, E.P.M. and Koek, W.
Role of 5-HT_{1A} receptors in the ability of mixed 5-HT_{1A} receptor agonist/dopamine D₂ receptor antagonists to inhibit methylphenidate-induced behaviors in rats (313) 25
- Kobayashi, T., see Ukai, M. (313) 11
- Koek, W., see Kleven, M. (313) 25
- Koh, N., see Hotta, N. (313) 201
- Kotchabhakdi, N., see Wattanathorn, J. (313) 69
- Krogsgaard-Larsen, P., see Bräuner-Osborne, H. (313) 145
- Kulick, A., see Ruzycky, A.L. (313) 257
- Kvetnansky, R., see Viator, I. (313) 119
- Lamarque, D. and Whittle, B.J.R.
Involvement of peroxynitrite in the lipid peroxidation induced by nitric oxide in rat gastric mucosa (313) R5
- Le Bars, D., see Gozariu, M. (313) 51
- Lebrun, P., see Antoine, M.-H. (313) 229
- Lee, K., Ibbotson, T., Richardson, P.J. and Boden, P.R.
Inhibition of K_{ATP} channel activity by troglitazone in CRI-G1 insulin-secreting cells (313) 163
- Lee, T.J.F., see Ishine, T. (313) 97
- Lee, Y.-S., see Kim, Y.-B. (313) 107
- Lepor, H., see Hatano, A. (313) 135
- Leyton, V., see Bellot, R.G. (313) 175
- Malassiné, A., see Hervé, J.-C. (313) 243
- McGregor, I.S., Dastur, F.N., McLellan, R.A. and Brown, R.E.
Cannabinoid modulation of rat pup ultrasonic vocalizations (313) 43
- McLellan, R.A., see McGregor, I.S. (313) 43
- Mennini, T., see Cagnotto, A. (313) 63
- Michaluk, J., see Karolewicz, B. (313) 181
- Montuschi, P., Currò, D. and Ciabattoni, G.
Tachykinin NK₂ receptor antagonists decrease eicosanoid release in lung anaphylaxis (313) R1
- Morel, E., see Sanger, D.J. (313) 35
- Morgenstern, H., see Glass-Marmor, L. (313) 265
- Mori, K., see Hotta, N. (313) 201
- Mori, T., see Fujiki, H. (313) 191
- Muraki, T., see Fujii, E. (313) 129
- Naassila, M., Roux, F., Beaugé, F. and Daoust, M.
Ethanol potentiates lipopolysaccharide- or interleukin-1 β -induced nitric oxide generation in RBE4 cells (313) 273
- Nakagawa, Y., see Tsuji, M. (313) 169
- Nakamura, J., see Hotta, N. (313) 201
- Nakazato, Y., see Tabo, M. (313) 151
- Naruse, K., see Hotta, N. (313) 201
- O'Callaghan, D., see Cheung, N.S. (313) 159
- Ogawa, A., see Fujii, E. (313) 129
- Ohba, K.-i., see Fujii, E. (313) 129
- Ohta, T., see Tabo, M. (313) 151
- Ott, C., see Grider, J. (313) 115
- Ouedraogo, R., see Antoine, M.-H. (313) 229
- Pagani, E.D., see De Garavilla, L. (313) 89
- Palermo-Neto, J., see Bellot, R.G. (313) 175
- Parolaro, D., see Costa, B. (313) 17
- Parotti, L., see Cagnotto, A. (313) 63
- Perrault, G., see Sanger, D.J. (313) 35
- Pluciennik, F., see Hervé, J.-C. (313) 243
- Pratt, P., see De Garavilla, L. (313) 89
- Prinssen, E.P.M., see Kleven, M. (313) 25
- Ralevic, V., Aliev, G. and Burnstock, G.
Mesenteric and hepatic vascular reactivity in Donryu rats with and without a cholesterol-supplemented diet (313) 221
- Raud, J., see Zhang, Y. (313) 237
- Richardson, P.J., see Lee, K. (313) 163
- Rorie, D.K., see Hunter, L.W. (313) 79
- Roux, F., see Naassila, M. (313) 273
- Rusnak, M., see Viator, I. (313) 119
- Ruzycky, A.L. and Kulick, A.
Estrogen increases the expression of uterine protein kinase C isozymes in a tissue specific manner (313) 257
- Ryan, M.C., see Cheung, N.S. (313) 159
- Sabban, E.L., see Viator, I. (313) 119
- Sakakibara, F., see Hotta, N. (313) 201
- Sakamoto, N., see Hotta, N. (313) 201
- Sanger, D.J., Morel, E. and Perrault, G.
Comparison of the pharmacological profiles of the hypnotic drugs, zaleplon and zolpidem (313) 35
- Sergooris, J., see Antoine, M.-H. (313) 229
- Shan-Wu, X., see Ukai, M. (313) 11
- Shimada, M., see Tsuji, M. (313) 169
- Shin, S., see Kim, Y.-B. (313) 107
- Silver, P.J., see De Garavilla, L. (313) 89
- Sok, D.-E., see Kim, Y.-B. (313) 107
- Suzuki, T., see Tsuji, M. (313) 169
- Tabo, M., Ohta, T., Ito, S. and Nakazato, Y.
Effects of external K⁺ on depletion-induced Ca²⁺ entry in rat ileal smooth muscle (313) 151
- Takaba, H., see Cai, H. (313) 103
- Takashima, T., see Tsuji, M. (313) 169
- Tanabe, M. and Kaneko, T.
Preferential enhancement of inhibitory synaptic transmission by CS-722 in the ventral horn neurons of neonatal rat spinal cord (313) 187
- Tang, R., see Hatano, A. (313) 135
- Terry Jr., A.V., see Feldman, D.S. (313) 211

- Tominaga, M., see Fujiki, H. (313) 191
- Tsuji, M., Nakagawa, Y., Ishibashi, Y., Yoshii, T., Takashima, T., Shimada, M. and Suzuki, T.
Activation of ventral tegmental GABA_B receptors inhibits morphine-induced place preference in rats (313) 169
- Tsukahara, F., see Fujii, E. (313) 129
- Tyce, G.M., see Hunter, L.W. (313) 79
- Uchida, Y., see Fujii, E. (313) 129
- Ukai, M., Shan-Wu, X., Kobayashi, T. and Kameyama, T.
Systemic administration of dynorphin A-(1–13) markedly improves cycloheximide-induced amnesia in mice (313) 11
- Verrecchia, F., see Hervé, J.-C. (313) 243
- Vetulani, J., see Karolewicz, B. (313) 181
- Vietor, I., Rusnak, M., Viskupic, E., Blazicek, P., Sabban, E.L. and Kvetnansky, R.
Glucoprivation by insulin leads to trans-synaptic increase in rat adrenal tyrosine hydroxylase mRNA levels (313) 119
- Viskupic, E., see Vietor, I. (313) 119
- Vital, M.A.B.F., see Bellot, R.G. (313) 175
- Volberg, M.L., see De Garavilla, L. (313) 89
- Walden, P.D., see Hatano, A. (313) 135
- Wattanathorn, J., Kotchabhakdi, N., Casalotti, S.O., Baldwin, B.A. and Govitrapong, P.
Ethanol alone or with dexamethasone alters the kinetics of choline acetyltransferase (313) 69
- Whittle, B.J.R., see Lamarque, D. (313) R5
- Willer, J.-C., see Gozariu, M. (313) 51
- Wong, M.G., see Cheung, N.S. (313) 159
- Yao, H., see Cai, H. (313) 103
- Yoshida, K., see Fujiki, H. (313) 191
- Yoshii, T., see Tsuji, M. (313) 169
- Zhang, Y., Raud, J., Hedqvist, P. and Fredholm, B.B.
Propentofylline inhibits polymorphonuclear leukocyte recruitment in vivo by a mechanism involving adenosine A_{2A} receptors (313) 237