

Author index

- Allescher, H.-D., see Kurjak, M. (314) 165
- Altura, B.M., Zhang, A., Cheng, T.P.-O. and Altura, B.T.
Exposure of piglet coronary arterial muscle cells to low alcohol results in elevation of intracellular free Ca^{2+} : relevance to fetal alcohol syndrome (314) R9
- Altura, B.T., see Altura, B.M. (314) R9
- Barthelmebs, M., Krieger, J.-P., Grima, M., Nisato, D. and Imbs, J.-L.
Vascular effects of $[\text{Arg}^8]$ vasopressin in the isolated perfused rat kidney (314) 325
- Beart, P.M., see Larm, J.A. (314) 249
- Beaumont, K., see Vine, W. (314) 115
- Bence, J.Zs., see Erdő, S.L. (314) 69
- Berge, R.K., see Brunvand, H. (314) 99
- Berti, F., see De Gennaro Colonna, V. (314) 333
- Bienkowski, P., Stefanski, R. and Kostowski, W.
Competitive NMDA receptor antagonist, CGP 40116, substitutes for the discriminative stimulus effects of ethanol (314) 277
- Blanchard, J.-C., see Heuillet, E. (314) 229
- Blomqvist, O., Ericson, M., Johnson, D.H., Engel, J.A. and Söderpalm, B.
Voluntary ethanol intake in the rat: effects of nicotinic acetylcholine receptor blockade or subchronic nicotine treatment (314) 257
- Bonacci, D., see De Gennaro Colonna, V. (314) 333
- Botero Cid, H.M., see Kostenis, E. (314) 385
- Bourelly, B., see Hernvann, A. (314) 193
- Brasseur, R., see Montenez, J.-P. (314) 215
- Broquère, N., see Monteau, R. (314) 41
- Brunvand, H., Frøyland, L., Hexeberg, E., Rynning, S.E., Berge, R.K. and Grong, K.
Carvedilol improves function and reduces infarct size in the feline myocardium by protecting against lethal reperfusion injury (314) 99
- Buchholz, J.N., see García-Villalón, A.L. (314) 339
- Budhoo, M.R., Harris, R.P. and Kellum, J.M.
The role of the 5-HT₂ receptor in Cl^- secretion in human jejunal mucosa (314) 109
- Bunney Jr., W.E., see Helmeste, D.M. (314) R3
- Burton, M.J., see Watson, J.M. (314) 365
- Caine, S.B., see Wan, F.-J. (314) 9
- Cameron, N.E., see Love, A. (314) 33
- Cándido, A., see Torres, C. (314) 269
- Carvalho, M.F., see DeFarias, F.P. (314) 123
- Cattaneo, L., see De Gennaro Colonna, V. (314) 333
- Chairungsrilerd, N., Furukawa, K.-I., Ohta, T., Nozoe, S. and Ohizumi, Y.
Pharmacological properties of α -mangostin, a novel histamine H_1 receptor antagonist (314) 351
- Chan, W., see Herdon, H. (314) R7
- Cheng, T.P.-O., see Altura, B.M. (314) R9
- Cheung, N.S., see Larm, J.A. (314) 249
- Cho, S., Duchemin, A.-M., Neff, N.H. and Hadjiconstantinou, M.
Modulation of tyrosine hydroxylase and aromatic L-amino acid decarboxylase after inhibiting monoamine oxidase-A (314) 51
- Chowdhury, S.A., Kawashima, T., Konishi, T., Niwa, M. and Matsunami, K.
Study of paired-pulse inhibition of transcallosal response in the pyramidal tract neuron in vivo (314) 313
- Christian Aussel, see Hernvann, A. (314) 193
- Ciceri, S., see De Gennaro Colonna, V. (314) 333
- Cotter, M.A., see Love, A. (314) 33
- Courtoy, P.J., see Van Bambeke, F. (314) 203
- Dallel, R., Luccarini, P., Molat, J.-L. and Woda, A.
Effects of systemic morphine on the activity of convergent neurons of spinal trigeminal nucleus oralis in the rat (314) 19
- Danysz, W., see Höltér, S.M. (314) R1
- DeFarias, F.P., Carvalho, M.F., Lee, S.H., Kaczorowski, G.J. and Suarez-Kurtz, G.
Effects of the K^+ channel blockers, paspalitem-C and paxilline, on mammalian smooth muscle (314) 123
- De Gennaro Colonna, V., Rossoni, G., Bonacci, D., Ciceri, S., Cattaneo, L., Müller, E.E. and Berti, F.
Worsening of ischemic damage in hearts from rats with selective growth hormone deficiency (314) 333
- De la Lande, I.S., Philp, T., Stafford, I. and Horowitz, J.D.
Lack of inhibition of glyceryl trinitrate by diphenyleneiodonium in bovine coronary artery (314) 347
- Doble, A., see Heuillet, E. (314) 229
- Duchemin, A.-M., see Cho, S. (314) 51
- Duckles, S.P., see García-Villalón, A.L. (314) 339
- Ekindjian, O.G., see Hernvann, A. (314) 193
- Engel, J.A., see Blomqvist, O. (314) 257
- Erdő, S.L., Molnár, P., Lakics, V., Bence, J.Zs. and Tömösközi, Z.
Vincamine and vincanol are potent blockers of voltage-gated Na^+ channels (314) 69
- Ericson, M., see Blomqvist, O. (314) 257
- Frøyland, L., see Brunvand, H. (314) 99
- Furukawa, K.-I., see Chairungsrilerd, N. (314) 351
- Galas, M.-C. and Harden, T.K.
Cyclic AMP-induced desensitization of G-protein-regulated phospholipase C in turkey erythrocyte membranes (314) 157
- García-Villalón, A.L., Buchholz, J.N., Krause, D.N. and Duckles, S.P.
Sex differences in the effects of 17 β -estradiol on vascular adrenergic responses (314) 339
- Garratt, J.C., McEvoy, M.P. and Owen, D.G.
Blockade of two voltage-dependent potassium channels, mKv1.1 and mKv1.2, by docosahexaenoic acid (314) 393
- Gedulin, B., see Vine, W. (314) 115
- Goto, Y., Miura, M. and Iijima, T.
Extrusion mechanisms of intracellular Ca^{2+} in human aortic endothelial cells (314) 185
- Grima, M., see Barthelmebs, M. (314) 325
- Grong, K., see Brunvand, H. (314) 99
- Hadjiconstantinou, M., see Cho, S. (314) 51
- Hajós-Kócsok, É. and Sharp, T.
8-OH-DPAT-induced release of hippocampal noradrenaline in vivo: evidence for a role of both 5-HT_{1A} and dopamine D₁ receptors (314)

- 285
- Harden, T.K., see Galas, M.-C. (314) 157
- Harris, R.P., see Budhoo, M.R. (314) 109
- Hashimoto, T., see Ito, K. (314) 143
- Helmeste, D.M., Tang, S.W., Bunney Jr., W.E., Potkin, S.G. and Jones, E.G.
Decrease in σ but no increase in striatal dopamine D₄ sites in schizophrenic brains (314) R3
- Herdon, H., Jerman, J., Stean, T., Chan, W., Middlemiss, D. and Upton, N.
The novel anticonvulsant SB 204269 binds to a stereospecific site in the mouse brain (314) R7
- Hervann, A., Bourelly, B., Le Maire, V., Christian Aussel, , Menkes, C.-J. and Ekindjian, O.G.
Action of anti-inflammatory drugs on interleukin-1 β -mediated glucose uptake by synoviocytes (314) 193
- Heuillet, E., Petitot, F., Mignani, S., Malleron, J.-L., Lavayre, J., Néliat, G., Doble, A. and Blanchard, J.-C.
The naphtosultam derivative RP 62203 (fananserine) has high affinity for the dopamine D₄ receptor (314) 229
- Hexeberg, E., see Brunvand, H. (314) 99
- Hietala, J., see Wong, G. (314) 319
- Hilaire, G., see Monteau, R. (314) 41
- Hill, R., see Sällström Baum, S. (314) 75
- Hlíňák, Z., Vinšová, J. and Kasářík, E.
Effect of alaptide, its analogues and oxiracetam on memory for an elevated plus-maze in mice (314) 1
- Ho, I.K., see Hoshi, K. (314) 301
- Hölter, S.M., Danysz, W. and Spanagel, R.
Evidence for alcohol anti-craving properties of memantine (314) R1
- Holzgrabe, U., see Kostenis, E. (314) 385
- Horowitz, J.D., see De la Lande, I.S. (314) 347
- Hoshi, K., Ma, T. and Ho, I.K.
Precipitated κ -opioid receptor agonist withdrawal increases glutamate in rat locus coeruleus (314) 301
- Howse, K.M., see Roerig, S.C. (314) 293
- Iijima, T., see Goto, Y. (314) 185
- Ikeda, M., see Ikeda, U. (314) 197
- Ikeda, U., Ikeda, M., Kano, S., Kanbe, T. and Kazuyuki Shimada,
Effect of cilostazol, a cAMP phosphodiesterase inhibitor, on nitric oxide production by vascular smooth muscle cells (314) 197
- Imbs, J.-L., see Barthelmebs, M. (314) 325
- Inagaki, C., see Tanabe, T. (314) 175
- Inoue, K., see Ito, K. (314) 143
- Inoue, M., see Tan-No, K. (314) 61
- Ise, Y., see Suzuki, T. (314) 281
- Ito, K., Nakazawa, K., Koizumi, S., Liu, M., Takeuchi, K., Hashimoto, T., Ohno, Y. and Inoue, K.
Inhibition by antipsychotic drugs of L-type Ca²⁺ channel current in PC12 cells (314) 143
- Jerman, J., see Herdon, H. (314) R7
- Johnson, D.H., see Blomqvist, O. (314) 257
- Jones, B.J., see Watson, J.M. (314) 365
- Jones, E.G., see Helmeste, D.M. (314) R3
- Kaczorowski, G.J., see DeFarias, F.P. (314) 123
- Kanbe, T., see Ikeda, U. (314) 197
- Kano, S., see Ikeda, U. (314) 197
- Karaki, H., see Trongvanichnam, K. (314) 83
- Kasářík, E., see Hlíňák, Z. (314) 1
- Kawamura, Y., see Sato, N. (314) 373
- Kawashima, T., see Chowdhury, S.A. (314) 313
- Kazuyuki Shimada, , see Ikeda, U. (314) 197
- Kellum, J.M., see Budhoo, M.R. (314) 109
- Kikuchi, K., see Sato, N. (314) 373
- Kim, K.-T., see Suh, B.-C. (314) 235
- Kisara, K., see Tan-No, K. (314) 61
- Koizumi, S., see Ito, K. (314) 143
- Konishi, T., see Chowdhury, S.A. (314) 313
- Korpi, E.R., see Wong, G. (314) 319
- Kostenis, E., Botero Cid, H.M., Holzgrabe, U. and Mohr, K.
Evidence for a multiple binding mode of bispyridinium-type allosteric modulators of muscarinic receptors (314) 385
- Kostowski, W., see Bienkowski, P. (314) 277
- Krause, D.N., see García-Villalón, A.L. (314) 339
- Krieger, J.-P., see Barthelmebs, M. (314) 325
- Kuoppamäki, M., see Wong, G. (314) 319
- Kurjak, M., Schusdziarra, V. and Allescher, H.-D.
Presynaptic modulation by VIP, secretin and isoproterenol of somatostatin release from enriched enteric synaptosomes: role of cAMP (314) 165
- Lakics, V., see Erdő, S.L. (314) 69
- Larm, J.A., Cheung, N.S. and Beart, P.M.
(S)-5-Fluorowillardiine-mediated neurotoxicity in cultured murine cortical neurones occurs via AMPA and kainate receptors (314) 249
- Lavayre, J., see Heuillet, E. (314) 229
- Lee, S.H., see DeFarias, F.P. (314) 123
- Le Maire, V., see Hervann, A. (314) 193
- Liu, M., see Ito, K. (314) 143
- Love, A., Cotter, M.A. and Cameron, N.E.
Nerve function and regeneration in diabetic and galactosaemic rats: antioxidant and metal chelator effects (314) 33
- Luccarini, P., see Dallel, R. (314) 19
- Lüddens, H., see Wong, G. (314) 319
- Ma, T., see Hoshi, K. (314) 301
- Maeda, J., see Suzuki, T. (314) 281
- Maitra, R., see Reynolds, J.N. (314) 151
- Maldonado, A., see Torres, C. (314) 269
- Malleron, J.-L., see Heuillet, E. (314) 229
- Matsunami, K., see Chowdhury, S.A. (314) 313
- McAllister, K.H.
The competitive NMDA receptor antagonist SDZ 220-581 reverses haloperidol-induced catalepsy in rats (314) 307
- McEvoy, M.P., see Garratt, J.C. (314) 393
- Menkes, C.-J., see Hervann, A. (314) 193
- Middlemiss, D., see Herdon, H. (314) R7
- Middlemiss, D.N., see Watson, J.M. (314) 365
- Mignani, S., see Heuillet, E. (314) 229
- Mingeot-Leclercq, M.-P., see Montenez, J.-P. (314) 215
- Mingeot-Leclercq, M.-P., see Van Bambeke, F. (314) 203
- Misawa, M., see Suzuki, T. (314) 281
- Mishima, K., see Tanabe, T. (314) 175
- Mitsui-Saito, M., see Trongvanichnam, K. (314) 83
- Miura, M., see Goto, Y. (314) 185
- Mohr, K., see Kostenis, E. (314) 385
- Molat, J.-L., see Dallel, R. (314) 19
- Molnár, P., see Erdő, S.L. (314) 69
- Monteau, R., Ptak, K., Broquère, N. and Hilaire, G.
Tachykinins and central respiratory activity: an in vitro study on the newborn rat (314) 41
- Montenez, J.-P., Van Bambeke, F., Piret, J., Schanck, A., Brasseur, R., Tulkens, P.M. and Mingeot-Leclercq, M.-P.
Interaction of the macrolide azithromycin with phospholipids. II. Biophysical and computer-aided conformational studies (314) 215
- Montenez, J.-P., see Van Bambeke, F. (314) 203
- Moore, C.X., see Vine, W. (314) 115
- Morales, A., see Torres, C. (314) 269
- Moreno, J.J.
Antiflammin-2, a nonapeptide of lipocortin-1, inhibits leukocyte chemotaxis but not arachidonic acid mobilization (314) 129

- Moro, M., see Pérez-Vizcaíno, F. (314) 91
- Muceniece, R., see Schiöth, H.B. (314) 381
- Müller, E.E., see De Gennaro Colonna, V. (314) 333
- Murayama, T., see Yakushi, Y. (314) 243
- Nakahara, K., see Yamamoto, N. (314) 137
- Nakazawa, K., see Ito, K. (314) 143
- Neff, N.H., see Cho, S. (314) 51
- Néllat, G., see Heuillet, E. (314) 229
- Nisato, D., see Barthelmebs, M. (314) 325
- Nishimura, M., see Sato, N. (314) 373
- Niwa, M., see Chowdhury, S.A. (314) 313
- Nomura, Y., see Yakushi, Y. (314) 243
- Nozoe, S., see Chairungsrikerd, N. (314) 351
- Nylander, I., see Tan-No, K. (314) 61
- Ogawa, R., see Tanabe, T. (314) 175
- O'Grady, S.M., see Sprunger, L.K. (314) 357
- Ohizumi, Y., see Chairungsrikerd, N. (314) 351
- Ohno, Y., see Ito, K. (314) 143
- Ohta, T., see Chairungsrikerd, N. (314) 351
- Okuhara, M., see Yamamoto, N. (314) 137
- Otani, H., see Tanabe, T. (314) 175
- Owen, D.G., see Garratt, J.C. (314) 393
- Ozaki, H., see Trongvanichnam, K. (314) 83
- Park, T.-J., see Suh, B.-C. (314) 235
- Pérez-Vizcaíno, F., Villamor, E., Moro, M. and Tamargo, J.
Pulmonary versus systemic effects of vasodilator drugs: an in vitro study in isolated intrapulmonary and mesenteric arteries of neonatal piglets (314) 91
- Petitot, F., see Heuillet, E. (314) 229
- Philp, T., see De la Lande, I.S. (314) 347
- Piret, J., see Montenez, J.-P. (314) 215
- Piret, J., see Van Bambeke, F. (314) 203
- Pittner, R., see Vine, W. (314) 115
- Potkin, S.G., see Helmeste, D.M. (314) R3
- Price, G.W., see Watson, J.M. (314) 365
- Ptak, K., see Monteau, R. (314) 41
- Reynolds, J.N. and Maitra, R.
Propofol and flurazepam act synergistically to potentiate GABA_A receptor activation in human recombinant receptors (314) 151
- Rink, T.J., see Vine, W. (314) 115
- Roerig, S.C. and Howse, K.M.
ω-Agatoxin IVA blocks spinal morphine/clonidine antinociceptive synergism (314) 293
- Rommelspacher, H., see Sällström Baum, S. (314) 75
- Rossoni, G., see De Gennaro Colonna, V. (314) 333
- Rynning, S.E., see Brunvand, H. (314) 99
- Sakai, F., see Yamamoto, N. (314) 137
- Sakurada, C., see Tan-No, K. (314) 61
- Sakurada, T., see Tan-No, K. (314) 61
- Sällström Baum, S., Hill, R. and Rommelspacher, H.
Harman-induced changes of extracellular concentrations of neurotransmitters in the nucleus accumbens of rats (314) 75
- Sato, N., Nishimura, M., Kawamura, Y., Ward, C.A. and Kikuchi, K.
Block of Na⁺ channel by bepridil in isolated guinea-pig ventricular myocytes (314) 373
- Sato, T., see Tan-No, K. (314) 61
- Schanck, A., see Montenez, J.-P. (314) 215
- Schiöth, H.B., Muceniece, R., Wikberg, J.E.S. and Szardenings, M.
Alternative translation initiation codon for the human melanocortin MC₃ receptor does not affect the ligand binding (314) 381
- Schusdziarra, V., see Kurjak, M. (314) 165
- Sharp, T., see Hajós-Korcsok, É. (314) 285
- Shinobu Sakurada, , see Tan-No, K. (314) 61
- Silberring, J., see Tan-No, K. (314) 61
- Söderpalm, B., see Blomqvist, O. (314) 257
- Spanagel, R., see Hölter, S.M. (314) R1
- Sprunger, L.K., Stewig, N.J. and O'Grady, S.M.
Effects of charybdotoxin on K⁺ channel (Kv1.2) deactivation and inactivation kinetics (314) 357
- Stafford, I., see De la Lande, I.S. (314) 347
- Stean, T., see Herdon, H. (314) R7
- Stefanski, R., see Bienkowski, P. (314) 277
- Stewig, N.J., see Sprunger, L.K. (314) 357
- Suarez-Kurtz, G., see DeFarias, F.P. (314) 123
- Suh, B.-C., Park, T.-J. and Kim, K.-T.
Synergistic activation of adenylyl cyclase is dependent upon phospholipase C-mediated processes in human neuroblastoma SK-N-BE(2)C cells (314) 235
- Suzuki, T., Ise, Y., Tsuda, M., Maeda, J. and Misawa, M.
Mecamylamine-precipitated nicotine-withdrawal aversion in rats (314) 281
- Swerdlow, N.R., see Wan, F.-J. (314) 9
- Syvälähti, E., see Wong, G. (314) 319
- Szardenings, M., see Schiöth, H.B. (314) 381
- Tadano, T., see Tan-No, K. (314) 61
- Taira, A., see Tan-No, K. (314) 61
- Takeuchi, K., see Ito, K. (314) 143
- Tamargo, J., see Pérez-Vizcaíno, F. (314) 91
- Tan-No, K., Taira, A., Sakurada, T., Inoue, M., Shinobu Sakurada, , Tadano, T., Sato, T., Sakurada, C., Nylander, I., Silberring, J., Terenius, L. and Kisara, K.
Inhibition of dynorphin-converting enzymes prolongs the antinociceptive effect of intrathecally administered dynorphin in the mouse formalin test (314) 61
- Tanabe, T., Otani, H., Zeng, X.-T., Mishima, K., Ogawa, R. and Inagaki, C.
Inhibitory effects of calcitonin gene-related peptide on substance-P-induced superoxide production in human neutrophils (314) 175
- Tang, S.W., see Helmeste, D.M. (314) R3
- Terenius, L., see Tan-No, K. (314) 61
- Tömösközi, Z., see Erdő, S.L. (314) 69
- Torres, C., Morales, A., Cándido, A. and Maldonado, A.
Successive negative contrast in one-way avoidance: effect of thiopental sodium and chlorpromazine (314) 269
- Trongvanichnam, K., Mitsui-Saito, M., Ozaki, H. and Karaki, H.
Effects of chronic oral administration of a high dose of nicorandil on in vitro contractility of rat arterial smooth muscle (314) 83
- Tsuda, M., see Suzuki, T. (314) 281
- Tulkens, P.M., see Montenez, J.-P. (314) 215
- Tulkens, P.M., see Van Bambeke, F. (314) 203
- Upton, N., see Herdon, H. (314) R7
- Van Bambeke, F., Montenez, J.-P., Piret, J., Tulkens, P.M., Courtoy, P.J. and Mingeot-Leclercq, M.-P.
Interaction of the macrolide azithromycin with phospholipids. I. Inhibition of lysosomal phospholipase A₁ activity (314) 203
- Van Bambeke, F., see Montenez, J.-P. (314) 215
- Villamor, E., see Pérez-Vizcaíno, F. (314) 91
- Vine, W., Beaumont, K., Gedulin, B., Pittner, R., Moore, C.X., Rink, T.J. and Young, A.A.
Comparison of the in vitro and in vivo pharmacology of adrenomedullin, calcitonin gene-related peptide and amylin in rats (314) 115
- Vinšová, J., see Hlíňák, Z. (314) 1
- Wan, F.-J., Caine, S.B. and Swerdlow, N.R.
The ventral subiculum modulation of prepulse inhibition is not mediated via dopamine D₂ or nucleus accumbens non-NMDA glutamate receptor activity (314) 9

- Ward, C.A., see Sato, N. (314) 373
- Watanabe, A., see Yakushi, Y. (314) 243
- Watson, J.M., Burton, M.J., Price, G.W., Jones, B.J. and Middlemiss, D.N.
GR127935 acts as a partial agonist at recombinant human 5-HT_{1D α} and 5-HT_{1D β} receptors (314) 365
- Wikberg, J.E.S., see Schiöth, H.B. (314) 381
- Woda, A., see Dallel, R. (314) 19
- Wong, G., Kuoppamäki, M., Hietala, J., Lüddens, H., Syvälahti, E. and Korpi, E.R.
Effects of clozapine metabolites and chronic clozapine treatment on rat brain GABA_A receptors (314) 319
- Yakushi, Y., Watanabe, A., Murayama, T. and Nomura, Y.
P₂ purinoceptor-mediated stimulation of adenylyl cyclase in PC12 cells (314) 243
- Yamamoto, N., Sakai, F., Yamazaki, H., Nakahara, K. and Okuhara, M.
Effect of FR167653, a cytokine suppressive agent, on endotoxin-induced disseminated intravascular coagulation (314) 137
- Yamazaki, H., see Yamamoto, N. (314) 137
- Young, A.A., see Vine, W. (314) 115
- Yuan, C.-S.
Gastric effects of μ -, δ - and κ -opioid receptor agonists on brainstem unitary responses in the neonatal rat (314) 27
- Zeng, X.-T., see Tanabe, T. (314) 175
- Zhang, A., see Altura, B.M. (314) R9