ELSEVIER

European Journal of Pharmacology 357 (1998) 267–269

ejp

Author index

Adem, A., see Olianas, M.C. (357) 235
Agabio, R., see Colombo, G. (357) 109
Akaike, T., see Yoshida, M. (357) 213
Alvarez, J.L., see Galán, L. (357) 93
Anmella, M.-C., see Trillat, A.-C. (357) 179
Arthur, D.B., see Lichtman, A.H. (357) 139
Audoly, L., see Stillman, B.A. (357) 73

Batchelor, K., see Beales, P.E. (357) 221
Beales, P.E., Liddi, R., Giorgini, A.E., Signore, A., Procaccini, E., Batchelor, K. and Pozzilli, P.
Troglitazone prevents insulin dependent diabetes in the non-obese diabetic mouse (357) 221
Berg Nyborg, N.C., see Sheykhzade, M. (357) 107
Boccaletti, R., see Zuccarello, M. (357) 67
Breyer, R.M., see Stillman, B.A. (357) 73
Brodde, O.-E., see Giessler, C. (357) 199

Catheline, G., Guilbaud, G. and Kayser, V.
Peripheral component in the enhanced antinociceptive effect of systemic U-69,593, a κ-opioid receptor agonist in mononeuropathic rats (357) 171
Chad, J.E., see Garland, C.M. (357) 83
Chebib, M., Mewett, K.N. and Johnston, G.A.R.
$GABA_C$ receptor antagonists differentiate between human ρ1 and ρ2 receptors expressed in *Xenopus* oocytes (357) 227
Colombo, G., Agabio, R., Lobina, C., Reali, R., Vacca, G. and Gessa, G.L.
Stimulation of locomotor activity by voluntarily consumed ethanol in Sardinian alcohol-preferring rats (357) 109
Costentin, J., see Garcia de Mateos-Verchere, J. (357) 121

Dahlén, S.-E., see Wikström Jonsson, E. (357) 203
De Vry, J. and Jentzsch, K.R.
Discriminative stimulus properties of the 5-HT_{1A} receptor agonist BAY x 3702 in the rat (357) 1
Duchemin, A.-M., see Young, E.A. (357) 15

Fang, Y.-I., see Seino-Umeda, A. (357) 261
Farrier, D.E., see Grisel, J.E. (357) R1
Foreman, R.C., see Garland, C.M. (357) 83
Fujii, T., see Nakaki, T. (357) 193
Fujishima, K., see Kawano, K.-i. (357) 33
Fujishima, M., see Goda, H. (357) 149
Fukuda, Y., see Tanaka, T. (357) 53
Fukuta, Y., see Tanaka, T. (357) 53

Galán, L., Talavera, K., Vassort, G. and Alvarez, J.L.
Characteristics of Ca^{2+} channel blockade by oxodipine and elgodipine in rat cardiomyocytes (357) 93
Gandon, M.-H., see Lestage, P. (357) 163
Garcia de Mateos-Verchere, J., Leprince, J., Tonon, M.-C., Vaudry, H. and Costentin, J.
The octadecaneuropeptide ODN inhibits apomorphine-induced yawning in rats (357) 121
Gardier, A.M., see Trillat, A.-C. (357) 179
Garland, C.M., Foreman, R.C., Chad, J.E., Holden-Dye, L. and Walker, R.J.
The actions of muscle relaxants at nicotinic acetylcholine receptor isoforms (357) 83
Gessa, G.L., see Colombo, G. (357) 109
Giessler, C., Wangemann, T., Zerkowski, H.-R. and Brodde, O.-E.
Age-dependent decrease in the negative inotropic effect of carbachol on isolated human right atrium (357) 199
Giorgini, A.E., see Beales, P.E. (357) 221
Glick, S.D., Visker, K.E. and Maisonneuve, I.M.
Effects of cyclazocine on cocaine self-administration in rats (357) 9
Goda, H., Ooboshi, H., Nakane, H., Ibayashi, S., Sadoshima, S. and Fujishima, M.
Modulation of ischemia-evoked release of excitatory and inhibitory amino acids by adenosine A_1 receptor agonist (357) 149
Gopalakrishnan, V., see Hopfner, R.L. (357) 61
Goto, S., see Yoshida, M. (357) 213
Grisel, J.E., Farrier, D.E., Wilson, S.G. and Mogil, J.S.
$[Phe^1\Psi(CH_2\text{-}NH)Gly^2]$nociceptin-(1-13)-$NH_2$ acts as an agonist of the orphanin FQ/nociceptin receptor in vivo (357) R1
Guilbaud, G., see Catheline, G. (357) 171

Hachisu, M., see Kawano, K.-i. (357) 33
Hadjiconstantinou, M., see Young, E.A. (357) 15
Hagan, J., see Reavill, C. (357) 115
Hairston, C.T., see Martin, T.J. (357) 25
Harris, L.S., see Martin, T.J. (357) 25
Hatcher, J.P., see Reavill, C. (357) 115
Henry, J.L., see Romita, V.V. (357) 127
Hevers, W., see Jackel, C. (357) 251
Higashino, R., see Tanaka, T. (357) 53
Hiley, C.R., see White, R. (357) 41
Holden-Dye, L., see Garland, C.M. (357) 83
Hopfner, R.L., McNeill, J.R. and Gopalakrishnan, V.
Vanadate treatment normalizes exaggerated vascular smooth muscle responses in the obese Zucker rat (357) 61
Hotta, N., see Terada, R. (357) 185

Ibayashi, S., see Goda, H. (357) 149
Ikeda, S. and Watanabe, T.
Effects of troglitazone and pioglitazone on the action potentials and membrane currents of rabbit ventricular myocytes (357) 243
Inadome, A., see Yoshida, M. (357) 213
Iris-Hugot, A., see Lestage, P. (357) 163
Ishibashi, M., see Seino-Umeda, A. (357) 261
Ito, S., see Tanaka, T. (357) 53

Jackel, C., Kleinz, R., Mäkelä, R., Hevers, W., Jezequel, S., Korpi, E.R. and Lüddens, H.
The main determinant of furosemide inhibition on $GABA_A$ receptors is located close to the first transmembrane domain (357) 251
Jacquot, C., see Trillat, A.-C. (357) 179
Jentzsch, K.R., see De Vry, J. (357) 1

Jezequel, S., see Jackel, C. (357) 251
Johnston, G.A.R., see Chebib, M. (357) 227

Karlsson, E., see Olianas, M.C. (357) 235
Kawano, K.-i., Fujishima, K., Nagura, J., Yasuda, S., Shinki, ●, Hachisu, M. and Konno, F.
Nonpeptide angiotensin II receptor antagonist recognizes inter-species differences in angiotensin AT_1 receptors (357) 33
Kayser, V., see Catheline, G. (357) 171
Kleinz, R., see Jackel, C. (357) 251
Kobayashi, J., see Seino-Umeda, A. (357) 261
Koh, N., see Terada, R. (357) 185
Konno, F., see Kawano, K.-i. (357) 33
Korpi, E.R., see Jackel, C. (357) 251
Kurimoto, T., see Tanaka, T. (357) 53

Langlois, M., see Trillat, A.-C. (357) 179
LaVecchia, K.L., see Lichtman, A.H. (357) 139
Lepagnol, J., see Lestage, P. (357) 163
Leprince, J., see Garcia de Mateos-Verchere, J. (357) 121
Lestage, P., Iris-Hugot, A., Gandon, M.-H. and Lepagnol, J.
Involvement of nicotinergic mechanisms in thyrotropin-releasing hormone-induced neurologic recovery after concussive head injury in the mouse (357) 163
Lewis, V.A., see Reavill, C. (357) 115
Lichtman, A.H., Wiley, J.L., LaVecchia, K.L., Neviaser, S.T., Arthur, D.B., Wilson, D.M. and Martin, B.R.
Effects of SR 141716A after acute or chronic cannabinoid administration in dogs (357) 139
Liddi, R., see Beales, P.E. (357) 221
Lobina, C., see Colombo, G. (357) 109
Lüddens, H., see Jackel, C. (357) 251
Lutz, P.O., see Martin, T.J. (357) 25

Maeda, H., see Yoshida, M. (357) 213
Maisonneuve, I.M., see Glick, S.D. (357) 9
Mäkelä, R., see Jackel, C. (357) 251
Malagié, I., see Trillat, A.-C. (357) 179
Martin, B.R., see Lichtman, A.H. (357) 139
Martin, T.J., Hairston, C.T., Lutz, P.O., Harris, L.S. and Porreca, F.
Anti-allodynic actions of intravenous opioids in the nerve injured rat: potential utility of heroin and dihydroetorphine against neuropathic pain (357) 25
Mathe-Allainmat, M., see Trillat, A.-C. (357) 179
Matsubara, T., see Terada, R. (357) 185
McNeill, J.R., see Hopfner, R.L. (357) 61
Mewett, K.N., see Chebib, M. (357) 227
Mogil, J.S., see Grisel, J.E. (357) R1

Nagura, J., see Kawano, K.-i. (357) 33
Nakaki, T., Fujii, T., Suzuki, E. and Shintani, F.
Endothelium-independent and -dependent vasoactivity of 6-nitronorepinephrine (357) 193
Nakamura, J., see Terada, R. (357) 185
Nakane, H., see Goda, H. (357) 149
Naylor, I.L., see Pipelzadeh, M.H. (357) 257
Neff, N.H., see Young, E.A. (357) 15
Neviaser, S.T., see Lichtman, A.H. (357) 139
Nomura, Y., see Tanaka, T. (357) 53

Ohizumi, Y., see Seino-Umeda, A. (357) 261
Olianas, M.C., Adem, A., Karlsson, E. and Onali, P.
Identification of rat brain muscarinic M_4 receptors coupled to cyclic AMP using the selective antagonist muscarinic toxin 3 (357) 235
Onali, P., see Olianas, M.C. (357) 235
Ooboshi, H., see Goda, H. (357) 149

Pataki, I. and Telegdy, G.
Further evidence that nitric oxide modifies acute and chronic morphine actions in mice (357) 157
Pipelzadeh, M.H. and Naylor, I.L.
The in vitro enhancement of rat myofibroblast contractility by alterations to the pH of the physiological solution (357) 257
Porreca, F., see Martin, T.J. (357) 25
Pozzilli, P., see Beales, P.E. (357) 221
Procaccini, E., see Beales, P.E. (357) 221

Rapoport, R.M., see Zuccarello, M. (357) 67
Reali, R., see Colombo, G. (357) 109
Reavill, C., Hatcher, J.P., Lewis, V.A., Sanger, G.J. and Hagan, J.
5-HT_4 receptor antagonism does not affect motor and reward mechanisms in the rat (357) 115
Romita, V.V. and Henry, J.L.
Spinal μ-, δ- and κ-opioid receptors mediate intense stimulation-elicited inhibition of a nociceptive reflex in the rat (357) 127
Rosenqvist, U., see Wikström Jonsson, E. (357) 203

Sadoshima, S., see Goda, H. (357) 149
Sanger, G.J., see Reavill, C. (357) 115
Sato, R., see Tanaka, T. (357) 53
Seino-Umeda, A., Fang, Y.-I., Ishibashi, M., Kobayashi, J. and Ohizumi, Y.
9-Methyl-7-bromoeudistomin D induces Ca^{2+} release from cardiac sarcoplasmic reticulum (357) 261
Seshita, H., see Yoshida, M. (357) 213
Sheykhzade, M. and Berg Nyborg, N.C.
Caliber dependent calcitonin gene-related peptide-induced relaxation in rat coronary arteries: effect of K^+ on the tachyphylaxis [Eur. J. Pharmacol. (351) (1998) 53] (357) 107
Shinki, ●, see Kawano, K.-i. (357) 33
Shintani, F., see Nakaki, T. (357) 193
Signore, A., see Beales, P.E. (357) 221
Stillman, B.A., Audoly, L. and Breyer, R.M.
A conserved threonine in the second extracellular loop of the human EP_2 and EP_4 receptors is required for ligand binding (357) 73
Suzuki, E., see Nakaki, T. (357) 193

Takahashi, W., see Yoshida, M. (357) 213
Takei, M., see Tanaka, T. (357) 53
Talavera, K., see Galán, L. (357) 93
Tamaki, H., see Tanaka, T. (357) 53
Tanaka, T., Fukuta, Y., Higashino, R., Sato, R., Nomura, Y., Fukuda, Y., Ito, S., Takei, M., Kurimoto, T. and Tamaki, H.
Antiplatelet effect of Z-335, a new orally active and long-lasting thromboxane receptor antagonist (357) 53
Telegdy, G., see Pataki, I. (357) 157
Terada, R., Matsubara, T., Koh, N., Nakamura, J. and Hotta, N.
Effects of propionyl-L-carnitine on cardiac dysfunction in streptozotocin-diabetic rats (357) 185
Tonon, M.-C., see Garcia de Mateos-Verchere, J. (357) 121
Trillat, A.-C., Malagié, I., Mathe-Allainmat, M., Anmella, M.-C., Jacquot, C., Langlois, M. and Gardier, A.M.
Synergistic neurochemical and behavioral effects of fluoxetine and 5-HT_{1A} receptor antagonists (357) 179

Ueda, S., see Yoshida, M. (357) 213

Vacca, G., see Colombo, G. (357) 109
Vassort, G., see Galán, L. (357) 93
Vaudry, H., see Garcia de Mateos-Verchere, J. (357) 121
Visker, K.E., see Glick, S.D. (357) 9

Walker, R.J., see Garland, C.M. (357) 83
Wangemann, T., see Giessler, C. (357) 199
Watanabe, T., see Ikeda, S. (357) 243
White, R. and Hiley, C.R.
Effects of K^+ channel openers on relaxations to nitric oxide and endothelium-derived hyperpolarizing factor in rat mesenteric artery (357) 41
Wikström Jonsson, E., Rosenqvist, U. and Dahlén, S.-E.
Agonist and antagonist activities of the leukotriene analogue BAY u9773 in guinea pig lung parenchyma (357) 203
Wiley, J.L., see Lichtman, A.H. (357) 139
Wilson, D.M., see Lichtman, A.H. (357) 139
Wilson, S.G., see Grisel, J.E. (357) R1

Yasuda, S., see Kawano, K.-i. (357) 33
Yono, M., see Yoshida, M. (357) 213
Yoshida, M., Akaike, T., Inadome, A., Takahashi, W., Seshita, H., Yono, M., Goto, S., Maeda, H. and Ueda, S.
The possible effect of nitric oxide on relaxation and noradrenaline release in the isolated rabbit urethra (357) 213
Young, E.A., Duchemin, A.-M., Neff, N.H. and Hadjiconstantinou, M.
Parallel modulation of striatal dopamine synthetic enzymes by second messenger pathways (357) 15

Zerkowski, H.-R., see Giessler, C. (357) 199
Zuccarello, M., Boccaletti, R. and Rapoport, R.M.
Endothelin ET_{B1} receptor-mediated relaxation of rabbit basilar artery (357) 67