

Author index

- Abad-Santos, F., see Novalbos, J. (366) 309
- Adler, A.L., see Wu-Wong, J.R. (366) 189
- Allard, P., see Norlén, M. (366) 329
- Allgaier, C., see Scheibler, P. (366) R1
- Amano, K.-i., Hori, M., Ozaki, H. and Karaki, H.
Agonist-dependent difference in the relationship between cytosolic Ca^{2+} level and release of vascular relaxing factors in the endothelium of rabbit aortic valve (366) 215
- Anwyl, R., see Huang, L. (366) 151
- Arcaya, J.-L., Cano, G., Gómez, G., Maixner, W. and Suárez-Roca, H.
Dynorphin A increases substance P release from trigeminal primary afferent C-fibers (366) 27
- Americ, S.P., see Briggs, C.A. (366) 301
- Asano, M. and Nomura, Y.
 Ca^{2+} buffering action of sarcoplasmic reticulum on Bay k 8644-induced Ca^{2+} influx in rat femoral arterial smooth muscle (366) 61
- Aura, J., see Riekkinen Jr., P. (366) 13
- Bai, H.-Q., see Wu, W.-R. (366) 261
- Baranyi, M., see Nakai, T. (366) 143
- Barbanj, M., see Casas, M. (366) 1
- Behrooz, A., see Prasad, R.K. (366) 101
- Besnard, F., see Renard, S. (366) 319
- Boarder, M.R., see Sena, C.M. (366) 281
- Briggs, C.A., McKenna, D.G., Monteggia, L.M., Touma, E., Roch, J.-M., Americ, S.P., Gopalakrishnan, M. and Sullivan, J.P.
Gain of function mutation of the $\alpha 7$ nicotinic receptor: distinct pharmacology of the human $\alpha 7\text{V274T}$ variant (366) 301
- Bustamante, C., see Pintor, J. (366) 159
- Cadet, J.L., see Hayashi, T. (366) R7
- Callado, L.F. and Stamford, J.A.
 α_{2A} - But not $\alpha_{2B/C}$ -adrenoceptors modulate noradrenaline release in rat locus coeruleus: voltammetric data (366) 35
- Calzadilla, S.V., see Wu-Wong, J.R. (366) 189
- Cano-Abad, M.F., see Novalbos, J. (366) 309
- Cano, G., see Arcaya, J.-L. (366) 27
- Casas, M., Prat, G., Robledo, P., Barbanj, M., Kulisevsky, J. and Jané, F.
Scopolamine prevents tolerance to the effects of caffeine on rotational behavior in 6-hydroxydopamine-denervated rats (366) 1
- Chen, Y., see Huang, W. (366) 127
- Cheng, X., see Wang, Y.-X. (366) 175
- Chiou, W.J., see Wu-Wong, J.R. (366) 189
- Czuczwar, S.J., Tutka, P., Klonowski, P. and Kleinrok, Z.
 N^G -Nitro-L-arginine impairs the anticonvulsive action of ethosuximide against pentylenetetrazol (366) 137
- D'Amico, M., Di Filippo, C., Rossi, F. and Rossi, F.
Arrhythmias induced by myocardial ischaemia-reperfusion are sensitive to ionotropic excitatory amino acid receptor antagonists (366) 167
- Dayton, B.D., see Wu-Wong, J.R. (366) 189
- De Terreros, F.J.G., see Pintor, J. (366) 159
- Diana, M., see Melis, M. (366) R11
- Díaz-Hernández, M., see Pintor, J. (366) 159
- Di Filippo, C., see D'Amico, M. (366) 167
- Divry, M., see Hartmann, N. (366) 19
- Dixon, D.B., see Wu-Wong, J.R. (366) 189
- Drouet-Pétré, C., see Renard, S. (366) 319
- Duckles, S.P., see McNeill, A.M.C. (366) 233
- Frosini, M., see Fusi, F. (366) 181
- Funada, M., see Sora, I. (366) R3
- Fusi, F., Valoti, M., Frosini, M. and Sgaragli, G.P.
2,5-Di-*t*-butyl-1,4-benzohydroquinone induces endothelium-dependent relaxation of rat thoracic aorta (366) 181
- García, A.G., see Novalbos, J. (366) 309
- Gessa, G.L., see Melis, M. (366) R11
- Gómez, G., see Arcaya, J.-L. (366) 27
- Gopalakrishnan, M., see Briggs, C.A. (366) 301
- Graham, D., see Renard, S. (366) 319
- Gualix, J., see Pintor, J. (366) 159
- Hartmann, N., Martrette, J.-M., Westphal, A. and Divry, M.
Effects of controllable stress on masticatory behaviour and muscle structure: partial protective effect of clomipramine (366) 19
- Hasenfuss, G., see Janssen, P.M.L. (366) 223
- Hayashi, T., Tsao, L.-I., Cadet, J.L. and Su, T.-P.
[D-Ala², D-Leu⁵]enkephalin blocks the methamphetamine-induced c-fos mRNA increase in mouse striatum (366) R7
- Hernandez, L., see Wu-Wong, J.R. (366) 189
- Hey, J.A., see Valentine, A.F. (366) 73
- Hirano, H., see Tanaka, Y. (366) R9
- Hiraoka, Y., Ohmura, T., Oshita, M., Watanabe, Y., Morikawa, K., Nagata, O., Kato, H., Taniguchi, T. and Muramatsu, I.
Binding and functional characterization of α_1 -adrenoceptor subtypes in the rat prostate (366) 119
- Hori, M., see Amano, K.-i. (366) 215
- Hori, M., see Yamawaki, H. (366) 237
- Hoshino, T., see Nagura, M. (366) 47
- Hotta, K., see Ichikawa, T. (366) 87
- Huang, J., Rebello, S.S., Rosenberg, L.A., Kaneko, M., Sakurama, T. and Lucchesi, B.R.
Temporary and partial inhibition of platelets by SM-20302 prevents coronary artery thrombosis in a chronic canine model (366) 203
- Huang, L., Rowan, M.J. and Anwyl, R.
Induction of long-lasting depression by (+)- α -methyl-4-carboxyphenylglycine and other group II mGlu receptor ligands in the dentate gyrus of the hippocampus in vitro (366) 151
- Huang, W., Chen, Y., Shohami, E. and Weinstock, M.
Neuroprotective effect of rasagiline, a selective monoamine oxidase-B inhibitor, against closed head injury in the mouse (366) 127
- Ichikawa, T., Ishihara, K., Kusakabe, T., Kawakami, T. and Hotta, K.
Age-related stimulation by tetragastrin of gastric mucin biosynthesis in rat (366) 87
- Ikonen, S., see Riekkinen Jr., P. (366) 13
- Illes, P., see Scheibler, P. (366) R1
- Ishihara, K., see Ichikawa, T. (366) 87

- Ismail-Beigi, F., see Prasad, R.K. (366) 101
 Iwasaki, S., see Nagura, M. (366) 47
- Jané, F., see Casas, M. (366) 1
 Janssen, P.M.L., Zeitz, O. and Hasenfuss, G.
 Transient and sustained impacts of hydroxyl radicals on sarcoplasmic reticulum function: protective effects of nebivolol (366) 223
 Jia, L. and Stamler, J.S.
 Dual actions of S-nitrosylated derivative of vasoactive intestinal peptide as a vasoactive intestinal peptide-like mediator and a nitric oxide carrier (366) 79
- Kalso, E., see Xu, M. (366) 41
 Kaneko, M., see Huang, J. (366) 203
 Karaki, H., see Amano, K.-i. (366) 215
 Karaki, H., see Yamawaki, H. (366) 237
 Kato, H., see Hiraoka, Y. (366) 119
 Kawakami, T., see Ichikawa, T. (366) 87
 Kawana, S., see Yamamoto, S. (366) 111
 Kennedy, R.H., see Stewart, C.W. (366) 55
 Kinsey, S., see Sora, I. (366) R3
 Kleinrok, Z., see Czuczwar, S.J. (366) 137
 Klonowski, P., see Czuczwar, S.J. (366) 137
 Kontinen, V.K., see Xu, M. (366) 41
 Krause, D.N., see McNeill, A.M.C. (366) 233
 Kronfeld, A., see Scheibler, P. (366) R1
 Kulisevsky, J., see Casas, M. (366) 1
 Kusakabe, T., see Ichikawa, T. (366) 87
- Langer, S.Z., see Renard, S. (366) 319
 Laubinger, W. and Reiser, G.
 Evidence for a G protein-coupled diadenosine-5',5'''-P¹, P⁴-tetraphosphate (Ap₄A) receptor binding site in lung membranes from rat (366) 93
 Leslie, F.M., see McNeill, A.M.C. (366) 233
 Li, N., see Wu, W.-R. (366) 261
 Li, X.-F., see Sora, I. (366) R3
 Li, Y., see Wu, W.-R. (366) 261
 Liu, G., see Wu-Wong, J.R. (366) 189
 Lucchesi, B.R., see Huang, J. (366) 203
- Maixner, W., see Arcaya, J.-L. (366) 27
 Marsh, K.C., see Wu-Wong, J.R. (366) 189
 Martrette, J.-M., see Hartmann, N. (366) 19
 McKenna, D.G., see Briggs, C.A. (366) 301
 McNeill, A.M.C., Leslie, F.M., Krause, D.N. and Duckles, S.P.
 Gender difference in levels of α_2 -adrenoceptor mRNA in the rat tail artery (366) 233
 Melis, M., Diana, M. and Gessa, G.L.
 Clozapine potently stimulates mesocortical dopamine neurons (366) R11
 Milusheva, E., see Nakai, T. (366) 143
 Miras-Portugal, M.T., see Pintor, J. (366) 159
 Miyamoto, A., see Yamamoto, S. (366) 111
 Mizuta, K., see Nagura, M. (366) 47
 Monteggia, L.M., see Briggs, C.A. (366) 301
 Moradiellos, J., see Novalbos, J. (366) 309
 Morikawa, K., see Hiraoka, Y. (366) 119
 Morooka, S., see Ohnishi, M. (366) 271
 Muramatsu, I., see Hiraoka, Y. (366) 119
- Nagata, O., see Hiraoka, Y. (366) 119
 Nagura, M., Iwasaki, S., Wu, R., Mizuta, K., Umemura, K. and Hoshino, T.
 Effects of corticosteroid, contrast medium and ATP on focal microcirculatory disorders of the cochlea (366) 47
- Nakai, T., Milusheva, E., Baranyi, M., Uchihashi, Y., Satoh, T. and Vizi, E.S.
 Excessive release of [³H]noradrenaline and glutamate in response to simulation of ischemic conditions in rat spinal cord slice preparation: effect of NMDA and AMPA receptor antagonists (366) 143
 Namiki, A., see Yamamoto, S. (366) 111
 Ngan, M.P., see Rudd, J.A. (366) 243
 Nomura, Y., see Asano, M. (366) 61
 Norlén, M., Norström, Å., Spigset, O. and Allard, P.
 [³H]GBR 12935 binding in platelets from poor and extensive cytochrome P-450D6 metabolizers (366) 329
 Norström, Å., see Norlén, M. (366) 329
 Novalbos, J., Abad-Santos, F., Zapater, P., Cano-Abad, M.F., Moradiellos, J., Sánchez-García, P. and García, A.G.
 Effects of dotarizine and flunarizine on chromaffin cell viability and cytosolic Ca²⁺ (366) 309
 Novosad, E.I., see Wu-Wong, J.R. (366) 189
- Ohmura, T., see Hiraoka, Y. (366) 119
 Ohnishi, M., Yamada, K., Morooka, S. and Tojo, S.J.
 Inhibition of P-selectin attenuates neutrophil-mediated myocardial dysfunction in isolated rat heart (366) 271
 Ohshika, H., see Yamamoto, S. (366) 111
 Oppenorth, T.J., see Wu-Wong, J.R. (366) 189
 Oshita, M., see Hiraoka, Y. (366) 119
 Otsuka, A., see Tanaka, Y. (366) R9
 Ozaki, H., see Amano, K.-i. (366) 215
 Ozaki, H., see Yamawaki, H. (366) 237
- Pang, C.C.Y., see Wang, Y.-X. (366) 175
 Partiseti, M., see Renard, S. (366) 319
 Perachon, S., Schwartz, J.-C. and Sokoloff, P.
 Functional potencies of new antiparkinsonian drugs at recombinant human dopamine D₁, D₂ and D₃ receptors (366) 293
 Pintor, J., Díaz-Hernández, M., Bustamante, C., Gualix, J., De Terreros, F.J.G. and Miras-Portugal, M.T.
 Presence of dinucleotide and ATP receptors in human cerebrocortical synaptic terminals (366) 159
 Prasad, R.K., Behrooz, A. and Ismail-Beigi, F.
 LY-83583 stimulates glucose transporter-1-mediated glucose transport independent of changes in cGMP levels (366) 101
 Prat, G., see Casas, M. (366) 1
- Rebello, S.S., see Huang, J. (366) 203
 Reiser, G., see Laubinger, W. (366) 93
 Renard, S., Drouet-Pétre, C., Partiseti, M., Langer, S.Z., Graham, D. and Besnard, F.
 Development of an inducible NMDA receptor stable cell line with an intracellular Ca²⁺ reporter (366) 319
 Riekkinen, M., see Riekkinen Jr., P. (366) 13
 Riekkinen Jr., P., Ikonen, S., Aura, J. and Riekkinen, M.
 Tetrahydroaminoacridine and D-cycloserine fail to alleviate the water maze spatial navigation defect induced by hippocampal inactivation (366) 13
 Rivelli, M.A., see Valentine, A.F. (366) 73
 Rizzo, C.A., see Valentine, A.F. (366) 73
 Robledo, P., see Casas, M. (366) 1
 Roch, J.-M., see Briggs, C.A. (366) 301
 Rosário, L.M., see Sena, C.M. (366) 281
 Rosenberg, L.A., see Huang, J. (366) 203
 Rossi, F., see D'Amico, M. (366) 167
 Rossi, F., see D'Amico, M. (366) 167
 Rowan, M.J., see Huang, L. (366) 151
 Rudd, J.A., Ngan, M.P. and Wai, M.K.
 Inhibition of emesis by tachykinin NK₁ receptor antagonists in *Suncus murinus* (house musk shrew) (366) 243

- Sakurama, T., see Huang, J. (366) 203
- Sánchez-García, P., see Novalbos, J. (366) 309
- Santos, R.M., see Sena, C.M. (366) 281
- Sato, K., see Yamawaki, H. (366) 237
- Satoh, T., see Nakai, T. (366) 143
- Scheibler, P., Kronfeld, A., Illes, P. and Allgaier, C.
Trichloroethanol impairs NMDA receptor function in rat mesencephalic and cortical neurones (366) R1
- Schwartz, J.-C., see Perachon, S. (366) 293
- Sena, C.M., Santos, R.M., Boarder, M.R. and Rosário, L.M.
Regulation of Ca^{2+} influx by a protein kinase C activator in chromaffin cells: differential role of P/Q- and L-type Ca^{2+} channels (366) 281
- Sgaragli, G.P., see Fusi, F. (366) 181
- Shigenobu, K., see Tanaka, Y. (366) R9
- Shohami, E., see Huang, W. (366) 127
- Sokoloff, P., see Perachon, S. (366) 293
- Sora, I., Li, X.-F., Funada, M., Kinsey, S. and Uhl, G.R.
Visceral chemical nociception in mice lacking μ -opioid receptors: effects of morphine, SNC80 and U-50,488 (366) R3
- Spigset, O., see Norlén, M. (366) 329
- Stamford, J.A., see Callado, L.F. (366) 35
- Stamler, J.S., see Jia, L. (366) 79
- Stewart, C.W. and Kennedy, R.H.
Effects of chronic ethanol consumption on aortic constriction in male and female rats (366) 55
- Su, T.-P., see Hayashi, T. (366) R7
- Suárez-Roca, H., see Arcaya, J.-L. (366) 27
- Sullivan, J.P., see Briggs, C.A. (366) 301
- Szczepankiewicz, B., see Wu-Wong, J.R. (366) 189
- Takami, M. and Tsukada, W.
Effect of DP-1904, a thromboxane synthetase inhibitor, on antigen- and spasmogen-induced bronchoconstriction in rodents (366) 253
- Tanaka, H., see Tanaka, Y. (366) R9
- Tanaka, Y., Yamaki, F., Hirano, H., Otsuka, A., Tanaka, H. and Shigenobu, K.
Endothelium is involved in the vasorelaxation by an ATP-sensitive K^{+} channel opener, NIP-121 (366) R9
- Taniguchi, T., see Hiraoka, Y. (366) 119
- Tojo, S.J., see Ohnishi, M. (366) 271
- Touma, E., see Briggs, C.A. (366) 301
- Tsao, L.-I., see Hayashi, T. (366) R7
- Tsukada, W., see Takami, M. (366) 253
- Tutka, P., see Czuczwar, S.J. (366) 137
- Uchihashi, Y., see Nakai, T. (366) 143
- Uhl, G.R., see Sora, I. (366) R3
- Umemura, K., see Nagura, M. (366) 47
- Valentine, A.F., Rizzo, C.A., Rivelli, M.A. and Hey, J.A.
Pharmacological characterization of histamine H_3 receptors in human saphenous vein and guinea pig ileum (366) 73
- Valoti, M., see Fusi, F. (366) 181
- Vizi, E.S., see Nakai, T. (366) 143
- Von Geldern, T.W., see Wu-Wong, J.R. (366) 189
- Wai, M.K., see Rudd, J.A. (366) 243
- Wang, Y.-X., Cheng, X. and Pang, C.C.Y.
Bilateral kidney ligation abolishes pressor response to N^{G} -nitro-D-arginine (366) 175
- Watanabe, Y., see Hiraoka, Y. (366) 119
- Weinstock, M., see Huang, W. (366) 127
- Wessale, J.L., see Wu-Wong, J.R. (366) 189
- Westphal, A., see Hartmann, N. (366) 19
- Wu, R., see Nagura, M. (366) 47
- Wu, W.-R., Zheng, J.-W., Li, N., Bai, H.-Q., Zhang, K.-R. and Li, Y.
Immunosuppressive effects of dihydroetorphine, a potent narcotic analgesic, in dihydroetorphine-dependent mice (366) 261
- Wu-Wong, J.R., Dixon, D.B., Chiou, W.J., Dayton, B.D., Novosad, E.I., Adler, A.L., Wessale, J.L., Calzadilla, S.V., Hernandez, L., Marsh, K.C., Liu, G., Szczepankiewicz, B., Von Geldern, T.W. and Oppenorth, T.J.
Pharmacology of A-216546: a highly selective antagonist for endothelin ET_A receptor (366) 189
- Xu, M., Kontinen, V.K. and Kalso, E.
Endogenous noradrenergic tone controls symptoms of allodynia in the spinal nerve ligation model of neuropathic pain (366) 41
- Yamada, K., see Ohnishi, M. (366) 271
- Yamaki, F., see Tanaka, Y. (366) R9
- Yamamoto, S., Miyamoto, A., Kawana, S., Namiki, A. and Ohshika, H.
Role of nitric oxide production in carbachol-induced negative chronotropy in cultured rat ventricular myocytes (366) 111
- Yamawaki, H., Sato, K., Hori, M., Ozaki, H. and Karaki, H.
Impairment of endothelium-dependent relaxation in the arteries cultured with fetal bovine serum (366) 237
- Zapater, P., see Novalbos, J. (366) 309
- Zeitz, O., see Janssen, P.M.L. (366) 223
- Zhang, K.-R., see Wu, W.-R. (366) 261
- Zheng, J.-W., see Wu, W.-R. (366) 261