

Author index

- Aaronson, P.I., see Knock, G.A. (368) 103
 Abi-Dargham, A., see Fujita, M. (368) 161
 Abrahams, T.P., see Sivarao, D.V. (368) 173
- Baird, A.W., see Taylor, C.T. (368) 111
 Baldwin, R.M., see Fujita, M. (368) 161
 Bandeira-Melo, C., see Pasquale, C.P. (368) 67
 Bartolini, A., see Ipponi, A. (368) 205
 Battaglia, A., see Sortino, M.A. (368) 285
 Benedek, G., see Horváth, G. (368) 197
 Blakely, R.D., see Tatsumi, M. (368) 277
 Borrelli, F., see Izzo, A.A. (368) 43
- Canonico, P.L., see Sortino, M.A. (368) 285
 Capasso, F., see Izzo, A.A. (368) 43
 Carfagna, N., see Sortino, M.A. (368) 285
 Chan, R., Irvine, R. and White, J.
 Cardiovascular changes during morphine administration and spontaneous withdrawal in the rat (368) 25
 Chapman, A.G., Yip, P.K., Yap, J.S., Quinn, L.P., Tang, E., Harris, J.R. and Meldrum, B.S.
 Anticonvulsant actions of LY 367385 ((+)-2-methyl-4-carboxyphenylglycine) and AIDA ((RS)-1-aminoindan-1,5-dicarboxylic acid) (368) 17
 Charney, D.S., see Fujita, M. (368) 161
 Cordeiro, R.S.B., see Pasquale, C.P. (368) 67
- Debonnel, G., see Gronier, B. (368) 183
 Deli, M.A., see Kis, B. (368) 35
 De Sarro, A., see De Sarro, G. (368) 149
 De Sarro, G., Di Paola, E.D., Gareri, P., Gallelli, L., Scotto, G. and De Sarro, A.
 Effects of some AMPA receptor antagonists on the development of tolerance in epilepsy-prone rats and in pentylenetetrazole kindled rats (368) 149
 Di Paola, E.D., see De Sarro, G. (368) 149
 Dobos, I., see Horváth, G. (368) 197
 Dunn, P.M.
 UCL 1684: a potent blocker of Ca²⁺-activated K⁺ channels in rat adrenal chromaffin cells in culture (368) 119
- E Silva, P.M.R., see Pasquale, C.P. (368) 67
- Ferdinandy, P., see Oroszi, G. (368) R1
 Frantz, K. and Van Hartesveldt, C.
 The locomotor effects of MK801 in the nucleus accumbens of developing and adult rats (368) 125
 Freire-Maia, L., see Matos, I.M. (368) 231
 Fujita, M., Woods, S.W., Verhoeff, N.P.L.G., Abi-Dargham, A., Baldwin, R.M., Zoghbi, S.S., Soares, J.C., Jatlow, P.A., Krystal, J.H., Rajeevan, N., Charney, D.S., Seibyl, J.P. and Innis, R.B.
 Changes of benzodiazepine receptors during chronic benzodiazepine administration in humans (368) 161
 Fukami, S., Uchida, I., Takenoshita, M., Mashimo, T. and Yoshiya, I.
 The effects of a point mutation of the β_2 subunit of GABA_A receptor on direct and modulatory actions of general anesthetics (368) 269
- Gallelli, L., see De Sarro, G. (368) 149
 Gareri, P., see De Sarro, G. (368) 149
 Gecse, Á., see Kis, B. (368) 35
 Gehlert, D.R., see Sajdyk, T.J. (368) 143
 Gronier, B. and Debonnel, G.
 Involvement of σ receptors in the modulation of the glutamatergic/NMDA neurotransmission in the dopaminergic systems (368) 183
- Harris, J.R., see Chapman, A.G. (368) 17
 Harvey, B.J., see Taylor, C.T. (368) 111
 Hasegawa, H., see Kawaguchi, K. (368) 245
 Hopkins, B., see Napier, C. (368) 259
 Hornby, P.J., see Sivarao, D.V. (368) 173
 Horváth, G., Kékesi, G., Dobos, I., Szikszay, M., Klimscha, W. and Benedek, G.
 Effect of intrathecal agmatine on inflammation-induced thermal hyperalgesia in rats (368) 197
- Ichinowatari, G., see Yamashita, M. (368) 251
 Inada, Y., see Moro, M. (368) 57
 Inadome, A., see Yono, M. (368) 223
 Innis, R.B., see Fujita, M. (368) 161
 Ipponi, A., Lambert, C., Medica, A., Bartolini, A. and Malmberg-Aiello, P.
 Tiagabine antinociception in rodents depends on GABA_B receptor activation: parallel antinociception testing and medial thalamus GABA microdialysis (368) 205
 Irvine, R., see Chan, R. (368) 25
 Ishii, N., see Tahara, A. (368) 89
 Itzev, D., see Pencheva, N. (368) 49
 Izzo, A.A., Sautebin, L., Borrelli, F., Longo, R. and Capasso, F.
 The role of nitric oxide in aloe-induced diarrhoea in the rat (368) 43
- Jansen, K., see Tatsumi, M. (368) 277
 Jatlow, P.A., see Fujita, M. (368) 161
- Kähönen, M., Tolvanen, J.-P., Kalliovalkama, J., Wu, X., Karjala, K., Mäkynen, H. and Pörsti, I.
 Losartan and enalapril therapies enhance vasodilatation in the mesenteric artery of spontaneously hypertensive rats (368) 213
 Kalliovalkama, J., see Kähönen, M. (368) 213
 Karjala, K., see Kähönen, M. (368) 213
 Kawaguchi, K., Kikuchi, S., Hasegawa, H., Maruyama, H., Morita, H. and Kumazawa, Y.
 Suppression of lipopolysaccharide-induced tumor necrosis factor-release and liver injury in mice by naringin (368) 245
 Kékesi, G., see Horváth, G. (368) 197
 Kikuchi, S., see Kawaguchi, K. (368) 245
 Kikukawa, H., see Yono, M. (368) 223
 Kis, B., Szabó, C.A., Pataricza, J., Krizbai, I.A., Mezei, Z., Gecse, Á., Telegdy, G., Papp, J.G. and Deli, M.A.
 Vasoactive substances produced by cultured rat brain endothelial cells (368) 35

- Klimscha, W., see Horváth, G. (368) 197
- Knock, G.A., Mishra, S.K. and Aaronson, P.I.
Differential effects of insulin-sensitizers troglitazone and rosiglitazone on ion currents in rat vascular myocytes (368) 103
- Kojima, M., see Moro, M. (368) 57
- Komatsu, H., see Moro, M. (368) 57
- Krizbai, I.A., see Kis, B. (368) 35
- Krowicki, Z.K., see Sivarao, D.V. (368) 173
- Krystal, J.H., see Fujita, M. (368) 161
- Kulkarni, S.K., see Ninan, I. (368) 1
- Kumazawa, Y., see Kawaguchi, K. (368) 245
- Kusayama, T., see Tahara, A. (368) 89
- Lamberti, C., see Ipponi, A. (368) 205
- Leite, R., see Matos, I.M. (368) 231
- Li, Y., see Matsuda, H. (368) 237
- Lima, M.C.R., see Pasquale, C.P. (368) 67
- Longo, R., see Izzo, A.A. (368) 43
- Maier, P., see Milosevic, N. (368) 75
- Mäkynen, H., see Kähönen, M. (368) 213
- Malmberg-Aiello, P., see Ipponi, A. (368) 205
- Martins, M.A., see Pasquale, C.P. (368) 67
- Maruyama, H., see Kawaguchi, K. (368) 245
- Mashimo, T., see Fukami, S. (368) 269
- Matos, I.M., Teixeira, M.M., Leite, R. and Freire-Maia, L.
Pharmacological evidence that neuropeptides mediate part of the actions of scorpion venom on the guinea pig ileum (368) 231
- Matsuda, H., Li, Y., Murakami, T., Yamahara, J. and Yoshikawa, M.
Effects of escins Ia, Ib, IIa, and IIb from horse chestnuts on gastric emptying in mice (368) 237
- Matsuzawa, S., Suzuki, T., Misawa, M. and Nagase, H.
Different roles of μ -, δ - and κ -opioid receptors in ethanol-associated place preference in rats exposed to conditioned fear stress (368) 9
- McHarg, A., see Napier, C. (368) 259
- Medica, A., see Ipponi, A. (368) 205
- Meldrum, B.S., see Chapman, A.G. (368) 17
- Melrose, H., see Napier, C. (368) 259
- Mezei, Z., see Kis, B. (368) 35
- Milanov, P., see Pencheva, N. (368) 49
- Milosevic, N., Schawaldner, H. and Maier, P.
Kupffer cell-mediated differential down-regulation of cytochrome P450 metabolism in rat hepatocytes (368) 75
- Misawa, M., see Matsuzawa, S. (368) 9
- Mishra, S.K., see Knock, G.A. (368) 103
- Miyata, H., see Moro, M. (368) 57
- Morita, H., see Kawaguchi, K. (368) 245
- Moro, M., Inada, Y., Kojima, M., Miyata, H., Komatsu, H. and Torii, R.
New hyperprolactinemia and anovulation model in common marmoset (*Callithrix jacchus*) and effect of cabergoline (368) 57
- Murakami, T., see Matsuda, H. (368) 237
- Nagase, H., see Matsuzawa, S. (368) 9
- Napier, C., Stewart, M., Melrose, H., Hopkins, B., McHarg, A. and Wallis, R.
Characterisation of the 5-HT receptor binding profile of eletriptan and kinetics of [3 H]eletriptan binding at human 5-HT_{1B} and 5-HT_{1D} receptors (368) 259
- Nemeth, J., see Oroszi, G. (368) R1
- Ninan, I. and Kulkarni, S.K.
Preferential inhibition of dizocilpine-induced hyperlocomotion by olanzapine (368) 1
- O'Donoghue, D.P., see Taylor, C.T. (368) 111
- Ohuchi, K., see Yamashita, M. (368) 251
- Oroszi, G., Szilvassy, Z., Nemeth, J., Ferdinandy, P., Szolcsanyi, J. and Tosaki, A.
Interaction between capsaicin and nitrate tolerance in isolated guinea-pig heart (368) R1
- O'Sullivan, G.C., see Taylor, C.T. (368) 111
- Pamparana, F., see Sortino, M.A. (368) 285
- Papp, J.G., see Kis, B. (368) 35
- Pasquale, C.P., Lima, M.C.R., Bandeira-Melo, C., Cordeiro, R.S.B., E Silva, P.M.R. and Martins, M.A.
Systemic and local dexamethasone treatments prevent allergic eosinophilia in rats via distinct mechanisms (368) 67
- Pataricza, J., see Kis, B. (368) 35
- Pencheva, N., Itzev, D. and Milanov, P.
Comparison of γ -aminobutyric acid effects in different parts of the cat ileum (368) 49
- Pörsti, I., see Kähönen, M. (368) 213
- Post, C., see Sortino, M.A. (368) 285
- Quinn, L.P., see Chapman, A.G. (368) 17
- Rajeevan, N., see Fujita, M. (368) 161
- Ramirez, V.D., see Zheng, J. (368) 95
- Richelson, E., see Tatsumi, M. (368) 277
- Saito, M., see Tahara, A. (368) 89
- Sajdyk, T.J., Vandergriff, M.G. and Gehlert, D.R.
Amygdalar neuropeptide Y Y₁ receptors mediate the anxiolytic-like actions of neuropeptide Y in the social interaction test (368) 143
- Sautebin, L., see Izzo, A.A. (368) 43
- Schawaldner, H., see Milosevic, N. (368) 75
- Scotto, G., see De Sarro, G. (368) 149
- Seibyl, J.P., see Fujita, M. (368) 161
- Seshita, H., see Yono, M. (368) 223
- Sivarao, D.V., Krowicki, Z.K., Abrahams, T.P. and Hornby, P.J.
Vagally-regulated gastric motor activity: evidence for kainate and NMDA receptor mediation (368) 173
- Skelly, M.M., see Taylor, C.T. (368) 111
- Soares, J.C., see Fujita, M. (368) 161
- Sortino, M.A., Battaglia, A., Pamparana, F., Carfagna, N., Post, C. and Canonico, P.L.
Neuroprotective effects of nicergoline in immortalized neurons (368) 285
- Stewart, M., see Napier, C. (368) 259
- Suzuki, T., see Matsuzawa, S. (368) 9
- Szabó, C.A., see Kis, B. (368) 35
- Szikszay, M., see Horváth, G. (368) 197
- Szilvassy, Z., see Oroszi, G. (368) R1
- Szolcsanyi, J., see Oroszi, G. (368) R1
- Tahara, A., Saito, M., Tsukada, J., Ishii, N., Tomura, Y., Wada, K.-i., Kusayama, T., Yatsu, T., Uchida, W. and Tanaka, A.
Vasopressin increases vascular endothelial growth factor secretion from human vascular smooth muscle cells (368) 89
- Takahashi, W., see Yono, M. (368) 223
- Takenoshita, M., see Fukami, S. (368) 269
- Tanaka, A., see Tahara, A. (368) 89
- Tang, E., see Chapman, A.G. (368) 17
- Tatsumi, M., Jansen, K., Blakely, R.D. and Richelson, E.
Pharmacological profile of neuroleptics at human monoamine transporters (368) 277
- Taylor, C.T., Winter, D.C., Skelly, M.M., O'Donoghue, D.P., O'Sullivan, G.C., Harvey, B.J. and Baird, A.W.
Berberine inhibits ion transport in human colonic epithelia (368) 111
- Teixeira, M.M., see Matos, I.M. (368) 231
- Telegdy, G., see Kis, B. (368) 35
- Tolvanen, J.-P., see Kähönen, M. (368) 213
- Tomura, Y., see Tahara, A. (368) 89
- Torii, R., see Moro, M. (368) 57

- Tosaki, A., see Oroszi, G. (368) R1
 Tsukada, J., see Tahara, A. (368) 89
- Uchida, I., see Fukami, S. (368) 269
 Uchida, W., see Tahara, A. (368) 89
 Ueda, S., see Yono, M. (368) 223
- Vandergriff, M.G., see Sajdyk, T.J. (368) 143
 Van Hartesveldt, C., see Frantz, K. (368) 125
 Vanover, K.E.
 Interaction of ethanol with excitatory amino acid receptor antagonists
 in mice (368) 137
 Verhoeff, N.P.L.G., see Fujita, M. (368) 161
- Wada, K.-i., see Tahara, A. (368) 89
 Wada, Y., see Yono, M. (368) 223
 Wallis, R., see Napier, C. (368) 259
 White, J., see Chan, R. (368) 25
 Winter, D.C., see Taylor, C.T. (368) 111
 Woods, S.W., see Fujita, M. (368) 161
 Wu, X., see Kähönen, M. (368) 213
- Yamahara, J., see Matsuda, H. (368) 237
 Yamaki, K., see Yamashita, M. (368) 251
 Yamashita, M., Ichinowatari, G., Yamaki, K. and Ohuchi, K.
 Inhibition by auranofin of the production of prostaglandin E₂ and
 nitric oxide in rat peritoneal macrophages (368) 251
 Yap, J.S., see Chapman, A.G. (368) 17
 Yatsu, T., see Tahara, A. (368) 89
 Yip, P.K., see Chapman, A.G. (368) 17
 Yono, M., Yoshida, M., Wada, Y., Kikukawa, H., Takahashi, W.,
 Inadome, A., Seshita, H. and Ueda, S.
 Pharmacological effects of tolterodine on human isolated urinary
 bladder (368) 223
 Yoshida, M., see Yono, M. (368) 223
 Yoshikawa, M., see Matsuda, H. (368) 237
 Yoshiya, I., see Fukami, S. (368) 269
- Zheng, J. and Ramirez, V.D.
 Rapid inhibition of rat brain mitochondrial proton F₀F₁-ATPase
 activity by estrogens: comparison with Na⁺, K⁺-ATPase of porcine
 cortex (368) 95
 Zoghbi, S.S., see Fujita, M. (368) 161