

Author index

- Adachi, N., Chen, J., Liu, K., Nagaro, T. and Arai, T.
Metirapone alleviates ischemic neuronal damage in the gerbil hippocampus (373) 147
- Ahlemeyer, B., see Ravati, A. (373) 21
- Aihara, H., Ogawa, H., Kasuya, A., Yoshida, M., Suzuki-Kusaba, M., Hisa, H. and Satoh, S.
Intrarenal angiotensin converting enzyme inhibition in spontaneously hypertensive rats (373) 35
- Akaike, N., see Uneyama, H. (373) 93
- Angeletti, S., see Ciccocioppo, R. (373) 13
- Angelucci, M.E.M., Vital, M.A.B.F., Cesário, C., Zadusky, C.R., Rosalen, P.L. and Da Cunha, C.
The effect of caffeine in animal models of learning and memory (373) 135
- Antunes, E., see De Oliveira, C.F. (373) 195
- Arai, T., see Adachi, N. (373) 147
- Baschiera, F., see Blandizzi, C. (373) 71
- Benyhe, S., see Sartania, N. (373) 241
- Besson, J.-M., see Le Guen, S. (373) 1
- Bhanot, S., see Verma, S. (373) R1
- Blandizzi, C., Lazzeri, G., Colucci, R., Carignani, D., Tognetti, M., Baschiera, F. and Del Tacca, M.
CCK₁ and CCK₂ receptors regulate gastric pepsinogen secretion (373) 71
- Borsodi, A., see Sartania, N. (373) 241
- Bungay, P.J., see Kemp, D.M. (373) 215
- Cadet, J.L., see Izenwasser, S. (373) 187
- Carignani, D., see Blandizzi, C. (373) 71
- Catheline, G., see Le Guen, S. (373) 1
- Cesário, C., see Angelucci, M.E.M. (373) 135
- Chen, B.-C., Lin, L.-L. and Lin, W.-W.
Protein kinase C ε -dependent pathway of extracellular signal-regulated protein kinase activation by P2Y₁ and P2Y₂ purinoceptors that activate cytosolic phospholipase A₂ in endothelial cells (373) 101
- Chen, J., see Adachi, N. (373) 147
- Chen, S.-J., see Wu, C.-C. (373) 41
- Christé, G., Tebbakh, H., Šimurdová, M., Forrat, R. and Šimurda, J.
Propafenone blocks ATP-sensitive K⁺ channels in rabbit atrial and ventricular cardiomyocytes (373) 223
- Ciccocioppo, R., Angeletti, S., Colombo, G., Gessa, G.L. and Massi, M.
Autoradiographic analysis of 5-HT_{2A} binding sites in the brain of Sardinian alcohol-preferring and nonpreferring rats (373) 13
- Colombo, G., see Ciccocioppo, R. (373) 13
- Colucci, R., see Blandizzi, C. (373) 71
- Coy, A.E., see Izenwasser, S. (373) 187
- Culmsee, C., see Ravati, A. (373) 21
- Da Cunha, C., see Angelucci, M.E.M. (373) 135
- De Backer, J.-P., see Fierens, F. (373) 125
- Del Tacca, M., see Blandizzi, C. (373) 71
- De Luca, I.M.S., see De Oliveira, C.F. (373) 195
- De Nucci, G., see De Oliveira, C.F. (373) 195
- De Oliveira, C.F., Nathan, L.P., Metze, K., Moreno Jr., H., De Luca, I.M.S., Sucupira, M., Zatz, R., Zappellini, A., Antunes, E. and De Nucci, G.
Effect of Ca²⁺ channel blockers on arterial hypertension and heart ischaemic lesions induced by chronic blockade of nitric oxide in the rat (373) 195
- Diemer, N.H., see Stensbøl, T.B. (373) 251
- Ebert, B., see Stensbøl, T.B. (373) 251
- Ebinger, G., see Khan, G.M. (373) 153
- Egebjerg, J., see Stensbøl, T.B. (373) 251
- Fierens, F., Vanderheyden, P.M.L., De Backer, J.-P. and Vauquelin, G.
Erratum to: 'Binding of the antagonist [³H]candesartan to angiotensin II AT₁ receptor-transfected Chinese hamster ovary cells [Eur. J. Pharmacol. 367 (1999) 413–422]' (373) 125
- Forrat, R., see Christé, G. (373) 223
- French, D., see Izenwasser, S. (373) 187
- Fujishima, M., see Kawasaki, J. (373) 111
- George, S.E., see Kemp, D.M. (373) 215
- Gessa, G.L., see Ciccocioppo, R. (373) 13
- Gong, Z.-h., see Liu, J.-g. (373) 233
- Hagan, J.J., see Jones, D.N.C. (373) 141
- Hatcher, P.D., see Jones, D.N.C. (373) 141
- Hieble, J.P., Kolpak, D.C., McCafferty, G.P., Ruffolo Jr., R.R., Testa, R. and Leonardi, A.
Effects of α_1 -adrenoceptor antagonists on agonist and tilt-induced changes in blood pressure: relationships to uroselectivity (373) 51
- Hirano, K., see Kawasaki, J. (373) 111
- Hirano, M., see Kawasaki, J. (373) 111
- Hisa, H., see Aihara, H. (373) 35
- Honda, K., see Nitta, K. (373) 121
- Honda, M. and Ono, H.
Differential effects of (R)- and (S)-8-hydroxy-2-(di-n-propylamino)tetralin on the monosynaptic spinal reflex in rats (373) 171
- Hurt, S., see Stensbøl, T.B. (373) 251
- Ishii, K., see Nakahara, T. (373) 201
- Izenwasser, S., Coy, A.E., Ladenheim, B., Loeloff, R.J., Cadet, J.L. and French, D.
Chronic methylphenidate alters locomotor activity and dopamine transporters differently from cocaine (373) 187
- Jones, D.N.C., Kortekaas, R., Hatcher, P.D., Middlemiss, D.N., White, A. and Hagan, J.J.
Influence of peptide CRF receptor antagonists upon the behavioural effects of human/rat CRF (373) 141
- Junker, V., see Ravati, A. (373) 21
- Kamei, J., see Ohsawa, M. (373) 181
- Kanaide, H., see Kawasaki, J. (373) 111

- Kasuya, A., see Aihara, H. (373) 35
- Kawasaki, J., Hirano, K., Hirano, M., Nishimura, J., Fujishima, M. and Kanaide, H.
Troglitazone inhibits the capacitative Ca^{2+} entry in endothelial cells (373) 111
- Kawashima, A., see Nitta, K. (373) 121
- Kemp, D.M., George, S.E., Bungay, P.J. and Naylor, L.H.
Partial agonism at serotonin 5-HT_{1B} and dopamine D_{2L} receptors using a luciferase reporter gene assay (373) 215
- Khan, G.M., Smolders, I., Lindekens, H., Manil, J., Ebinger, G. and Michotte, Y.
Effects of diazepam on extracellular brain neurotransmitters in pilocarpine-induced seizures in rats (373) 153
- Kimata, N., see Nitta, K. (373) 121
- Kjøller, C., see Stensbøl, T.B. (373) 251
- Kobayashi, H., see Nitta, K. (373) 121
- Kogo, H., see Tamura, K. (373) 207
- Kolpak, D.C., see Hieble, J.P. (373) 51
- Konda, T., see Uneyama, H. (373) 93
- Kortekaas, R., see Jones, D.N.C. (373) 141
- Koukley, M., see Ravati, A. (373) 21
- Kriegstein, J., see Ravati, A. (373) 21
- Krogsgaard-Larsen, P., see Stensbøl, T.B. (373) 251
- Ladenheim, B., see Izenwasser, S. (373) 187
- Lazzeri, G., see Blandizzi, C. (373) 71
- Le Guen, S., Catheline, G. and Besson, J.-M.
Effects of NMDA receptor antagonists on morphine tolerance: a c-Fos study in the lumbar spinal cord of the rat (373) 1
- Leonardi, A., see Hieble, J.P. (373) 51
- Li, Y., see Matsuda, H. (373) 63
- Liao, M.-H., see Wu, C.-C. (373) 41
- Liao, X.-p., see Liu, J.-g. (373) 233
- Lin, L.-L., see Chen, B.-C. (373) 101
- Lin, W.-W., see Chen, B.-C. (373) 101
- Lindekens, H., see Khan, G.M. (373) 153
- Liu, J.-g., Liao, X.-p., Gong, Z.-h. and Qin, B.-y.
The difference between methadone and morphine in regulation of δ -opioid receptors underlies the antagonistic effect of methadone on morphine-mediated cellular actions (373) 233
- Liu, K., see Adachi, N. (373) 147
- Loeloff, R.J., see Izenwasser, S. (373) 187
- Madsen, U., see Stensbøl, T.B. (373) 251
- Manil, J., see Khan, G.M. (373) 153
- Massi, M., see Ciccocioppo, R. (373) 13
- Matsuda, H., Li, Y. and Yoshikawa, M.
Gastroprotections of escins Ia, Ib, IIa, and IIb on ethanol-induced gastric mucosal lesions in rats (373) 63
- Matsui, K., see Shibata, T. (373) 85
- McCafferty, G.P., see Hieble, J.P. (373) 51
- McNeill, J.H., see Verma, S. (373) R1
- Medzihradsky, K., see Sartania, N. (373) 241
- Metze, K., see De Oliveira, C.F. (373) 195
- Michotte, Y., see Khan, G.M. (373) 153
- Middlemiss, D.N., see Jones, D.N.C. (373) 141
- Moreno Jr., H., see De Oliveira, C.F. (373) 195
- Nagaro, T., see Adachi, N. (373) 147
- Nakahara, T., Nejishima, H., Nakayama, K. and Ishii, K.
Inhibitory mechanism of N^G -nitro-L-arginine on acetylcholine-induced depressor responses in dogs (373) 201
- Nakayama, K., see Nakahara, T. (373) 201
- Nathan, L.P., see De Oliveira, C.F. (373) 195
- Naylor, L.H., see Kemp, D.M. (373) 215
- Nejishima, H., see Nakahara, T. (373) 201
- Nihei, H., see Nitta, K. (373) 121
- Nishimura, J., see Kawasaki, J. (373) 111
- Nitta, K., Uchida, K., Kimata, N., Honda, K., Kobayashi, H., Kawashima, A., Yumura, W. and Nihei, H.
Recombinant human erythropoietin stimulates vascular endothelial growth factor release by glomerular endothelial cells (373) 121
- Ogawa, H., see Aihara, H. (373) 35
- Ohsawa, M., Tanaka, S.-i. and Kamei, J.
Possible mechanisms for insulin-induced attenuation of the antinociceptive effect of [D-Ala², N-MePhe⁴, Gly-ol⁵]enkephalin (373) 181
- Ono, H., see Honda, M. (373) 171
- Orosz, G., see Sartania, N. (373) 241
- Qin, B.-y., see Liu, J.-g. (373) 233
- Ravati, A., Junker, V., Koukley, M., Ahlemeyer, B., Culmsee, C. and Kriegstein, J.
Enalapril and moexipril protect from free radical-induced neuronal damage in vitro and reduce ischemic brain injury in mice and rats (373) 21
- Rónai, A.Z., see Sartania, N. (373) 241
- Rosalen, P.L., see Angelucci, M.E.M. (373) 135
- Roth, J.D. and Rowland, N.E.
Anorectic efficacy of the fenfluramine/phentermine combination in rats: additivity or synergy? (373) 127
- Rowland, N.E., see Roth, J.D. (373) 127
- Ruffolo Jr., R.R., see Hieble, J.P. (373) 51
- Sartania, N., Szatmári, I., Orosz, G., Rónai, A.Z., Medzihradsky, K., Borsodi, A. and Benyhe, S.
Irreversible labelling of the opioid receptors by a melphalan-substituted [Met⁵]enkephalin-Arg-Phe derivative (373) 241
- Satoh, S., see Aihara, H. (373) 35
- Shibata, T., Matsui, K., Yonemori, F. and Wakitani, K.
Triglyceride-lowering effect of a novel insulin-sensitizing agent, JTT-501 (373) 85
- Šimurda, J., see Christé, G. (373) 223
- Šimurdová, M., see Christé, G. (373) 223
- Sløk, F.A., see Stensbøl, T.B. (373) 251
- Smolders, I., see Khan, G.M. (373) 153
- Stensbøl, T.B., Sløk, F.A., Trometer, J., Hurt, S., Ebert, B., Kjøller, C., Egebjerg, J., Madsen, U., Diemer, N.H. and Krogsgaard-Larsen, P.
Characterization of a new AMPA receptor radioligand, [³H]2-amino-3-(3-carboxy-5-methyl-4-isoxazolyl)propionic acid (373) 251
- Sucupira, M., see De Oliveira, C.F. (373) 195
- Suzuki-Kusaba, M., see Aihara, H. (373) 35
- Szatmári, I., see Sartania, N. (373) 241
- Tamura, K. and Kogo, H.
Granulocyte-macrophage colony-stimulating factor enhances interleukin-1 β stimulated histamine release in the preovulatory rat ovary (373) 207
- Tanaka, S.-i., see Ohsawa, M. (373) 181
- Tebbakh, H., see Christé, G. (373) 223
- Testa, R., see Hieble, J.P. (373) 51
- Tognetti, M., see Blandizzi, C. (373) 71
- Trometer, J., see Stensbøl, T.B. (373) 251
- Uchida, H., see Uneyama, H. (373) 93
- Uchida, K., see Nitta, K. (373) 121
- Uneyama, H., Uchida, H., Konda, T., Yoshimoto, R. and Akaike, N.
Selectivity of dihydropyridines for cardiac L-type and sympathetic N-type Ca^{2+} channels (373) 93
- Vanderheyden, P.M.L., see Fierens, F. (373) 125
- Vauquelin, G., see Fierens, F. (373) 125

- Verma, S., Bhanot, S. and McNeill, J.H.
 Sympathectomy prevents fructose-induced hyperinsulinemia and hy-
 pertension (373) R1
- Vital, M.A.B.F., see Angelucci, M.E.M. (373) 135
- Wakitani, K., see Shibata, T. (373) 85
- Wang, J.K.T.
 Cu²⁺ induces Ca²⁺-dependent neurotransmitter release from brain
 catecholaminergic nerve terminals (373) 163
- White, A., see Jones, D.N.C. (373) 141
- Wu, C.-C., Liao, M.-H., Chen, S.-J. and Yen, M.-H.
 Pentoxifylline improves circulatory failure and survival in murine
 models of endotoxaemia (373) 41
- Yen, M.-H., see Wu, C.-C. (373) 41
- Yonemori, F., see Shibata, T. (373) 85
- Yoshida, M., see Aihara, H. (373) 35
- Yoshikawa, M., see Matsuda, H. (373) 63
- Yoshimoto, R., see Uneyama, H. (373) 93
- Yumura, W., see Nitta, K. (373) 121
- Zadusky, C.R., see Angelucci, M.E.M. (373) 135
- Zappellini, A., see De Oliveira, C.F. (373) 195
- Zatz, R., see De Oliveira, C.F. (373) 195