

Author index

- Adner, M., see Uddman, E. (376) 223
- Alexander, K.M., see Bianchi, B.R. (376) 127
- Amoroso, S., see Cataldi, M. (376) 169
- Annunziato, L., see Cataldi, M. (376) 169
- Arnold, O., see Feng, Q. (376) 37
- Awamura, S., see Seki, T. (376) 159
- Balduini, W., Cimino, M., Depoortere, H. and Cattabeni, F.
Characterization of [3H]thiocolchicoside binding sites in rat spinal cord and cerebral cortex (376) 149
- Basilico, L., Parolaro, D., Colleoni, M., Costa, B. and Giagnoni, G.
Cross-tolerance and convergent dependence between morphine and cannabimimetic agent WIN 55,212-2 in the guinea-pig ileum myenteric plexus (376) 265
- Bernardi, E., see Plantefol, M. (376) 109
- Bianchi, B.R., Lynch, K.J., Touma, E., Niforatos, W., Burgard, E.C., Alexander, K.M., Park, H.S., Yu, H., Metzger, R., Kowaluk, E., Jarvis, M.F. and Van Biesen, T.
Pharmacological characterization of recombinant human and rat P2X receptor subtypes (376) 127
- Bravenboer, B., see Van Dam, P.S. (376) 217
- Broccardo, M., Improta, G. and Tabacco, A.
Central tachykinin NK₃ receptors in the inhibitory action on the rat colonic propulsion of a new tachykinin, PG-KII (376) 67
- Burgard, E.C., see Bianchi, B.R. (376) 127
- Capurro, D. and Huidobro-Toro, J.P.
The involvement of neuropeptide Y Y₁ receptors in the blood pressure baroreflex: studies with BIBP 3226 and BIBO 3304 (376) 251
- Cataldi, M., Tagliatalata, M., Palagiano, F., Secondo, A., De Caprariis, P., Amoroso, S., Di Renzo, G. and Annunziato, L.
Effects of manidipine and nitrendipine enantiomers on the plateau phase of K⁺-induced intracellular Ca²⁺ increase in GH₃ cells (376) 169
- Cattabeni, F., see Balduini, W. (376) 149
- Chen, Y.L., Shepherd, C., Spinelli, W. and Lai, F.M.
Oxytocin and vasopressin constrict rat isolated uterine resistance arteries by activating vasopressin V_{1A} receptors (376) 45
- Cheng, J., Niwa, R., Kamiya, K., Toyama, J. and Kodama, I.
Carvedilol blocks the repolarizing K⁺ currents and the L-type Ca²⁺ current in rabbit ventricular myocytes (376) 189
- Chino, D., see Xue, Y.X. (376) 27
- Cimino, M., see Balduini, W. (376) 149
- Colleoni, M., see Basilico, L. (376) 265
- Costa, B., see Basilico, L. (376) 265
- Da Cruz Fresco, P., see Diniz, C. (376) 273
- De Caprariis, P., see Cataldi, M. (376) 169
- Depoortere, H., see Balduini, W. (376) 149
- Di Chiara, G., see Tanda, G. (376) 23
- Diniz, C., Da Cruz Fresco, P. and Gonçalves, J.
Taurine release in the rat vas deferens is modulated by Ca²⁺ and is independent of contractions (376) 273
- Di Renzo, G., see Cataldi, M. (376) 169
- Dong, C., see Tang, T. (376) 179
- Douglas, S., see King, G.R. (376) 207
- Duffield, R., see Tang, T. (376) 179
- Edvinsson, L., see Uddman, E. (376) 223
- Eguchi, S., Iwasaki, H., Hirata, Y., Frank, G.D., Motley, E.D., Yamakawa, T., Numaguchi, K. and Inagami, T.
Epidermal growth factor receptor is indispensable for c-Fos expression and protein synthesis by angiotensin II (376) 203
- El-Fakahany, E.E., see Michal, P. (376) 119
- Ellinwood, E.H., see King, G.R. (376) 207
- Feng, J., see Kureishi, Y. (376) 315
- Feng, Q., Fortin, A.J., Lu, X., Malcolm, J. and Arnold, O.
Effects of L-arginine on endothelial and cardiac function in rats with heart failure (376) 37
- Fillion, G., see Plantefol, M. (376) 109
- Fiscus, R.R., see Lu, L.F. (376) 307
- Fisher, L., see Moodley, N. (376) 53
- Fortin, A.J., see Feng, Q. (376) 37
- Frank, G.D., see Eguchi, S. (376) 203
- Franková, D., see Zídek, Z. (376) 91
- Freire-Maia, L., see Matos, I.M. (376) 293
- Giagnoni, G., see Basilico, L. (376) 265
- Gispén, W.H., see Van Dam, P.S. (376) 217
- Gobeil Jr., F., see Perron, M.-S. (376) 83
- Gonçalves, J., see Diniz, C. (376) 273
- Haneda, T., see Oi, S. (376) 139
- Hashimoto, K., see Xue, Y.X. (376) 27
- Hirata, Y., see Eguchi, S. (376) 203
- Ho, A.K.S., see Tang, T. (376) 179
- Holtzman, S.G.
Discriminative effects of CGS 15943, a competitive adenosine receptor antagonist, have a dopamine component in monkeys (376) 7
- Holý, A., see Zídek, Z. (376) 91
- Honda, K., see Yatsu, T. (376) 239
- Horinouchi, T. and Koike, K.
Characterization of atypical β -adrenoceptors in the guinea pig duodenum (376) 61
- Huidobro-Toro, J.P., see Capurro, D. (376) 251
- Ide, S., see Seki, T. (376) 159
- Iizumi, Y., see Yatsu, T. (376) 239
- Improta, G., see Broccardo, M. (376) 67
- Inagaki, O., see Yatsu, T. (376) 239
- Inagami, T., see Eguchi, S. (376) 203
- Inoue, Y., see Okabe, K. (376) 101
- Isaka, N., see Kureishi, Y. (376) 315
- Ito, M., see Kureishi, Y. (376) 315
- Itoh, H., Yokochi, A., Yamauchi-Kohno, R. and Maruyama, K.
Effects of the endothelin ET_A receptor antagonist, TA-0201, on pulmonary arteries isolated from hypoxic rats (376) 233

- Iwasaki, H., see Eguchi, S. (376) 203
- Jarvis, M.F., see Bianchi, B.R. (376) 127
- Kakishita, E., see Yasui, K. (376) 301
- Kamiya, K., see Cheng, J. (376) 189
- Kashiwagi, Y., see Oi, S. (376) 139
- Kawabe, J., see Oi, S. (376) 139
- Kawamori, R., see Tanaka, Y. (376) 17
- Kikuchi, K., see Oi, S. (376) 139
- Kim, L.R. and Pomeranz, B.
The sympathomimetic agent, 6-hydroxydopamine, accelerates cutaneous wound healing (376) 257
- Kimura, C., see Seki, T. (376) 159
- King, G.R., Xiong, Z., Douglas, S., Lee, T.H. and Ellinwood, E.H.
The effects of continuous cocaine dose on the induction of behavioral tolerance and dopamine autoreceptor function (376) 207
- Kita, T., see Shimada, K. (376) 285
- Kodama, I., see Cheng, J. (376) 189
- Koike, K., see Horinouchi, T. (376) 61
- Kowaluk, E., see Bianchi, B.R. (376) 127
- Kureishi, Y., Ito, M., Feng, J., Okinaka, T., Isaka, N. and Nakano, T.
Regulation of Ca^{2+} -independent smooth muscle contraction by alternative staurosporine-sensitive kinase (376) 315
- Kusayama, T., see Yatsu, T. (376) 239
- Lai, F.M., see Chen, Y.L. (376) 45
- Lau, W.A.K., see Moodley, N. (376) 53
- Lee, T.H., see King, G.R. (376) 207
- Loddo, P., see Tanda, G. (376) 23
- Lu, L.F. and Fiscus, R.R.
Nitric oxide donors enhance calcitonin gene-related peptide-induced elevations of cyclic AMP in vascular smooth muscle cells (376) 307
- Lu, X., see Feng, Q. (376) 37
- Lynch, K.J., see Bianchi, B.R. (376) 127
- Lysíková, M., see Michal, P. (376) 119
- Malcolm, J., see Feng, Q. (376) 37
- Maruyama, K., see Itoh, H. (376) 233
- Marx, J.J.M., see Van Dam, P.S. (376) 217
- Matos, I.M., Souza, D.G., Seabra, D.G., Freire-Maia, L. and Teixeira, M.M.
Effects of tachykinin NK_1 or PAF receptor blockade on the lung injury induced by scorpion venom in rats (376) 293
- Metzger, R., see Bianchi, B.R. (376) 127
- Michal, P., Lysíková, M., El-Fakahany, E.E. and Tuček, S.
Clozapine interaction with the M_2 and M_4 subtypes of muscarinic receptors (376) 119
- Minami, M., see Seki, T. (376) 159
- Mitsuhashi, N., see Tanaka, Y. (376) 17
- Möller, S., see Uddman, E. (376) 223
- Moodley, N., Lau, W.A.K., Pennefather, J.N., Story, M.E. and Fisher, L.
 NK_2 receptors mediate tachykinin-induced contractions of rat uterus during the oestrous cycle (376) 53
- Motley, E.D., see Eguchi, S. (376) 203
- Nagase, H., see Seki, T. (376) 159
- Nakamura, Y., see Oi, S. (376) 139
- Nakano, T., see Kureishi, Y. (376) 315
- Nakashima, T., see Shimada, K. (376) 285
- Németh, J., see Szolcsányi, J. (376) 247
- Niforatos, W., see Bianchi, B.R. (376) 127
- Niwa, M., see Tanaka, Y. (376) 17
- Niwa, R., see Cheng, J. (376) 189
- Numaguchi, K., see Eguchi, S. (376) 203
- Ohmura, C., see Tanaka, Y. (376) 17
- Oi, S., Haneda, T., Osaki, J., Kashiwagi, Y., Nakamura, Y., Kawabe, J. and Kikuchi, K.
Lovastatin prevents angiotensin II-induced cardiac hypertrophy in cultured neonatal rat heart cells (376) 139
- Okabe, K., Inoue, Y. and Soeda, H.
Estradiol inhibits Ca^{2+} and K^+ channels in smooth muscle cells from pregnant rat myometrium (376) 101
- Okinaka, T., see Kureishi, Y. (376) 315
- Onuma, T., see Tanaka, Y. (376) 17
- Oroszi, G., see Szolcsányi, J. (376) 247
- Osaki, J., see Oi, S. (376) 139
- Palagiano, F., see Cataldi, M. (376) 169
- Park, H.S., see Bianchi, B.R. (376) 127
- Parolaro, D., see Basilico, L. (376) 265
- Pelletier, S., see Perron, M.-S. (376) 83
- Pennefather, J.N., see Moodley, N. (376) 53
- Perron, M.-S., Gobeil Jr., F., Pelletier, S., Regoli, D. and Sirois, P.
Involvement of bradykinin B_1 and B_2 receptors in pulmonary leukocyte accumulation induced by Sephadex beads in guinea pigs (376) 83
- Plantefol, M., Rousselle, J.C., Bernardi, E., Schoofs, A.R., Pourrias, B. and Fillion, G.
Endoproteolytic activity in mammalian brain membranes cleaves 5-hydroxytryptamine-moduline into dipeptides (376) 109
- Pomeranz, B., see Kim, L.R. (376) 257
- Pourrias, B., see Plantefol, M. (376) 109
- Reed, R.K. and Westerberg, E.J.
Effect of α -trinitrophenol on carrageenan-induced rat paw edema and lowering of interstitial fluid pressure (376) 279
- Regoli, D., see Perron, M.-S. (376) 83
- Reid, J.J., see Way, K.J. (376) 73
- Rousselle, J.C., see Plantefol, M. (376) 109
- Sakano, K., see Seki, T. (376) 159
- Satoh, M., see Seki, T. (376) 159
- Schoofs, A.R., see Plantefol, M. (376) 109
- Seabra, D.G., see Matos, I.M. (376) 293
- Secondo, A., see Cataldi, M. (376) 169
- Seki, T., Awamura, S., Kimura, C., Ide, S., Sakano, K., Minami, M., Nagase, H. and Satoh, M.
Pharmacological properties of TRK-820 on cloned μ -, δ - and κ -opioid receptors and nociceptin receptor (376) 159
- Shepherd, C., see Chen, Y.L. (376) 45
- Shimada, K., Kita, T., Yonetani, Y., Suzumura, A., Takayanagi, T. and Nakashima, T.
Modulation by endothelin-1 of lipopolysaccharide-induced cyclooxygenase 2 expression in mouse peritoneal macrophages (376) 285
- Shimizu, T., see Tanaka, Y. (376) 17
- Sirois, P., see Perron, M.-S. (376) 83
- Soeda, H., see Okabe, K. (376) 101
- Souza, D.G., see Matos, I.M. (376) 293
- Spinelli, W., see Chen, Y.L. (376) 45
- Story, M.E., see Moodley, N. (376) 53
- Suehiro, A., see Yasui, K. (376) 301
- Sugimoto, Y., Yamada, J. and Yoshikawa, T.
A neuronal nitric oxide synthase inhibitor 7-nitroindazole reduces the 5-HT_{1A} receptor agonist 8-OH-DPAT-elicited hyperphagia in rats (376) 1
- Suzumura, A., see Shimada, K. (376) 285
- Szilvássy, Z., see Szolcsányi, J. (376) 247
- Szolcsányi, J., Oroszi, G., Németh, J., Szilvássy, Z. and Tószaki, Á.
Endothelin release by capsaicin in isolated working rat heart (376) 247
- Tabacco, A., see Broccardo, M. (376) 67
- Tagliatala, M., see Cataldi, M. (376) 169

- Tahara, A., see Yatsu, T. (376) 239
- Takayanagi, T., see Shimada, K. (376) 285
- Tanaka, A., see Yatsu, T. (376) 239
- Tanaka, Y., Uchino, H., Shimizu, T., Yoshii, H., Niwa, M., Ohmura, C., Mitsuhashi, N., Onuma, T. and Kawamori, R.
Effect of metformin on advanced glycation endproduct formation and peripheral nerve function in streptozotocin-induced diabetic rats (376) 17
- Tanda, G., Loddo, P. and Di Chiara, G.
Dependence of mesolimbic dopamine transmission on Δ^9 -tetrahydrocannabinol (376) 23
- Tang, T., Dong, C., Duffield, R. and Ho, A.K.S.
Protection of cardiomyocytes by pinacidil during metabolic inhibition and hyperkalemia (376) 179
- Teixeira, M.M., see Matos, I.M. (376) 293
- Tokioka, T., see Yatsu, T. (376) 239
- Tomura, Y., see Yatsu, T. (376) 239
- Tótsaki, Á., see Szolcsányi, J. (376) 247
- Touma, E., see Bianchi, B.R. (376) 127
- Toyama, J., see Cheng, J. (376) 189
- Tsukada, J., see Yatsu, T. (376) 239
- Tuček, S., see Michal, P. (376) 119
- Uchida, W., see Yatsu, T. (376) 239
- Uchino, H., see Tanaka, Y. (376) 17
- Uddman, E., Möller, S., Adner, M. and Edvinsson, L.
Cytokines induce increased endothelin ET_B receptor-mediated contraction (376) 223
- Van Asbeck, B.S., see Van Dam, P.S. (376) 217
- Van Biesen, T., see Bianchi, B.R. (376) 127
- Van Dam, P.S., Bravenboer, B., Van Asbeck, B.S., Marx, J.J.M. and Gispen, W.H.
High rat food vitamin E content improves nerve function in streptozotocin-diabetic rats (376) 217
- Wada, K.-i., see Yatsu, T. (376) 239
- Wakabayashi, I., see Yasui, K. (376) 301
- Way, K.J. and Reid, J.J.
The effects of diabetes on nitric oxide-mediated responses in rat corpus cavernosum (376) 73
- Westerberg, E.J., see Reed, R.K. (376) 279
- Xiong, Z., see King, G.R. (376) 207
- Xue, Y.X., Yamada, C., Chino, D. and Hashimoto, K.
Effects of azimilide, a $K_{V(r)}$ and $K_{V(s)}$ blocker, on canine ventricular arrhythmia models (376) 27
- Yamada, C., see Xue, Y.X. (376) 27
- Yamada, J., see Sugimoto, Y. (376) 1
- Yamakawa, T., see Eguchi, S. (376) 203
- Yamauchi-Kohno, R., see Itoh, H. (376) 233
- Yasui, K., Suehiro, A., Kakishita, E. and Wakabayashi, I.
Effects of antitumor agents on inducible prostacyclin production in vascular smooth muscle (376) 301
- Yatsu, T., Tomura, Y., Tahara, A., Wada, K.-i., Kusayama, T., Tsukada, J., Tokioka, T., Uchida, W., Inagaki, O., Iizumi, Y., Tanaka, A. and Honda, K.
Cardiovascular and renal effects of conivaptan hydrochloride (YM087), a vasopressin V_{1A} and V_2 receptor antagonist, in dogs with pacing-induced congestive heart failure (376) 239
- Yokochi, A., see Itoh, H. (376) 233
- Yonetani, Y., see Shimada, K. (376) 285
- Yoshii, H., see Tanaka, Y. (376) 17
- Yoshikawa, T., see Sugimoto, Y. (376) 1
- Yu, H., see Bianchi, B.R. (376) 127
- Zídek, Z., Franková, D. and Holý, A.
Chemokines, nitric oxide and antiarthritic effects of 9-(2-phosphonmethoxyethyl)adenine (Adefovir) (376) 91