

Author index

- Abe, K., see Morita, H. (384) 201
- Affricano, D., see Barbaccia, M.L. (384) R1
- Agabio, R., see Barbaccia, M.L. (384) R1
- Altuğ, S., Demiryürek, A.T., Çakıcı, İ. and Kanzık, İ.
The beneficial effects of peroxynitrite on ischaemia–reperfusion arrhythmias in rat isolated hearts (384) 155
- Ardaillou, R., see Chansel, D. (384) 221
- Barbaccia, M.L., Affricano, D., Trabucchi, M., Purdy, R.H., Colombo, G., Agabio, R. and Gessa, G.L.
Ethanol markedly increases “GABAergic” neurosteroids in alcohol-preferring rats (384) R1
- Bates, J.N., see Hoque, A. (384) 167
- Borgers, M., see Dispersyn, G. (384) 61
- Bowmer, C.J., see Smith, J.A. (384) 71
- Çakıcı, İ., see Altuğ, S. (384) 155
- Capasso, F., see Izzo, A.A. (384) 37
- Capasso, R., see Izzo, A.A. (384) 37
- Carta, G., Gessa, G.L. and Nava, F.
Dopamine D₂ receptor antagonists prevent Δ⁹-tetrahydrocannabinol-induced antinociception in rats (384) 151
- Chansel, D., Vandermeersch, S., Llorens-Cortes, C. and Ardaillou, R.
Effects of angiotensin II and antagonists on AT₁ receptor expression in mesangial cells (384) 221
- Chaput, C., see Newman-Tancredi, A. (384) 109
- Chen, F., Jarrott, B. and Lawrence, A.J.
Up-regulation of cortical AMPA receptor binding in the Fawn-Hooded rat following ethanol withdrawal (384) 137
- Chikahisa, L., see Oyama, Y. (384) 47
- Chin, C., see Pennefather, J.N. (384) 25
- Chowdhury, A., see Pentylala, S.N. (384) 211
- Chung, S.W., see Kang, B.Y. (384) 189
- Chung, W.-J., see Kang, B.Y. (384) 189
- Colombo, G., see Barbaccia, M.L. (384) R1
- Demiryürek, A.T., see Altuğ, S. (384) 155
- De Vries, P., Villalón, C.M. and Saxena, P.R.
Erratum to: Pharmacological aspects of experimental headache models in relation to acute antimigraine therapy [*Eur. J. Pharmacol.* 375 (1999) 61–74] (384) 241
- Diéguez, G., see García-Villalón, A.L. (384) 161
- Dispersyn, G., Nuydens, R., Borgers, M. and Geerts, H.
Nimodipine and flunarizine have different effects on survival and morphology of PC12 cells during nerve growth factor deprivation (384) 61
- Doan, P., see Lutfy, K. (384) 1
- Dollinger, H., see Doods, H. (384) R3
- Dong, E., Yatani, A., Mohan, A. and Liang, C.-s.
Myocardial β-adrenoceptor down-regulation by norepinephrine is linked to reduced norepinephrine uptake activity (384) 17
- Doods, H., Gaida, W., Wieland, H.A., Dollinger, H., Schnorrenberg, G., Esser, F., Engel, W., Eberlein, W. and Rudolf, K.
BIIE0246: A selective and high affinity neuropeptide Y Y₂ receptor antagonist (384) R3
- Eberlein, W., see Doods, H. (384) R3
- Engel, W., see Doods, H. (384) R3
- Esser, F., see Doods, H. (384) R3
- Fernández, N., see García-Villalón, A.L. (384) 161
- Figarella, C., see Saleh, A. (384) 91
- Fluharty, S.J., see Hines, J. (384) 81
- Fujimoto, S., Ikegami, Y., Isaka, M., Kato, T., Nishimura, K. and Itoh, T.
K⁺ channel blockers and cytochrome P450 inhibitors on acetylcholine-induced, endothelium-dependent relaxation in rabbit mesenteric artery (384) 7
- Funai, M., see Oyama, Y. (384) 47
- Gaida, W., see Doods, H. (384) R3
- García-Sáinz, J.A., see González-Espinosa, C. (384) 229
- García-Villalón, A.L., Monge, L., Fernández, N., Sánchez, M.A., Martínez, M.A., Gómez, B. and Diéguez, G.
Basal inhibitory action of endogenous endothelin on the sympathetic contraction in the isolated rat tail artery (384) 161
- Geerts, H., see Dispersyn, G. (384) 61
- Gessa, G.L., see Barbaccia, M.L. (384) R1
- Gessa, G.L., see Carta, G. (384) 151
- Giembycz, M.A., see Teixeira, M.M. (384) 181
- Glover, V., see Medvedev, A. (384) 237
- Gómez, B., see García-Villalón, A.L. (384) 161
- González-Espinosa, C., González-Espinosa, D., Romero-Avila, M.T. and García-Sáinz, J.A.
Inverse α_{1A} and α_{1D} adrenoceptor mRNA expression during isolation of hepatocytes (384) 229
- González-Espinosa, D., see González-Espinosa, C. (384) 229
- Hara, S., see Tanahashi, M. (384) 31
- Hayashi, S., see Takaoka, M. (384) 43
- Hellewell, P.G., see Teixeira, M.M. (384) 181
- Hines, J., Fluharty, S.J. and Sakai, R.R.
The angiotensin AT₁ receptor antagonist irbesartan has near-peptide affinity and potently blocks receptor signaling (384) 81
- Hirasawa, Y., see Kato, Y. (384) 195
- Hisa, H., see Tanahashi, M. (384) 31
- Hoque, A., Bates, J.N. and Lewis, S.J.
In vivo evidence that L-S-nitrosocysteine may exert its vasodilator effects by interaction with thiol residues in the vasculature (384) 167
- Hwang, S.Y., see Kang, B.Y. (384) 189
- Ikegami, Y., see Fujimoto, S. (384) 7
- Im, S.-Y., see Kang, B.Y. (384) 189
- Inoue, R., see Morita, H. (384) 201
- Isaka, M., see Fujimoto, S. (384) 7
- Ito, K., see Kato, Y. (384) 195
- Ito, Y., see Morita, H. (384) 201
- Itoh, M., see Takaoka, M. (384) 43

- Itoh, T., see Fujimoto, S. (384) 7
- Izzo, A.A., Mascolo, N., Pinto, L., Capasso, R. and Capasso, F.
The role of cannabinoid receptors in intestinal motility, defaecation and diarrhoea in rats (384) 37
- Jarrott, B., see Chen, F. (384) 137
- Kammouni, W., see Saleh, A. (384) 91
- Kanemaru, K., see Oyama, Y. (384) 47
- Kang, B.Y., Chung, S.W., Chung, W.-J., Im, S.-Y., Hwang, S.Y. and Kim, T.S.
Inhibition of interleukin-12 production in lipopolysaccharide-activated macrophages by curcumin (384) 189
- Kanzik, I., see Altuğ, S. (384) 155
- Kato, T., see Fujimoto, S. (384) 7
- Kato, Y., Kita, Y., Nishio, M., Hirasawa, Y., Ito, K., Yamanaka, T., Motoyama, Y. and Seki, J.
In vitro antiplatelet profile of FR171113, a novel non-peptide thrombin receptor antagonist (384) 195
- Khawaja, A.M., Liu, Y.-C. and Rogers, D.F.
Effect of non-peptide tachykinin NK₁ receptor antagonists on non-adrenergic, non-cholinergic neurogenic mucus secretion in ferret trachea (384) 171
- Kim, T.S., see Kang, B.Y. (384) 189
- Kita, Y., see Kato, Y. (384) 195
- Kuro, T., see Takaoka, M. (384) 43
- Lau, W.A.K., see Pennefather, J.N. (384) 25
- Lawrence, A.J., see Chen, F. (384) 137
- Lee, H.-Z. and Wu, C.-H.
Serotonin-stimulated increase in cytosolic Ca²⁺ in cultured rat heart endothelial cells (384) 53
- Lewis, S.J., see Hoque, A. (384) 167
- Liang, C.-s., see Dong, E. (384) 17
- Lindsay, M.A., see Teixeira, M.M. (384) 181
- Liu, Y.-C., see Khawaja, A.M. (384) 171
- Llorens-Cortes, C., see Chansel, D. (384) 221
- Lohmann, A.B. and Welch, S.P.
Antisenses to opioid receptors attenuate ATP-gated K⁺ channel opener-induced antinociception (384) 145
- Lutfy, K., Doan, P., Nguyen, M. and Weber, E.
Effects of ACEA-1328, a NMDA receptor/glycine site antagonist, on U50,488H-induced antinociception and tolerance (384) 1
- Martínez, M.A., see García-Villalón, A.L. (384) 161
- Mascolo, N., see Izzo, A.A. (384) 37
- Matsumura, Y., see Takaoka, M. (384) 43
- Medvedev, A., Sandler, M. and Glover, V.
The influence of isatin on guanylyl cyclase of rat heart membranes (384) 237
- Merten, M.D., see Saleh, A. (384) 91
- Millan, M.J., see Newman-Tancredi, A. (384) 109
- Mohan, A., see Dong, E. (384) 17
- Monge, L., see García-Villalón, A.L. (384) 161
- Morita, H., Yamada, K., Abe, K., Ito, Y. and Inoue, R.
Electrophysiological actions of a novel K⁺ channel opener MCC-134 on rabbit portal vein smooth muscle (384) 201
- Morton, M.J., see Smith, J.A. (384) 71
- Motoyama, Y., see Kato, Y. (384) 195
- Nakata, M., see Oyama, Y. (384) 47
- Nava, F., see Carta, G. (384) 151
- Newman-Tancredi, A., Rivet, J.-M., Chaput, C., Touzard, M., Verrièle, L. and Millan, M.J.
The 5HT_{1A} receptor ligand, S15535, antagonises G-protein activation: a [³⁵S]GTPγS and [³H]S15535 autoradiography study (384) 109
- Nguyen, M., see Lutfy, K. (384) 1
- Nishimura, K., see Fujimoto, S. (384) 7
- Nishio, M., see Kato, Y. (384) 195
- Noguchi, S., see Oyama, Y. (384) 47
- Nuydens, R., see Dispersyn, G. (384) 61
- Obuchowicz, E.
Differential behavioural effect of quinpirole in neuroleptic-pretreated rats — role of α₁-adrenoceptor (384) 99
- Okada, Y., see Oyama, Y. (384) 47
- Oyama, Y., Noguchi, S., Nakata, M., Okada, Y., Yamazaki, Y., Funai, M., Chikahisa, L. and Kanemaru, K.
Exposure of rat thymocytes to hydrogen peroxide increases annexin V binding to membranes: inhibitory actions of deferoxamine and quercetin (384) 47
- Pennefather, J.N., Lau, W.A.K., Chin, C., Story, M.E. and Ventura, S.
α_{1L}-Adrenoceptors mediate noradrenaline-induced contractions of the guinea-pig prostate stroma (384) 25
- Pentyala, S.N., Sung, K.-Y., Chowdhury, A. and Rebecchi, M.J.
Volatile anesthetics modulate the binding of guanine nucleotides to the α subunits of heterotrimeric GTP binding proteins (384) 211
- Picher, M., see Saleh, A. (384) 91
- Pinto, L., see Izzo, A.A. (384) 37
- Poon, A. and Sawynok, J.
Antinociceptive and anti-inflammatory properties of an adenosine kinase inhibitor and an adenosine deaminase inhibitor (384) 121
- Purdy, R.H., see Barbaccia, M.L. (384) R1
- Rebecchi, M.J., see Pentyala, S.N. (384) 211
- Rivet, J.-M., see Newman-Tancredi, A. (384) 109
- Rogers, D.F., see Khawaja, A.M. (384) 171
- Romero-Avila, M.T., see González-Espinosa, C. (384) 229
- Rudolf, K., see Doods, H. (384) R3
- Saitoh, K., see Tanahashi, M. (384) 31
- Sakai, R.R., see Hines, J. (384) 81
- Saleh, A., Picher, M., Kammouni, W., Figarella, C. and Merten, M.D.
Characterization of a diadenosine tetraphosphate-receptor distinct from the ATP-purinoceptor in human tracheal gland cells (384) 91
- Sánchez, M.A., see García-Villalón, A.L. (384) 161
- Sandler, M., see Medvedev, A. (384) 237
- Satoh, S., see Tanahashi, M. (384) 31
- Sawynok, J., see Poon, A. (384) 121
- Saxena, P.R., see De Vries, P. (384) 241
- Schnorrenberg, G., see Doods, H. (384) R3
- Seki, J., see Kato, Y. (384) 195
- Smith, J.A., Whitaker, E.M., Yaktubay, N., Morton, M.J., Bowmer, C.J. and Yates, M.S.
Regulation of renal adenosine A₁ receptors: effect of dietary sodium chloride (384) 71
- Story, M.E., see Pennefather, J.N. (384) 25
- Sung, K.-Y., see Pentyala, S.N. (384) 211
- Suzuki-Kusaba, M., see Tanahashi, M. (384) 31
- Takaoka, M., Itoh, M., Hayashi, S., Kuro, T. and Matsumura, Y.
Proteasome participates in the pathogenesis of ischemic acute renal failure in rats (384) 43
- Tanahashi, M., Hara, S., Saitoh, K., Yoshida, M., Suzuki-Kusaba, M., Hisa, H. and Satoh, S.
Effects of NKH477 on renal nerve stimulation-induced responses in anesthetized dogs (384) 31
- Teixeira, M.M., Lindsay, M.A., Gienbycz, M.A. and Hellewell, P.G.
Role of arachidonic acid in leukotriene B₄-induced guinea-pig eosinophil homotypic aggregation (384) 181

Touzard, M., see Newman-Tancredi, A. (384) 109
 Trabucchi, M., see Barbaccia, M.L. (384) R1

Vandermeersch, S., see Chansel, D. (384) 221
 Ventura, S., see Pennefather, J.N. (384) 25
 Verrièle, L., see Newman-Tancredi, A. (384) 109
 Villalón, C.M., see De Vries, P. (384) 241

Weber, E., see Lutfy, K. (384) 1
 Welch, S.P., see Lohmann, A.B. (384) 145
 Whitaker, E.M., see Smith, J.A. (384) 71

Wieland, H.A., see Doods, H. (384) R3
 Wu, C.-H., see Lee, H.-Z. (384) 53

Yaktubay, N., see Smith, J.A. (384) 71
 Yamada, K., see Morita, H. (384) 201
 Yamanaka, T., see Kato, Y. (384) 195
 Yamazaki, Y., see Oyama, Y. (384) 47
 Yatani, A., see Dong, E. (384) 17
 Yates, M.S., see Smith, J.A. (384) 71
 Yoshida, M., see Tanahashi, M. (384) 31