

Author index

- Ábrahám, C.S., see Deli, M.A. (387) 63
- Aceto, M.D., Scates, S.M., Harris, L.S. and Ji, Z.
Dihydroetorphine: physical dependence and stereotypy after continuous infusion in the rat (387) 31
- Aibiki, M., see Xu, H. (387) 79
- Anderson, G.M., see Fujita, M. (387) 179
- Aoki, K., Parent, A. and Zhang, J.
Mechanism of damnacanthol-induced $[Ca^{2+}]_i$ elevation in human dermal fibroblasts (387) 119
- Bagger, J.P., see Tankó, L.B. (387) 303
- Bakker, R.A., Wieland, K., Timmerman, H. and Leurs, R.
Constitutive activity of the histamine H_1 receptor reveals inverse agonism of histamine H_1 receptor antagonists (387) R5
- Baldwin, R.M., see Fujita, M. (387) 179
- Bandoh, T., see Mitani, H. (387) 313
- Bassant, M.-H., Poindessous-Jazat, F. and Schmidt, B.H.
Sustained effect of metrifonate on cerebral glucose metabolism after immunolesion of basal forebrain cholinergic neurons in rats (387) 151
- Bäumert, H.G., see Lambrecht, G. (387) R19
- Beardsley, P.M. and Martin, B.R.
Effects of the cannabinoid CB_1 receptor antagonist, SR141716A, after Δ^9 -tetrahydrocannabinol withdrawal (387) 47
- Belogi, L., see Tubaro, E. (387) 233
- Bessard, G., see Cracowski, J.-L. (387) 295
- Blin, D., see Cracowski, J.-L. (387) 295
- Bright, F., see Kennett, G. (387) 197
- Bromidge, S., see Kennett, G. (387) 197
- Bruckdorfer, K.R., see Naseem, K.M. (387) 329
- Burkey, T.H., see Okura, T. (387) R11
- Bush, L., McCabe, T. and Hanson, G.R.
Selective antagonism of nigral neuropeptide responses to methamphetamine by conantokin G, a naturally occurring conopeptide (387) 55
- Büttner, C., see Klapperstück, M. (387) 245
- Cadoni, C. and Di Chiara, G.
Differential changes in accumbens shell and core dopamine in behavioral sensitization to nicotine (387) R23
- Chai-ngam, N., see Piyachaturawat, P. (387) 221
- Chavanon, O., see Cracowski, J.-L. (387) 295
- Chou, T.-C., Li, C.-Y., Lee, A.-R. and Wu, T.-M.
Mechanism of inhibition of platelet aggregation by HCL-31D (387) 125
- Chuncharunee, A., see Piyachaturawat, P. (387) 221
- Clark, K.L., see Meng, H. (387) 101
- Corompt, E., see Cracowski, J.-L. (387) 295
- Coupar, I.M., see Hemedah, M. (387) 265
- Cowell, S.M., see Okura, T. (387) R11
- Cracowski, J.-L., Stanke-Labesque, F., Chavanon, O., Corompt, E., Veitl, S., Blin, D., Bessard, G. and Devillier, P.
Thromboxane A_2 modulates cyclic AMP relaxation and production in human internal mammary artery (387) 295
- Crosby, J., see Parker, C.A. (387) 27
- Cunha, F.Q., see Ribeiro, R.A. (387) 111
- Czeche, S., see Lambrecht, G. (387) R19
- Damer, S., see Lambrecht, G. (387) R19
- De Boer, P., see Rodenhuis, N. (387) 39
- Deli, M.A., Németh, L., Falus, A. and Ábrahám, C.S.
Effects of *N,N*-diethyl-2-[4-(phenylmethyl)phenoxy]ethanamine on the blood–brain barrier permeability in the rat (387) 63
- Devillier, P., see Cracowski, J.-L. (387) 295
- Diana, M., see Melis, M. (387) R1
- Di Chiara, G., see Cadoni, C. (387) R23
- Diéguez, G., see Fernández, N. (387) 93
- Dijkstra, D., see Rodenhuis, N. (387) 39
- Dillon, M.P., see Parker, C.A. (387) 27
- Dubner, R., see Qiu, C. (387) 163
- Eglen, R.M., see Parker, C.A. (387) 27
- Endoh, T., Tajima, A., Suzuki, T., Kamei, J., Suzuki, T., Narita, M., Tseng, L. and Nagase, H.
Characterization of the antinociceptive effects of TRK-820 in the rat (387) 133
- Falus, A., see Deli, M.A. (387) 63
- Felicio, L.F., see Tieppo, C.A. (387) 189
- Fernández, N., Sánchez, M.A., Martínez, M.A., García-Villalón, A.L., Monge, L., Gómez, B. and Diéguez, G.
Role of nitric oxide in vascular tone and in reactivity to isoproterenol and adenosine in the goat coronary circulation (387) 93
- Ferreira, F.S., see Tieppo, C.A. (387) 189
- Ferreira, S.H., see Ribeiro, R.A. (387) 111
- Foster Jr., H.E., see Saito, M. (387) 253
- France, C.P., see Galici, R. (387) 59
- Frøbert, O., see Tankó, L.B. (387) 303
- Fujita, M., Verhoeff, N.P.L.G., Varrone, A., Zoghbi, S.S., Baldwin, R.M., Jatlow, P.A., Anderson, G.M., Seibyl, J.P. and Innis, R.B.
Imaging extrastriatal dopamine D_2 receptor occupancy by endogenous dopamine in healthy humans (387) 179
- Furukawa, K.-I., see Nakao, M. (387) 273
- Fuzio, D., see Massi, P. (387) 343
- Galici, R., Pechnick, R.N., Poland, R.E. and France, C.P.
Comparison of noncontingent versus contingent cocaine administration on plasma corticosterone levels in rats (387) 59
- Ganso, M., see Lambrecht, G. (387) R19
- García-Villalón, A.L., see Fernández, N. (387) 93
- Gasior, M., Ungard, J.T. and Witkin, J.M.
Lethal seizures predicted after aminophylline therapy in cocaine abusers (387) R15
- Gecse, Á., see Szupera, Z. (387) 205
- Gessa, G.L., see Melis, M. (387) R1
- Gómez, B., see Fernández, N. (387) 93
- Gregersen, H., see Tankó, L.B. (387) 303
- Grover, A.K., Hui, J. and Samson, S.E.
Catalase activity in coronary artery endothelium protects smooth muscle against peroxide damage (387) 87

- Haapalinna, A., Sirviö, J., MacDonald, E., Virtanen, R. and Heinonen, E.
The effects of a specific α_2 -adrenoceptor antagonist, atipamezole, on cognitive performance and brain neurochemistry in aged Fisher 344 rats (387) 141
- Håkanson, R., see Lindström, E. (387) 19
- Hanson, G.R., see Bush, L. (387) 55
- Harris, L.S., see Aceto, M.D. (387) 31
- Harvey, S.C., Li, X., Skolnick, P. and Kirst, H.A.
The antibacterial and NMDA receptor activating properties of aminoglycosides are dissociable (387) 1
- Hasegawa, A., see Ohta, T. (387) 211
- Heinonen, E., see Haapalinna, A. (387) 141
- Hemedah, M., Coupar, I.M. and Mitchelson, F.J.
Characterisation of a 5-HT₇ binding site in mouse ileum (387) 265
- Hildebrandt, C., see Lambrecht, G. (387) R19
- Hirouchi, M., Oka, M., Itoh, Y., Ukai, Y. and Kimura, K.
Role of metabotropic glutamate receptor subclasses in modulation of adenylyl cyclase activity by a nootropic NS-105 (387) 9
- Holmes, P.V., see Stogner, K.A. (387) R9
- Hourani, S.M.O., see Tennant, J.P. (387) 107
- Hruby, V.J., see Okura, T. (387) R11
- Hudson, A.L., see Parker, C.A. (387) 27
- Hui, J., see Grover, A.K. (387) 87
- Ihara, H., see Pawlak, R. (387) 171
- Iijima, T., see Nakao, M. (387) 273
- Ikedo, K., see Saito, M. (387) 253
- Innis, R.B., see Fujita, M. (387) 179
- Ito, S., see Ohta, T. (387) 211
- Itoh, N., see Kuribayashi, Y. (387) 349
- Itoh, Y., see Hirouchi, M. (387) 9
- Itoh, Y., see Ozaki, S. (387) R17
- Iwasawa, Y., see Ozaki, S. (387) R17
- Jatlow, P.A., see Fujita, M. (387) 179
- Ji, Z., see Aceto, M.D. (387) 31
- Kamei, J., see Endoh, T. (387) 133
- Kawahara, H., Kawahara, Y. and Westerink, B.H.C.
The role of afferents to the locus coeruleus in the handling stress-induced increase in the release of noradrenaline in the medial prefrontal cortex: a dual-probe microdialysis study in the rat brain (387) 279
- Kawahara, Y., see Kawahara, H. (387) 279
- Kawamoto, H., see Ozaki, S. (387) R17
- Kennett, G., Lightowler, S., Trail, B., Bright, F. and Bromidge, S.
Effects of RO 60 0175, a 5-HT_{2C} receptor agonist, in three animal models of anxiety (387) 197
- Khan, M.A., see Naseem, K.M. (387) 329
- Kimura, K., see Hirouchi, M. (387) 9
- Kimura, M., see Mitani, H. (387) 313
- Kirst, H.A., see Harvey, S.C. (387) 1
- Kis, B., see Szupera, Z. (387) 205
- Kitano, M., see Kuribayashi, Y. (387) 349
- Klapperstück, M., Büttner, C., Nickel, P., Schmalzing, G., Lambrecht, G. and Markwardt, F.
Antagonism by the suramin analogue NF279 on human P2X₁ and P2X₇ receptors (387) 245
- Komararat, P., see Piyachaturawat, P. (387) 221
- Kuribayashi, Y., Itoh, N., Kitano, M. and Ohashi, N.
Corrigendum to: Cerebroprotective properties of SM-20220, a potent Na⁺/H⁺ exchange inhibitor, in transient cerebral ischemia in rats [Eur. J. Pharmacol. 353 (1999) 163–168] (387) 349
- Lambrecht, G., Rettinger, J., Bäumer, H.G., Czeche, S., Damer, S., Ganso, M., Hildebrandt, C., Niebel, B., Spatz-Kümbel, G., Schmalzing, G. and Mutschler, E.
The novel pyridoxal-5'-phosphate derivative PPNDs potently antagonizes activation of P2X₁ receptors (387) R19
- Lambrecht, G., see Klapperstück, M. (387) 245
- Latifpour, J., see Saito, M. (387) 253
- Lee, A.-R., see Chou, T.-C. (387) 125
- Leurs, R., see Bakker, R.A. (387) R5
- Li, C.-Y., see Chou, T.-C. (387) 125
- Li, X., see Harvey, S.C. (387) 1
- Li, Y., Matsuda, H., Wen, S., Yamahara, J. and Yoshikawa, M.
Enhancement by escins Ib and IIb of Mg²⁺ absorption from digestive tract in mice: role of nitric oxide (387) 337
- Lightowler, S., see Kennett, G. (387) 197
- Lindström, E., Norlén, P. and Håkanson, R.
Histamine depletion does not affect pancreastatin secretion from isolated rat stomach ECL cells (387) 19
- MacDonald, E., see Haapalinna, A. (387) 141
- Markwardt, F., see Klapperstück, M. (387) 245
- Martin, B.R., see Beardsley, P.M. (387) 47
- Martínez, M.A., see Fernández, N. (387) 93
- Massi, P., Fuzio, D., Viganò, D., Sacerdote, P. and Parolaro, D.
Relative involvement of cannabinoid CB₁ and CB₂ receptors in the Δ^9 -tetrahydrocannabinol-induced inhibition of natural killer activity (387) 343
- Matsuda, H., see Li, Y. (387) 337
- McCabe, T., see Bush, L. (387) 55
- McVey, M., see Meng, H. (387) 101
- Melis, M., Diana, M. and Gessa, G.L.
Cyclo-oxygenase-inhibitors increase morphine effects on mesolimbic dopamine neurons (387) R1
- Meng, H., McVey, M., Perrone, M. and Clark, K.L.
Intravenous AMP 579, a novel adenosine A₁/A_{2a} receptor agonist, induces a delayed protection against myocardial infarction in minipig (387) 101
- Mezei, Z., see Szupera, Z. (387) 205
- Mezzadri, C.M., see Tubaro, E. (387) 233
- Mikhailidis, D.P., see Naseem, K.M. (387) 329
- Mikkelsen, E.O., see Tankó, L.B. (387) 303
- Mitani, H., Takimoto, M., Bandoh, T. and Kimura, M.
Increases of vascular endothelin-converting enzyme activity and endothelin-1 level on atherosclerotic lesions in hyperlipidemic rabbits (387) 313
- Mitchelson, F.J., see Hemedah, M. (387) 265
- Miyaji, M., see Ozaki, S. (387) R17
- Monge, L., see Fernández, N. (387) 93
- Morgan, R.J., see Naseem, K.M. (387) 329
- Mumtaz, F.H., see Naseem, K.M. (387) 329
- Mutschler, E., see Lambrecht, G. (387) R19
- Nagai, N., see Pawlak, R. (387) 171
- Nagase, H., see Endoh, T. (387) 133
- Nakao, M., Furukawa, K.-I., Satoh, E., Ono, K. and Iijima, T.
Inhibition by antisense oligonucleotides of plasma membrane Ca²⁺ ATPase in vascular endothelial cells (387) 273
- Nakazato, Y., see Ohta, T. (387) 211
- Narita, M., see Endoh, T. (387) 133
- Naseem, K.M., Mumtaz, F.H., Thompson, C.S., Sullivan, M.E., Khan, M.A., Morgan, R.J., Mikhailidis, D.P. and Bruckdorfer, K.R.
Relaxation of rabbit lower urinary tract smooth muscle by nitric oxide and carbon monoxide: modulation by hydrogen peroxide (387) 329
- Nasello, A.G., see Tieppo, C.A. (387) 189
- Németh, L., see Deli, M.A. (387) 63
- Nickel, P., see Klapperstück, M. (387) 245
- Niebel, B., see Lambrecht, G. (387) R19
- Nishi, K., see Saito, M. (387) 253
- Norlén, P., see Lindström, E. (387) 19
- Nutt, D.J., see Parker, C.A. (387) 27

- Ogli, K., see Xu, H. (387) 79
- Ohashi, N., see Kuribayashi, Y. (387) 349
- Ohta, H., see Ozaki, S. (387) R17
- Ohta, T., Yasuda, W., Hasegawa, A., Ito, S. and Nakazato, Y.
Effects of inhibitors for tyrosine kinase and non-selective cation channel on capacitative Ca^{2+} entry in rat ileal smooth muscle (387) 211
- Oka, M., see Hirouchi, M. (387) 9
- Okamoto, T.
The protective effect of glycyrrhizin on anti-Fas antibody-induced hepatitis in mice (387) 229
- Okura, T., Cowell, S.M., Varga, E., Burkey, T.H., Roeske, W.R., Hruby, V.J. and Yamamura, H.I.
Differential down-regulation of the human δ -opioid receptor by SNC80 and [D-Pen², D-Pen⁵]enkephalin (387) R11
- Ono, K., see Nakao, M. (387) 273
- Ozaki, S., Kawamoto, H., Itoh, Y., Miyaji, M., Iwasawa, Y. and Ohta, H.
A potent and highly selective nonpeptidyl nociceptin/orphanin FQ receptor (ORL1) antagonist: J-113397 (387) R17
- Özdem, S.S., Şadan, G., Usta, C. and Taşatargil, A.
The effect of experimental diabetes on cholinergic neurotransmission in rat trachea: role of nitric oxide (387) 321
- Parent, A., see Aoki, K. (387) 119
- Parker, C.A., Hudson, A.L., Nutt, D.J., Dillon, M.P., Eglen, R.M. and Crosby, J.
Isolation of RP-HPLC pure clonidine-displacing substance from NG108-15 cells (387) 27
- Parolaro, D., see Massi, P. (387) 343
- Paschoalato, A.B.P., see Ribeiro, R.A. (387) 111
- Pawlak, R., Takada, Y., Takahashi, H., Urano, T., Ihara, H., Nagai, N. and Takada, A.
Differential effects of nicotine against stress-induced changes in dopaminergic system in rat striatum and hippocampus (387) 171
- Pechnick, R.N., see Galici, R. (387) 59
- Perrone, M., see Meng, H. (387) 101
- Piyachaturawat, P., Chai-ngam, N., Chuncharunee, A., Komaratat, P. and Suksamram, A.
Choleretic activity of phloracetophenone in rats: structure–function studies using acetophenone analogues (387) 221
- Poindessous-Jazat, F., see Bassant, M.-H. (387) 151
- Poland, R.E., see Galici, R. (387) 59
- Poole, S., see Ribeiro, R.A. (387) 111
- Qiu, C., Sora, I., Ren, K., Uhl, G. and Dubner, R.
Enhanced δ -opioid receptor-mediated antinociception in μ -opioid receptor-deficient mice (387) 163
- Ralevic, V.
Sympathoinhibition by adenosine A_1 receptors, but not P_2 receptors, in the hamster mesenteric arterial bed (387) 287
- Ren, K., see Qiu, C. (387) 163
- Rettinger, J., see Lambrecht, G. (387) R19
- Ribeiro, R.A., Vale, M.L., Thomazzi, S.M., Paschoalato, A.B.P., Poole, S., Ferreira, S.H. and Cunha, F.Q.
Involvement of resident macrophages and mast cells in the writhing nociceptive response induced by zymosan and acetic acid in mice (387) 111
- Rodenhuis, N., Dijkstra, D., De Boer, P., Vermeulen, E.S., Timmerman, W. and Wikström, H.V.
Dopamine D_2 activity of *R*-(–)-apomorphine and selected analogs: a microdialysis study (387) 39
- Roeske, W.R., see Okura, T. (387) R11
- Saito, M., Wada, Y., Ikeda, K., Wang, Z.J., Smith, S.D., Foster Jr., H.E., Nishi, K., Weiss, R.M. and Latifpour, J.
Gene expression, localization, and pharmacological characterization of endothelin receptors in diabetic rat bladder dome (387) 253
- Samson, S.E., see Grover, A.K. (387) 87
- Sánchez, M.A., see Fernández, N. (387) 93
- Sasa, M., see Tanimitsu, N. (387) 73
- Sassatani, A.S., see Tieppo, C.A. (387) 189
- Satoh, E., see Nakao, M. (387) 273
- Scates, S.M., see Aceto, M.D. (387) 31
- Schmalzing, G., see Klapperstück, M. (387) 245
- Schmalzing, G., see Lambrecht, G. (387) R19
- Schmidt, B.H., see Bassant, M.-H. (387) 151
- Seibyl, J.P., see Fujita, M. (387) 179
- Simonsen, U., see Tankó, L.B. (387) 303
- Sirviö, J., see Haapalinn, A. (387) 141
- Skolnick, P., see Harvey, S.C. (387) 1
- Smith, S.D., see Saito, M. (387) 253
- Sora, I., see Qiu, C. (387) 163
- Spatz-Kümbel, G., see Lambrecht, G. (387) R19
- Stanke-Labesque, F., see Cracowski, J.-L. (387) 295
- Stogner, K.A. and Holmes, P.V.
Neuropeptide-Y exerts antidepressant-like effects in the forced swim test in rats (387) R9
- Suksamram, A., see Piyachaturawat, P. (387) 221
- Sullivan, M.E., see Naseem, K.M. (387) 329
- Suzuki, T., see Endoh, T. (387) 133
- Szupera, Z., Mezei, Z., Kis, B., Gecse, Á., Vécsei, L. and Telegdy, G.
The effects of valproate on the arachidonic acid metabolism of rat brain microvessels and of platelets (387) 205
- Tajima, A., see Endoh, T. (387) 133
- Takada, A., see Pawlak, R. (387) 171
- Takada, Y., see Pawlak, R. (387) 171
- Takahashi, H., see Pawlak, R. (387) 171
- Takimoto, M., see Mitani, H. (387) 313
- Tanimitsu, N., Yajin, K., Sasa, M. and Tsuru, H.
 α_1 -Adrenoceptor subtypes and effect of α_{1A} -adrenoceptor agonist NS-49 on guinea pig nasal mucosa vasculature (387) 73
- Tankó, L.B., Simonsen, U., Frøbert, O., Gregersen, H., Bagger, J.P. and Mikkelsen, E.O.
Vascular reactivity to nifedipine and Ca^{2+} in vitro: the role of preactivation, wall tension and geometry (387) 303
- Taşatargil, A., see Özdem, S.S. (387) 321
- Telegdy, G., see Szupera, Z. (387) 205
- Tennant, J.P. and Hourani, S.M.O.
Breakdown of extracellular ATP by the prostatic and epididymal ends of the guinea pig vas deferens (387) 107
- Thomazzi, S.M., see Ribeiro, R.A. (387) 111
- Thompson, C.S., see Naseem, K.M. (387) 329
- Tieppo, C.A., Ferreira, F.S., Sassatani, A.S., Felicio, L.F. and Nasello, A.G.
Opposite modulation of apomorphine- or amphetamine-induced stereotypy by antagonists of CCK receptors (387) 189
- Timmerman, H., see Bakker, R.A. (387) R5
- Timmerman, W., see Rodenhuis, N. (387) 39
- Trail, B., see Kennett, G. (387) 197
- Tseng, L., see Endoh, T. (387) 133
- Tsuru, H., see Tanimitsu, N. (387) 73
- Tubaro, E., Belogi, L. and Mezzadri, C.M.
The mechanism of action of amtolmetin guacyl, a new gastroprotective nonsteroidal anti-inflammatory drug (387) 233
- Uhl, G., see Qiu, C. (387) 163
- Ukai, Y., see Hirouchi, M. (387) 9
- Ungard, J.T., see Gasior, M. (387) R15
- Sacerdote, P., see Massi, P. (387) 343
- Şadan, G., see Özdem, S.S. (387) 321

- Urano, T., see Pawlak, R. (387) 171
Usta, C., see Özdem, S.S. (387) 321
- Vale, M.L., see Ribeiro, R.A. (387) 111
Varga, E., see Okura, T. (387) R11
Varrone, A., see Fujita, M. (387) 179
Vécsei, L., see Szupera, Z. (387) 205
Veitl, S., see Cracowski, J.-L. (387) 295
Verhoeff, N.P.L.G., see Fujita, M. (387) 179
Vermeulen, E.S., see Rodenhuis, N. (387) 39
Viganò, D., see Massi, P. (387) 343
Virtanen, R., see Haapalinna, A. (387) 141
- Wada, Y., see Saito, M. (387) 253
Wang, Z.J., see Saito, M. (387) 253
Weiss, R.M., see Saito, M. (387) 253
Wen, S., see Li, Y. (387) 337
Westerink, B.H.C., see Kawahara, H. (387) 279
Wieland, K., see Bakker, R.A. (387) R5
- Wikström, H.V., see Rodenhuis, N. (387) 39
Witkin, J.M., see Gasior, M. (387) R15
Wu, T.-M., see Chou, T.-C. (387) 125
- Xu, H., Aibiki, M., Yokono, S. and Ogli, K.
Dose-dependent effects of propofol on renal sympathetic nerve activity, blood pressure and heart rate in urethane-anesthetized rabbits (387) 79
- Yajin, K., see Tanimitsu, N. (387) 73
Yamahara, J., see Li, Y. (387) 337
Yamamura, H.I., see Okura, T. (387) R11
Yasuda, W., see Ohta, T. (387) 211
Yokono, S., see Xu, H. (387) 79
Yoshikawa, M., see Li, Y. (387) 337
- Zhang, J., see Aoki, K. (387) 119
Zoghbi, S.S., see Fujita, M. (387) 179