

Author index

- Abe, Y., see Kuriyama, K. (390) 223
- Aizawa, H., see Nogami, H. (390) 197
- Ajamieh, H.H., see Candelario-Jalil, E. (390) 295
- Akiba, S., see Hayama, M. (390) 37
- Alburges, M.E., Ramos, B.P., Bush, L. and Hanson, G.R.
Responses of the extrapyramidal and limbic substance P systems to ibogaine and cocaine treatments (390) 119
- Aleu, J., see Ros, E. (390) 7
- Alewood, P., see Broxton, N. (390) 229
- Alper, R.H. and Nelson, D.L.
Inactivation of 5-HT_{1A} receptors in hippocampal and cortical homogenates (390) 67
- Atapour, N., see Salami, M. (390) 287
- Aura, J. and Riekkinen Jr, P.
Pre-training blocks the improving effect of tetrahydroaminoacridine and D-cycloserine on spatial navigation performance in aged rats (390) 313
- Baissac, Y., see Broca, C. (390) 339
- Balster, R.L., see Bernalov, A.Y. (390) 303
- Barrett, P., see Conway, S. (390) 15
- Beardsley, P.M., see Bernalov, A.Y. (390) 303
- Bell, D. and McDermott, B.J.
Troglitazone does not initiate hypertrophy but can sensitise cardiomyocytes to growth effects of serum (390) 237
- Bernalov, A.Y., Dravolina, O.A., Zvartau, E.E., Beardsley, P.M. and Balster, R.L.
Effects of NMDA receptor antagonists on cocaine-conditioned motor activity in rats (390) 303
- Bilecki, W., Höllt, V. and Przewlocki, R.
Acute δ -opioid receptor activation induces CREB phosphorylation in NG108-15 cells (390) 1
- Bonvallet, R., see Terrenoire, C. (390) 95
- Boztok, N., see Can, C. (390) 327
- Broca, C., Manteghetti, M., Gross, R., Baissac, Y., Jacob, M., Petit, P., Sauvage, Y. and Ribes, G.
4-Hydroxyisoleucine: effects of synthetic and natural analogues on insulin secretion (390) 339
- Broxton, N., Miranda, L., Gehrmann, J., Down, J., Alewood, P. and Livett, B.
Leu¹⁰ of α -conotoxin PnIB confers potency for neuronal nicotinic responses in bovine chromaffin cells (390) 229
- Burleigh, D., Fernandes, K. and Perrett, D.
T₈₄ epithelial cells respond to 5-hydroxytryptamine when grown in serum-free media (390) 103
- Bush, L., see Alburges, M.E. (390) 119
- Bymaster, F.P. and Falcone, J.F.
Decreased binding affinity of olanzapine and clozapine for human muscarinic receptors in intact clonal cells in physiological medium (390) 245
- Can, C., Şen, S., Boztok, N. and Tuğlular, I.
Protective effect of oral L-arginine administration on gentamicin-induced renal failure in rats (390) 327
- Candelario-Jalil, E., Ajamieh, H.H., Sam, S., Martínez, G. and León Fernández, O.S.
Nimesulide limits kainate-induced oxidative damage in the rat hippocampus (390) 295
- Canning, S.J., see Conway, S. (390) 15
- Caputi, A.P., see Cuzzocrea, S. (390) 209
- Chang, L.-C. and Wang, J.-P.
Activation of p38 mitogen-activated protein kinase by formyl-methionyl-leucyl-phenylalanine in rat neutrophils (390) 61
- Chen, C.-F., see Shi, C.-C. (390) 319
- Chen, S.-Y., see Shi, C.-C. (390) 319
- Chouabe, C., see Terrenoire, C. (390) 95
- Conway, S., Canning, S.J., Howell, H.E., Mowat, E.S., Barrett, P., Drew, J.E., Delagrang, P., Lesieur, D. and Morgan, P.J.
Characterisation of human melatonin mt₁ and MT₂ receptors by CRE-luciferase reporter assay (390) 15
- Corder, R., see Lees, D.M. (390) 89
- Costantino, G., see Cuzzocrea, S. (390) 209
- Cryan, J.F., Harkin, A., Naughton, M., Kelly, J.P. and Leonard, B.E.
Characterization of D-fenfluramine-induced hypothermia: evidence for multiple sites of action (390) 275
- Cuzzocrea, S., McDonald, M.C., Filipe, H.M., Costantino, G., Mazzon, E., Santagati, S., Caputi, A.P. and Thiemermann, C.
Effects of tempol, a membrane-permeable radical scavenger, in a rodent model of carrageenan-induced pleurisy (390) 209
- D'Almeida, V., Hipólido, D.C., Lobo, L.L., De Oliveira, A.C., Nobrega, J.N. and Tufik, S.
Melatonin treatment does not prevent decreases in brain glutathione levels induced by sleep deprivation (390) 299
- Dautzenberg, F.M., Higelin, J. and Teichert, U.
Functional characterization of corticotropin-releasing factor type 1 receptor endogenously expressed in human embryonic kidney 293 cells (390) 51
- Delagrang, P., see Conway, S. (390) 15
- De Oliveira, A.C., see D'Almeida, V. (390) 299
- Doerr, G., see Kintscher, U. (390) 75
- Down, J., see Broxton, N. (390) 229
- Dravolina, O.A., see Bernalov, A.Y. (390) 303
- Drew, J.E., see Conway, S. (390) 15
- Edvinsson, L., see Malmsjö, M. (390) 173
- Erlinge, D., see Malmsjö, M. (390) 173
- Espinosa, L., see Terrenoire, C. (390) 95
- Esteky, H., see Salami, M. (390) 287
- Falcone, J.F., see Bymaster, F.P. (390) 245
- Farinas, F., see Tyler-McMahon, B.M. (390) 107
- Fathollahi, Y., see Salami, M. (390) 287
- Feldon, J., see Hedou, G. (390) 127
- Feng, Y., see LeBlanc, M.H. (390) 249
- Fernandes, K., see Burleigh, D. (390) 103
- Filipe, H.M., see Cuzzocrea, S. (390) 209

- Fleck, E., see Kintscher, U. (390) 75
- Fratkin, J.D., see LeBlanc, M.H. (390) 249
- Fujiwara, A., see Kuriyama, K. (390) 223
- Fukuda, Y., Kawashima, H., Saito, K., Inomata, N., Matsui, M. and Nakanishi, T.
Effect of human plasma-type platelet-activating factor acetylhydrolase in two anaphylactic shock models (390) 203
- Gabilondo, A.M., see González-Maeso, J. (390) 25
- Gauthier, C. and Reddix, R.
Dual effect of [D-Pen², D-Pen⁵]enkephalin on ion transport in guinea pig colon (390) 335
- Gehrmann, J., see Broxton, N. (390) 229
- González-Maeso, J., Rodríguez-Puertas, R., Gabilondo, A.M. and Meana, J.J.
Characterization of receptor-mediated [³⁵S]GTPγS binding to cortical membranes from postmortem human brain (390) 25
- Graefe, M., see Kintscher, U. (390) 75
- Graf, K., see Kintscher, U. (390) 75
- Grill, M., see Kintscher, U. (390) 75
- Gross, R., see Broca, C. (390) 339
- Hanson, G.R., see Alburges, M.E. (390) 119
- Hara, N., see Nogami, H. (390) 197
- Harkin, A., see Cryan, J.F. (390) 275
- Hayama, M., Inoue, R., Akiba, S. and Sato, T.
Inhibitory effect of cepharanthine on fibronectin production in growth factor-stimulated rat mesangial cells (390) 37
- Hedou, G., Homberg, J., Martin, S., Wirth, K., Feldon, J. and Heidbreder, C.A.
Effect of amphetamine on extracellular acetylcholine and monoamine levels in subterritories of the rat medial prefrontal cortex (390) 127
- Heidbreder, C.A., see Hedou, G. (390) 127
- Higelin, J., see Dautzenberg, F.M. (390) 51
- Hipólido, D.C., see D'Almeida, V. (390) 299
- Hirose, T., see Nogami, H. (390) 197
- Hitosugi, H., see Kamei, J. (390) 113
- Höhl, V., see Bilecki, W. (390) 1
- Homberg, J., see Hedou, G. (390) 127
- Hosoya, K., Takeda, K., Nishikimi, T., Ishimitsu, T. and Matsuoka, H.
Force-length relationship in dogs as a measure of protective effect of imidapril on regional myocardial ischemia and reperfusion injury (390) 157
- Howell, H.E., see Conway, S. (390) 15
- Ihara, T., Ikeda, U., Tate, Y., Ishibashi, S. and Shimada, K.
Positive inotropic effects of adrenomedullin on rat papillary muscle (390) 167
- Ikeda, U., see Ihara, T. (390) 167
- Inagaki, K., see Kuriyama, K. (390) 223
- Inomata, N., see Fukuda, Y. (390) 203
- Inoue, R., see Hayama, M. (390) 37
- Ishibashi, S., see Ihara, T. (390) 167
- Ishimitsu, T., see Hosoya, K. (390) 157
- Jacob, M., see Broca, C. (390) 339
- Kamei, J., Ohsawa, M. and Hitosugi, H.
Effect of diabetes on bradykinin-induced thermal hyperalgesia in mice (390) 113
- Kappert, K., see Kintscher, U. (390) 75
- Kawashima, H., see Fukuda, Y. (390) 203
- Kelly, J.P., see Cryan, J.F. (390) 275
- Kintscher, U., Kappert, K., Schmidt, G., Doerr, G., Grill, M., Wollert-Wulf, B., Graefe, M., Fleck, E. and Graf, K.
Effects of abciximab and tirofiban on vitronectin receptors in human endothelial and smooth muscle cells (390) 75
- Kitazawa, T., Maezono, Y. and Taneike, T.
The mechanisms of α_2 -adrenoceptor agonist-induced contraction in longitudinal muscle of the porcine uterus (390) 185
- Koto, H., see Nogami, H. (390) 197
- Kuriyama, K., Fujiwara, A., Inagaki, K. and Abe, Y.
Anti-inflammatory action of a novel peptide, SEK-1005, isolated from a *Streptomyces* (390) 223
- LeBlanc, M.H., Feng, Y. and Fratkan, J.D.
N-tosyl-L-phenylalanyl-chloromethylketone reduces hypoxic-ischemic brain injury in rat pups (390) 249
- Lee, S.-C., see Wu, H.-Q. (390) 267
- Lees, D.M., Pallikaros, Z. and Corder, R.
The p55 tumor necrosis factor receptor (CD120a) induces endothelin-1 synthesis in endothelial and epithelial cells (390) 89
- Leonard, B.E., see Cryan, J.F. (390) 275
- León Fernández, O.S., see Candelario-Jalil, E. (390) 295
- Lesieur, D., see Conway, S. (390) 15
- Liao, J.-F., see Shi, C.-C. (390) 319
- Livett, B., see Broxton, N. (390) 229
- Lobo, L.L., see D'Almeida, V. (390) 299
- Maezono, Y., see Kitazawa, T. (390) 185
- Malmsjö, M., Edvinsson, L. and Erlinge, D.
P2X receptors counteract the vasodilatory effects of endothelium derived hyperpolarising factor (390) 173
- Manteghetti, M., see Broca, C. (390) 339
- Marsal, J., see Ros, E. (390) 7
- Martin, S., see Hedou, G. (390) 127
- Martínez, G., see Candelario-Jalil, E. (390) 295
- Masuda, T., see Nakagawa, T. (390) 257
- Matsui, M., see Fukuda, Y. (390) 203
- Matsumoto, K., see Nogami, H. (390) 197
- Matsuoka, H., see Hosoya, K. (390) 157
- Maurice, T., Phan, V.-L., Sandillon, F. and Urani, A.
Differential effect of dehydroepiandrosterone and its steroid precursor pregnenolone against the behavioural deficits in CO-exposed mice (390) 145
- Mazzon, E., see Cuzzocrea, S. (390) 209
- McCormick, D.J., see Tyler-McMahon, B.M. (390) 107
- McDermott, B.J., see Bell, D. (390) 237
- McDonald, M.C., see Cuzzocrea, S. (390) 209
- Meana, J.J., see González-Maeso, J. (390) 25
- Minami, M., see Nakagawa, T. (390) 257
- Miranda, L., see Broxton, N. (390) 229
- Miyazaki, H., see Nogami, H. (390) 197
- Morgan, P.J., see Conway, S. (390) 15
- Motamedi, F., see Salami, M. (390) 287
- Mowat, E.S., see Conway, S. (390) 15
- Nakagawa, T., Masuda, T., Watanabe, T., Minami, M. and Satoh, M.
Possible involvement of the locus coeruleus in inhibition by prostanoid EP₃ receptor-selective agonists of morphine withdrawal syndrome in rats (390) 257
- Nakanishi, T., see Fukuda, Y. (390) 203
- Nakano, H., see Nogami, H. (390) 197
- Naughton, M., see Cryan, J.F. (390) 275
- Nelson, D.L., see Alper, R.H. (390) 67
- Nishikimi, T., see Hosoya, K. (390) 157
- Nishima, S., see Nogami, H. (390) 197
- Nobrega, J.N., see D'Almeida, V. (390) 299
- Nogami, H., Aizawa, H., Matsumoto, K., Nakano, H., Koto, H., Miyazaki, H., Hirose, T., Nishima, S. and Hara, N.
Neutrophil elastase inhibitor, ONO-5046 suppresses ozone-induced airway mucus hypersecretion in guinea pigs (390) 197
- Ohsawa, M., see Kamei, J. (390) 113

- Pache, D.M., see Subhan, F. (390) 137
 Pallikaros, Z., see Lees, D.M. (390) 89
 Perrett, D., see Burleigh, D. (390) 103
 Petit, P., see Broca, C. (390) 339
 Phan, V.-L., see Maurice, T. (390) 145
 Piriou, V., see Terrenoire, C. (390) 95
 Przewłocki, R., see Bilecki, W. (390) 1
- Ramos, B.P., see Alburges, M.E. (390) 119
 Reddix, R., see Gauthier, C. (390) 335
 Ribes, G., see Broca, C. (390) 339
 Richelson, E., see Tyler-McMahon, B.M. (390) 107
 Riekkinen Jr, P., see Aura, J. (390) 313
 Rodríguez-Puertas, R., see González-Maeso, J. (390) 25
 Ros, E., Aleu, J., Marsal, J. and Solsona, C.
 Effects of CI-1002 and CI-1017 on spontaneous synaptic activity and
 on the nicotinic acetylcholine receptor of *Torpedo* electric organ
 (390) 7
 Rougier, O., see Terrenoire, C. (390) 95
- Saito, K., see Fukuda, Y. (390) 203
 Salami, M., Fathollahi, Y., Esteky, H., Motamedi, F. and Atapour, N.
 Effects of ketamine on synaptic transmission and long-term potentia-
 tion in layer II/III of rat visual cortex in vitro (390) 287
 Sam, S., see Candelario-Jalil, E. (390) 295
 Sandillon, F., see Maurice, T. (390) 145
 Santagati, S., see Cuzzocrea, S. (390) 209
 Sato, T., see Hayama, M. (390) 37
 Satoh, M., see Nakagawa, T. (390) 257
 Sauvage, Y., see Broca, C. (390) 339
 Schmidt, G., see Kintscher, U. (390) 75
 Schwarcz, R., see Wu, H.-Q. (390) 267
 Şen, S., see Can, C. (390) 327
 Sewell, R.D.E., see Subhan, F. (390) 137
 Shi, C.-C., Chen, S.-Y., Wang, G.-J., Liao, J.-F. and Chen, C.-F.
 Vasorelaxant effect of harman (390) 319
 Shimada, K., see Ihara, T. (390) 167
 Solsona, C., see Ros, E. (390) 7
 Stewart, J.A., see Tyler-McMahon, B.M. (390) 107
 Subhan, F., Pache, D.M. and Sewell, R.D.E.
 Potentiation of opioid-induced conditioned place preference by the
 selective serotonin reuptake inhibitor fluoxetine (390) 137
- Takeda, K., see Hosoya, K. (390) 157
 Taneike, T., see Kitazawa, T. (390) 185
 Tate, Y., see Ihara, T. (390) 167
 Teichert, U., see Dautzenberg, F.M. (390) 51
 Terrenoire, C., Piriou, V., Bonvallet, R., Chouabe, C., Espinosa, L.,
 Rougier, O. and Tourneur, Y.
 Opposite effects of halothane on guinea-pig ventricular action poten-
 tial duration (390) 95
 Thiernemann, C., see Cuzzocrea, S. (390) 209
 Törnquist, K., see Vainio, M. (390) 43
 Tourneur, Y., see Terrenoire, C. (390) 95
 Tufik, S., see D'Almeida, V. (390) 299
 Tuğlular, I., see Can, C. (390) 327
 Tyler-McMahon, B.M., Stewart, J.A., Farinas, F., McCormick, D.J. and
 Richelson, E.
 Highly potent neurotensin analog that causes hypothermia and
 antinociception (390) 107
- Urani, A., see Maurice, T. (390) 145
- Vainio, M. and Törnquist, K.
 The role of adenosine A₁ receptors in the ATP-evoked Ca²⁺ response
 in rat thyroid FRTL-5 cells (390) 43
 Vollrath, B., see Wickman, G. (390) 181
- Wang, G.-J., see Shi, C.-C. (390) 319
 Wang, J.-P., see Chang, L.-C. (390) 61
 Watanabe, T., see Nakagawa, T. (390) 257
 Wickman, G. and Vollrath, B.
 Effects of tamoxifen on oxyhemoglobin-induced cerebral vasocon-
 striction (390) 181
 Wirth, K., see Hedou, G. (390) 127
 Wollert-Wulf, B., see Kintscher, U. (390) 75
 Wu, H.-Q., Lee, S.-C. and Schwarcz, R.
 Systemic administration of 4-chlorokynurenine prevents quinolinate
 neurotoxicity in the rat hippocampus (390) 267
- Zvartau, E.E., see Bespalov, A.Y. (390) 303