

Author index

- Ahn, Y.S., see Kim, C.H. (392) 133
- Aloisi, C., see Buemi, M. (392) 31
- Alper, R.H., see Gilliland, S.L. (392) 125
- Avraham, Y., see Hao, S. (392) 147
- Barthó, L., Lázár, Z., Lénárd Jr., L., Benkó, R., Tóth, G., Penke, B., Szolcsányi, J. and Maggi, C.A.
Evidence for the involvement of ATP, but not of VIP/PACAP or nitric oxide, in the excitatory effect of capsaicin in the small intestine (392) 183
- Benkó, R., see Barthó, L. (392) 183
- Berkhout, T.A., see Chapman, G.A. (392) 189
- Berry, E.M., see Hao, S. (392) 147
- Bodnar, R.J., see Krzanowska, E.K. (392) 157
- Bretus, I., see Morschl, É. (392) R5
- Buemi, M., Grasso, G., Corica, F., Calapai, G., Maria Salpietro, F., Casuscelli, T., Sfacteria, A., Aloisi, C., Concetta, A., Sturiale, A., Frisina, N. and Tomasello, F.
In vivo evidence that erythropoietin has a neuroprotective effect during subarachnoid hemorrhage (392) 31
- Burkey, T.H., see Hosohata, K. (392) R9
- Cai, F., see Kang, J. (392) 137
- Calapai, G., see Buemi, M. (392) 31
- Casuscelli, T., see Buemi, M. (392) 31
- Chan, F.L., see Huang, Y. (392) 51
- Chan, N.W.K., see Huang, Y. (392) 51
- Chapman, G.A., Moores, K.E., Gohil, J., Berkhout, T.A., Patel, L., Green, P., Macphee, C.H. and Stewart, B.R.
The role of fractalkine in the recruitment of monocytes to the endothelium (392) 189
- Chen, R.-w., see Wei, H. (392) 117
- Chen, Z.-Y., see Huang, Y. (392) 51
- Cheng, Y.-M., see Huang, Y. (392) 51
- Chuang, D.-M., see Wei, H. (392) 117
- Concetta, A., see Buemi, M. (392) 31
- Corica, F., see Buemi, M. (392) 31
- Ehinger, A.M., Gorr, G., Hoppmann, J., Telser, E., Ehinger, B. and Kietzmann, M.
Effects of the phosphodiesterase 4 inhibitor RPR 73401 in a model of immunological inflammation (392) 93
- Ehinger, B., see Ehinger, A.M. (392) 93
- Elliott, R.A., see Hudman, D. (392) 79
- Endoh, H., see Ichikawa, T. (392) 87
- Frisina, N., see Buemi, M. (392) 31
- Fujii, T., see Hishikawa, K. (392) 19
- Fukuda, N., see Kishioka, H. (392) 129
- Fuxe, K., see Heijtz, R.D. (392) 35
- Gabrilovac, J. and Marotti, T.
Gender-related differences in murine T- and B-lymphocyte proliferative ability in response to in vivo [Met³]enkephalin administration (392) 101
- Gentili, F., see Polidori, C. (392) 41
- Gilliland, S.L., Alper, R.H. and Levant, B.
Pharmacology of quinpirole-stimulated [³⁵S]GTPγS binding: discrepancy with receptor binding profile (392) 125
- Gohil, J., see Chapman, G.A. (392) 189
- Gorr, G., see Ehinger, A.M. (392) 93
- Grasso, G., see Buemi, M. (392) 31
- Green, P., see Chapman, G.A. (392) 189
- Hao, S., Avraham, Y., Mechoulam, R. and Berry, E.M.
Low dose anandamide affects food intake, cognitive function, neurotransmitter and corticosterone levels in diet-restricted mice (392) 147
- Hashimoto, Y., see Terada, T. (392) 11
- Hayashi, H., Koike, H., Imanishi, N. and Tojo, S.J.
The effects of delayed treatment with sialyl Lewis X against lipopolysaccharide-induced acute lung injury in rabbits (392) 109
- Heijtz, R.D., Ögren, S.O. and Fuxe, K.
Ontogeny of the motor inhibitory role of dopamine D₃ receptor subtype in rats (392) 35
- Hill, R.G., see Simpson, P.B. (392) 1
- Hishikawa, K., Nakaki, T. and Fujii, T.
Connective tissue growth factor induces apoptosis via caspase 3 in cultured human aortic smooth muscle cells (392) 19
- Hoppmann, J., see Ehinger, A.M. (392) 93
- Hosohata, K., Logan, J.K., Varga, E., Burkey, T.H., Vanderah, T.W., Porreca, F., Hruby, V.J., Roeske, W.R. and Yamamura, H.I.
The role of the G protein γ₂ subunit in opioid antinociception in mice (392) R9
- Hotta, K., see Ichikawa, T. (392) 87
- Hruby, V.J., see Hosohata, K. (392) R9
- Hsu, C.Y., see Kim, C.H. (392) 133
- Hu, W.-Y., see Kishioka, H. (392) 129
- Huang, Y., Yao, X., Lau, C.-W., Chan, F.L., Chan, N.W.K., Cheng, Y.-M. and Chen, Z.-Y.
Role of endothelium in thapsigargin-induced arterial responses in rat aorta (392) 51
- Hudman, D., Elliott, R.A. and Norman, R.I.
Inhibition of the contractile response of the rat detrusor muscle by the β₂-adrenoceptor agonist clenbuterol (392) 79
- Ichikawa, T., Endoh, H., Hotta, K. and Ishihara, K.
Hepatocyte growth factor region specifically activates mucin synthesis in rat stomach (392) 87
- Imanishi, N., see Hayashi, H. (392) 109
- Inui, K.-i., see Terada, T. (392) 11
- Ishihara, K., see Ichikawa, T. (392) 87
- Johns, R.A., see Tao, Y.-X. (392) 141
- Kang, J., Wang, L., Cai, F. and Rampe, D.
High affinity blockade of the HERG cardiac K⁺ channel by the neuroleptic pimozide (392) 137
- Kanmatsuse, K., see Kishioka, H. (392) 129

- Karasu, Ç.
Time course of changes in endothelium-dependent and -independent relaxation of chronically diabetic aorta: role of reactive oxygen species (392) 163
- Kietzmann, M., see Ehinger, A.M. (392) 93
- Kim, C.H., Kim, J.H., Moon, S.J., Hsu, C.Y., Seo, J.T. and Ahn, Y.S.
Biphasic effects of dithiocarbamates on the activity of nuclear factor- κ B (392) 133
- Kim, J.H., see Kim, C.H. (392) 133
- Kishioka, H., Fukuda, N., Nakayama, M., Hu, W.-Y., Satoh, C., Kamatsuse, K. and Manoharan, M.
Effect of methylene methylimino linkage of antisense oligonucleotide to the platelet-derived growth factor A-chain on growth of vascular smooth muscle cells from spontaneously hypertensive rats (392) 129
- Koike, H., see Hayashi, H. (392) 109
- Krzanowska, E.K. and Bodnar, R.J.
Analysis of sex and gonadectomy differences in β -endorphin antinociception elicited from the ventrolateral periaqueductal gray in rats (392) 157
- László, F., see Morschl, É. (392) R5
- Lau, C.-W., see Huang, Y. (392) 51
- Lázár, Z., see Barthó, L. (392) 183
- Leeds, P.R., see Wei, H. (392) 117
- Lénárd Jr., L., see Barthó, L. (392) 183
- Levant, B., see Gilliland, S.L. (392) 125
- Li, Y., Matsuda, H., Yamahara, J. and Yoshikawa, M.
Acceleration of gastrointestinal transit by momordin Ic in mice: possible involvement of 5-hydroxytryptamine, 5-HT₂ receptors and prostaglandins (392) 71
- Logan, J.K., see Hosohata, K. (392) R9
- Macphee, C.H., see Chapman, G.A. (392) 189
- Maeda, H., see Nakatani, Y. (392) 175
- Maggi, C.A., see Barthó, L. (392) 183
- Manoharan, M., see Kishioka, H. (392) 129
- Maria Salpietro, F., see Buemi, M. (392) 31
- Marotti, T., see Gabrilovac, J. (392) 101
- Massi, M., see Polidori, C. (392) 41
- Matsuda, H., see Li, Y. (392) 71
- Matsuda, K., Sekiguchi, F., Yamamoto, K., Shimamura, K. and Sunano, S.
Unaltered endothelium-dependent modulation of contraction in the pulmonary artery of hypertensive rats (392) 61
- Mechoulam, R., see Hao, S. (392) 147
- Moon, S.J., see Kim, C.H. (392) 133
- Moores, K.E., see Chapman, G.A. (392) 189
- Morschl, É., Bretus, I., Pávó, I., Topa, L., Weiszhar, Z. and László, F.
Nitric oxide-mediated mucus hypersecretion protects the stomach of ovariectomized rats (392) R5
- Murakami, Y., see Yokotani, K. (392) 23
- Nakaki, T., see Hishikawa, K. (392) 19
- Nakamura, K., see Yokotani, K. (392) 23
- Nakatani, Y., Nishimura, Y., Nishiuma, T., Maeda, H. and Yokoyama, M.
Tumor necrosis factor- α augments contraction and cytosolic Ca²⁺ sensitivity through phospholipase A₂ in bovine tracheal smooth muscle (392) 175
- Nakayama, M., see Kishioka, H. (392) 129
- Nishimura, Y., see Nakatani, Y. (392) 175
- Nishiuma, T., see Nakatani, Y. (392) 175
- Norman, R.I., see Hudman, D. (392) 79
- Panocka, I., see Polidori, C. (392) 41
- Patel, L., see Chapman, G.A. (392) 189
- Pávó, I., see Morschl, É. (392) R5
- Penke, B., see Barthó, L. (392) 183
- Pigini, M., see Polidori, C. (392) 41
- Polidori, C., Gentili, F., Pigini, M., Quaglia, W., Panocka, I. and Massi, M.
Hyperphagic effect of novel compounds with high affinity for imidazole I₂ binding sites (392) 41
- Porreca, F., see Hosohata, K. (392) R9
- Qian, Y., see Wei, H. (392) 117
- Quaglia, W., see Polidori, C. (392) 41
- Rampe, D., see Kang, J. (392) 137
- Roeske, W.R., see Hosohata, K. (392) R9
- Saito, H., see Terada, T. (392) 11
- Satoh, C., see Kishioka, H. (392) 129
- Sawada, K., see Terada, T. (392) 11
- Seabrook, G.R., see Simpson, P.B. (392) 1
- Sekiguchi, F., see Matsuda, K. (392) 61
- Seo, J.T., see Kim, C.H. (392) 133
- Sfacteria, A., see Buemi, M. (392) 31
- Shimamura, K., see Matsuda, K. (392) 61
- Simpson, P.B., Woollacott, A.J., Hill, R.G. and Seabrook, G.R.
Functional characterization of bradykinin analogues on recombinant human bradykinin B₁ and B₂ receptors (392) 1
- Stewart, B.R., see Chapman, G.A. (392) 189
- Sturiale, A., see Buemi, M. (392) 31
- Sunano, S., see Matsuda, K. (392) 61
- Szolcsányi, J., see Barthó, L. (392) 183
- Tao, Y.-X. and Johns, R.A.
Activation of cGMP-dependent protein kinase I α is required for N-methyl-D-aspartate- or nitric oxide-produced spinal thermal hyperalgesia (392) 141
- Telser, E., see Ehinger, A.M. (392) 93
- Terada, T., Sawada, K., Saito, H., Hashimoto, Y. and Inui, K.-i.
Inhibitory effect of novel oral hypoglycemic agent nateglinide (AY4166) on peptide transporters PEPT1 and PEPT2 (392) 11
- Thorlacius, H., see Zhang, X.W. (392) R1
- Tojo, S.J., see Hayashi, H. (392) 109
- Tomasello, F., see Buemi, M. (392) 31
- Topa, L., see Morschl, É. (392) R5
- Tóth, G., see Barthó, L. (392) 183
- Vanderah, T.W., see Hosohata, K. (392) R9
- Varga, E., see Hosohata, K. (392) R9
- Wang, L., see Kang, J. (392) 137
- Wang, M., see Yokotani, K. (392) 23
- Wei, H., Leeds, P.R., Qian, Y., Wei, W., Chen, R.-w. and Chuang, D.-M.
 β -Amyloid peptide-induced death of PC 12 cells and cerebellar granule cell neurons is inhibited by long-term lithium treatment (392) 117
- Wei, W., see Wei, H. (392) 117
- Weiszhar, Z., see Morschl, É. (392) R5
- Woollacott, A.J., see Simpson, P.B. (392) 1
- Yamahara, J., see Li, Y. (392) 71
- Yamamoto, K., see Matsuda, K. (392) 61

- Yamamura, H.I., see Hosohata, K. (392) R9
- Yao, X., see Huang, Y. (392) 51
- Yokotani, K., Murakami, Y., Okada, S., Wang, M. and Nakamura, K.
Histamine H₃ receptor-mediated inhibition of endogenous acetylcholine release from the isolated, vascularly perfused rat stomach (392) 23
- Yokoyama, M., see Nakatani, Y. (392) 175
- Yoshikawa, M., see Li, Y. (392) 71
- Zhang, X.W. and Thorlacius, H.
Inhibitory actions of ropivacaine on tumor necrosis factor- α -induced leukocyte adhesion and tissue accumulation in vivo (392) R1