

Author index

- Adachi, H., Kamata, S., Kodama, K. and Nagakura, T.
Vasorelaxant effect of a phosphodiesterase 3 inhibitor, olprinone, on isolated human radial artery (396) 43
- Alt, A., see Remmers, A.E. (396) 67
- Ambrosino, G., see Beaulieu, P. (396) 85
- Aoki, T., see Suzuki, T. (396) 23
- Atkinson, P., see Wood, M. (396) 1
- Barbanoj, M., see Casas, M. (396) 93
- Beaulieu, P., Bisogno, T., Punwar, S., Farquhar-Smith, W.P., Ambrosino, G., Di Marzo, V. and Rice, A.S.C.
Role of the endogenous cannabinoid system in the formalin test of persistent pain in the rat (396) 85
- Belozertseva, I.V., Dravolina, O.A., Neznanova, O.N., Danysz, W. and Bespalov, A.Y.
Antinociceptive activity of combination of morphine and NMDA receptor antagonists depends on the inter-injection interval (396) 77
- Bespalov, A.Y., see Belozertseva, I.V. (396) 77
- Bisogno, T., see Beaulieu, P. (396) 85
- Bonner, T., see Buckley, N.E. (396) 141
- Bryan-Lluka, L.J., see Jeffery, T.K. (396) 137
- Buckley, N.E., McCoy, K.L., Mezey, É., Bonner, T., Zimmer, A., Felder, C.C., Glass, M. and Zimmer, A.
Immunomodulation by cannabinoids is absent in mice deficient for the cannabinoid CB₂ receptor (396) 141
- Casas, M., Prat, G., Rubio, A., Barbanoj, M. and Jané, F.
Lack of synergism between caffeine and SKF 38393 on rotational behavior in 6-hydroxydopamine-denervated rats (396) 93
- Chaubey, M., see Wood, M. (396) 1
- Cheong, J.H., see Seo, D.O. (396) 53
- Choi, C.-R., see Seo, D.O. (396) 53
- Chuang, H.-h., see Zygmunt, P.M. (396) 39
- Clark, M.J., see Remmers, A.E. (396) 67
- Cross, A.J., see Hudzik, T.J. (396) 101
- Daemmgen, J., see Gumina, R.J. (396) 119
- D'Agostino, G., Erbelding, D. and Kilbinger, H.
Tachykinin NK₂ receptors facilitate acetylcholine release from guinea-pig isolated trachea (396) 29
- Dailey, J.W., see Seo, D.O. (396) 53
- Danysz, W., see Belozertseva, I.V. (396) 77
- Degen, J., Gewecke, M. and Roeder, T.
The pharmacology of a dopamine receptor in the locust nervous tissue (396) 59
- Di Marzo, V., see Beaulieu, P. (396) 85
- Doods, H., see King, P.J. (396) R1
- Dravolina, O.A., see Belozertseva, I.V. (396) 77
- Drimal, D., see Drimal, J. (396) 19
- Drimal, J., Drimal Jr, J. and Drimal, D.
Enhanced endothelin ET_B receptor down-regulation in human tumor cells (396) 19
- Drimal Jr, J., see Drimal, J. (396) 19
- Erbelding, D., see D'Agostino, G. (396) 29
- Farquhar-Smith, W.P., see Beaulieu, P. (396) 85
- Felder, C.C., see Buckley, N.E. (396) 141
- Franchini, K.G., see Tanus-Santos, J.E. (396) 33
- Gewecke, M., see Degen, J. (396) 59
- Glass, M., see Buckley, N.E. (396) 141
- Gross, G.J., see Gumina, R.J. (396) 119
- Gumina, R.J., Daemmgen, J. and Gross, G.J.
Inhibition of the Na⁺/H⁺ exchanger attenuates phase 1b ischemic arrhythmias and reperfusion-induced ventricular fibrillation (396) 119
- Gyires, K., Müllner, K. and Rónai, A.Z.
Functional evidence that gastroprotection can be induced by activation of central α_{2B} -adrenoceptor subtypes in the rat (396) 131
- Högestätt, E.D., see Zygmunt, P.M. (396) 39
- Hori, M., see Izumi, M. (396) 109
- Howell, A., see Hudzik, T.J. (396) 101
- Hudzik, T.J., Howell, A., Payza, K. and Cross, A.J.
Antiparkinson potential of δ -opioid receptor agonists (396) 101
- Hyslop, S., see Tanus-Santos, J.E. (396) 33
- Izumi, M., Miyamoto, S., Hori, M., Ozaki, H. and Karaki, H.
Negative inotropic effect of endothelin-1 in the mouse right ventricle (396) 109
- Jané, F., see Casas, M. (396) 93
- Jeffery, T.K., Bryan-Lluka, L.J. and Wanstall, J.C.
Specific uptake of 5-hydroxytryptamine is reduced in lungs from hypoxic pulmonary hypertensive rats (396) 137
- Jobe, P.C., see Seo, D.O. (396) 53
- Jones, R.M. and Portoghese, P.S.
5'-Guanidinonaltrindole, a highly selective and potent κ -opioid receptor antagonist (396) 49
- Julius, D., see Zygmunt, P.M. (396) 39
- Kamata, S., see Adachi, H. (396) 43
- Karaki, H., see Izumi, M. (396) 109
- Kawasaki, T., see Okamoto, T. (396) 125
- Kilbinger, H., see D'Agostino, G. (396) 29
- King, P.J., Williams, G., Doods, H. and Widdowson, P.S.
Effect of a selective neuropeptide Y Y₂ receptor antagonist, BIIE0246 on neuropeptide Y release (396) R1
- Ko, K.H., see Seo, D.O. (396) 53
- Kodama, K., see Adachi, H. (396) 43
- Masuda, Y., see Okamoto, T. (396) 125
- Matsuzaki, K., see Okamoto, T. (396) 125
- McCoy, K.L., see Buckley, N.E. (396) 141
- Medzihradsky, F., see Remmers, A.E. (396) 67
- Mezey, É., see Buckley, N.E. (396) 141
- Mikami, D., see Piao, H. (396) 9
- Miyamoto, S., see Izumi, M. (396) 109
- Moreno Jr, H., see Tanus-Santos, J.E. (396) 33
- Movahed, P., see Zygmunt, P.M. (396) 39

- Müllner, K., see Gyires, K. (396) 131
 Muramatsu, I., see Piao, H. (396) 9
- Nagakura, T., see Adachi, H. (396) 43
 Nagase, H., see Suzuki, T. (396) 23
 Nakamura, S., see Piao, H. (396) 9
 Narita, M., see Suzuki, T. (396) 23
 Neznanova, O.N., see Belozertseva, I.V. (396) 77
- Ohnishi, O., see Suzuki, T. (396) 23
 Okamoto, T., Masuda, Y., Kawasaki, T., Shinohara, M. and Matsuzaki, K.
 Aminoguanidine prevents concanavalin A-induced hepatitis in mice (396) 125
 Ozaki, H., see Izumi, M. (396) 109
- Payza, K., see Hudzik, T.J. (396) 101
 Piao, H., Taniguchi, T., Nakamura, S., Zhu, J., Suzuki, F., Mikami, D. and Muramatsu, I.
 Cloning of rabbit α_{1b} -adrenoceptor and pharmacological comparison of α_{1a} -, α_{1b} - and α_{1d} -adrenoceptors in rabbit (396) 9
 Portoghese, P.S., see Jones, R.M. (396) 49
 Prat, G., see Casas, M. (396) 93
 Punwar, S., see Beaulieu, P. (396) 85
- Reith, M.E.A., see Seo, D.O. (396) 53
 Remmers, A.E., Clark, M.J., Alt, A., Medzihradsky, F., Woods, J.H. and Traynor, J.R.
 Activation of G protein by opioid receptors: role of receptor number and G-protein concentration (396) 67
 Rice, A.S.C., see Beaulieu, P. (396) 85
 Roeder, T., see Degen, J. (396) 59
 Rónai, A.Z., see Gyires, K. (396) 131
 Rubio, A., see Casas, M. (396) 93
 Ryu, J.R., see Seo, D.O. (396) 53
- Sampaio, R.C., see Tanus-Santos, J.E. (396) 33
 Seo, D.O., Shin, C.Y., Ryu, J.R., Cheong, J.H., Choi, C.-R., Dailey, J.W., Reith, M.E.A., Jobe, P.C. and Ko, K.H.
 Effect of norepinephrine release on adrenoceptors in severe seizure genetically epilepsy-prone rats (396) 53
 Shin, C.Y., see Seo, D.O. (396) 53
 Shinohara, M., see Okamoto, T. (396) 125
 Suzuki, F., see Piao, H. (396) 9
 Suzuki, T., Aoki, T., Ohnishi, O., Nagase, H. and Narita, M.
 Different effects of NMDA/group I metabotropic glutamate receptor agents in δ - and μ -opioid receptor agonist-induced supraspinal antinociception (396) 23
- Taniguchi, T., see Piao, H. (396) 9
 Tanus-Santos, J.E., Sampaio, R.C., Hyslop, S., Franchini, K.G. and Moreno Jr., H.
 Endothelin ET_A receptor antagonism attenuates the pressor effects of nicotine in rats (396) 33
 Thomas, D.R., see Wood, M. (396) 1
 Traynor, J.R., see Remmers, A.E. (396) 67
- Wanstall, J.C., see Jeffery, T.K. (396) 137
 Widdowson, P.S., see King, P.J. (396) R1
 Williams, G., see King, P.J. (396) R1
 Wood, M., Chaubey, M., Atkinson, P. and Thomas, D.R.
 Antagonist activity of meta-chlorophenylpiperazine and partial agonist activity of 8-OH-DPAT at the 5-HT₇ receptor (396) 1
 Woods, J.H., see Remmers, A.E. (396) 67
- Zhu, J., see Piao, H. (396) 9
 Zimmer, A., see Buckley, N.E. (396) 141
 Zygmunt, P.M., Chuang, H.-h., Movahed, P., Julius, D. and Högestätt, E.D.
 The anandamide transport inhibitor AM404 activates vanilloid receptors (396) 39