

Author index

- Abe, Y., Inagaki, K., Fujiwara, A. and Kuriyama, K.
Wound healing acceleration of a novel transforming growth factor- β inducer, SEK-1005 (408) 213
- Advenier, C., see Moreaux, B. (408) 305
- Andrejak, M., see Colas, B. (408) 63
- Araki, H., see Suemaru, K. (408) 19
- Arkle, M. and Ebenezer, I.S.
Ipsapirone suppresses food intake in food-deprived rats by an action at 5-HT_{1A} receptors (408) 273
- Ball, A.J., Flatt, P.R. and McClenaghan, N.H.
Desensitization of sulphonylurea- and nutrient-induced insulin secretion following prolonged treatment with glibenclamide (408) 327
- Bates, J.N., see Hoque, A. (408) 195
- Bates, J.N., see Travis, M.D. (408) 289
- Baumann, G., see Stangl, V. (408) 83
- Baur, R., see Thomet, U. (408) R1
- Beerens, D., see Moreaux, B. (408) 305
- Besret, L., Caldwell, M.A., Torres, E.M. and Dunnett, S.B.
Antioxidant strategy to counteract the side effects of antipsychotic therapy: an in vivo study in rats (408) 35
- Bodi, I., see Sams, A. (408) 183
- Boyé, P., see Stangl, V. (408) 83
- Bramlage, P., see Stangl, V. (408) 83
- Brown, R.E., see Podhorna, J. (408) 265
- Brown, T., see Shaw, A.M. (408) 69
- Bunton, D.C., see Shaw, A.M. (408) 69
- Butler, A.R., see Miller, M.R. (408) 335
- Caldwell, M.A., see Besret, L. (408) 35
- Cheng, J.-S., see Chou, K.-J. (408) 99
- Chou, K.-J., Fang, H.-C., Chung, H.-M., Cheng, J.-S., Lee, K.-C., Tseng, L.-L., Tang, K.-Y. and Jan, C.-R.
Effect of betulinic acid on intracellular-free Ca²⁺ levels in Madin Darby canine kidney cells (408) 99
- Chung, H.-M., see Chou, K.-J. (408) 99
- Clementi, G., see Fiore, C.E. (408) 323
- Colas, B., Slama, M., Collin, T., Safar, M. and Andrejak, M.
Mechanisms of methyclothiazide-induced inhibition of contractile responses in rat aorta (408) 63
- Collin, T., see Colas, B. (408) 63
- Cordi, A.A., see Vayssettes-Courchay, C. (408) 277
- Cutuli, V.M., see Fiore, C.E. (408) 323
- De Sarro, A., see De Sarro, G. (408) 25
- De Sarro, G., Siniscalchi, A., Ferreri, G., Gallelli, L. and De Sarro, A.
NMDA and AMPA/kainate receptors are involved in the anticonvulsant activity of riluzole in DBA/2 mice (408) 25
- Deslandes, P.N., see Subhan, F. (408) 257
- Dodd, R.H., see Thomet, U. (408) R1
- Dschietzig, T., see Stangl, V. (408) 83
- Dunnett, S.B., see Besret, L. (408) 35
- Dyer, J.L., see Longland, C.L. (408) 219
- Ebenezer, I.S., see Arkle, M. (408) 273
- Edvinsson, L., see Sams, A. (408) 183
- Endo, H., see Ogawa, O. (408) 137
- Engberg, J., see Sams, A. (408) 183
- Erol, A. and Koşay, S.
Effects of aminoguanidine administration on vascular hyporeactivity in thoracic aorta from endotoxaemic rats (408) 175
- Fang, H.-C., see Chou, K.-J. (408) 99
- Farges, R.C., see Torres, S.R. (408) 199
- Fathollahi, Y., see Zamani, R. (408) 299
- Felix, S.B., see Stangl, V. (408) 83
- Ferrara, P., see Torres, S.R. (408) 199
- Ferreri, G., see De Sarro, G. (408) 25
- Fiore, C.E., Pennisi, P., Cutuli, V.M., Prato, A., Messina, R. and Clementi, G.
L-arginine prevents bone loss and bone collagen breakdown in cyclosporin A-treated rats. (408) 323
- Flatt, P.R., see Ball, A.J. (408) 327
- Fröde, T.S., see Torres, S.R. (408) 199
- Fujiwara, A., see Abe, Y. (408) 213
- Fukuuchi, Y., see Takahashi, S. (408) 127
- Gallelli, L., see De Sarro, G. (408) 25
- Giuffrida, A., Rodriguez de Fonseca, F., Nava, F., Loubet-Lescoulié, P. and Piomelli, D.
Elevated circulating levels of anandamide after administration of the transport inhibitor, AM404 (408) 161
- Goldberg, S.R., see Munzar, P. (408) 169
- Gomita, Y., see Suemaru, K. (408) 19
- Gotoh, J., see Takahashi, S. (408) 127
- Gustin, P., see Moreaux, B. (408) 305
- Hajizadeh, S., see Zamani, R. (408) 299
- Halloy, D., see Moreaux, B. (408) 305
- Hayashi, T., see Ogawa, O. (408) 137
- Hicks, C.A., Ward, M.A. and O'Neill, M.J.
Neuroprotective effects of the neuronal Ca²⁺ channel blockers, LY042826 and LY393615 in vivo (408) 241
- Higashi, H., see Higuchi, E. (408) 107
- Higuchi, E., Nishi, A., Higashi, H., Ito, Y. and Kato, H.
Phosphorylation of protein phosphatase-1 inhibitors, inhibitor-1 and DARPP-32, in renal medulla (408) 107
- Hong, W. and Werling, L.L.
Evidence that the σ_1 receptor is not directly coupled to G proteins (408) 117
- Hoque, A., Bates, J.N. and Lewis, S.J.
Redox regulation of S-nitrosocysteine-mediated vasodilation in vivo (408) 195
- Hoque, A., see Travis, M.D. (408) 289
- Humphreys-Beher, M.G., see Koller, M.M. (408) 91

- Iguchi, A., see Ogawa, O. (408) 137
 Inagaki, K., see Abe, Y. (408) 213
 Irvine, J., see Shaw, A.M. (408) 69
 Ito, Y., see Higuchi, E. (408) 107
- Jan, C.-R., see Chou, K.-J. (408) 99
 Jansen-Olesen, I., see Sams, A. (408) 183
- Kato, H., see Higuchi, E. (408) 107
 Kinkel, H.-T., see Stangl, V. (408) 83
 Knyihár-Csillik, E., see Sams, A. (408) 183
 Koch, T., see Sebens, J.B. (408) 11
 Koga, K., Kurokawa, M., Ochi, M., Nakamura, J. and Kuwana, Y.
 Adenosine A_{2A} receptor antagonists KF17837 and KW-6002 potenti-
 ate rotation induced by dopaminergic drugs in hemi-Parkinsonian rats
 (408) 249
 Koller, M.M., Maeda, N., Scarpace, P.J. and Humphreys-Beher, M.G.
 Desipramine changes salivary gland function, oral microbiota, and
 oral health in rats (408) 91
 Korf, J., see Sebens, J.B. (408) 11
 Koşay, S., see Erol, A. (408) 175
 Kuipers, S.D., see Sebens, J.B. (408) 11
 Kuriyama, K., see Abe, Y. (408) 213
 Kurokawa, M., see Koga, K. (408) 249
 Kutkat, S.W., see Munzar, P. (408) 169
 Kuwana, Y., see Koga, K. (408) 249
 Kuwano, M., see Ushigome, F. (408) 1
- Lahlou, S.
 Blunted pressor responsiveness to intravenous quinpirole in con-
 scious, chronic spinal cord-transected rats: peripheral vs. spinal mech-
 anisms (408) 51
- Lee, K.-C., see Chou, K.-J. (408) 99
 Lewis, S.J., see Hoque, A. (408) 195
 Lewis, S.J., see Travis, M.D. (408) 289
 Lin, Q., see Lu, X.-C.M. (408) 233
 Liu, W., see Lu, X.-C.M. (408) 233
 Liu, X.J., White, T.D. and Sawynok, J.
 Potentiation of formalin-evoked adenosine release by an adenosine
 kinase inhibitor and an adenosine deaminase inhibitor in the rat hind
 paw: a microdialysis study (408) 143
 Longland, C.L., Dyer, J.L. and Michelangeli, F.
 The mycotoxin paaxilline inhibits the cerebellar inositol 1,4,5-tri-
 phosphate receptor (408) 219
 Loubet-Lescoulié, P., see Giuffrida, A. (408) 161
 Lu, X.-C.M., Tang, Z., Liu, W., Lin, Q. and Slusher, B.S.
 N-acetylaspartylglutamate protects against transient focal cerebral is-
 chemia in rats (408) 233
- MacDonald, A., see Shaw, A.M. (408) 69
 Maeda, N., see Koller, M.M. (408) 91
 Matsuo, H., see Ushigome, F. (408) 1
 Matsuyama, H., see Thapaliya, S. (408) 313
 Mazzei, F.A., see Miller, M.R. (408) 335
 McClenaghan, N.H., see Ball, A.J. (408) 327
 McGregor, I.S., see Morley, K.C. (408) 41
 Megson, I.L., see Miller, M.R. (408) 335
 Messina, R., see Fiore, C.E. (408) 323
 Michelangeli, F., see Longland, C.L. (408) 219
 Miller, C.R., see Munzar, P. (408) 169
 Miller, M.R., Roseberry, M.J., Mazzei, F.A., Butler, A.R., Webb, D.J.
 and Megson, I.L.
 Novel S-nitrosothiols do not engender vascular tolerance and remain
 effective in glyceryltrinitrate-tolerant rat femoral arteries (408) 335
- Moreaux, B., Nemmar, A., Vincke, G., Halloy, D., Beerens, D., Adve-
 nier, C. and Gustin, P.
 Role of substance P and tachykinin receptor antagonists in citric
 acid-induced cough in pigs (408) 305
 Morley, K.C. and McGregor, I.S.
 (±)-3,4-Methylenedioxymethamphetamine (MDMA, 'Ecstasy') in-
 creases social interaction in rats (408) 41
 Munzar, P., Kutkat, S.W., Miller, C.R. and Goldberg, S.R.
 Failure of baclofen to modulate discriminative-stimulus effects of
 cocaine or methamphetamine in rats (408) 169
- Nakamura, A., see Ogawa, O. (408) 137
 Nakamura, J., see Koga, K. (408) 249
 Nakamura, T., see Ushigome, F. (408) 1
 Nakano, H., see Ushigome, F. (408) 1
 Nardi, G.M., see Torres, S.R. (408) 199
 Nava, F., see Giuffrida, A. (408) 161
 Nemmar, A., see Moreaux, B. (408) 305
 Nicolas, P., see Vassy, R. (408) 227
 Nishi, A., see Higuchi, E. (408) 107
- Ochi, M., see Koga, K. (408) 249
 Ogawa, O., Umegaki, H., Sumi, D., Hayashi, T., Nakamura, A., Thakur,
 N.K., Yoshimura, J., Endo, H. and Iguchi, A.
 Inhibition of inducible nitric oxide synthase gene expression by
 indomethacin or ibuprofen in β -amyloid protein-stimulated J774 cells
 (408) 137
 Ohtani, H., see Ushigome, F. (408) 1
 O'Neill, M.J., see Hicks, C.A. (408) 241
- Pache, D.M., see Subhan, F. (408) 257
 Pennisi, P., see Fiore, C.E. (408) 323
 Perret, G.Y., see Vassy, R. (408) 227
 Piomelli, D., see Giuffrida, A. (408) 161
 Podhorna, J. and Brown, R.E.
 Interactions between *N*-methyl-D-aspartate and nitric oxide in the
 modulation of ultrasonic vocalizations of infant rats (408) 265
 Prato, A., see Fiore, C.E. (408) 323
- Ragonnet, C., see Vayssettes-Courchay, C. (408) 277
 Reeb, R., see Torres, S.R. (408) 199
 Ribeiro-do-Valle, R.M., see Torres, S.R. (408) 199
 Rodriguez de Fonseca, F., see Giuffrida, A. (408) 161
 Roseberry, M.J., see Miller, M.R. (408) 335
- Safar, M., see Colas, B. (408) 63
 Sams, A., Knyihár-Csillik, E., Engberg, J., Szok, D., Tajti, J., Bodi, I.,
 Edvinsson, L., Vécsei, L. and Jansen-Olesen, I.
 CGRP and adrenomedullin receptor populations in human cerebral
 arteries: in vitro pharmacological and molecular investigations in
 different artery sizes (408) 183
 Sawada, Y., see Ushigome, F. (408) 1
 Sawynok, J., see Liu, X.J. (408) 143
 Scarpace, P.J., see Koller, M.M. (408) 91
 Scott, S., see Van Haaren, F. (408) 153
 Sebens, J.B., Kuipers, S.D., Koch, T., Ter Horst, G.J. and Korf, J.
 Limited participation of 5-HT_{1A} and 5-HT_{2A/2C} receptors in the
 clozapine-induced Fos-protein expression in rat forebrain regions
 (408) 11
 Semnanian, S., see Zamani, R. (408) 299
 Sewell, R.D.E., see Subhan, F. (408) 257
 Shaw, A.M., Bunton, D.C., Brown, T., Irvine, J. and MacDonald, A.
 Regulation of sensitivity to 5-hydroxytryptamine in pulmonary super-
 numery but not conventional arteries by a 5-HT_{1D}-like receptor
 (408) 69

- Shibata, M., see Takahashi, S. (408) 127
- Sigel, E., see Thomet, U. (408) R1
- Siniscalchi, A., see De Sarro, G. (408) 25
- Slama, M., see Colas, B. (408) 63
- Slusher, B.S., see Lu, X.-C.M. (408) 233
- Stangl, K., see Stangl, V. (408) 83
- Stangl, V., Dschietzig, T., Bramlage, P., Boyé, P., Kinkel, H.-T., Staudt, A., Baumann, G., Felix, S.B. and Stangl, K.
Adrenomedullin and myocardial contractility in the rat (408) 83
- Starzec, A., see Vassy, R. (408) 227
- Staudt, A., see Stangl, V. (408) 83
- Subhan, F., Deslandes, P.N., Pache, D.M. and Sewell, R.D.E.
Do antidepressants affect motivation in conditioned place preference? (408) 257
- Suemaru, K., Araki, H. and Gomita, Y.
Involvement of 5-hydroxytryptamine_{1A} receptors in nicotine-induced tail tremor in rats (408) 19
- Sumi, D., see Ogawa, O. (408) 137
- Szok, D., see Sams, A. (408) 183
- Tajti, J., see Sams, A. (408) 183
- Takahashi, S., Shibata, M., Gotoh, J. and Fukuuchi, Y.
Astroglial cell death induced by excessive influx of sodium ions (408) 127
- Takanaga, H., see Ushigome, F. (408) 1
- Takewaki, T., see Thapaliya, S. (408) 313
- Tang, K.-Y., see Chou, K.-J. (408) 99
- Tang, Z., see Lu, X.-C.M. (408) 233
- Ter Horst, G.J., see Sebens, J.B. (408) 11
- Thakur, N.K., see Ogawa, O. (408) 137
- Thapaliya, S., Matsuyama, H. and Takewaki, T.
Bradykinin causes endothelium-independent hyperpolarisation and neuromodulation by prostanoid synthesis in hamster mesenteric artery (408) 313
- Thomet, U., Baur, R., Dodd, R.H. and Sigel, E.
Loreclezole as a simple functional marker for homomeric ρ type GABA_C receptors (408) R1
- Torres, E.M., see Besret, L. (408) 35
- Torres, S.R., Fröde, T.S., Nardi, G.M., Vita, N., Reeb, R., Ferrara, P., Ribeiro-do-Valle, R.M. and Farges, R.C.
Anti-inflammatory effects of peripheral benzodiazepine receptor ligands in two mouse models of inflammation (408) 199
- Travis, M.D., Hoque, A., Bates, J.N. and Lewis, S.J.
Blockade of voltage-sensitive Ca²⁺-channels markedly diminishes nitric oxide- but not L-S-nitrosocysteine- or endothelium-dependent vasodilation in vivo (408) 289
- Tseng, L.-L., see Chou, K.-J. (408) 99
- Tsukimori, K., see Ushigome, F. (408) 1
- Tucker, L.B., see Van Haaren, F. (408) 153
- Uchiumi, T., see Ushigome, F. (408) 1
- Umegaki, H., see Ogawa, O. (408) 137
- Ushigome, F., Takanaga, H., Matsuo, H., Yanai, S., Tsukimori, K., Nakano, H., Uchiumi, T., Nakamura, T., Kuwano, M., Ohtani, H. and Sawada, Y.
Human placental transport of vinblastine, vincristine, digoxin and progesterone: contribution of P-glycoprotein (408) 1
- Van Haaren, F., Scott, S. and Tucker, L.B.
 κ -Opioid receptor-mediated analgesia: hotplate temperature and sex differences (408) 153
- Vassy, R., Starzec, A., Yin, Y.-L., Nicolas, P. and Perret, G.Y.
Amiodarone has exclusively non-genomic action on cardiac β -adrenoceptor regulation (408) 227
- Vayssettes-Courchay, C., Ragonnet, C., Cordi, A.A. and Verbeuren, T.J.
In vivo analysis of adrenergic and serotonergic constrictions of the rabbit saphenous vein (408) 277
- Vécsei, L., see Sams, A. (408) 183
- Verbeuren, T.J., see Vayssettes-Courchay, C. (408) 277
- Vincke, G., see Moreaux, B. (408) 305
- Vita, N., see Torres, S.R. (408) 199
- Ward, M.A., see Hicks, C.A. (408) 241
- Webb, D.J., see Miller, M.R. (408) 335
- Werling, L.L., see Hong, W. (408) 117
- White, T.D., see Liu, X.J. (408) 143
- Yanai, S., see Ushigome, F. (408) 1
- Yin, Y.-L., see Vassy, R. (408) 227
- Yoshimura, J., see Ogawa, O. (408) 137
- Zamani, R., Semnanian, S., Fathollahi, Y. and Hajizadeh, S.
Systemic naloxone enhances cerebral blood flow in anesthetized morphine-dependent rats (408) 299