

Author index

- Abdolhoseini, M.R., see Nahavandi, A. (411) 137
- Abdoli, A., see Nahavandi, A. (411) 137
- Ábrahám, C.S., see Deli, M.A. (411) R3
- Adam, F., Le Bars, D., Chauvin, M. and Guirimand, F.
Effects of intravenous and intrathecal sufentanil on a C-fibre reflex elicited by a wide range of stimulus intensities in the rat (411) 93
- Adding, L.C., Agvald, P., Artlich, A. and Gustafsson, L.E.
Activation of sympathoadrenomedullary system increases pulmonary nitric oxide production in the rabbit (411) 311
- Agvald, P., see Adding, L.C. (411) 311
- Ahlenius, S., see Eltayb, A. (411) 275
- Alexander, S.P.H. and Millns, P.J.
[³H]ZM241385—an antagonist radioligand for adenosine A_{2A} receptors in rat brain (411) 205
- Argiolas, A., see Melis, M.R. (411) 305
- Artlich, A., see Adding, L.C. (411) 311
- Asghar, M., Hussain, T. and Lokhandwala, M.F.
Activation of dopamine D₁-like receptor causes phosphorylation of α_1 -subunit of Na⁺,K⁺-ATPase in rat renal proximal tubules (411) 61
- Balfagón, G., see Ruiz-Nuño, A. (411) 289
- Baumann, M.H., see Heidbreder, C.A. (411) 107
- Billah, M., see Umland, S.P. (411) 211
- Bogaert, L., O'Neill, M.J., Moonen, J., Sarre, S., Smolders, I., Ebinger, G. and Michotte, Y.
The effects of LY393613, nimodipine and verapamil, in focal cerebral ischaemia (411) 71
- Borea, P.A., see Dalpiaz, A. (411) 327
- Bowen, W.D., see Matsumoto, R.R. (411) 261
- Bredenbröker, D., Dyarmand, D., Meingast, U., Fehmann, H.-C., Staats, P., Von Wichert, P. and Wagner, U.
Effects of the nitric oxide/cGMP system compared with the cAMP system on airway mucus secretion in the rat (411) 319
- Cano-Abad, M., see Ruiz-Nuño, A. (411) 289
- Casalotti, S.O., see Kaewsuk, S. (411) 11
- Chauvin, M., see Adam, F. (411) 93
- Cheon, H.G., Lee, S.S., Lim, H. and Lee, D.H.
Pharmacological properties of a newly synthesized H⁺/K⁺ ATPase inhibitor, 1-(2-methyl-4-methoxyphenyl)-4-[(3-hydroxypropyl)amino]-6-methyl-2,3-dihydropyrrolo[3,2-c]quinoline (411) 191
- Cheon, H.G., Lim, H. and Lee, D.H.
Biochemical properties of a newly synthesized H⁺/K⁺ ATPase inhibitor, 1-(2-methyl-4-methoxyphenyl)-4-[(3-hydroxypropyl)amino]-6-methyl-2,3-dihydropyrrolo[3,2-c]quinoline (411) 183
- Chiba, S., see Kubo, T. (411) 27
- Cho, C.-H., see Guo, X. (411) 199
- Dalpiaz, A., Scatturin, A., Vertuani, G., Pecoraro, R., Borea, P.A., Varani, K., Traniello, S. and Spisani, S.
Met-Ile-Phe-Leu derivatives: full and partial agonists of human neurophil formylpeptide receptors (411) 327
- De Costa, B.R., see Matsumoto, R.R. (411) 261
- Deghenghi, R., see Melis, M.R. (411) 305
- Dehpour, A.R., see Nahavandi, A. (411) 137
- Deli, M.A., Ábrahám, C.S., Takahata, H. and Niwa, M.
Tissue plasminogen activator inhibits P-glycoprotein activity in brain endothelial cells (411) R3
- Dremencov, E., see Gur, E. (411) 115
- Dyarmand, D., see Bredenbröker, D. (411) 319
- Ebinger, G., see Bogaert, L. (411) 71
- Egan, R.W., see Umland, S.P. (411) 211
- Egebjerg, J., see Stensbøl, T.B. (411) 245
- Eltayb, A., Svensson, T.H. and Ahlenius, S.
Cataplexy induced by the 5-HT_{1A} receptor antagonist WAY 100635 in rats pretreated with the selective serotonin reuptake inhibitor citalopram (411) 275
- Fathollahi, Y., see Saiepour, M.H. (411) 85
- Fehmann, H.-C., see Bredenbröker, D. (411) 319
- Fischer, S., Renz, D., Schaper, W. and Karliczek, G.F.
In vitro effects of dexamethasone on hypoxia-induced hyperpermeability and expression of vascular endothelial growth factor (411) 231
- Frydenvang, K., see Stensbøl, T.B. (411) 245
- Fukuda, A., see Ikeda, M. (411) 45
- Fukumori, R., see Kubo, T. (411) 27
- García, A.G., see Ruiz-Nuño, A. (411) 289
- Gebicke-Haerter, P.J., see Kitamura, Y. (411) 223
- Gerlach, M., see Koutsilieri, E. (411) R1
- Gibson, A.
Phosphodiesterase 5 inhibitors and nitrergic transmission—from zaprinast to sildenafil (411) 1
- Götz, M.E., see Koutsilieri, E. (411) R1
- Govitrapong, P., see Kaewsuk, S. (411) 11
- Guirimand, F., see Adam, F. (411) 93
- Guo, X., Liu, E.S.L., Ko, J.K.S., Wong, B.C.Y., Ye, Y.-N., Lam, S.-K. and Cho, C.-H.
Protective role of cyclooxygenase inhibitors in the adverse action of passive cigarette smoking on the initiation of experimental colitis in rats (411) 199
- Gur, E., Dremencov, E., Lerer, B. and Newman, M.E.
Functional effects of corticosterone on 5-HT_{1A} and 5-HT_{1B} receptor activity in rat brain: in vivo microdialysis studies (411) 115
- Gustafsson, L.E., see Adding, L.C. (411) 311
- Heidbreder, C.A. and Baumann, M.H.
Autoregulation of dopamine synthesis in subregions of the rat nucleus accumbens (411) 107
- Henze, A., see Zemgulis, V. (411) 145
- Hey, J.A., see Umland, S.P. (411) 211
- Homayounfar, H., see Nahavandi, A. (411) 137
- Hussain, T., see Asghar, M. (411) 61
- Hutamekalin, P., see Kaewsuk, S. (411) 11
- Ibusuki, T., see Kubo, T. (411) 27
- Iida, S., Taguchi, H., Watanabe, N., Kushihiro, T. and Kanmatsuse, K.
Insulin-induced relaxation of rat mesenteric artery is mediated by Ca²⁺-activated K⁺ channels (411) 157

- Ikeda, M., Fukuda, A., Takagi, M., Morita, M. and Shimada, Y.
Inhibitory effect of pentalenolactone on vascular smooth muscle cell proliferation (411) 45
- Ikeo, T., see Takagi, M. (411) 163
- Imamura, H., see Kawasaki, H. (411) 35
- Imanari, T., see Mitani, H. (411) 171
- Inagaki, C., see Kawasaki, H. (411) 35
- Inoue, H., see Takagi, M. (411) 163
- Jensen, H.S., see Stensbøl, T.B. (411) 245
- Jin, D., see Takai, S. (411) 301
- Johansen, T.N., see Stensbøl, T.B. (411) 245
- Joles, J.A., see Verhagen, A.M.G. (411) 177
- Kaewsuk, S., Hutamekalin, P., Ketterman, A.J., Khotchabhakdi, N., Govitrapong, P. and Casalotti, S.O.
Morphine induces short-lived changes in G-protein gene expression in rat prefrontal cortex (411) 11
- Kakimura, J.-i., see Kitamura, Y. (411) 223
- Kambe, T., see Kubo, T. (411) 27
- Kamei, K., see Muneoka, K. (411) 279
- Kanmatsuse, K., see Iida, S. (411) 157
- Karliczek, G.F., see Fischer, S. (411) 231
- Kato, H., see Muneoka, K. (411) 279
- Kawasaki, H., Otani, H., Mishima, K., Imamura, H. and Inagaki, C.
Involvement of anion exchange in the hypoxia/reoxygenation-induced changes in pH_i and $[\text{Ca}^{2+}]_i$ in cardiac myocyte (411) 35
- Keef, K.D., see Mutafova-Yambolieva, V.N. (411) 125
- Ketterman, A.J., see Kaewsuk, S. (411) 11
- Khodjastehfar, E., see Zarrindast, M.-R. (411) 283
- Khotchabhakdi, N., see Kaewsuk, S. (411) 11
- Kikkawa, K., see Takagi, M. (411) 163
- Kirimura, K., see Takai, S. (411) 301
- Kitamura, Y., Kakimura, J.-i., Koike, H., Umeki, M., Gebicke-Haerter, P.J., Nomura, Y. and Taniguchi, T.
Effects of 15-deoxy- $\Delta^{12,14}$ prostaglandin J_2 and interleukin-4 in Toll-like receptor-4-mutant glial cells (411) 223
- Ko, J.K.S., see Guo, X. (411) 199
- Koike, H., see Kitamura, Y. (411) 223
- Koomans, H.A., see Verhagen, A.M.G. (411) 177
- Koshiishi, I., see Mitani, H. (411) 171
- Koutsilieris, E., Scheller, C., Sopper, S., Götz, M.E., Gerlach, M., Ter Meulen, V. and Riederer, P.
Selegiline completely restores choline acetyltransferase activity deficits in simian immunodeficiency infection (411) R1
- Krogsgaard-Larsen, P., see Stensbøl, T.B. (411) 245
- Kubo, T., Ibusuki, T., Chiba, S., Kambe, T. and Fukumori, R.
Mitogen-activated protein kinase activity regulation role of angiotensin and endothelin systems in vascular smooth muscle cells (411) 27
- Kushiro, T., see Iida, S. (411) 157
- Lam, S.-K., see Guo, X. (411) 199
- Le Bars, D., see Adam, F. (411) 93
- Lee, D.H., see Cheon, H.G. (411) 183
- Lee, D.H., see Cheon, H.G. (411) 191
- Lee, S.S., see Cheon, H.G. (411) 191
- Lerer, B., see Gur, E. (411) 115
- Lim, H., see Cheon, H.G. (411) 183
- Lim, H., see Cheon, H.G. (411) 191
- Linsdell, P.
Direct block of the cystic fibrosis transmembrane conductance regulator Cl^- channel by butyrate and phenylbutyrate (411) 255
- Liu, E.S.L., see Guo, X. (411) 199
- Locatelli, V., see Melis, M.R. (411) 305
- Lokhandwala, M.F., see Asghar, M. (411) 61
- López, M.G., see Ruiz-Nuño, A. (411) 289
- Maksay, G. and McKernan, R.
Entropy as the predominant driving force of binding to human recombinant $\alpha_x\beta_3\gamma_2$ GABA_A receptors (411) 55
- Manev, H., Uz, T., Smalheiser, N.R. and Manev, R.
Antidepressants alter cell proliferation in the adult brain in vivo and in neural cultures in vitro (411) 67
- Manev, R., see Manev, H. (411) 67
- Mani, A.R., see Nahavandi, A. (411) 137
- Matsumoto, R.R., McCracken, K.A., Pouw, B., Miller, J., Bowen, W.D., Williams, W. and De Costa, B.R.
N-alkyl substituted analogs of the σ receptor ligand BD1008 and traditional σ receptor ligands affect cocaine-induced convulsions and lethality in mice (411) 261
- McCracken, K.A., see Matsumoto, R.R. (411) 261
- McKernan, R., see Maksay, G. (411) 55
- Meingast, U., see Bredenbröcker, D. (411) 319
- Melis, M.R., Succu, S., Spano, M.S., Torsello, A., Locatelli, V., Muller, E.E., Deghenghi, R. and Argiolas, A.
Penile erection induced by EP 80661 and other hexarelin peptide analogues: involvement of paraventricular nitric oxide (411) 305
- Michotte, Y., see Bogaert, L. (411) 71
- Miller, J., see Matsumoto, R.R. (411) 261
- Millns, P.J., see Alexander, S.P.H. (411) 205
- Mimura, Y., see Muneoka, K. (411) 279
- Mishima, K., see Kawasaki, H. (411) 35
- Mitani, H., Koshiishi, I., Sumita, T. and Imanari, T.
Prevention of the photodamage in the hairless mouse dorsal skin by kojic acid as an iron chelator (411) 171
- Miyazaki, M., see Takai, S. (411) 301
- Mochida, H., see Takagi, M. (411) 163
- Moonen, J., see Bogaert, L. (411) 71
- Morita, M., see Ikeda, M. (411) 45
- Muller, E.E., see Melis, M.R. (411) 305
- Muneoka, K., Ogawa, T., Kamei, K., Mimura, Y., Kato, H. and Takigawa, M.
Nicotine exposure during pregnancy is a factor which influences serotonin transporter density in the rat brain (411) 279
- Muszyńska, A., Wołczyński, S. and Pałka, J.
The mechanism for anthracycline-induced inhibition of collagen biosynthesis (411) 17
- Mutafova-Yambolieva, V.N. and Keef, K.D.
Frequency dependent α_2 -adrenoceptor mediated modulation of excitatory junction potentials in guinea-pig mesenteric artery (411) 125
- Nahavandi, A., Dehpour, A.R., Mani, A.R., Homayounfar, H., Abdoli, A. and Abdolhoseini, M.R.
The role of nitric oxide in bradycardia of rats with obstructive cholestasis (411) 137
- Nemeroff, C.B., see Radke, J.M. (411) 131
- Newman, M.E., see Gur, E. (411) 115
- Nielsen, B., see Stensbøl, T.B. (411) 245
- Nishimoto, M., see Takai, S. (411) 301
- Niwa, M., see Deli, M.A. (411) R3
- Nomura, Y., see Kitamura, Y. (411) 223
- Noto, T., see Takagi, M. (411) 163
- Ogawa, T., see Muneoka, K. (411) 279
- O'Neill, M.J., see Bogaert, L. (411) 71
- Oryan, S., see Zarrindast, M.-R. (411) 283
- Otani, H., see Kawasaki, H. (411) 35
- Owens, M.J., see Radke, J.M. (411) 131
- Pałka, J., see Muszyńska, A. (411) 17
- Pecoraro, R., see Dalpiaz, A. (411) 327
- Pouw, B., see Matsumoto, R.R. (411) 261
- Radke, J.M., Owens, M.J. and Nemeroff, C.B.
The effects of glutamate receptor agonists on neurotensin release using in vivo microdialysis (411) 131

- Renz, D., see Fischer, S. (411) 231
- Riederer, P., see Koutsilieri, E. (411) R1
- Ronquist, G., see Zemgulis, V. (411) 145
- Rosado, A., see Ruiz-Nuño, A. (411) 289
- Ruiz-Nuño, A., Villarroya, M., Cano-Abad, M., Rosado, A., Balfagón, G., López, M.G. and García, A.G.
Mechanisms of blockade by the novel migraine prophylactic agent, dotarizine, of various brain and peripheral vessel contractility (411) 289
- Saiepour, M.H., Semnanian, S. and Fathollahi, Y.
Occurrence of morphine tolerance and dependence in the nucleus paragigantocellularis neurons (411) 85
- Sakaguchi, M., see Takai, S. (411) 301
- Sarre, S., see Bogaert, L. (411) 71
- Scatturin, A., see Dalpiaz, A. (411) 327
- Schaper, W., see Fischer, S. (411) 231
- Scheller, C., see Koutsilieri, E. (411) R1
- Semnanian, S., see Saiepour, M.H. (411) 85
- Shah, H., see Umland, S.P. (411) 211
- Shimada, Y., see Ikeda, M. (411) 45
- Smalheiser, N.R., see Manev, H. (411) 67
- Smolders, I., see Bogaert, L. (411) 71
- Sopper, S., see Koutsilieri, E. (411) R1
- Spano, M.S., see Melis, M.R. (411) 305
- Spisani, S., see Dalpiaz, A. (411) 327
- Staats, P., see Bredenbröker, D. (411) 319
- Stensbøl, T.B., Jensen, H.S., Nielsen, B., Johansen, T.N., Egebjerg, J., Frydenvang, K. and Krosgaard-Larsen, P.
Stereochemistry and molecular pharmacology of (S)-thio-ATPA, a new potent and selective GluR5 agonist (411) 245
- Succu, S., see Melis, M.R. (411) 305
- Sumita, T., see Mitani, H. (411) 171
- Svensson, T.H., see Eltayb, A. (411) 275
- Taguchi, H., see Iida, S. (411) 157
- Takagi, M., Mochida, H., Noto, T., Yano, K., Inoue, H., Ikeo, T. and Kikkawa, K.
Pharmacological profile of T-1032, a novel specific phosphodiesterase type 5 inhibitor, in isolated rat aorta and rabbit corpus cavernosum (411) 163
- Takagi, M., see Ikeda, M. (411) 45
- Takahata, H., see Deli, M.A. (411) R3
- Takai, S., Jin, D., Nishimoto, M., Sakaguchi, M., Kirimura, K., Yuda, A. and Miyazaki, M.
Cilostazol suppresses intimal formation in dog grafted veins with reduction of angiotensin II-forming enzymes (411) 301
- Takigawa, M., see Muneoka, K. (411) 279
- Taniguchi, T., see Kitamura, Y. (411) 223
- Ter Meulen, V., see Koutsilieri, E. (411) R1
- Thelin, S., see Zemgulis, V. (411) 145
- Torkaman-Boutorabi, A., see Zarrindast, M.-R. (411) 283
- Torsello, A., see Melis, M.R. (411) 305
- Traniello, S., see Dalpiaz, A. (411) 327
- Umeki, M., see Kitamura, Y. (411) 223
- Umland, S.P., Wan, Y., Shah, H., Billah, M., Egan, R.W. and Hey, J.A.
Receptor reserve analysis of the human α_{2C} -adrenoceptor using [35 S]GTP γ S and cAMP functional assays (411) 211
- Uz, T., see Manev, H. (411) 67
- Varani, K., see Dalpiaz, A. (411) 327
- Verhagen, A.M.G., Koomans, H.A. and Joles, J.A.
Predisposition of spontaneously hypertensive rats to develop renal injury during nitric oxide synthase inhibition (411) 177
- Vertuani, G., see Dalpiaz, A. (411) 327
- Villarroya, M., see Ruiz-Nuño, A. (411) 289
- Von Wichert, P., see Bredenbröker, D. (411) 319
- Wagner, U., see Bredenbröker, D. (411) 319
- Waldenström, A., see Zemgulis, V. (411) 145
- Wan, Y., see Umland, S.P. (411) 211
- Watanabe, N., see Iida, S. (411) 157
- Wikström, G., see Zemgulis, V. (411) 145
- Williams, W., see Matsumoto, R.R. (411) 261
- Wołczyński, S., see Muszyńska, A. (411) 17
- Wong, B.C.Y., see Guo, X. (411) 199
- Yano, K., see Takagi, M. (411) 163
- Ye, Y.-N., see Guo, X. (411) 199
- Yuda, A., see Takai, S. (411) 301
- Zarrindast, M.-R., Khodjastehfar, E., Oryan, S. and Torkaman-Boutorabi, A.
Baclofen-impairment of memory retention in rats: possible interaction with adrenoceptor mechanism(s) (411) 283
- Zemgulis, V., Wikström, G., Henze, A., Waldenström, A., Thelin, S. and Ronquist, G.
Nucleoside transport inhibition in ischemic myocardium results in enhanced taurine efflux (411) 145