

Author index

- Abdel-Rahman, A.A., see Zhang, J. (415) 117
- Ak, D., see Altup, S. (415) 239
- Alabadí, J.A., Miranda, F.J., Lloréns, S., Ruiz de Apodaca, R.F., Centeno, J.M. and Alborch, E.
Diabetes potentiates acetylcholine-induced relaxation in rabbit renal arteries (415) 225
- Alborch, E., see Alabadí, J.A. (415) 225
- Altup, S., Demiryürek, A.T., Ak, D., Tungel, M. and Kanzik,
Contribution of peroxynitrite to the beneficial effects of preconditioning on ischaemia-induced arrhythmias in rat isolated hearts (415) 239
- Álvarez de Sotomayor, M., Pérez-Guerrero, C., Herrera, M.D. and Marhuenda, E.
Effect of simvastatin on vascular smooth muscle responsiveness: involvement of Ca^{2+} homeostasis (415) 217
- Bastin, J., see Bompert, G. (415) 19
- Bexis, S., see Ong, J. (415) 191
- Bocquet, A., Lorent, G., Fuks, B., Grimée, R., Talaga, P., Daliers, J. and Klitgaard, H.
Failure of GPI compounds to display neurotrophic activity in vitro and in vivo (415) 173
- Bompert, G., Copin, N., Djouadi, F., Bastin, J., Ordener, C. and Parini, A.
Monoamine oxidase in developing rat renal cortex: effect of dexamethasone treatment (415) 19
- Boon, K., see Prentice, D. (415) 251
- Bottone, A.E., see De Beer, E.L. (415) 1
- Brown, K.J. and Summers, R.J.
 β_1 - and β_2 -adrenoceptor mediated smooth muscle relaxation in hypothyroid rat ileum (415) 257
- Buño, L., see Giuliani, S. (415) 61
- Bufler, J., see Mohammadi, B. (415) 135
- Caputi, A.P., see Mazzon, E. (415) 85
- Carlson, J.N., Haskew, R., Wacker, J., Maisonneuve, I.M., Glick, S.D. and Jerussi, T.P.
Sedative and anxiolytic effects of zopiclone's enantiomers and metabolite (415) 181
- Ceng, X., see Lu, L. (415) 203
- Centeno, J.M., see Alabadí, J.A. (415) 225
- Cevallos, M., see Gandhi, C.R. (415) 13
- Compton, D.S., see Van Heek, M. (415) 79
- Copin, N., see Bompert, G. (415) 19
- Cox, H.M., see Patacchini, R. (415) 277
- Criscuoli, M., see Giuliani, S. (415) 61
- Cuzzocrea, S., see Mazzon, E. (415) 85
- Daliers, J., see Bocquet, A. (415) 173
- D'Auria, M.V., see Posadas, I. (415) 285
- Davis, H.R., see Van Heek, M. (415) 79
- De Beer, E.L., Bottone, A.E. and Voest, E.E.
Doxorubicin and mechanical performance of cardiac trabeculae after acute and chronic treatment: a review (415) 1
- Delhon, A., see Ouguerram, K. (415) 293
- Demiryürek, A.T., see Altup, S. (415) 239
- Dengler, R., see Mohammadi, B. (415) 135
- Denzer, D., see Sieglings, A. (415) R5
- De Vry, J., see Sieglings, A. (415) R5
- Dickenson, A.H., see Matthews, E.A. (415) 141
- Djouadi, F., see Bompert, G. (415) 19
- Dugo, L., see Mazzon, E. (415) 85
- Edvinsson, L., Sams, A., Jansen-Olesen, I., Tajti, J., Kane, S.A., Rutledge, R.Z., Koblan, K.S., Hill, R.G. and Longmore, J.
Characterisation of the effects of a non-peptide CGRP receptor antagonist in SK-N-MC cells and isolated human cerebral arteries (415) 39
- El-Mas, M.M., see Zhang, J. (415) 117
- Eltze, M., König, H., Ullrich, B. and Grebe, T.
Failure of AH11110A to functionally discriminate between α_1 -adrenoceptor subtypes A, B and D or between α_1 - and α_2 -adrenoceptors (415) 265
- Ferreira, Z.S. and Markus, R.P.
Characterisation of P2Y₁-like receptor in cultured rat pineal glands (415) 151
- Freedman, J.E., see Murphy, R. (415) R1
- Froestl, W., see Ong, J. (415) 191
- Fu, M.L.X., see Zong, Z.-p. (415) 51
- Fujimori, Y., Maeda, S., Saeki, M., Morisaki, I. and Kamisaki, Y.
Inhibition by nifedipine of adherence- and activated macrophage-induced death of human gingival fibroblasts (415) 95
- Fuks, B., see Bocquet, A. (415) 173
- Gandhi, C.R., Harvey, S.A.K., Cevallos, M. and Olson, M.S.
A23187 causes release of inositol phosphates from cultured rat Kupfer cells (415) 13
- García-Barrado, M.J., Sancho, C., Iglesias-Osma, M.C. and Moratinos, J.
Effects of verapamil and elgodipine on isoprenaline-induced metabolic responses in rabbits (415) 105
- Giannini, C., see Posadas, I. (415) 285
- Giuliani, S., Guelfi, M., Toulouse, M., Buño, L., Lecci, A., Tramontana, M., Criscuoli, M. and Maggi, C.A.
Effect of a tachykinin NK₂ receptor antagonist, nepadutant, on cardiovascular and gastrointestinal function in rats and dogs (415) 61
- Glick, S.D., see Carlson, J.N. (415) 181
- Grebe, T., see Eltze, M. (415) 265
- Grimée, R., see Bocquet, A. (415) 173
- Guelfi, M., see Giuliani, S. (415) 61
- Harvey, S.A.K., see Gandhi, C.R. (415) 13
- Haskew, R., see Carlson, J.N. (415) 181
- Hayase, M., see Zong, Z.-p. (415) 51
- Herrera, M.D., see Álvarez de Sotomayor, M. (415) 217
- Hill, R.G., see Edvinsson, L. (415) 39
- Hofmann, H.A., see Sieglings, A. (415) R5
- Hourani, S., see Prentice, D. (415) 251
- Iglesias-Osma, M.C., see García-Barrado, M.J. (415) 105
- Ishii, K., see Nakahara, T. (415) 73

- Jacke, K., Witte, K. and Lemmer, B.
Mechanisms involved in the blunted nitric oxide–cGMP pathway in hypertensive TGR(mREN2)27 rats (415) 27
- Jansen-Olesen, I., see Edvinsson, L. (415) 39
- Jerussi, T.P., see Carlson, J.N. (415) 181
- Kagota, S., Yamaguchi, Y., Nakamura, K., Sugiura, T., Waku, K. and Kunitomo, M.
2-Arachidonoylglycerol, a candidate of endothelium-derived hyperpolarizing factor (415) 233
- Kamisaki, Y., see Fujimori, Y. (415) 95
- Kane, S.A., see Edvinsson, L. (415) 39
- Kanzik, , see Altup, S. (415) 239
- Karolewicz, B. and Paul, I.A.
Group housing of mice increases immobility and antidepressant sensitivity in the forced swim and tail suspension tests (415) 197
- Katsuda, S., see Zong, Z.-p. (415) 51
- Kelve, M., see Sak, K. (415) 127
- Kerr, D.I.B., see Ong, J. (415) 191
- Kita, S., see Matsumura, Y. (415) 45
- Kitazawa, S., see Noda, K. (415) 209
- Klitgaard, H., see Bocquet, A. (415) 173
- Koblan, K.S., see Edvinsson, L. (415) 39
- König, H., see Eltze, M. (415) 265
- Kosasa, T., see Ogura, H. (415) 157
- Krall, C.M., see Nazarian, A. (415) 165
- Krampfl, K., see Mohammadi, B. (415) 135
- Kubota, Y., see Nakahara, T. (415) 73
- Kunitomo, M., see Kagota, S. (415) 233
- Kuriya, Y., see Ogura, H. (415) 157
- Lecci, A., see Giuliani, S. (415) 61
- Lemmer, B., see Jacke, K. (415) 27
- Li, A.-L., see Zong, Z.-p. (415) 51
- Li, J.-H., see Mazzon, E. (415) 85
- Liu, D., see Lu, L. (415) 203
- Lloréns, S., see Alabadi, J.A. (415) 225
- Longmore, J., see Edvinsson, L. (415) 39
- Lorent, G., see Bocquet, A. (415) 173
- Lu, L., Liu, D. and Ceng, X.
Corticotropin-releasing factor receptor type 1 mediates stress-induced relapse to cocaine-conditioned place preference in rats (415) 203
- Lutton, C., see Ouguerram, K. (415) 293
- Ma, F.-H., see Noda, K. (415) 209
- Maeda, S., see Fujimori, Y. (415) 95
- Maggi, C.A., see Giuliani, S. (415) 61
- Maggi, C.A., see Patacchini, R. (415) 277
- Magot, T., see Ouguerram, K. (415) 293
- Maisonneuve, I.M., see Carlson, J.N. (415) 181
- Marhuenda, E., see Álvarez de Sotomayor, M. (415) 217
- Marino, V., see Ong, J. (415) 191
- Markus, R.P., see Ferreira, Z.S. (415) 151
- Martin, W., see Nelli, S. (415) 301
- Matsui, S., see Zong, Z.-p. (415) 51
- Matsumura, Y., Kita, S. and Okui, T.
Potentiation by endothelin-1 of vasoconstrictor response in stroke-prone spontaneously hypertensive rats (415) 45
- Matthews, E.A. and Dickenson, A.H.
Effects of ethosuximide, a T-type Ca^{2+} channel blocker, on dorsal horn neuronal responses in rats (415) 141
- Mauler, F., see Siegling, A. (415) R5
- Mazzon, E., Serrano, I., Li, J.-H., Dugo, L., Caputi, A.P., Zhang, J. and Cuzzocrea, S.
GPI 6150, a poly (ADP-ribose) polymerase inhibitor, exhibits an anti-inflammatory effect in rat models of inflammation (415) 85
- McDougall, S.A., see Nazarian, A. (415) 165
- McIntosh, L., see Nelli, S. (415) 301
- Mika, J., Przewłocki, R. and Przewłocka, B.
The role of δ -opioid receptor subtypes in neuropathic pain (415) 31
- Miranda, F.J., see Alabadi, J.A. (415) 225
- Mohammadi, B., Krampfl, K., Moschref, H., Dengler, R. and Bufler, J.
Interaction of the neuroprotective drug riluzole with GABA_A and glycine receptor channels (415) 135
- Moratinos, J., see García-Barrado, M.J. (415) 105
- Morisaki, I., see Fujimori, Y. (415) 95
- Moriuchi, H., see Nakahara, T. (415) 73
- Moschref, H., see Mohammadi, B. (415) 135
- Murphy, R. and Freedman, J.E.
Morphine and clonidine activate different K^+ channels on rat amygdala neurons (415) R1
- Nakahara, T., Moriuchi, H., Tanaka, Y., Yunoki, M., Kubota, Y., Sakamoto, K., Shigenobu, K. and Ishii, K.
Role of K^+ channels in *N*-acetylprocainamide-induced relaxation of bovine tracheal smooth muscle (415) 73
- Nakamura, K., see Kagota, S. (415) 233
- Nazarian, A., Krall, C.M., Osburn, J.R. and McDougall, S.A.
Ultrasonic vocalizations of preweanling rats: involvement of both α_2 -adrenoceptor and κ -opioid receptor systems (415) 165
- Nelli, S., McIntosh, L. and Martin, W.
Erratum to “Role of copper ions and cytochrome *P*450 in the vasodilator actions of the nitroxyl anion generator, Angeli’s salt, on rat aorta” [Eur. J. Pharmacol. 412 (2000) 281–289] (415) 301
- Noda, K., Oka, M., Ma, F.-H., Kitazawa, S., Ukai, Y. and Toda, N.
Release of endothelial nitric oxide in coronary arteries by celiprolol, a β_1 -adrenoceptor antagonist: possible clinical relevance (415) 209
- Ogura, H., Kosasa, T., Kuriya, Y. and Yamanishi, Y.
Central and peripheral activity of cholinesterase inhibitors as revealed by yawning and fasciculation in rats (415) 157
- Oka, M., see Noda, K. (415) 209
- Okui, T., see Matsumura, Y. (415) 45
- Olson, M.S., see Gandhi, C.R. (415) 13
- Ong, J., Bexis, S., Marino, V., Parker, D.A.S., Kerr, D.I.B. and Froestl, W.
CGP 36216 is a selective antagonist at GABA_B presynaptic receptors in rat brain (415) 191
- Ordener, C., see Bompert, G. (415) 19
- Osburn, J.R., see Nazarian, A. (415) 165
- Ouguerram, K., Lutton, C., Delhon, A. and Magot, T.
Effects of F2833 on cholesterol metabolism in the genetically hyperlipidemic rat (415) 293
- Parini, A., see Bompert, G. (415) 19
- Parker, D.A.S., see Ong, J. (415) 191
- Patacchini, R., Cox, H.M., Ståhl, S., Tough, I.R. and Maggi, C.A.
Tachykinin NK_2 receptor mediates contraction and ion transport in rat colon by different mechanisms (415) 277
- Paul, I.A., see Karolewicz, B. (415) 197
- Payá, M., see Posadas, I. (415) 285
- Pérez-Guerrero, C., see Álvarez de Sotomayor, M. (415) 217
- Posadas, I., Terencio, M.C., Giannini, C., D’Auria, M.V. and Payá, M.
Dysidrotic acid, a new sesquiterpenoid, inhibits cytokine production and the expression of nitric oxide synthase (415) 285
- Prentice, D., Boon, K. and Hourani, S.
Relaxation of mouse isolated aorta to adenosine and its analogues does not involve adenosine A_1 , A_2 or A_3 receptors (415) 251
- Przewłocka, B., see Mika, J. (415) 31
- Przewłocki, R., see Mika, J. (415) 31
- Ruiz de Apodaca, R.F., see Alabadi, J.A. (415) 225
- Rutledge, R.Z., see Edvinsson, L. (415) 39

- Saeki, M., see Fujimori, Y. (415) 95
- Sak, K., Samuel, K., Kelve, M. and Webb, T.E.
Pharmacological characterisation of pyrimidinoceptor responses in NG108-15 cells (415) 127
- Sakamoto, K., see Nakahara, T. (415) 73
- Sams, A., see Edvinsson, L. (415) 39
- Samuel, K., see Sak, K. (415) 127
- Sancho, C., see García-Barrado, M.J. (415) 105
- Serraino, I., see Mazzon, E. (415) 85
- Shigenobu, K., see Nakahara, T. (415) 73
- Siegling, A., Hofmann, H.A., Denzer, D., Mauler, F. and De Vry, J.
Cannabinoid CB₁ receptor upregulation in a rat model of chronic neuropathic pain (415) R5
- Ståhl, S., see Patacchini, R. (415) 277
- Sugiura, T., see Kagota, S. (415) 233
- Summers, R.J., see Brown, K.J. (415) 257
- Tajti, J., see Edvinsson, L. (415) 39
- Talaga, P., see Bocquet, A. (415) 173
- Tanaka, Y., see Nakahara, T. (415) 73
- Terencio, M.C., see Posadas, I. (415) 285
- Toda, N., see Noda, K. (415) 209
- Tough, I.R., see Patacchini, R. (415) 277
- Toulouse, M., see Giuliani, S. (415) 61
- Tramontana, M., see Giuliani, S. (415) 61
- Tungel, M., see Altup, S. (415) 239
- Ukai, Y., see Noda, K. (415) 209
- Ullrich, B., see Eltze, M. (415) 265
- Van Heek, M., Compton, D.S. and Davis, H.R.
The cholesterol absorption inhibitor, ezetimibe, decreases diet-induced hypercholesterolemia in monkeys (415) 79
- Viswanathan, M.
Melatonin inhibits calcitonin gene-related peptide-induced vasodilation and increase in cAMP in rat middle cerebral arteries (415) 247
- Voest, E.E., see De Beer, E.L. (415) 1
- Wacker, J., see Carlson, J.N. (415) 181
- Waku, K., see Kagota, S. (415) 233
- Webb, T.E., see Sak, K. (415) 127
- Witte, K., see Jacke, K. (415) 27
- Yamaguchi, N., see Zong, Z.-p. (415) 51
- Yamaguchi, Y., see Kagota, S. (415) 233
- Yamanishi, Y., see Ogura, H. (415) 157
- Yunoki, M., see Nakahara, T. (415) 73
- Zhang, J., El-Mas, M.M. and Abdel-Rahman, A.A.
Imidazoline I₁ receptor-induced activation of phosphatidylcholine-specific phospholipase C elicits mitogen-activated protein kinase phosphorylation in PC12 cells (415) 117
- Zhang, J., see Mazzon, E. (415) 85
- Zong, Z.-p., Matsui, S., Li, A.-l., Yamaguchi, N., Katsuda, S., Hayase, M. and Fu, M.L.X.
Growth hormone interferes with the progression of myocarditis in rats (415) 51