

Author index

- Aceto, M.D., Scates, S.M. and Martin, B.B.
Spontaneous and precipitated withdrawal with a synthetic cannabinoid, WIN 55212-2 (416) 75
- Aldershvile, J., see Gruhn, N. (416) 245
- Alexander Rae, G., see Campos, M.M. (416) 169
- Alvarez, P., see Pelissier, T. (416) 51
- Arai, K., see Hotta, M. (416) 101
- Aronson, J., see Haeseler, G. (416) 11
- Bajnath, R.B., see Oprins, J.C.J. (416) 43
- Barnes, P.J., see Spicuzza, L. (416) 231
- Barone, F.C., see Vonhof, S. (416) 83
- Belvisi, M.G., see Spicuzza, L. (416) 231
- Bergman, A.M., Pinedo, H.M. and Peters, G.J.
Steroids affect collateral sensitivity to gemcitabine of multidrug-resistant human lung cancer cells (416) 19
- Boesgaard, S., see Gruhn, N. (416) 245
- Boeynaems, J.-M., see Suarez-Huerta, N. (416) 197
- Bonhomme, N., see Lockhart, B. (416) 59
- Bouritius, H., see Oprins, J.C.J. (416) 43
- Brito, G.A.C., Saraiva, S.N.R., Falcão, J.L.A.A., Vale, M.L., Lima, A.A.M., Cunha, F.Q. and Ribeiro, R.A.
Dual effect of cAMP on the writhing response in mice (416) 223
- Bronowska, A., see Sylte, I. (416) 33
- Bufler, J., see Haeseler, G. (416) 11
- Cabrini, D.A., see Campos, M.M. (416) 169
- Calixto, J.B., see Campos, M.M. (416) 169
- Campos, M.M., Cabrini, D.A., Cardozo, A.H.M., Alexander Rae, G., Huidobro Toro, J.-P. and Calixto, J.B.
Changes in paw oedema triggered via bradykinin B₁ and B₂ receptors in streptozotocin-diabetic rats (416) 169
- Cardozo, A.H.M., see Campos, M.M. (416) 169
- Casara, P., see Lockhart, B. (416) 59
- Christopoulos, A., see Lanzafame, A. (416) 235
- Chu, C.-Y., Tsai, Y.-Y., Wang, C.-J., Lin, W.-L. and Tseng, T.-H.
Induction of apoptosis by esculetin in human leukemia cells (416) 25
- Crankshaw, D.J., see Popat, A. (416) 145
- Cubeddu, L.X., see Xu, X. (416) 1
- Cunha, F.Q., see Brito, G.A.C. (416) 223
- Dahl, S.G., see Sylte, I. (416) 33
- D'Aquila, P.S., Peana, A.T., Tanda, O. and Serra, G.
Carbamazepine prevents imipramine-induced behavioural sensitization to the dopamine D₂-like receptor agonist quinpirole (416) 107
- Dengler, R., see Haeseler, G. (416) 11
- Denholm, E.M., Lin, Y.-Q. and Silver, P.J.
Anti-tumor activities of chondroitinase AC and chondroitinase B: inhibition of angiogenesis, proliferation and invasion (416) 213
- Di Maria, G.U., see Spicuzza, L. (416) 231
- Dorey, G., see Lockhart, B. (416) 59
- Doyle, P.J., see Naderali, E.K. (416) 133
- Eschalier, A., see Pelissier, T. (416) 51
- Falcão, J.L.A.A., see Brito, G.A.C. (416) 223
- Feuerstein, G.Z., see Vonhof, S. (416) 83
- Gallagher, M.J., see Lynch, D.R. (416) 185
- Groot, J.A., see Oprins, J.C.J. (416) 43
- Gruhn, N., Aldershvile, J. and Boesgaard, S.
Tetrahydrobiopterin improves endothelium-dependent vasodilation in nitroglycerin-tolerant rats (416) 245
- Guttmann, R.P., see Lynch, D.R. (416) 185
- Haeseler, G., Piepenbrink, A., Bufler, J., Dengler, R., Hecker, H., Aronson, J., Piepenbrock, S. and Leuwer, M.
Phenol derivatives accelerate inactivation kinetics in one inactivation-deficient mutant human skeletal muscle Na⁺ channel (416) 11
- Håkanson, R., see Lindström, E. (416) 255
- Hashimoto, M., Shinozuka, K., Sasaki, T., Tanaka, N., Hossain, S., Kubota, Y., Tamura, K., Shido, O. and Kunitomo, M.
Nicorandil-induced ATP release in endothelial cells of rat caudal artery is associated with increase in intracellular Ca²⁺ (416) 179
- Hecker, H., see Haeseler, G. (416) 11
- Hernández, A., see Pelissier, T. (416) 51
- Hirai, T., Tsuru, H., Tanimitsu, N., Yajin, K. and Sasa, M.
Effect of JTH-601, a putative α_{1L} -adrenoceptor antagonist, on guinea pig nasal mucosa vasculature (416) 141
- Horinouchi, T. and Koike, K.
Agonistic activity of SR59230A at atypical β -adrenoceptors in guinea pig gastric fundus and duodenum (416) 165
- Horinouchi, T. and Koike, K.
Functional properties of atypical β -adrenoceptors on the guinea pig duodenum (416) 153
- Hossain, S., see Hashimoto, M. (416) 179
- Hotta, M., Kuriyama, H., Arai, K., Takano, K. and Shibasaki, T.
Fibroblast growth factor inhibits locomotor activity as well as feeding behavior of rats (416) 101
- Hoyle, C.H.V., see Pintor, J. (416) 251
- Huidobro Toro, J.-P., see Campos, M.M. (416) 169
- Ito, S., see Katori, E. (416) 113
- Jeffery, T.K. and Wanstall, J.C.
Pulmonary vascular remodelling in hypoxic rats: effects of amlodipine, alone and with perindopril (416) 123

- Kagaya, A., see Kurata, K. (416) 203
- Kamei, J., Zushida, K. and Nagase, H.
Role of cholecystokinin in the reduction of endomorphin-2-induced antinociception in diabetic mice (416) 95
- Katori, E., Ohta, T., Nakazato, Y. and Ito, S.
Vasopressin-induced contraction in the rat basilar artery in vitro (416) 113
- Koike, K., see Horinouchi, T. (416) 153
- Koike, K., see Horinouchi, T. (416) 165
- Kubota, Y., see Hashimoto, M. (416) 179
- Kunitomo, M., see Hashimoto, M. (416) 179
- Kurapathi, S., see Lynch, D.R. (416) 185
- Kurata, K., Takebayashi, M., Kagaya, A., Morinobu, S. and Yamawaki, S.
Effect of β -estradiol on voltage-gated Ca^{2+} channels in rat hippocampal neurons: a comparison with dehydroepiandrosterone (416) 203
- Kuriyama, H., see Hotta, M. (416) 101
- Lanzafame, A., Christopoulos, A. and Mitchelson, F.
The allosteric interaction of otenzepad (AF-DX 116) at muscarinic M_2 receptors in guinea pig atria (416) 235
- Laurido, C., see Pelissier, T. (416) 51
- Lerner, U.H., see Lindström, E. (416) 255
- Lestage, P., see Lockhart, B. (416) 59
- Leuwer, M., see Haeseler, G. (416) 11
- Lima, A.A.M., see Brito, G.A.C. (416) 223
- Lin, W.-L., see Chu, C.-Y. (416) 25
- Lin, Y.-Q., see Denholm, E.M. (416) 213
- Lindström, E., Lerner, U.H. and Håkanson, R.
Isolated rat stomach ECL cells generate prostaglandin E_2 in response to interleukin- 1β , tumor necrosis factor- α and bradykinin (416) 255
- Lockhart, B., Bonhomme, N., Roger, A., Dorey, G., Casara, P. and Lestage, P.
Protective effect of the antioxidant 6-ethoxy-2,2-pentamethylen-1,2-dihydroquinoline (S 33113) in models of cerebral neurodegeneration (416) 59
- Lynch, D.R., Shim, S.S., Seifert, K.M., Kurapathi, S., Mutel, V., Gallagher, M.J. and Guttman, R.P.
Pharmacological characterization of interactions of RO 25-6981 with the NR2B ($\epsilon 2$) subunit (416) 185
- Malave, A., see Xu, X. (416) 1
- Martin, B.B., see Aceto, M.D. (416) 75
- Martin, L., see Pintor, J. (416) 251
- Mestre, C., see Pelissier, T. (416) 51
- Millison, J.H., see Vonhof, S. (416) 83
- Mitchelson, F., see Lanzafame, A. (416) 235
- Morinobu, S., see Kurata, K. (416) 203
- Mutel, V., see Lynch, D.R. (416) 185
- Naderali, E.K., Pickavance, L.C., Wilding, J.P.H., Doyle, P.J. and Williams, G.
Troglitazone corrects metabolic changes but not vascular dysfunction in dietary-obese rats (416) 133
- Nagase, H., see Kamei, J. (416) 95
- Nakazato, Y., see Katori, E. (416) 113
- Ohta, T., see Katori, E. (416) 113
- Onishchenko, N.V., see Petrov, V.I. (416) 69
- Oprins, J.C.J., Bouritius, H., Bajnath, R.B. and Groot, J.A.
Neuropeptide Y inhibits the protein kinase C-stimulated Cl^- secretion in the human colonic cell line HT29cl.19A cell line via multiple sites (416) 43
- Paakkari, P., see Vonhof, S. (416) 83
- Paeile, C., see Pelissier, T. (416) 51
- Peana, A.T., see D'Aquila, P.S. (416) 107
- Pelaez, T., see Pintor, J. (416) 251
- Pelissier, T., Hernández, A., Mestre, C., Eschalier, A., Laurido, C., Paeile, C., Alvarez, P. and Soto-Moyano, R.
Antinociceptive effect of clomipramine in monoarthritic rats as revealed by the paw pressure test and the C-fiber-evoked reflex (416) 51
- Peral, A., see Pintor, J. (416) 251
- Peters, G.J., see Bergman, A.M. (416) 19
- Petrov, V.I., Sergeyev, V.S. and Onishchenko, N.V.
The effect of *N*-acetyl-L-aspartic acid dilithium salt on dopamine release and synthesis in the rat striatum in vivo (416) 69
- Pickavance, L.C., see Naderali, E.K. (416) 133
- Piepenbrink, A., see Haeseler, G. (416) 11
- Piepenbrock, S., see Haeseler, G. (416) 11
- Pinedo, H.M., see Bergman, A.M. (416) 19
- Pintor, J., Martin, L., Pelaez, T., Hoyle, C.H.V. and Peral, A.
Involvement of melatonin MT_3 receptors in the regulation of intraocular pressure in rabbits (416) 251
- Popat, A. and Crankshaw, D.J.
Variable responses to prostaglandin E_2 in human non-pregnant myometrium (416) 145
- Pouillon, V., see Suarez-Huerta, N. (416) 197
- Price, W.J., see Vonhof, S. (416) 83
- Ribeiro, R.A., see Brito, G.A.C. (416) 223
- Robaye, B., see Suarez-Huerta, N. (416) 197
- Roger, A., see Lockhart, B. (416) 59
- Saraiva, S.N.R., see Brito, G.A.C. (416) 223
- Sasa, M., see Hirai, T. (416) 141
- Sasaki, T., see Hashimoto, M. (416) 179
- Scates, S.M., see Aceto, M.D. (416) 75
- Seifert, K.M., see Lynch, D.R. (416) 185
- Sergeyev, V.S., see Petrov, V.I. (416) 69
- Serra, G., see D'Aquila, P.S. (416) 107
- Shibasaki, T., see Hotta, M. (416) 101
- Shido, O., see Hashimoto, M. (416) 179
- Shim, S.S., see Lynch, D.R. (416) 185
- Shinozuka, K., see Hashimoto, M. (416) 179
- Silver, P.J., see Denholm, E.M. (416) 213
- Sirén, A.-L.K., see Vonhof, S. (416) 83
- Soto-Moyano, R., see Pelissier, T. (416) 51
- Spicuzza, L., Barnes, P.J., Di Maria, G.U. and Belvisi, M.G.
Effect of 8-iso-prostaglandin $\text{F}_{2\alpha}$ on acetylcholine release from parasympathetic nerves in guinea pig airways (416) 231
- Suarez-Huerta, N., Pouillon, V., Boeynaems, J.-M. and Robaye, B.
Molecular cloning and characterization of the mouse P2Y_4 nucleotide receptor (416) 197
- Sylte, I., Bronowska, A. and Dahl, S.G.
Ligand induced conformational states of the 5-HT_{1A} receptor (416) 33
- Takano, K., see Hotta, M. (416) 101
- Takebayashi, M., see Kurata, K. (416) 203
- Tamura, K., see Hashimoto, M. (416) 179
- Tanaka, N., see Hashimoto, M. (416) 179
- Tanda, O., see D'Aquila, P.S. (416) 107
- Tanimitsu, N., see Hirai, T. (416) 141
- Tsai, Y.-Y., see Chu, C.-Y. (416) 25
- Tseng, T.-H., see Chu, C.-Y. (416) 25
- Tsuru, H., see Hirai, T. (416) 141

- Vale, M.L., see Brito, G.A.C. (416) 223
- Vonhof, S., Barone, F.C., Price, W.J., Paakkari, P., Millison, J.H.,
Feuerstein, G.Z. and Sirén, A.-L.K.
Receptor binding and biological activity of the dermorphin analog
Tyr-D-Arg²-Phe-Sar (TAPS) (416) 83
- Wang, C.-J., see Chu, C.-Y. (416) 25
- Wanstall, J.C., see Jeffery, T.K. (416) 123
- Wilding, J.P.H., see Naderali, E.K. (416) 133
- Williams, G., see Naderali, E.K. (416) 133
- Xu, X., Cubeddu, L.X. and Malave, A.
Expression of inducible nitric oxide synthase in primary culture of rat
bladder smooth muscle cells by plasma from cyclophosphamide-
treated rats (416) 1
- Yajin, K., see Hirai, T. (416) 141
- Yamawaki, S., see Kurata, K. (416) 203
- Zushida, K., see Kamei, J. (416) 95