

Author index

- Advenier, C., see Nénan, S. (421) 201
- Akaike, A., see Shimazu, S. (421) 181
- Al-Khrasani, M., Orosz, G., Kocsis, L., Farkas, V., Magyar, A., Lengyel, I., Benyhe, S., Borsodi, A. and Rónai, A.Z.
Receptor constants for endomorphin-1 and endomorphin-1-ol indicate differences in efficacy and receptor occupancy (421) 61
- Aleu, J., see Ros, E. (421) 77
- Almeida, K.R., see França, D.S. (421) 157
- Antunes, E., see Medeiros, M.V. (421) 133
- Badia, A., see Ros, E. (421) 77
- Bardin, L., Tarayre, J.-P., Koek, W. and Colpaert, F.C.
In the formalin model of tonic nociceptive pain, 8-OH-DPAT produces 5-HT_{1A} receptor-mediated, behaviorally specific analgesia (421) 109
- Benyhe, S., see Al-Khrasani, M. (421) 61
- Boichot, E., see Nénan, S. (421) 201
- Borsodi, A., see Al-Khrasani, M. (421) 61
- Bourin, M., see Gardier, A.M. (421) 171
- Brenner, M., see Weiser, T. (421) 165
- Bufler, J., see Mohammadi, B. (421) 85
- Buttarelli, F.R., see Pontieri, F.E. (421) R1
- Camps, P., see Ros, E. (421) 77
- Chabot, J.-G., see Juaneda, C. (421) R1
- Coelho, M.M., see França, D.S. (421) 157
- Colpaert, F.C., see Bardin, L. (421) 109
- Davis, A., see Ganju, P. (421) 191
- De Luca, I.M.S., see Medeiros, M.V. (421) 133
- Dengler, R., see Mohammadi, B. (421) 85
- De Nucci, G., see Medeiros, M.V. (421) 133
- Dikmen, A., see Ögülcener, N. (421) 121
- Di Michele, F., see Korpi, E.R. (421) 31
- Dolabella, S.S., see França, D.S. (421) 157
- Döndaş, N., see Ögülcener, N. (421) 121
- Dumont, Y., see Juaneda, C. (421) R1
- Emonds-Alt, X., see Nénan, S. (421) 201
- Engel, S., Yan, L., Weiss, H. and Scholz, P.
Negative functional effects of cGMP mediated by cGMP protein kinase are reduced in T₄ cardiac myocytes (421) 23
- Ergün, Y., see Ögülcener, N. (421) 121
- Farkas, V., see Al-Khrasani, M. (421) 61
- Fox, A., see Ganju, P. (421) 191
- França, D.S., Souza, A.L.S., Almeida, K.R., Dolabella, S.S., Martinelli, C. and Coelho, M.M.
B vitamins induce an antinociceptive effect in the acetic acid and formaldehyde models of nociception in mice (421) 157
- Fujimaki, S., Kubohara, Y., Kobayashi, I. and Kojima, I.
Caspase-independent apoptosis induced by differentiation-inducing factor of *Dicytostelium discoideum* in INS-1 cells (421) 93
- Furnari, C., see Korpi, E.R. (421) 31
- Ganju, P., Davis, A., Patel, S., Núñez, X. and Fox, A.
p38 stress-activated protein kinase inhibitor reverses bradykinin B₁ receptor-mediated component of inflammatory hyperalgesia (421) 191
- Gardier, A.M., Gruwez, B., Trillat, A.-C., Jacquot, C., Hen, R. and Bourin, M.
Interaction between 5-HT_{1A} and 5-HT_{1B} receptors: effects of 8-OH-DPAT-induced hypothermia in 5-HT_{1B} receptor knockout mice (421) 171
- Garnier-Suillerot, A., see Salerno, M. (421) 1
- Germain, N., see Nénan, S. (421) 201
- Gómez de Aranda, I., see Ros, E. (421) 77
- Grånäs, C., Nordquist, J., Mohell, N. and Larhammar, D.
Site-directed mutagenesis of the 5-HT_{1B} receptor increases the affinity of 5-HT for the agonist low-affinity conformation and reduces the intrinsic activity of 5-HT (421) 69
- Green, S.A., Rathz, D.A., Schuster, A.J. and Liggett, S.B.
The Ile164 β_2 -adrenoceptor polymorphism alters salmeterol exosite binding and conventional agonist coupling to G_s (421) 141
- Gruwez, B., see Gardier, A.M. (421) 171
- Guidotti, A., see Korpi, E.R. (421) 31
- Haeseler, G., see Mohammadi, B. (421) 85
- Hampson, D.R., see Park, P. (421) 11
- Hen, R., see Gardier, A.M. (421) 171
- Hirabayashi, N., see Ishizaki, K. (421) 55
- Hori, M., see Murata, T. (421) 45
- Hung, K.-c., see Wu, H.-e. (421) 39
- Hyslop, S., see Medeiros, M.V. (421) 133
- Ishizaki, K., Kinbara, S., Hirabayashi, N., Uchiyama, K. and Maeda, M.
Effect of sodium tauroursodeoxycholate on phalloidin-induced cholestasis in rats (421) 55
- Jacquot, C., see Gardier, A.M. (421) 171
- Juaneda, C., Dumont, Y., Chabot, J.-G. and Quirion, R.
Autoradiographic distribution of adrenomedullin receptors in the rat brain (421) R1
- Kameyama, T., see Ukai, M. (421) 115
- Karaki, H., see Murata, T. (421) 45
- Katsuki, H., see Shimazu, S. (421) 181
- Kinbara, S., see Ishizaki, K. (421) 55
- Knoll, J., see Shimazu, S. (421) 181
- Kobayashi, I., see Fujimaki, S. (421) 93
- Kocsis, L., see Al-Khrasani, M. (421) 61
- Koek, W., see Bardin, L. (421) 109
- Kojima, I., see Fujimaki, S. (421) 93
- Korpi, E.R., Mäkelä, R., Romeo, E., Guidotti, A., Uusi-Oukari, M., Furnari, C., Di Michele, F., Sarviharju, M., Xu, M. and Rosenberg, P.H.
Increased behavioral neurosteroid sensitivity in a rat line selectively bred for high alcohol sensitivity (421) 31

- Krampfl, K., see Mohammadi, B. (421) 85
 Kubiak, R., see Weiser, T. (421) 165
 Kubohara, Y., see Fujimaki, S. (421) 93
- Lagente, V., see Nénan, S. (421) 201
 Larhammar, D., see Grånäs, C. (421) 69
 Lengyel, I., see Al-Khrasani, M. (421) 61
 Leuwer, M., see Mohammadi, B. (421) 85
 Liggett, S.B., see Green, S.A. (421) 141
- Macedo-Soares, M.F., see Medeiros, M.V. (421) 133
 Maeda, M., see Ishizaki, K. (421) 55
 Magyar, A., see Al-Khrasani, M. (421) 61
 Mäkelä, R., see Korpi, E.R. (421) 31
 Marsal, J., see Ros, E. (421) 77
 Martinelli, C., see França, D.S. (421) 157
 Medeiros, M.V., Macedo-Soares, M.F., De Luca, I.M.S., Hyslop, S., De Nucci, G. and Antunes, E.
 Contribution of C-fibers to leucocyte recruitment in bronchoalveolar lavage fluid and pleural cavity in the rat (421) 133
 Mishra, S.K., see Parija, S.C. (421) 207
 Mizoguchi, H., see Wu, H.-e. (421) 39
 Mohammadi, B., Haeseler, G., Leuwer, M., Dengler, R., Krampfl, K. and Bufler, J.
 Structural requirements of phenol derivatives for direct activation of chloride currents via GABA_A receptors (421) 85
 Mohell, N., see Grånäs, C. (421) 69
 Monnazzi, P., see Pontieri, F.E. (421) R1
 Muñoz-Torrero, D., see Ros, E. (421) 77
 Murata, T., Yamawaki, H., Hori, M., Sato, K., Ozaki, H. and Karaki, H.
 Hypoxia impairs endothelium-dependent relaxation in organ cultured pulmonary artery (421) 45
- Nénan, S., Germain, N., Lagente, V., Emonds-Alt, X., Advenier, C. and Boichot, E.
 Inhibition of inflammatory cell recruitment by the tachykinin NK₃-receptor antagonist, SR 142801, in a murine model of asthma (421) 201
 Nordquist, J., see Grånäs, C. (421) 69
 Numazawa, S., see Tanaka, S. (421) 101
 Núñez, X., see Ganju, P. (421) 191
- Öğülener, N., Ergün, Y., Döndaş, N. and Dikmen, A.
 The influence of nitric oxide donors on the responses to nitroergic nerve stimulation in the mouse duodenum (421) 121
 Ohsawa, M., see Wu, H.-e. (421) 39
 Okuno, Y., see Tanaka, S. (421) 101
 Orosz, G., see Al-Khrasani, M. (421) 61
 Ozaki, H., see Murata, T. (421) 45
- Palluk, R., see Weiser, T. (421) 165
 Parija, S.C., Raviprakash, V., Telang, A.G., Varshney, V.P. and Mishra, S.K.
 Influence of hypothyroid state on ⁴⁵Ca²⁺ influx and sensitivity of rat uterus to nifedipine and diltiazem (421) 207
 Park, P., Sum, C.S., Hampson, D.R., Van Tol, H.H.M. and Wells, J.W.
 Nature of the oligomers formed by muscarinic m₂ acetylcholine receptors in Sf9 cells (421) 11
 Patacchioli, F.R., see Pontieri, F.E. (421) R1
 Patel, S., see Ganju, P. (421) 191
 Pèzzola, A., see Pintor, A. (421) 177
 Pintor, A., Quarta, D., Pèzzola, A., Reggio, R. and Popoli, P.
 SCH 58261 (an adenosine A_{2A} receptor antagonist) reduces, only at low doses, K⁺-evoked glutamate release in the striatum (421) 177
- Pontieri, F.E., Monnazzi, P., Scontrini, A., Buttarelli, F.R. and Patacchioli, F.R.
 Behavioral sensitization to heroin by cannabinoid pretreatment in the rat (421) R1
 Popoli, P., see Pintor, A. (421) 177
- Quarta, D., see Pintor, A. (421) 177
 Quirion, R., see Juaneda, C. (421) R1
- Rathz, D.A., see Green, S.A. (421) 141
 Raviprakash, V., see Parija, S.C. (421) 207
 Reggio, R., see Pintor, A. (421) 177
 Romeo, E., see Korpi, E.R. (421) 31
 Rónai, A.Z., see Al-Khrasani, M. (421) 61
 Ros, E., Aleu, J., Gómez de Aranda, I., Muñoz-Torrero, D., Camps, P., Badia, A., Marsal, J. and Solsona, C.
 The pharmacology of novel acetylcholinesterase inhibitors, (±)-huprines Y and X, on the *Torpedo* electric organ (421) 77
 Rosenberg, P.H., see Korpi, E.R. (421) 31
- Salerno, M. and Garnier-Suillerot, A.
 Kinetics of glutathione and daunorubicin efflux from multidrug resistance protein overexpressing small-cell lung cancer cells (421) 1
 Sarviharju, M., see Korpi, E.R. (421) 31
 Sato, K., see Murata, T. (421) 45
 Scholz, P., see Engel, S. (421) 23
 Schuster, A.J., see Green, S.A. (421) 141
 Scontrini, A., see Pontieri, F.E. (421) R1
 Shimazu, S., Takahata, K., Katsuki, H., Tsunekawa, H., Tanigawa, A., Yoneda, F., Knoll, J. and Akaike, A.
 (–)-1-(Benzofuran-2-yl)-2-propylaminopentane enhances locomotor activity in rats due to its ability to induce dopamine release (421) 181
 Shioda, S., see Tanaka, S. (421) 101
 Solsona, C., see Ros, E. (421) 77
 Souza, A.L.S., see França, D.S. (421) 157
 Sum, C.S., see Park, P. (421) 11
- Takahata, K., see Shimazu, S. (421) 181
 Tanaka, S., Okuno, Y., Numazawa, S., Yamamoto, T., Shioda, S. and Yoshida, T.
 Brain responses to acute withdrawal in phenobarbital-dependent rats (421) 101
 Tang, X.C., see Wang, R. (421) 149
 Tanigawa, A., see Shimazu, S. (421) 181
 Tarayre, J.-P., see Bardin, L. (421) 109
 Telang, A.G., see Parija, S.C. (421) 207
 Trillat, A.-C., see Gardier, A.M. (421) 171
 Tseng, L.F., see Wu, H.-e. (421) 39
 Tsunekawa, H., see Shimazu, S. (421) 181
- Uchiyama, K., see Ishizaki, K. (421) 55
 Ukai, M., Watanabe, Y. and Kameyama, T.
 Endomorphins 1 and 2, endogenous μ-opioid receptor agonists, impair passive avoidance learning in mice (421) 115
 Uusi-Oukari, M., see Korpi, E.R. (421) 31
- Van Tol, H.H.M., see Park, P. (421) 11
 Varshney, V.P., see Parija, S.C. (421) 207
- Wang, R., Zhang, H.Y. and Tang, X.C.
 Huperzine A attenuates cognitive dysfunction and neuronal degeneration caused by β-amyloid protein-(1–40) in rat (421) 149
 Watanabe, Y., see Ukai, M. (421) 115
 Weckesser, G., see Weiser, T. (421) 165

- Weiser, T., Wienrich, M., Brenner, M., Kubiak, R., Weckesser, G. and Palluk, R.
 The AMPA receptor/ Na^+ channel blocker BIIR 561 CL is protective in a model of global cerebral ischaemia (421) 165
- Weiss, H., see Engel, S. (421) 23
- Wells, J.W., see Park, P. (421) 11
- Wienrich, M., see Weiser, T. (421) 165
- Wu, H.-e., Hung, K.-c., Ohsawa, M., Mizoguchi, H. and Tseng, L.F.
 Antisera against endogenous opioids increase the nocifensive response to formalin: demonstration of inhibitory β -endorphinergic control (421) 39
- Xu, M., see Korpi, E.R. (421) 31
- Yamamoto, T., see Tanaka, S. (421) 101
- Yamawaki, H., see Murata, T. (421) 45
- Yan, L., see Engel, S. (421) 23
- Yoneda, F., see Shimazu, S. (421) 181
- Yoshida, T., see Tanaka, S. (421) 101
- Zhang, H.Y., see Wang, R. (421) 149