

Author index

- Abe, Y., see Rahman, M. (428) 113
- Acuña-Castroviejo, D., see García, J.J. (428) 169
- Agha, A.M. and Taha, R.A.
Sildenafil inhibits agonist-evoked rat uterine contractility: influence of guanylyl cyclase inhibition (428) 343
- Aisaka, K., see Hayashi, M. (428) 163
- Aker, R., see Gören, M.Z. (428) 261
- Akıcı, A., see Gören, M.Z. (428) 261
- Andersen, J.M., see Myhrer, T. (428) 323
- Anderzhanova, E., Rayevsky, K.S., Saransaari, P., Riitamaa, E. and Oja, S.S.
Effects of synnocarb and D-amphetamine on the extracellular levels of amino acids in the rat caudate-putamen (428) 87
- Andrews, P.L.R., see Minami, M. (428) 215
- Baydas, G., see Canpolat, S. (428) 145
- Belayev, A., see Liu, Y. (428) 193
- Belayev, L., see Liu, Y. (428) 193
- Berta, A., see Szabo, M.E. (428) 277
- Boules, M., Warrington, L., Fauq, A., McCormick, D. and Richelson, E.
Antiparkinson-like effects of a novel neurotensin analog in unilaterally 6-hydroxydopamine lesioned rats (428) 227
- Brunetti, G., see Carai, M.A.M. (428) 315
- Bryła, J., see Jarzyna, R. (428) 381
- Busto, R., see Liu, Y. (428) 193
- Calvo, J.R., see García, J.J. (428) 169
- Canpolat, S., Sandal, S., Yilmaz, B., Yasar, A., Kutlu, S., Baydas, G. and Kelestimur, H.
Effects of pinealectomy and exogenous melatonin on serum leptin levels in male rat (428) 145
- Carai, M.A.M., Colombo, G., Brunetti, G., Melis, S., Serra, S., Vacca, G., Mastinu, S., Pistuddi, A.M., Solinas, C., Cignarella, G., Minardi, G. and Gessa, G.L.
Role of GABA_B receptors in the sedative/hypnotic effect of γ -hydroxybutyric acid (428) 315
- Castilho, R.F., see Santos, N.C.F. (428) 37
- Cerdá-Nicolás, M., see Giner-Larza, E.M. (428) 137
- Çetinaslan, B., see Özdemirci, S. (428) 105
- Chaki, S., see Kawashima, N. (428) 389
- Chiavaroli, C., see Szabo, M.E. (428) 277
- Cignarella, G., see Carai, M.A.M. (428) 315
- Colombo, G., see Carai, M.A.M. (428) 315
- Costa, F.G., Frussa-Filho, R. and Felicio, L.F.
The neurotensin receptor antagonist, SR48692, attenuates the expression of amphetamine-induced behavioural sensitisation in mice (428) 97
- Crooks, P.A., see Dwoskin, L.P. (428) 69
- Degaonkar, M.N., see Sinha, K. (428) 185
- Delbro, D.S., see Giglio, D. (428) 357
- DeLorenzo, R.J., see Wallace, M.J. (428) 51
- Del Rio, M., see Ganado, P. (428) 19
- De Vries, R., see Schuijt, M.P. (428) 331
- De Vry, J., Horváth, E. and Schreiber, R.
Neuroprotective and behavioral effects of the selective metabotropic glutamate mGlu₁ receptor antagonist BAY 36-7620 (428) 203
- Dwoskin, L.P., Teng, L.H. and Crooks, P.A.
Nornicotine, a nicotine metabolite and tobacco alkaloid: desensitization of nicotinic receptor-stimulated dopamine release from rat striatum (428) 69
- Edwardson, J.M., see Madziva, M.T. (428) 9
- Endo, T., see Minami, M. (428) 215
- Erden, F., see Özdemirci, S. (428) 105
- Farine, J.-C., see Szabo, M.E. (428) 277
- Fauq, A., see Boules, M. (428) 227
- Felicio, L.F., see Costa, F.G. (428) 97
- Freund, V., see Pons, F. (428) 365
- Frossard, N., see Pons, F. (428) 365
- Frussa-Filho, R., see Costa, F.G. (428) 97
- Fuentes, T., see Galindo, A. (428) 269
- Fujimura, A., see Tsuruoka, S. (428) 287
- Fujita, A., see Satoh, Y. (428) 337
- Fukui, T., see Rahman, M. (428) 113
- Funakoshi, T., see Kawashima, N. (428) 389
- Furusako, S., see Kato, Y. (428) 371
- Gacar, N., see Özdemirci, S. (428) 105
- Galindo, A., Vargas, M.L., García Estañ, J., Fuentes, T. and Hernández, J.
Synergistic interaction of diazepam with 3',5'-cyclic adenosine monophosphate-elevating agents on rat aortic rings (428) 269
- Ganado, P., Ruiz, E., Del Rio, M., Larcher, F., Sanz, M., Steinert, J.R. and Tejerina, T.
Growth inhibitory activity of indapamide on vascular smooth muscle cells (428) 19
- Garay, E., see Szabo, M.E. (428) 277
- Garay, R.P., see Szabo, M.E. (428) 277
- García, J.J., Reiter, R.J., Karbownik, M., Calvo, J.R., Ortiz, G.G., Tan, D.-X., Martínez-Ballarín, E. and Acuña-Castroviejo, D.
N-acetylserotonin suppresses hepatic microsomal membrane rigidity associated with lipid peroxidation (428) 169
- García Estañ, J., see Galindo, A. (428) 269
- Gessa, G.L., see Carai, M.A.M. (428) 315
- Giglio, D., Delbro, D.S. and Tobin, G.
On the functional role of muscarinic M₂ receptors in cholinergic and purinergic responses in the rat urinary bladder (428) 357
- Giner-Larza, E.M., Mániz, S., Recio, M.C., Giner, R.M., Prieto, J.M., Cerdá-Nicolás, M. and Ríos, J.L.
Oleanonic acid, a 3-oxotriterpene from *Pistacia*, inhibits leukotriene synthesis and has anti-inflammatory activity (428) 137
- Giner, R.M., see Giner-Larza, E.M. (428) 137
- Ginsberg, M.D., see Liu, Y. (428) 193
- Gören, M.Z., Akıcı, A., Karaalp, A., Aker, R. and Oktay, Ş.
The role of nitric oxide in the reversal of hemorrhagic shock by oxotremorine (428) 261

- Gorzalka, B.B., Hanson, L.A. and Hong, J.J.
Ketanserin attenuates the behavioural effects of corticosterone: implications for 5-HT_{2A} receptor regulation (428) 235
- Goto, T., see Hosogai, N. (428) 295
- Groschner, K., see Wakabayashi, I. (428) 251
- Grundt, P., see Zaveri, N. (428) 29
- Gupta, Y.K., see Sinha, K. (428) 185
- Habara, T., see Miki, M. (428) 303
- Haines, D., see Szabo, M.E. (428) 277
- Hamada, A., see Hayashi, M. (428) 163
- Hamada, K., see Hosogai, N. (428) 295
- Hamamura, T., see Miki, M. (428) 303
- Hamaue, N., see Minami, M. (428) 215
- Handley, S.L., see MacInnes, N. (428) 221
- Hannaert, P., see Szabo, M.E. (428) 277
- Hanson, L.A., see Gorzalka, B.B. (428) 235
- Hata, F., see Satoh, Y. (428) 337
- Hayashi, M., Hamada, A., Okaya, Y., Wakitani, K. and Aisaka, K.
Inhibitory effect of JTV-803, a new cyclic guanidine derivative, on factor Xa in vitro and in vivo (428) 163
- Hermes-Lima, M., see Santos, N.C.F. (428) 37
- Hernández, J., see Galindo, A. (428) 269
- Hirafuji, M., see Minami, M. (428) 215
- Hirota, M., see Niwa, M. (428) 121
- Hong, J.J., see Gorzalka, B.B. (428) 235
- Horie, S., see Minowa, S. (428) 349
- Horváth, E., see De Vry, J. (428) 203
- Hosaka, Y., see Kato, Y. (428) 371
- Hosogai, N., Hamada, K., Tomita, M., Nagashima, A., Takahashi, T., Sekizawa, T., Mizutani, T., Urano, Y., Kuroda, A., Sawada, K., Ozaki, T., Seki, J. and Goto, T.
FR226807: a potent and selective phosphodiesterase type 5 inhibitor (428) 295
- Hotta, K., see Niwa, M. (428) 121
- Inadome, A., see Miyamoto, Y. (428) 59
- Inose, A., see Kamata, K. (428) 241
- Jagannathan, N.R., see Sinha, K. (428) 185
- Jan Danser, A.H., see Schuijt, M.P. (428) 331
- Jarzyna, R., Kiersztan, A., Lisowa, O. and Bryła, J.
The inhibition of gluconeogenesis by chloroquine contributes to its hypoglycaemic action (428) 381
- Johnson, S.W., see Shen, K.-Z. (428) 1
- Kamata, K., Kanie, N. and Inose, A.
Mechanisms underlying attenuated contractile response of aortic rings to noradrenaline in fructose-fed mice (428) 241
- Kameo, K., see Kawashima, N. (428) 389
- Kanamori, Y., see Niwa, M. (428) 121
- Kanie, N., see Kamata, K. (428) 241
- Karaalp, A., see Gören, M.Z. (428) 261
- Karbownik, M., see García, J.J. (428) 169
- Kato, Y., Tsuda, T., Hosaka, Y., Takahashi, T., Shirakawa, K., Furusako, S., Mizuguchi, K. and Mochizuki, H.
Effect of trapidil on effector functions of monocytes related to atherosclerotic plaque (428) 371
- Kawashima, N., Funakoshi, T., Omura, T., Chaki, S., Kameo, K. and Okuyama, S.
Corrigendum to "Neuropharmacological profiles of a novel atypical antipsychotic, NRA0562, in rats" [Eur. J. Pharmacol. 423 (2001) 27–33] (428) 389
- Kelestimur, H., see Canpolat, S. (428) 145
- Kelson, A.B., see Zaveri, N. (428) 29
- Kiersztan, A., see Jarzyna, R. (428) 381
- Kimura, S., see Rahman, M. (428) 113
- Kodama, M., see Miki, M. (428) 303
- Kopustinskiene, D.M., Pollesello, P. and Saris, N.-E.L.
Levosimendan is a mitochondrial K_{ATP} channel opener (428) 311
- Kosaka, H., see Rahman, M. (428) 113
- Kozawa, O., see Niwa, M. (428) 121
- Kuissu, H., see Pons, F. (428) 365
- Kulkarni, S.K., see Naidu, P.S. (428) 81
- Kuroda, A., see Hosogai, N. (428) 295
- Kuroda, S., see Miki, M. (428) 303
- Kutlu, S., see Canpolat, S. (428) 145
- Larcher, F., see Ganado, P. (428) 19
- Lee, Y., see Miki, M. (428) 303
- Lewis, J.W., see Zaveri, N. (428) 29
- Lisowa, O., see Jarzyna, R. (428) 381
- Liu, Y., Belayev, L., Zhao, W., Busto, R., Belayev, A. and Ginsberg, M.D.
Neuroprotective effect of treatment with human albumin in permanent focal cerebral ischemia: histopathology and cortical perfusion studies (428) 193
- Lummis, S.C.R., see Niemeyer, M.I. (428) 153
- MacInnes, N. and Handley, S.L.
Region-dependent effects of acute and chronic tranylcypromine in vivo on [³H]2-BFI binding to brain imidazoline I₂ sites (428) 221
- Madziva, M.T. and Edwardson, J.M.
Trafficking of green fluorescent protein-tagged muscarinic M₄ receptors in NG108-15 cells (428) 9
- Máñez, S., see Giner-Larza, E.M. (428) 137
- Martin, B.R., see Wallace, M.J. (428) 51
- Martínez-Ballarín, E., see García, J.J. (428) 169
- Mastinu, S., see Carai, M.A.M. (428) 315
- Masui, H., see Wakabayashi, I. (428) 251
- Mathieu, E., see Pons, F. (428) 365
- Matsuno, H., see Niwa, M. (428) 121
- McCormick, D., see Boules, M. (428) 227
- Meinicke, A.R., see Santos, N.C.F. (428) 37
- Melis, S., see Carai, M.A.M. (428) 315
- Miki, M., Hamamura, T., Ujike, H., Lee, Y., Habara, T., Kodama, M., Ohashi, K., Tanabe, Y. and Kuroda, S.
Effects of subchronic lithium chloride treatment on G-protein subunits (G_{olf}, G_{γ7}) and adenylyl cyclase expressed specifically in the rat striatum (428) 303
- Millan, M.J., see Newman-Tancredi, A. (428) 177
- Minami, M., Endo, T., Yokota, H., Ogawa, T., Nemoto, M., Hamaue, N., Hirafuji, M., Yoshioka, M., Nagahisa, A. and Andrews, P.L.R.
Effects of CP-99, 994, a tachykinin NK₁ receptor antagonist, on abdominal afferent vagal activity in ferrets: evidence for involvement of NK₁ and 5-HT₃ receptors (428) 215
- Minardi, G., see Carai, M.A.M. (428) 315
- Minowa, S., Tsuchiya, S., Horie, S., Watanabe, K. and Murayama, T.
Stimulatory effect of centrally injected capsaicin, an agonist of vanilloid receptors, on gastric acid secretion in rats (428) 349
- Miyamoto, Y., Yoshida, M., Takahashi, W., Inadome, A., Yono, M., Seshita, H., Murakami, S. and Ueda, S.
The effect of nitric oxide on acetylcholine release in the rabbit bladder (428) 59
- Mizuguchi, K., see Kato, Y. (428) 371
- Mizutani, T., see Hosogai, N. (428) 295
- Mochizuki, H., see Kato, Y. (428) 371
- Murakami, S., see Miyamoto, Y. (428) 59
- Murayama, T., see Minowa, S. (428) 349
- Myhrer, T. and Andersen, J.M.
Interference with visual memory in rats following infusion of the functional NMDA receptor antagonist, HA-966, into temporal regions (428) 323

- Nagahisa, A., see Minami, M. (428) 215
- Nagashima, A., see Hosogai, N. (428) 295
- Naidu, P.S. and Kulkarni, S.K.
Effect of 5-HT_{1A} and 5-HT_{2A/2C} receptor modulation on neuroleptic-induced vacuous chewing movements (428) 81
- Nemoto, M., see Minami, M. (428) 215
- Newman-Tancredi, A., Verri  , L., Touzard, M. and Millan, M.J.
Efficacy of antipsychotic agents at human 5-HT_{1A} receptors determined by [³H]WAY100,635 binding affinity ratios: relationship to efficacy for G-protein activation (428) 177
- Niemeyer, M.I. and Lummis, S.C.R.
The role of the agonist binding site in Ca²⁺ inhibition of the recombinant 5-HT_{3A} receptor (428) 153
- Nishiki, K., see Tsuruoka, S. (428) 287
- Nishio, H., see Satoh, Y. (428) 337
- Nishiyama, A., see Rahman, M. (428) 113
- Niwa, M., Hotta, K., Kanamori, Y., Matsuno, H., Kozawa, O., Hirota, M. and Uematsu, T.
Differential uptake of grepafloxacin by human circulating blood neutrophils and those exudated into tissues (428) 121
- Ogawa, T., see Minami, M. (428) 215
- Ohashi, K., see Miki, M. (428) 303
- Oja, S.S., see Anderzhanova, E. (428) 87
- Okaya, Y., see Hayashi, M. (428) 163
- Oktay,  ., see G  ren, M.Z. (428) 261
- Okuyama, S., see Kawashima, N. (428) 389
- Olgart, C., see Pons, F. (428) 365
- Oliveira, C.F., see Vianna-Jorge, R. (428) 45
- Olsen, C.M., see Zaveri, N. (428) 29
- Omura, T., see Kawashima, N. (428) 389
- Ortiz, G.G., see Garc  a, J.J. (428) 169
- Ozaki, T., see Hosogai, N. (428) 295
-   zdemirci, S., Yildiz, F., Utkan, T., Ulak, G.,   tetinaslan, B., Erden, F. and Gacar, N.
Impaired neurogenic and endothelium-dependent relaxant responses of corpus cavernosum smooth muscle from hyperthyroid rabbits (428) 105
- Pistuddi, A.M., see Carai, M.A.M. (428) 315
- Pol, O., Valle, L. and Puig, M.M.
Antisense oligodeoxynucleotides to  - and  -opioid receptor mRNA block the enhanced effects of opioids during intestinal inflammation (428) 127
- Polgar, W.E., see Zaveri, N. (428) 29
- Pollesello, P., see Kopustinskiene, D.M. (428) 311
- Pons, F., Freund, V., Kuissu, H., Mathieu, E., Olgart, C. and Frossard, N.
Nerve growth factor secretion by human lung epithelial A549 cells in pro- and anti-inflammatory conditions (428) 365
- Ponte, C.G., see Vianna-Jorge, R. (428) 45
- Prieto, J.M., see Giner-Larza, E.M. (428) 137
- Puig, M.M., see Pol, O. (428) 127
- Rahman, M., Kimura, S., Yoneyama, H., Kosaka, H., Nishiyama, A., Fukui, T. and Abe, Y.
Effects of furosemide on the tubular reabsorption of nitrates in anesthetized dogs (428) 113
- Rayevsky, K.S., see Anderzhanova, E. (428) 87
- Recio, M.C., see Giner-Larza, E.M. (428) 137
- Reiter, R.J., see Garc  a, J.J. (428) 169
- Richelson, E., see Boules, M. (428) 227
- Riitamaa, E., see Anderzhanova, E. (428) 87
- R  os, J.L., see Giner-Larza, E.M. (428) 137
- Ruiz, E., see Ganado, P. (428) 19
- Sandal, S., see Canpolat, S. (428) 145
- Santos, N.C.F., Castilho, R.F., Meinicke, A.R. and Hermes-Lima, M.
The iron chelator pyridoxal isonicotinoyl hydrazone inhibits mitochondrial lipid peroxidation induced by Fe(II)-citrate (428) 37
- Sanz, M., see Ganado, P. (428) 19
- Saransaari, P., see Anderzhanova, E. (428) 87
- Saris, N.-E.L., see Kopustinskiene, D.M. (428) 311
- Satoh, Y., Uchida, M., Fujita, A., Nishio, H., Takeuchi, T. and Hata, F.
Possible role of orexin A in nonadrenergic, noncholinergic inhibitory response of muscle of the mouse small intestine (428) 337
- Sawada, K., see Hosogai, N. (428) 295
- Saxena, P.R., see Schuijt, M.P. (428) 331
- Schreiber, R., see De Vry, J. (428) 203
- Schuijt, M.P., De Vries, R., Saxena, P.R. and Jan Danser, A.H.
Prostanoids, but not nitric oxide, counterregulate angiotensin II mediated vasoconstriction in vivo (428) 331
- Seki, J., see Hosogai, N. (428) 295
- Sekizawa, T., see Hosogai, N. (428) 295
- Serra, S., see Carai, M.A.M. (428) 315
- Seshita, H., see Miyamoto, Y. (428) 59
- Shen, K.-Z. and Johnson, S.W.
Potentiation of GABA_A receptor agonists by GABA uptake inhibitors in the rat ventral midbrain (428) 1
- Shirakawa, K., see Kato, Y. (428) 371
- Sinha, K., Degaonkar, M.N., Jagannathan, N.R. and Gupta, Y.K.
Effect of melatonin on ischemia reperfusion injury induced by middle cerebral artery occlusion in rats (428) 185
- Solinas, C., see Carai, M.A.M. (428) 315
- Steinert, J.R., see Ganado, P. (428) 19
- Su, T.-P., see Tsao, L.-I. (428) 149
- Suarez-Kurtz, G., see Vianna-Jorge, R. (428) 45
- Sugimoto, K.-i., see Tsuruoka, S. (428) 287
- Szabo, M.E., Haines, D., Garay, E., Chiavaroli, C., Farine, J.-C., Hanaert, P., Berta, A. and Garay, R.P.
Antioxidant properties of calcium dobesilate in ischemic/reperfused diabetic rat retina (428) 277
- Taha, R.A., see Agha, A.M. (428) 343
- Takahashi, T., see Hosogai, N. (428) 295
- Takahashi, T., see Kato, Y. (428) 371
- Takahashi, W., see Miyamoto, Y. (428) 59
- Takeuchi, T., see Satoh, Y. (428) 337
- Tan, D.-X., see Garc  a, J.J. (428) 169
- Tanabe, Y., see Miki, M. (428) 303
- Tej  r  n, T., see Ganado, P. (428) 19
- Teng, L.H., see Dwoskin, L.P. (428) 69
- Tobin, G., see Giglio, D. (428) 357
- Toll, L., see Zaveri, N. (428) 29
- Tomita, M., see Hosogai, N. (428) 295
- Touzard, M., see Newman-Tancredi, A. (428) 177
- Tsao, L.-I. and Su, T.-P.
Hibernation-induction peptide and cell death: [D-Ala²,D-Leu⁵]enkephalin blocks Bax-related apoptotic processes (428) 149
- Tsuchiya, S., see Minowa, S. (428) 349
- Tsuda, T., see Kato, Y. (428) 371
- Tsuruoka, S., Nishiki, K., Sugimoto, K.-i. and Fujimura, A.
Chronotherapy with active vitamin D3 in aged stroke-prone spontaneously hypertensive rats, a model of osteoporosis (428) 287
- Uchida, M., see Satoh, Y. (428) 337
- Ueda, S., see Miyamoto, Y. (428) 59
- Uematsu, T., see Niwa, M. (428) 121
- Ujike, H., see Miki, M. (428) 303
- Ulak, G., see   zdemirci, S. (428) 105
- Urano, Y., see Hosogai, N. (428) 295
- Utkan, T., see   zdemirci, S. (428) 105

- Vacca, G., see Carai, M.A.M. (428) 315
- Valle, L., see Pol, O. (428) 127
- Vargas, M.L., see Galindo, A. (428) 269
- Verrière, L., see Newman-Tancredi, A. (428) 177
- Vianna-Jorge, R., Oliveira, C.F., Ponte, C.G. and Suarez-Kurtz, G.
WIN 17317-3 blocks Ca^{2+} -activated K^{+} channels and enhances motility of guinea-pig detrusor muscle (428) 45
- Wakabayashi, I., Masui, H. and Groschner, K.
Intracellular alkalinization augments α_1 -adrenoceptor-mediated vasoconstriction by promotion of Ca^{2+} entry through the non-L-type Ca^{2+} channels (428) 251
- Wakitani, K., see Hayashi, M. (428) 163
- Wallace, M.J., Wiley, J.L., Martin, B.R. and DeLorenzo, R.J.
Assessment of the role of CB_1 receptors in cannabinoid anticonvulsant effects (428) 51
- Warrington, L., see Boules, M. (428) 227
- Watanabe, K., see Minowa, S. (428) 349
- Wiley, J.L., see Wallace, M.J. (428) 51
- Yasar, A., see Canpolat, S. (428) 145
- Yildiz, F., see Özdemirci, S. (428) 105
- Yilmaz, B., see Canpolat, S. (428) 145
- Yokota, H., see Minami, M. (428) 215
- Yoneyama, H., see Rahman, M. (428) 113
- Yono, M., see Miyamoto, Y. (428) 59
- Yoshida, M., see Miyamoto, Y. (428) 59
- Yoshioka, M., see Minami, M. (428) 215
- Zaveri, N., Polgar, W.E., Olsen, C.M., Kelson, A.B., Grundt, P., Lewis, J.W. and Toll, L.
Characterization of opiates, neuroleptics, and synthetic analogs at ORL1 and opioid receptors (428) 29
- Zhao, W., see Liu, Y. (428) 193