

Author index

- Abreu, P., see Rey, E. (430) 9
- Ahlemeyer, B., Selke, D., Schaper, C., Klumpp, S. and Krieglstein, J.
Ginkgolic acids induce neuronal death and activate protein phosphatase type-2C (430) 1
- Allan, R.D., see Chebib, M. (430) 185
- Allen, G.V., see Esser, M.J. (430) 211
- Alonso, R., see Rey, E. (430) 9
- Ando, R., see Zhang, R. (430) 73
- Bargas, J., see Barral, J. (430) 167
- Barnes, A., see Patel, K. (430) 203
- Barral, J., Poblette, F., Mendoza, E., Pineda, J.C., Galarraga, E. and Bargas, J.
High-affinity inhibition of glutamate release from corticostriatal synapses by ω -agatoxin TK (430) 167
- Bastan, R., Peirce, M.J. and Peachell, P.T.
Regulation of immunoglobulin E-mediated secretion by protein phosphatases in human basophils and mast cells of skin and lung (430) 135
- Bauzon, D., see Bymaster, F.P. (430) 341
- Bessard, G., see Devillier, P. (430) 325
- Bettolini, L., see Quartaroli, M. (430) 219
- Bolser, D.C., McLeod, R.L., Tulshian, D.B. and Hey, J.A.
Antitussive action of nociceptin in the cat (430) 107
- Bori, Z., see Simon, L. (430) 235
- Bortolato, M., see Nava, F. (430) 261
- Boughtflower, R., see Patel, K. (430) 203
- Bourgoin, S., see Mauborgne, A. (430) 273
- Bréant, D., see Devillier, P. (430) 325
- Brunetti, G., see Serra, S. (430) 369
- Brunetti, L., see Orlando, G. (430) 269
- Bymaster, F.P., Falcone, J.F., Bauzon, D., Kennedy, J.S., Schenck, K., DeLapp, N.W. and Cohen, M.L.
Potent antagonism of 5-HT₃ and 5-HT₆ receptors by olanzapine (430) 341
- Camacho, J., see Patel, K. (430) 203
- Capasso, A., see Sorrentino, R. (430) 79
- Carai, M.A.M., see Serra, S. (430) 369
- Caron, F., see Devillier, P. (430) 325
- Carta, G., see Nava, F. (430) 261
- Ceranowicz, P., see Warzecha, Z. (430) 113
- Cerezo, M., see Martínez, P.J. (430) 59
- Cesselin, F., see Mauborgne, A. (430) 273
- Chase, T., see Esser, M.J. (430) 211
- Chebib, M., Duke, R.K., Allan, R.D. and Johnston, G.A.R.
The effects of cyclopentane and cyclopentene analogues of GABA at recombinant GABA_C receptors (430) 185
- Ciabattoni, G., see Orlando, G. (430) 269
- Clarke, W.C., see Pohl, S. (430) 193
- Cohen, M.L., see Bymaster, F.P. (430) 341
- Colombo, G., see Serra, S. (430) 369
- Corompt, E., see Devillier, P. (430) 325
- Corsi, M., see Quartaroli, M. (430) 219
- Cousens, D., see Patel, K. (430) 203
- Craft, R.M., see Tseng, A.H. (430) 41
- Czuczwar, S.J., see Kamiński, R.M. (430) 251
- Darlison, M.G., see Pohl, S. (430) 193
- Darmani, N.A.
The cannabinoid CB₁ receptor antagonist SR 141716A reverses the antiemetic and motor depressant actions of WIN 55, 212-2 (430) 49
- De Kloet, E.R., see Van Acker, S.A.B.E. (430) 87
- DeLapp, N.W., see Bymaster, F.P. (430) 341
- Dembiński, A., see Warzecha, Z. (430) 113
- D'Emmanuele di Villa Bianca, R., see Sorrentino, R. (430) 79
- Denbow, D.M., see Zhang, R. (430) 73
- Devillier, P., Corompt, E., Bréant, D., Caron, F. and Bessard, G.
Relaxation and modulation of cyclic AMP production in response to atrial natriuretic peptides in guinea pig tracheal smooth muscle (430) 325
- De Witt, B.J., Marrone, J.R., Kaye, A.D., Keefer, L.K. and Kadowitz, P.J.
Comparison of responses to novel nitric oxide donors in the feline pulmonary vascular bed (430) 311
- Di Nisio, C., see Orlando, G. (430) 269
- Domeier, E., see Milting, H. (430) 299
- Dong, K., see Wen, S. (430) 373
- Dubocovich, M.L., see Lotufo, C.M.C. (430) 351
- Duke, R.K., see Chebib, M. (430) 185
- Dun, Y., Hao, Y.-B., Wu, Y.-X., Zhang, Y. and Zhao, R.-R.
Protective effects of nitroglycerin-induced preconditioning mediated by calcitonin gene-related peptide in rat small intestine (430) 317
- Ebina, Y., see Ishizawa, K. (430) 359
- Esser, M.J., Chase, T., Allen, G.V. and Sawynok, J.
Chronic administration of amitriptyline and caffeine in a rat model of neuropathic pain: multiple interactions (430) 211
- Falcone, J.F., see Bymaster, F.P. (430) 341
- Farsky, S.H.P., see Lotufo, C.M.C. (430) 351
- Fasdelli, N., see Quartaroli, M. (430) 219
- Finlayson, K., Turnbull, L., January, C.T., Sharkey, J. and Kelly, J.S.
[³H]Dofetilide binding to HERG transfected membranes: a potential high throughput preclinical screen (430) 147
- Flutterm, M.F.J., see Van Acker, S.A.B.E. (430) 87
- Funada, M., Hara, C. and Wada, K.
Involvement of corticotropin-releasing factor receptor subtype 1 in morphine withdrawal regulation of the brain noradrenergic system (430) 277
- Furuse, M., see Zhang, R. (430) 73
- Galarraga, E., see Barral, J. (430) 167
- Gessa, G.L., see Nava, F. (430) 261
- Gessa, G.L., see Serra, S. (430) 369
- Gilad, G.M. and Gilad, V.H.
 β -Aminopropionitrile treatment can accelerate recovery of mice after spinal cord injury (430) 69
- Gilad, V.H., see Gilad, G.M. (430) 69
- Gomez, R., see Serra, S. (430) 369

- Grapow, M., see Milting, H. (430) 299
- Guo, Y., Hedqvist, P. and Gustafsson, L.E.
Absence of mast cell involvement in active systemic anaphylaxis in rats (430) 305
- Gustafsson, L.E., see Guo, Y. (430) 305
- Hakim, K., see Milting, H. (430) 299
- Hao, Y.-B., see Dun, Y. (430) 317
- Hara, C., see Funada, M. (430) 277
- Hedqvist, P., see Guo, Y. (430) 305
- Hernández-Díaz, F.J., see Rey, E. (430) 9
- Hey, J.A., see Bolser, D.C. (430) 107
- Hiruma, T., see Mochizuki, A. (430) 123
- Homayoun, H., Khavandgar, S. and Zarrindast, M.R.
Effects of adenosine receptor agonists and antagonists on pentylene-tetrazole-induced amnesia (430) 289
- Hoshiko, S., see Tabata, Y. (430) 159
- Houchi, H., see Ishizawa, K. (430) 359
- Iizuka, Y., see Tabata, Y. (430) 159
- Inaba, N., see Mochizuki, A. (430) 123
- Inoue, K., see Sugimoto, Y. (430) 265
- Ishizawa, K., Yoshizumi, M., Tsuchiya, K., Takishita, E., Nakaya, Y., Kishi, K., Ebina, Y., Houchi, H., Minakuchi, K. and Tamaki, T.
Effects of losartan in combination with or without exercise on insulin resistance in Otsuka Long-Evans Tokushima Fatty rats (430) 359
- Iwamoto, T., see Miki, S. (430) 229
- Janssen, P.M.L., see Milting, H. (430) 299
- January, C.T., see Finlayson, K. (430) 147
- Johnston, G.A.R., see Chebib, M. (430) 185
- Kadowitz, P.J., see De Witt, B.J. (430) 311
- Källström, B.-L. and Waldeck, B.
Bronchodilating properties of the VIP receptor agonist Ro 25-1553 compared to those of formoterol on the guinea-pig isolated trachea (430) 335
- Kamiński, R.M., Van Rijn, C.M., Turski, W.A., Czuczwar, S.J. and Van Luijcklaar, G.
AMPA and GABA_B receptor antagonists and their interaction in rats with a genetic form of absence epilepsy (430) 251
- Karna, E., Pałka, J. and Woźniński, S.
Doxycycline-induced inhibition of prolylase activity in human skin fibroblasts and its involvement in impaired collagen biosynthesis (430) 25
- Kashiwa, J., see Tabata, Y. (430) 159
- Kataoka, Y., see Tominaga, K. (430) 243
- Kaye, A.D., see De Witt, B.J. (430) 311
- Keefer, L.K., see De Witt, B.J. (430) 311
- Kelly, J.S., see Finlayson, K. (430) 147
- Kennedy, J.S., see Bymaster, F.P. (430) 341
- Khavandgar, S., see Homayoun, H. (430) 289
- Kishi, K., see Ishizawa, K. (430) 359
- Klumpp, S., see Ahlemeyer, B. (430) 1
- Kobayashi, S., Reien, Y., Ogura, T., Saito, T., Masuda, Y. and Nakaya, H.
Inhibitory effect of bepridil on hKv1.5 channel current: comparison with amiodarone and E-4031 (430) 149
- Kögler, H., see Milting, H. (430) 299
- Kontos, H.A., see Rosenblum, W.I. (430) 101
- Konturek, P.C., see Warzecha, Z. (430) 113
- Konturek, S.J., see Warzecha, Z. (430) 113
- Kriegstein, J., see Ahlemeyer, B. (430) 1
- Kulkarni, S.K., see Naidu, P.S. (430) 295
- Kurata, Y., see Tabata, Y. (430) 159
- Kurihara, K.-i., see Tabata, Y. (430) 159
- Kusunoki, J., see Mochizuki, A. (430) 123
- Laorden, M.L., see Martínez, P.J. (430) 59
- Lederis, K., see Pohl, S. (430) 193
- Lin, Q., see Thomas, A.G. (430) 33
- Liu, W., see Thomas, A.G. (430) 33
- Lopes, C., see Lotufo, C.M.C. (430) 351
- Lotufo, C.M.C., Lopes, C., Dubocovich, M.L., Farsky, S.H.P. and Markus, R.P.
Melatonin and *N*-acetylserotonin inhibit leukocyte rolling and adhesion to rat microcirculation (430) 351
- Lu, X.-C.M., see Thomas, A.G. (430) 33
- Makino, K., see Tominaga, K. (430) 243
- Maraia, G., see Quartaroli, M. (430) 219
- Markus, R.P., see Lotufo, C.M.C. (430) 351
- Marrone, J.R., see De Witt, B.J. (430) 311
- Marshall, F., see Patel, K. (430) 203
- Martínez-Piñero, M.G., see Martínez, P.J. (430) 59
- Martínez, P.J., Laorden, M.L., Cerezo, M., Martínez-Piñero, M.G. and Milanés, M.V.
Characterization of the signal transduction pathways mediating morphine withdrawal-stimulated *c-fos* expression in hypothalamic nuclei (430) 59
- Masuda, N.T., see Tabata, Y. (430) 159
- Masuda, Y., see Kobayashi, S. (430) 149
- Matsumoto, Y., Yoshida, M., Watanabe, S. and Yamamoto, T.
Involvement of cholinergic and glutamatergic functions in working memory impairment induced by interleukin-1 β in rats (430) 283
- Mauborgne, A., Bourgoin, S., Poliñor, H., Roumy, M., Simonnet, G., Zajac, J.-M. and Cesselin, F.
The neuropeptide FF analogue, 1DMe, acts as a functional opioid autoreceptor antagonist in the rat spinal cord (430) 273
- McDonald, M.C., see Wayman, N. (430) 93
- McLeod, R.L., see Bolser, D.C. (430) 107
- Melis, S., see Serra, S. (430) 369
- Mendoza, E., see Barral, J. (430) 167
- Michelotto, B., see Orlando, G. (430) 269
- Miki, S., Yoshinaga, N., Iwamoto, T., Yasuda, T. and Sato, S.
Antinociceptive effect of the novel compound OT-7100 in a diabetic neuropathy model (430) 229
- Milanés, M.V., see Martínez, P.J. (430) 59
- Milting, H., Janssen, P.M.L., Wangemann, T., Kögler, H., Domeier, E., Seidler, T., Hakim, K., Grapow, M., Zeitz, O., Prestle, J. and Zerkowski, H.-R.
FK506 does not affect cardiac contractility and adrenergic response in vitro (430) 299
- Minakuchi, K., see Ishizawa, K. (430) 359
- Mochizuki, A., Tamura, N., Yatabe, Y., Onodera, S., Hiruma, T., Inaba, N., Kusunoki, J. and Tomioka, H.
Suppressive effects of F-1322 on the antigen-induced late asthmatic response and pulmonary eosinophilia in guinea pigs (430) 123
- Nagy, Z., see Simon, L. (430) 235
- Naidu, P.S. and Kulkarni, S.K.
Possible involvement of prostaglandins in haloperidol-induced orofacial dyskinesia in rats (430) 295
- Nakamura, T., see Warzecha, Z. (430) 113
- Nakanishi, T., see Zhang, R. (430) 73
- Nakaya, H., see Kobayashi, S. (430) 149
- Nakaya, Y., see Ishizawa, K. (430) 359
- Nakazawa, K. and Ohno, Y.
Modulation by estrogens and xenoestrogens of recombinant human neuronal nicotinic receptors (430) 175
- Nava, F., Carta, G., Bortolato, M. and Gessa, G.L.
 γ -Hydroxybutyric acid and baclofen decrease extracellular acetylcholine levels in the hippocampus via GABA_B receptors (430) 261
- Niizeki, M., see Tominaga, K. (430) 243

- Ogura, T., see Kobayashi, S. (430) 149
- Ohgushi, A., see Zhang, R. (430) 73
- Ohkura, M., see Sugimoto, Y. (430) 265
- Ohno, Y., see Nakazawa, K. (430) 175
- Oishi, R., see Tominaga, K. (430) 243
- Okonogi, T., see Tabata, Y. (430) 159
- Olkowski, J.L., see Thomas, A.G. (430) 33
- Onodera, S., see Mochizuki, A. (430) 123
- Onolfo, J.P., see Wen, S. (430) 373
- Orbay, P., see Simon, L. (430) 235
- Orlando, G., Brunetti, L., Di Nisio, C., Michelotto, B., Recinella, L., Ciabattini, G. and Vacca, M.
Effects of cocaine- and amphetamine-regulated transcript peptide, leptin and orexins on hypothalamic serotonin release (430) 269
- Pałka, J., see Karna, E. (430) 25
- Patel, K., Barnes, A., Camacho, J., Paterson, C., Boughtflower, R., Cousens, D. and Marshall, F.
Activity of diadenosine polyphosphates at P2Y receptors stably expressed in 1321N1 cells (430) 203
- Paterson, C., see Patel, K. (430) 203
- Peachell, P.T., see Bastan, R. (430) 135
- Peirce, M.J., see Bastan, R. (430) 135
- Pineda, J.C., see Barral, J. (430) 167
- Pinto, A., see Sorrentino, R. (430) 79
- Poblette, F., see Barral, J. (430) 167
- Pohl, S., Darlison, M.G., Clarke, W.C., Lederis, K. and Richter, D.
Cloning and functional pharmacology of two corticotropin-releasing factor receptors from a teleost fish (430) 193
- Poliénor, H., see Mauborgne, A. (430) 273
- Prestle, J., see Milting, H. (430) 299
- Quartaroli, M., Fasdelli, N., Bettelini, L., Maraia, G. and Corsi, M.
GV196771A, an NMDA receptor/glycine site antagonist, attenuates mechanical allodynia in neuropathic rats and reduces tolerance induced by morphine in mice (430) 219
- Rabbani, M. and Tabakoff, B.
Chronic ethanol treatment reduces adenylyl cyclase activity in human erythroleukemia cells (430) 19
- Raffa, R.B. and Valdez, J.M.
Cocaine withdrawal in *Planaria* (430) 143
- Recinella, L., see Orlando, G. (430) 269
- Reien, Y., see Kobayashi, S. (430) 149
- Rey, E., Hernández-Díaz, F.J., Abreu, P., Alonso, R. and Tabares, L.
Dopamine induces intracellular Ca^{2+} signals mediated by α_{1B} -adrenoceptors in rat pineal cells (430) 9
- Richter, D., see Pohl, S. (430) 193
- Rosenblum, W.I., Wei, E.P. and Kontos, H.A.
Dimethylsulfoxide and ethanol, commonly used diluents, prevent dilation of pial arterioles by openers of K_{ATP} ion channels (430) 101
- Roumy, M., see Mauborgne, A. (430) 273
- Saito, T., see Kobayashi, S. (430) 149
- Sato, S., see Miki, S. (430) 229
- Sawynok, J., see Esser, M.J. (430) 211
- Schaper, C., see Ahlemeyer, B. (430) 1
- Schenck, K., see Bymaster, F.P. (430) 341
- Schuppan, D., see Warzecha, Z. (430) 113
- Seidler, T., see Milting, H. (430) 299
- Selke, D., see Ahlemeyer, B. (430) 1
- Serra, S., Carai, M.A.M., Brunetti, G., Gomez, R., Melis, S., Vacca, G., Colombo, G. and Gessa, G.L.
The cannabinoid receptor antagonist SR 141716 prevents acquisition of drinking behavior in alcohol-preferring rats (430) 369
- Sharkey, J., see Finlayson, K. (430) 147
- Shinei, R., see Tabata, Y. (430) 159
- Shuto, H., see Tominaga, K. (430) 243
- Sibug, R.M., see Van Acker, S.A.B.E. (430) 87
- Simon, L., Szilágyi, G., Bori, Z., Orbay, P. and Nagy, Z.
(-)-D-Deprenyl attenuates apoptosis in experimental brain ischaemia (430) 235
- Simonnet, G., see Mauborgne, A. (430) 273
- Slusher, B.S., see Thomas, A.G. (430) 33
- Sorrentino, R., Capasso, A., D'Emmanuele di Villa Bianca, R. and Pinto, A.
Dexamethasone modulates hypotension induced by opioids in anaesthetised rats (430) 79
- Stachura, J., see Warzecha, Z. (430) 113
- Sugimoto, Y., Ohkura, M., Inoue, K. and Yamada, J.
Involvement of serotonergic and dopaminergic mechanisms in hyperthermia induced by a serotonin-releasing drug, *p*-chloroamphetamine in mice (430) 265
- Szilágyi, G., see Simon, L. (430) 235
- Tabakoff, B., see Rabbani, M. (430) 19
- Tabares, L., see Rey, E. (430) 9
- Tabata, Y., Iizuka, Y., Kashiwa, J., Masuda, N.T., Shinei, R., Kurihara, K.-i., Okonogi, T., Hoshiko, S. and Kurata, Y.
Fungal metabolites, PF1092 compounds and their derivatives, are nonsteroidal and selective progesterone receptor modulators (430) 159
- Takishita, E., see Ishizawa, K. (430) 359
- Tamaki, T., see Ishizawa, K. (430) 359
- Tamura, N., see Mochizuki, A. (430) 123
- Tang, Z., see Thomas, A.G. (430) 33
- Thiemermann, C., see Wayman, N. (430) 93
- Thomas, A.G., Liu, W., Olkowski, J.L., Tang, Z., Lin, Q., Lu, X.-C.M. and Slusher, B.S.
Neuroprotection mediated by glutamate carboxypeptidase II (NAALADase) inhibition requires TGF- β (430) 33
- Thompson, A.S., see Wayman, N. (430) 93
- Threadgill, M.D., see Wayman, N. (430) 93
- Tomaszewska, R., see Warzecha, Z. (430) 113
- Tominaga, K., Yamauchi, A., Shuto, H., Niizeki, M., Makino, K., Oishi, R. and Kataoka, Y.
Ovariectomy aggravates convulsions and hippocampal γ -aminobutyric acid inhibition induced by cyclosporin A in rats (430) 243
- Tomiooka, H., see Mochizuki, A. (430) 123
- Tseng, A.H. and Craft, R.M.
Sex differences in antinociceptive and motoric effects of cannabinoids (430) 41
- Tsuchiya, K., see Ishizawa, K. (430) 359
- Tulshian, D.B., see Bolser, D.C. (430) 107
- Turnbull, L., see Finlayson, K. (430) 147
- Turski, W.A., see Kamiński, R.M. (430) 251
- Vacca, G., see Serra, S. (430) 369
- Vacca, M., see Orlando, G. (430) 269
- Valdez, J.M., see Raffa, R.B. (430) 143
- Van Acker, S.A.B.E., Flutterm, M.F.J., Sibug, R.M. and De Kloet, E.R.
Intracerebroventricular administration of a glucocorticoid receptor antagonist enhances the cardiovascular responses to brief restraint stress (430) 87
- Van Luijckelaar, G., see Kamiński, R.M. (430) 251
- Van Rijn, C.M., see Kamiński, R.M. (430) 251
- Vincens, M., see Wen, S. (430) 373
- Wada, K., see Funada, M. (430) 277
- Waldeck, B., see Källström, B.-L. (430) 335
- Wangemann, T., see Milting, H. (430) 299
- Warzecha, Z., Dembiński, A., Konturek, P.C., Ceranowicz, P., Konturek, S.J., Tomaszewska, R., Schuppan, D., Stachura, J. and Nakamura, T.
Hepatocyte growth factor attenuates pancreatic damage in caerulein-induced pancreatitis in rats (430) 113

- Watanabe, S., see Matsumoto, Y. (430) 283
- Wayman, N., McDonald, M.C., Thompson, A.S., Threadgill, M.D. and Thiernemann, C.
5-Aminoisoquinolinone, a potent inhibitor of poly (adenosine 5'-diphosphate ribose) polymerase, reduces myocardial infarct size (430) 93
- Wei, E.P., see Rosenblum, W.I. (430) 101
- Wen, S., Dong, K., Onolfo, J.P. and Vincens, M.
Treatment with dehydroepiandrosterone sulfate increases NMDA receptors in hippocampus and cortex (430) 373
- Wołczyński, S., see Karna, E. (430) 25
- Wu, Y.-X., see Dun, Y. (430) 317
- Yamada, J., see Sugimoto, Y. (430) 265
- Yamamoto, T., see Matsumoto, Y. (430) 283
- Yamauchi, A., see Tominaga, K. (430) 243
- Yasuda, T., see Miki, S. (430) 229
- Yatabe, Y., see Mochizuki, A. (430) 123
- Yoshida, M., see Matsumoto, Y. (430) 283
- Yoshimatsu, T., see Zhang, R. (430) 73
- Yoshinaga, N., see Miki, S. (430) 229
- Yoshizumi, M., see Ishizawa, K. (430) 359
- Zajac, J.-M., see Mauborgne, A. (430) 273
- Zarrindast, M.R., see Homayoun, H. (430) 289
- Zeitz, O., see Milting, H. (430) 299
- Zerkowski, H.-R., see Milting, H. (430) 299
- Zhang, R., Nakanishi, T., Ohgushi, A., Ando, R., Yoshimatsu, T., Denbow, D.M. and Furuse, M.
Interaction of corticotropin-releasing factor and glucagon-like peptide-1 on behaviors in chicks (430) 73
- Zhang, Y., see Dun, Y. (430) 317
- Zhao, R.-R., see Dun, Y. (430) 317