

Author index

- Akaike, N., see Yamashita, M. (431) 269
 Akman, H., see Babar, E. (431) 315
 Anjuère, J., see Loichot, C. (431) 321
- Babar, E., Özgünen, T., Melik, E., Polat, S. and Akman, H.
 Effects of ketamine on different types of anxiety/fear and related memory in rats with lesions of the median raphe nucleus (431) 315
 Bailey, A., Kelland, E.E., Thomas, A., Biggs, J., Crawford, D., Kitchen, I. and Toms, N.J.
 Regional mapping of low-affinity kainate receptors in mouse brain using [³H](2S,4R)-4-methylglutamate autoradiography (431) 305
 Baird, A.W., see O'Riordan, A.M. (431) 245
 Barbosa, A.D.E. and Morato, G.S.
 Influence of neurosteroids on the development of rapid tolerance to ethanol in mice (431) 179
 Barnes, W., Boyd, D. and Hough, L.
 Dynamics of histamine H₃ receptor antagonists on brain histamine metabolism: do all histamine H₃ receptor antagonists act at a single site? (431) 215
 Barthelmebs, M., see Loichot, C. (431) 321
 Barthó, L., see Lázár, Z. (431) 259
 Benkó, R., see Lázár, Z. (431) 259
 Biggs, J., see Bailey, A. (431) 305
 Billard, W., see Carey, G.J. (431) 189
 Binch III, H., see Carey, G.J. (431) 189
 Blesa, S., see Cortijo, J. (431) 111
 Bobin-Dubigeon, C., Collin, X., Grimaud, N., Robert, J.-M., Le Baut, G. and Petit, J.-Y.
 Effects of tumour necrosis factor- α synthesis inhibitors on rat trinitrobenzene sulphonic acid-induced chronic colitis (431) 103
 Bolego, C., see Pinna, C. (431) 71
 Boyd, D., see Barnes, W. (431) 215
 Brändén, L., see Lehmann, A. (431) 253
 Bunnett, N.W., see Linden, D.R. (431) 311
- Caputi, A.P., see Cuzzocrea, S. (431) 91
 Carey, G.J., Billard, W., Binch III, H., Cohen-Williams, M., Crosby, G., Grzelak, M., Guzik, H., Kozłowski, J.A., Lowe, D.B., Pond, A.J., Tedesco, R.P., Watkins, R.W. and Coffin, V.L.
 SCH 57790, a selective muscarinic M₂ receptor antagonist, releases acetylcholine and produces cognitive enhancement in laboratory animals (431) 189
 Carlberg, C., see Lampen, A. (431) 25
 Centorrino, T., see Cuzzocrea, S. (431) 91
 Chan, S.L. and Fiscus, R.R.
 Vasorelaxant response to isoprenaline, nitric oxide donor, calcitonin gene-related peptide and vasoactive intestinal peptide in aortic rings of adult C57BL/6J mice (431) 229
 Cho, Y.-W., see Jeong, H.-J. (431) 143
 Ciccolo, A., see Cuzzocrea, S. (431) 91
 Cignarella, A., see Pinna, C. (431) 71
 Çimşit, M., see Sümen, G. (431) 265
 Coffin, V.L., see Carey, G.J. (431) 189
 Cohen-Williams, M., see Carey, G.J. (431) 189
 Collin, X., see Bobin-Dubigeon, C. (431) 103
- Cortijo, J., Blesa, S., Martinez-Losa, M., Mata, M., Seda, E., Santangelo, F. and Morcillo, E.J.
 Effects of taurine on pulmonary responses to antigen in sensitized Brown-Norway rats (431) 111
 Crawford, D., see Bailey, A. (431) 305
 Crosby, G., see Carey, G.J. (431) 189
 Cuzzocrea, S., Mazzon, E., Serraino, I., Dugo, L., Centorrino, T., Ciccolo, A., Sautebin, L. and Caputi, A.P.
 Celecoxib, a selective cyclo-oxygenase-2 inhibitor reduces the severity of experimental colitis induced by dinitrobenzene sulfonic acid in rats (431) 91
- Da Silva, G.E., Morato, G.S. and Takahashi, R.N.
 Rapid tolerance to Δ^9 -tetrahydrocannabinol and cross-tolerance between ethanol and Δ^9 -tetrahydrocannabinol in mice (431) 201
 De Jong, W., see Loichot, C. (431) 321
 De Vries, B., Roffel, A.F., Zaagsma, J. and Meurs, H.
 Effect of fenoterol-induced constitutive β_2 -adrenoceptor activity on contractile receptor function in airway smooth muscle (431) 353
 Dikshit, M., see Raghavan, S.A.V. (431) 61
 Dugo, L., see Cuzzocrea, S. (431) 91
- Eroğlu, L., see Sümen, G. (431) 265
- Felder, C.C., see Stamer, W.D. (431) 277
 Fiscus, R.R., see Chan, S.L. (431) 229
 Freeman, A.S., Weddige, F.K. and Lipinski Jr., J.L.
 Effect of glucose on antipsychotic drug-induced changes in dopamine neuronal activity (431) 43
 Freund, T.F., see Vizi, E.S. (431) 237
- Getova, D.P., see Kristev, A.D. (431) 339
 Goldberg, S.R., see Schindler, C.W. (431) 53
 Golightly, S.F., see Stamer, W.D. (431) 277
 Gonoï, T., see Sunaga, Y. (431) 119
 Goto, T., see Sawada, M. (431) 11
 Grimaud, N., see Bobin-Dubigeon, C. (431) 103
 Grzelak, M., see Carey, G.J. (431) 189
 Guzik, H., see Carey, G.J. (431) 189
- Hagihara, H., see Sawada, M. (431) 11
 Hahm, E.-T., see Jeong, H.-J. (431) 143
 Han, S.-H., see Jeong, H.-J. (431) 143
 Harvey, V., Jones, J., Misra, A., Knight, A.R. and Quirk, K.
 Solubilisation and immunoprecipitation of rat striatal adenosine A_{2A} receptors (431) 171
 Hirabayashi, K., see Kimura, M. (431) 151
 Hirose, R., Okumura, H., Yoshimatsu, A., Irie, J., Onoda, Y., Nomoto, Y., Takai, H., Ohno, T. and Ichimura, M.
 KF31327, a new potent and selective inhibitor of cyclic nucleotide phosphodiesterase 5 (431) 17
 Hiyoshi, H., Yanagimachi, M., Ito, M., Saeki, T., Yoshida, I., Okada, T., Ikuta, H., Shinmyo, D., Tanaka, K., Kurusu, N. and Tanaka, H.
 Squalene synthase inhibitors reduce plasma triglyceride through a low-density lipoprotein receptor-independent mechanism (431) 345

- Holzer, P., see Lázár, Z. (431) 259
Hosohata, Y., see Stamer, W.D. (431) 277
Hough, L., see Barnes, W. (431) 215
Hsu, S.-L., see Lee, H.-Z. (431) 287
- Ichikawa, K., Maruyama, K., Murakami, M., Tsuji, A., Yamato, T., Kusama, H. and Kojima, M.
Absence of exacerbation of myocardial stunning in anesthetized dogs treated with KAD-1229, a novel hypoglycemic agent (431) 331
Ichikawa, K., see Sunaga, Y. (431) 119
Ichimura, M., see Hirose, R. (431) 17
Ikemoto, Y., see Yamashita, M. (431) 269
Ikuta, H., see Hiyoshi, H. (431) 345
Imbs, J.-L., see Loichot, C. (431) 321
Inoue, H., see Kimura, M. (431) 151
Inui, K.-i., see Yamaguchi, H. (431) 297
Irie, J., see Hirose, R. (431) 17
Ito, H., see Kiso, T. (431) 35
Ito, M., see Hiyoshi, H. (431) 345
Ito, T., see Shiomi, M. (431) 127
Iwaoka, K., see Kiso, T. (431) 35
- Jahng, J.W., Zhang, T.Y., Lee, S. and Kim, D.G.
Effects of dextromethorphan on nocturnal behavior and brain c-Fos expression in adolescent rats (431) 47
Jeong, H.-J., Lee, J.-J., Hahm, E.-T., Han, S.-H., Min, B.-I. and Cho, Y.-W.
Role of protein kinase C in opioid modulation of glycine-gated Cl^- current in rat periaqueductal gray neuron (431) 143
Jones, J., see Harvey, V. (431) 171
- Kakinuma, Y., see Yuki, K. (431) 163
Kalodimos, P.J. and Ventura, S.
 β_2 -Adrenoceptor-mediated inhibition of field stimulation induced contractile responses of the smooth muscle of the rat prostate gland (431) 81
Kamato, T., see Kiso, T. (431) 35
Kankaanranta, H., see Zhang, X. (431) 365
Katoh, S., see Yuki, K. (431) 163
Katona, I., see Vizi, E.S. (431) 237
Kelland, E.E., see Bailey, A. (431) 305
Kelly, E., see Willets, J. (431) 133
Kim, D.G., see Jahng, J.W. (431) 47
Kimura, M., Inoue, H., Hirabayashi, K., Natsume, H. and Ogihara, M.
Glycyrrhizin and some analogues induce growth of primary cultured adult rat hepatocytes via epidermal growth factor receptors (431) 151
Kiso, T., Ito, H., Miyata, K., Kamato, T., Naitoh, Y., Iwaoka, K. and Yamaguchi, T.
A novel 5-HT₃ receptor agonist, YM-31636, increases gastrointestinal motility without increasing abdominal pain (431) 35
Kitchen, I., see Bailey, A. (431) 305
Kleinrok, Z., see Luchowska, E. (431) 209
Knight, A.R., see Harvey, V. (431) 171
Kojima, M., see Ichikawa, K. (431) 331
Kozłowski, J.A., see Carey, G.J. (431) 189
Kristev, A.D., Getova, D.P., Spassov, V.A. and Turiiski, V.I.
Effects of GABA_B receptor antagonists on spontaneous and on GABA-induced mechanical activity of guinea-pig smooth muscle preparations (431) 339
Kurusu, N., see Hiyoshi, H. (431) 345
Kusama, H., see Sunaga, Y. (431) 119
Kusama, H., see Ichikawa, K. (431) 331
- Lampen, A., Carlberg, C. and Nau, H.
Peroxisome proliferator-activated receptor δ is a specific sensor for teratogenic valproic acid derivatives (431) 25
- Lázár, Z., Shahbazian, A., Benkó, R., Tóth, G., Penke, B., Barthó, L. and Holzer, P.
PACAP-(6–38) inhibits the effects of vasoactive intestinal polypeptide, but not PACAP, on the small intestinal circular muscle (431) 259
Le Baut, G., see Bobin-Dubigeon, C. (431) 103
Lee, H.-Z., Hsu, S.-L., Liu, M.-C. and Wu, C.-H.
Effects and mechanisms of aloe-emodin on cell death in human lung squamous cell carcinoma (431) 287
Lee, J.-J., see Jeong, H.-J. (431) 143
Lee, S., see Jahng, J.W. (431) 47
Lehmann, A. and Brändén, L.
Effects of antagonism of NMDA receptors on transient lower esophageal sphincter relaxations in the dog (431) 253
Linden, D.R., Manning, B.P., Bunnett, N.W. and Mawe, G.M.
Agonists of proteinase-activated receptor 2 excite guinea pig ileal myenteric neurons (431) 311
Lipinski Jr., J.L., see Freeman, A.S. (431) 43
Liu, M.-C., see Lee, H.-Z. (431) 287
Loichot, C., Anjuère, J., Nisato, D., De Jong, W., Imbs, J.-L. and Barthelmebs, M.
Renal vascular reactivity to vasopressin in rats with diabetes mellitus (431) 321
Lowe, D.B., see Carey, G.J. (431) 189
Luchowska, E., Luchowski, P., Wielosz, M., Kleinrok, Z. and Urbanska, E.M.
 β -Adrenoceptor blockade enhances the anticonvulsant effect of glutamate receptor antagonists against maximal electroshock (431) 209
Luchowski, P., see Luchowska, E. (431) 209
- Manning, B.P., see Linden, D.R. (431) 311
Martinez-Losa, M., see Cortijo, J. (431) 111
Maruyama, K., see Ichikawa, K. (431) 331
Mata, M., see Cortijo, J. (431) 111
Matsuo, M., see Sawada, M. (431) 11
Maurice, T.
Beneficial effect of the σ_1 receptor agonist PRE-084 against the spatial learning deficits in aged rats (431) 223
Mawe, G.M., see Linden, D.R. (431) 311
Mazzon, E., see Cuzzocrea, S. (431) 91
Melik, E., see Babar, E. (431) 315
Meurs, H., see De Vries, B. (431) 353
Min, B.-I., see Jeong, H.-J. (431) 143
Misra, A., see Harvey, V. (431) 171
Mitsui, Y., see Yuki, K. (431) 163
Miyata, K., see Kiso, T. (431) 35
Miyauchi, T., see Yuki, K. (431) 163
Moilanen, E., see Zhang, X. (431) 365
Morato, G.S., see Barbosa, A.D.E. (431) 179
Morato, G.S., see Da Silva, G.E. (431) 201
Morcillo, E.J., see Cortijo, J. (431) 111
Murakami, M., see Ichikawa, K. (431) 331
- Nagayoshi, A., see Sawada, M. (431) 11
Naitoh, Y., see Kiso, T. (431) 35
Natsume, H., see Kimura, M. (431) 151
Nau, H., see Lampen, A. (431) 25
Nisato, D., see Loichot, C. (431) 321
Noecker, R.J., see Stamer, W.D. (431) 277
Nomoto, Y., see Hirose, R. (431) 17
- Ogihara, M., see Kimura, M. (431) 151
Ohno, T., see Hirose, R. (431) 17
Oka, M., see Yoshikawa, T. (431) 361
Okada, T., see Hiyoshi, H. (431) 345
Okumura, H., see Sawada, M. (431) 11
Okumura, H., see Hirose, R. (431) 17
Onoda, Y., see Hirose, R. (431) 17

- O'Riordan, A.M., Quinn, T. and Baird, A.W.
 Role of prostaglandin E₂ and Ca²⁺ in bradykinin induced contractions of guinea-pig gallbladder in vitro (431) 245
- Özgünen, T., see Babar, E. (431) 315
- Penke, B., see Lázár, Z. (431) 259
- Petit, J.-Y., see Bobin-Dubigeon, C. (431) 103
- Pinna, C., Cignarella, A., Zanardo, R., Bolego, C. and Puglisi, L.
 Gender differences and antioxidant treatment affect aortic reactivity in short-term diabetic rats (431) 71
- Polat, S., see Babar, E. (431) 315
- Pond, A.J., see Carey, G.J. (431) 189
- Porter, A.C., see Stamer, W.D. (431) 277
- Puglisi, L., see Pinna, C. (431) 71
- Quinn, T., see O'Riordan, A.M. (431) 245
- Quirk, K., see Harvey, V. (431) 171
- Raghavan, S.A.V. and Dikshit, M.
 L-Citrulline mediated relaxation in the control and lipopolysaccharide-treated rat aortic rings (431) 61
- Robert, J.-M., see Bobin-Dubigeon, C. (431) 103
- Roffel, A.F., see De Vries, B. (431) 353
- Roloff, T., Wördehoff, N., Ziegler, A. and Seebeck, J.
 Evidence against the functional involvement of outwardly rectifying Cl⁻ channels in agonist-induced mast cell exocytosis (431) 1
- Ryan, E.P., see Stamer, W.D. (431) 277
- Saeki, T., see Hiyoshi, H. (431) 345
- Saito, H., see Yamaguchi, H. (431) 297
- Santangelo, F., see Cortijo, J. (431) 111
- Sautebin, L., see Cuzzocrea, S. (431) 91
- Sawada, M., Matsuo, M., Hagihara, H., Tenda, N., Nagayoshi, A., Okumura, H., Washizuka, K.-i., Seki, J. and Goto, T.
 Effect of FR194738, a potent inhibitor of squalene epoxidase, on cholesterol metabolism in HepG2 cells (431) 11
- Schindler, C.W., Zheng, J.-W. and Goldberg, S.R.
 Effects of cocaine and cocaine metabolites on cardiovascular function in squirrel monkeys (431) 53
- Seda, E., see Cortijo, J. (431) 111
- Seebeck, J., see Roloff, T. (431) 1
- Seino, S., see Sunaga, Y. (431) 119
- Seki, J., see Sawada, M. (431) 11
- Serrano, I., see Cuzzocrea, S. (431) 91
- Shahbazian, A., see Lázár, Z. (431) 259
- Shibasaki, T., see Sunaga, Y. (431) 119
- Shinmyo, D., see Hiyoshi, H. (431) 345
- Shiomi, M. and Ito, T.
 MTP inhibitor decreases plasma cholesterol levels in LDL receptor-deficient WHHL rabbits by lowering the VLDL secretion (431) 127
- Spasov, V.A., see Kristev, A.D. (431) 339
- Stamer, W.D., Golightly, S.F., Hosohata, Y., Ryan, E.P., Porter, A.C., Varga, E., Noecker, R.J., Felder, C.C. and Yamamura, H.I.
 Cannabinoid CB₁ receptor expression, activation and detection of endogenous ligand in trabecular meshwork and ciliary process tissues (431) 277
- Sümen, G., Çimşit, M. and Eroğlu, L.
 Hyperbaric oxygen treatment reduces carrageenan-induced acute inflammation in rats (431) 265
- Sunaga, Y., Gono, T., Shibasaki, T., Ichikawa, K., Kusama, H., Yano, H. and Seino, S.
 The effects of mitglidine (KAD-1229), a new anti-diabetic drug, on ATP-sensitive K⁺ channels and insulin secretion: comparison with the sulfonylureas and nateglinide (431) 119
- Suzuki, T., see Yuki, K. (431) 163
- Takahashi, R.N., see Da Silva, G.E. (431) 201
- Takai, H., see Hirose, R. (431) 17
- Tanaka, H., see Hiyoshi, H. (431) 345
- Tanaka, K., see Hiyoshi, H. (431) 345
- Tedesco, R.P., see Carey, G.J. (431) 189
- Tenda, N., see Sawada, M. (431) 11
- Thomas, A., see Bailey, A. (431) 305
- Toms, N.J., see Bailey, A. (431) 305
- Tóth, G., see Lázár, Z. (431) 259
- Tsuji, A., see Ichikawa, K. (431) 331
- Turiiski, V.I., see Kristev, A.D. (431) 339
- Ueno, T., see Yamashita, M. (431) 269
- Urbanska, E.M., see Luchowska, E. (431) 209
- Varga, E., see Stamer, W.D. (431) 277
- Ventura, S., see Kalodimos, P.J. (431) 81
- Vizi, E.S., Katona, I. and Freund, T.F.
 Evidence for presynaptic cannabinoid CB₁ receptor-mediated inhibition of noradrenaline release in the guinea pig lung (431) 237
- Washizuka, K.-i., see Sawada, M. (431) 11
- Watkins, R.W., see Carey, G.J. (431) 189
- Weddige, F.K., see Freeman, A.S. (431) 43
- Wielosz, M., see Luchowska, E. (431) 209
- Willems, J. and Kelly, E.
 Desensitization of endogenously expressed δ -opioid receptors: no evidence for involvement of G protein-coupled receptor kinase 2 (431) 133
- Wördehoff, N., see Roloff, T. (431) 1
- Wu, C.-H., see Lee, H.-Z. (431) 287
- Yamaguchi, H., Yano, I., Saito, H. and Inui, K.-i.
 Transport characteristics of grepafloxacin and levofloxacin in the human intestinal cell line Caco-2 (431) 297
- Yamaguchi, T., see Kiso, T. (431) 35
- Yamamura, H.I., see Stamer, W.D. (431) 277
- Yamashita, M., Ueno, T., Akaike, N. and Ikemoto, Y.
 Modulation of miniature inhibitory postsynaptic currents by isoflurane in rat dissociated neurons with glycinergic synaptic boutons (431) 269
- Yamato, T., see Ichikawa, K. (431) 331
- Yanagimachi, M., see Hiyoshi, H. (431) 345
- Yano, H., see Sunaga, Y. (431) 119
- Yano, I., see Yamaguchi, H. (431) 297
- Yoshida, I., see Hiyoshi, H. (431) 345
- Yoshida, N., see Yoshikawa, T. (431) 361
- Yoshikawa, T., Yoshida, N. and Oka, M.
 Central antiemetic effects of AS-8112, a dopamine D₂, D₃, and 5-HT₃ receptor antagonist, in ferrets (431) 361
- Yoshimatsu, A., see Hirose, R. (431) 17
- Yuki, K., Suzuki, T., Katoh, S., Kakinuma, Y., Miyauchi, T. and Mitsui, Y.
 Endothelin-1 stimulates cardiomyocyte injury during mitochondrial dysfunction in culture (431) 163
- Zaagsma, J., see De Vries, B. (431) 353
- Zanardo, R., see Pinna, C. (431) 71
- Zhang, T.Y., see Jahng, J.W. (431) 47
- Zhang, X., Moilanen, E. and Kankaanranta, H.
 Beclomethasone, budesonide and fluticasone propionate inhibit human neutrophil apoptosis (431) 365
- Zheng, J.-W., see Schindler, C.W. (431) 53
- Ziegler, A., see Roloff, T. (431) 1