

Author index

- Abe, K., see Kajioka, S. (443) 19
 Aimi, N., see Tsuchiya, S. (443) 185
 Alloui, A., Chassaing, C., Schmidt, J., Ardid, D., Dubray, C., Cloarec, A. and Eschalier, A.
 Paracetamol exerts a spinal, tropisetron-reversible, antinociceptive effect in an inflammatory pain model in rats (443) 71
 Ardid, D., see Alloui, A. (443) 71
 Avezaat, C.J.J., see Van den Broek, R.W.M. (443) 125
- Ballerio, R., see Buccellati, C. (443) 133
 Barnes, T.A., see McDonald, J. (443) 7
 Bijak, M., see Zahorodna, A. (443) 51
 Bogers, A.J.J.C., see Van den Broek, R.W.M. (443) 125
 Bourin, M., see Malagić, I. (443) 99
 Bowen, W.D., see Crawford, K.W. (443) 207
 Brading, A.F., see Kajioka, S. (443) 19
 Brunetti, G., see Serra, S. (443) 95
 Buccellati, C., Ciceri, P., Ballerio, R., Casagrande, C., Folco, G. and Nicosia, S.
 Evaluation of the effects of anti-thromboxane agents in platelet–vessel wall interaction (443) 133
- Calo, G., see McDonald, J. (443) 7
 Carai, M.A.M., see Serra, S. (443) 95
 Caricati-Neto, A., see Verde, L.F. (443) 13
 Carpentier, C., see Vilpoux, C. (443) 85
 Casagrande, C., see Buccellati, C. (443) 133
 Cen, X., see Wang, X. (443) 213
 Chao, Y.-Y., Chen, I.-S., Yeh, J.-L., Chen, J.-J., Ko, Y.-C., Cheng, J.-S., Liu, C.-P., Lo, Y.-K., Su, W., Chou, K.-J., Chen, W.-C. and Jan, C.-R.
 Novel action of lignans isolated from *Hernandia nymphaeifolia* on Ca^{2+} signaling in renal tubular cells (443) 31
 Chassaing, C., see Alloui, A. (443) 71
 Chen, I.-S., see Chao, Y.-Y. (443) 31
 Chen, J.-J., see Chao, Y.-Y. (443) 31
 Chen, W.-C., see Chao, Y.-Y. (443) 31
 Chen, W.-H., see Loh, S.-H. (443) 169
 Cheng, J.-S., see Chao, Y.-Y. (443) 31
 Cheng, T.-H., see Loh, S.-H. (443) 169
 Cho, C.H., see Luk, H.H. (443) 197
 Chou, K.-J., see Chao, Y.-Y. (443) 31
 Chue, S.-C., see Seow, C.-J. (443) 189
 Chun, B.-G., see Shim, I. (443) 119
 Ciceri, P., see Buccellati, C. (443) 133
 Cloarec, A., see Alloui, A. (443) 71
 Colombo, G., see Serra, S. (443) 95
 Coop, A., see Crawford, K.W. (443) 207
 Costentin, J., see Vilpoux, C. (443) 85
 Crawford, K.W., Coop, A. and Bowen, W.D.
 σ_2 Receptors regulate changes in sphingolipid levels in breast tumor cells (443) 207
 Czyborra, P., see Eltze, M. (443) 151
- David, D.J., see Malagić, I. (443) 99
 Davies, J.A., see Naish, H.J. (443) 79
 Dubray, C., see Alloui, A. (443) 71
- Eguchi, S., see Saito, S. (443) 47
 Eltze, M., Grebe, T., Michel, M.C., Czyborra, P. and Ullrich, B.
 Affinity profile at α_1 - and α_2 -adrenoceptor subtypes and in vitro cardiovascular actions of (+)-boldine (443) 151
 Eschalier, A., see Alloui, A. (443) 71
- Folco, G., see Buccellati, C. (443) 133
 Frank, G.D., see Saito, S. (443) 47
 Fung, H.S., see Luk, H.H. (443) 197
- Gao, Z.-g. and Jacobson, K.A.
 2-Chloro-*N*⁶-cyclopentyladenosine, adenosine A_1 receptor agonist, antagonizes the adenosine A_3 receptor (443) 39
 Gardier, A.M., see Malagić, I. (443) 99
 Gessa, G.L., see Serra, S. (443) 95
 Glennon, R.A., see Young, R. (443) 113
 Grebe, T., see Eltze, M. (443) 151
 Guerrini, R., see McDonald, J. (443) 7
- Hahm, D.-H., see Shim, I. (443) 119
 Hamann, M. and Richter, A.
 Effects of striatal injections of GABA_A receptor agonists and antagonists in a genetic animal model of paroxysmal dystonia (443) 59
 Hen, R., see Malagić, I. (443) 99
 Henriques, J.A.P., see Picada, J.N. (443) 105
 Hong, G.-J., see Loh, S.-H. (443) 169
 Horie, S., see Tsuchiya, S. (443) 185
- Ikeo, T., see Inoue, H. (443) 179
 Inagami, T., see Saito, S. (443) 47
 Inoue, H., Yano, K., Noto, T., Takagi, M., Ikeo, T. and Kikkawa, K.
 T-1032, a novel phosphodiesterase type 5 inhibitor, increases the survival of cardiomyopathic hamsters (443) 179
 Izquierdo, I., see Picada, J.N. (443) 105
- Jacobson, K.A., see Gao, Z.-g. (443) 39
 Jan, C.-R., see Chao, Y.-Y. (443) 31
 John, G.W., see Van den Broek, R.W.M. (443) 125
 Jolliet, P., see Malagić, I. (443) 99
 Jurkiewicz, A., see Verde, L.F. (443) 13
 Jurkiewicz, N.H., see Verde, L.F. (443) 13
- Kageyama, S., Matsushita, J. and Yamamoto, H.
 Effect of a humanized monoclonal antibody to von Willebrand factor in a canine model of coronary arterial thrombosis (443) 143
 Kajioka, S., Nakayama, S., McMurray, G., Abe, K. and Brading, A.F.
 Ca^{2+} channel properties in smooth muscle cells of the urinary bladder from pig and human (443) 19

- Karna, E. and Palka, J.A.
Inhibitory effect of acetylsalicylic acid on metalloproteinase activity in human lung adenocarcinoma at different stages of differentiation (443) 1
- Kikkawa, K., see Inoue, H. (443) 179
- Kim, H.-T., see Shim, I. (443) 119
- Kim, S.E., see Shim, I. (443) 119
- Kim, Y.-H., see Shim, I. (443) 119
- Ko, J.K.S., see Luk, H.H. (443) 197
- Ko, Y.-C., see Chao, Y.-Y. (443) 31
- Lafayette, S.S.L., see Verde, L.F. (443) 13
- Lambert, D.G., see McDonald, J. (443) 7
- Lee, E.H., see Shim, I. (443) 119
- Lee, H.-J., see Shim, I. (443) 119
- Legvari, G., see Porszasz, R. (443) 211
- Leroux-Nicollet, I., see Vilpoux, C. (443) 85
- Li, S.-M., Ren, Y.-H. and Zheng, J.-W.
Effect of 7-nitroindazole on drug-priming reinstatement of D-methamphetamine-induced conditioned place preference (443) 205
- Lin, C.-I., see Loh, S.-H. (443) 169
- Literati, P.N., see Porszasz, R. (443) 211
- Liu, C.-P., see Chao, Y.-Y. (443) 31
- Lo, Y.-K., see Chao, Y.-Y. (443) 31
- Loh, S.-H., Tsai, C.-S., Tsai, Y., Chen, W.-H., Hong, G.-J., Wei, J., Cheng, T.-H. and Lin, C.-I.
Hydrogen peroxide-induced intracellular acidosis and electromechanical inhibition in the diseased human ventricular myocardium (443) 169
- Lu, L., see Wang, X. (443) 213
- Luk, H.H., Ko, J.K.S., Fung, H.S. and Cho, C.H.
Delineation of the protective action of zinc sulfate on ulcerative colitis in rats (443) 197
- MaassenVanDenBrink, A., see Van den Broek, R.W.M. (443) 125
- Malagié, I., David, D.J., Jolliet, P., Hen, R., Bourin, M. and Gardier, A.M.
Improved efficacy of fluoxetine in increasing hippocampal 5-hydroxytryptamine outflow in 5-HT_{1B} receptor knock-out mice (443) 99
- Marsh, W.L., see Naish, H.J. (443) 79
- Mato, S., Pazos, A. and Valdzán, E.M.
Cannabinoid receptor antagonism and inverse agonism in response to SR141716A on cAMP production in human and rat brain (443) 43
- Matsushita, J., see Kageyama, S. (443) 143
- McDonald, J., Barnes, T.A., Calo, G., Guerrini, R., Rowbotham, D.J. and Lambert, D.G.
Effects of [(pF)Phe⁴]nociceptin/orphanin FQ-(1–13)NH₂ on GTPγ³⁵S binding and cAMP formation in Chinese hamster ovary cells expressing the human nociceptin/orphanin FQ receptor (443) 7
- McMurray, G., see Kajioaka, S. (443) 19
- Michel, M.C., see Eltze, M. (443) 151
- Miyashita, S., see Tsuchiya, S. (443) 185
- Motley, E.D., see Saito, S. (443) 47
- Mulder, P.G.H., see Van den Broek, R.W.M. (443) 125
- Naish, H.J., Marsh, W.L. and Davies, J.A.
Effect of low-affinity NMDA receptor antagonists on electrical activity in mouse cortical slices (443) 79
- Nakayama, S., see Kajioaka, S. (443) 19
- Naudon, L., see Vilpoux, C. (443) 85
- Nemeth, J., see Porszasz, R. (443) 211
- Nicosia, S., see Buccellati, C. (443) 133
- Noto, T., see Inoue, H. (443) 179
- Palka, J.A., see Karna, E. (443) 1
- Pani, M., see Serra, S. (443) 95
- Pazos, A., see Mato, S. (443) 43
- Picada, J.N., Schröder, N., Izquierdo, I., Henriques, J.A.P. and Roesler, R.
Differential neurobehavioral deficits induced by apomorphine and its oxidation product, 8-oxo-apomorphine-semiquinone, in rats (443) 105
- Porszasz, R., Legvari, G., Nemeth, J., Literati, P.N., Szolcsanyi, J. and Szilvassy, Z.
The sensory nitrenergic nature of the hepatic insulin sensitizing substance mechanism in conscious rabbits (443) 211
- Ren, Y.-H., see Li, S.-M. (443) 205
- Richter, A., see Hamann, M. (443) 59
- Roesler, R., see Picada, J.N. (443) 105
- Rowbotham, D.J., see McDonald, J. (443) 7
- Saito, S., Frank, G.D., Motley, E.D., Utsunomiya, H., Inagami, T. and Eguchi, S.
Cyclosporin A inhibits angiotensin II-induced c-Jun NH₂-terminal kinase activation but not protein synthesis in vascular smooth muscle cells (443) 47
- Sakai, S.-I., see Tsuchiya, S. (443) 185
- Saxena, P.R., see Van den Broek, R.W.M. (443) 125
- Schmidt, J., see Alloui, A. (443) 71
- Schröder, N., see Picada, J.N. (443) 105
- Seow, C.-J., Chue, S.-C. and Wong, W.S.F.
Piceatannol, a Syk-selective tyrosine kinase inhibitor, attenuated antigen challenge of guinea pig airways in vitro (443) 189
- Serra, S., Brunetti, G., Pani, M., Vacca, G., Carai, M.A.M., Gessa, G.L. and Colombo, G.
Blockade by the cannabinoid CB₁ receptor antagonist, SR 141716, of alcohol deprivation effect in alcohol-preferring rats (443) 95
- Shim, I., Kim, H.-T., Kim, Y.-H., Chun, B.-G., Hahn, D.-H., Lee, E.H., Kim, S.E. and Lee, H.-J.
Role of nitric oxide synthase inhibitors and NMDA receptor antagonist in nicotine-induced behavioral sensitization in the rat (443) 119
- Su, W., see Chao, Y.-Y. (443) 31
- Szilvassy, Z., see Porszasz, R. (443) 211
- Szolcsanyi, J., see Porszasz, R. (443) 211
- Takagi, M., see Inoue, H. (443) 179
- Takayama, H., see Tsuchiya, S. (443) 185
- Tokarski, K., see Zahorodna, A. (443) 51
- Tsai, C.-S., see Loh, S.-H. (443) 169
- Tsai, Y., see Loh, S.-H. (443) 169
- Tsuchiya, S., Miyashita, S., Yamamoto, M., Horie, S., Sakai, S.-I., Aimi, N., Takayama, H. and Watanabe, K.
Effect of mitragynine, derived from Thai folk medicine, on gastric acid secretion through opioid receptor in anesthetized rats (443) 185
- Ullrich, B., see Eltze, M. (443) 151
- Utsunomiya, H., see Saito, S. (443) 47
- Vacca, G., see Serra, S. (443) 95
- Valdzán, E.M., see Mato, S. (443) 43
- Van den Broek, R.W.M., MaassenVanDenBrink, A., Mulder, P.G.H., Bogers, A.J.J.C., Avezaat, C.J.J., John, G.W. and Saxena, P.R.
Comparison of contractile responses to donitriptan and sumatriptan in the human middle meningeal and coronary arteries (443) 125
- Verde, L.F., Lafayette, S.S.L., Caricati-Neto, A., Jurkiewicz, N.H. and Jurkiewicz, A.
Up-regulation of Ca²⁺ channels in vas deferens after chronic treatment of newborn rats with nifedipine (443) 13
- Vilpoux, C., Carpentier, C., Leroux-Nicollet, I., Naudon, L. and Costentin, J.
Differential effects of chronic antidepressant treatments on μ- and δ-opioid receptors in rat brain (443) 85

- Wang, X., Cen, X. and Lu, L.
 Erratum to: "Noradrenaline in the bed nucleus of the stria terminalis is critical for stress-induced reactivation of morphine-conditioned place preference in rats" [Eur. J. Pharmacol. 432 (2001) 153–161] (443) 213
- Watanabe, K., see Tsuchiya, S. (443) 185
- Wei, J., see Loh, S.-H. (443) 169
- Wong, W.S.F., see Seow, C.-J. (443) 189
- Yamamoto, H., see Kageyama, S. (443) 143
- Yamamoto, M., see Tsuchiya, S. (443) 185
- Yano, K., see Inoue, H. (443) 179
- Yeh, J.-L., see Chao, Y.-Y. (443) 31
- Young, R. and Glennon, R.A.
 Nicotine and bupropion share a similar discriminative stimulus effect (443) 113
- Zahorodna, A., Tokarski, K. and Bijak, M.
 Imipramine but not 5-HT_{1A} receptor agonists or neuroleptics induces adaptive changes in hippocampal 5-HT_{1A} and 5-HT₄ receptors (443) 51
- Zheng, J.-W., see Li, S.-M. (443) 205