

Author index

- Altenbach, R.J., see Buckner, S.A. (449) 159
- Andrews, P.L.R., see Hall, R. (449) 301
- Anthes, J.C., Gilchrest, H., Richard, C., Eckel, S., Hesk, D., West Jr., R.E., Williams, S.M., Greenfeder, S., Billah, M., Kreutner, W. and Egan, R.W.
Biochemical characterization of desloratadine, a potent antagonist of the human histamine H₁ receptor (449) 229
- Antonelli, L., see Ciccocioppo, R. (449) 245
- Araki, H., see Karasawa, Y. (449) 127
- Arányi, P., see Tömösközi, Z. (449) 55
- Areny, H., see Pawlik, T. (449) 1
- Aunis, D., see Jouvert, P. (449) 239
- Ayalasomayajula, S.P. and Kompella, U.B.
Induction of vascular endothelial growth factor by 4-hydroxynonenal and its prevention by glutathione precursors in retinal pigment epithelial cells (449) 213
- Becker, B.F., see Kastenbauer, S. (449) 177
- Bellack, A.S., see Deutsch, S.I. (449) 121
- Bielanski, W., see Pawlik, T. (449) 1
- Billah, M., see Anthes, J.C. (449) 229
- Billingslea, E.N., see Deutsch, S.I. (449) 121
- Biondini, M., see Ciccocioppo, R. (449) 245
- Borowicz, K.K., Zadrozniak, M., Świąder, M., Kowalska, A., Kleinrok, Z. and Czuczwar, S.J.
Interaction of the neurosteroid alphaxalone with conventional antiepileptic drugs in different types of experimental seizures (449) 85
- Brioni, J.D., see Buckner, S.A. (449) 159
- Broberg, U., see Xie, H.-J. (449) 197
- Brzozowski, T., see Pawlik, T. (449) 1
- Buckner, S.A., Milicic, I., Daza, A.V., Meyer, M.D., Altenbach, R.J., Williams, M., Sullivan, J.P. and Brioni, J.D.
ABT-866, a novel α_{1A} -adrenoceptor agonist with antagonist properties at the α_{1B} - and α_{1D} -adrenoceptor subtypes (449) 159
- Burlet-Schiltz, O., see Quelven, I. (449) 91
- Calo', G., see Hashimoto, Y. (449) 17
- Cao, Y.-J., Dreixler, J.C., Couey, J.J. and Houamed, K.M.
Modulation of recombinant and native neuronal SK channels by the neuroprotective drug riluzole (449) 47
- Castro, G., see King, G.R. (449) 253
- Chen, Z.-H., see Li, L. (449) 23
- Ciccocioppo, R., Antonelli, L., Biondini, M., Perfumi, M., Pompei, P. and Massi, M.
Memory impairment following combined exposure to Δ^9 -tetrahydrocannabinol and ethanol in rats (449) 245
- Coker, S.J., see Farkas, A. (449) 143
- Colleoni, M., see Costa, B. (449) 61
- Costa, B., Parolaro, D. and Colleoni, M.
Chronic treatment with the endocannabinoid anandamide increases cytochrome P450 metabolizing system in the rat (449) 61
- Couey, J.J., see Cao, Y.-J. (449) 47
- Cześniakiewicz, M., see Pawlik, T. (449) 1
- Czuczwar, S.J., see Borowicz, K.K. (449) 85
- Daza, A.V., see Buckner, S.A. (449) 159
- De Lago, E., Fernández-Ruiz, J., Ortega-Gutiérrez, S., Viso, A., López-Rodríguez, M.L. and Ramos, J.A.
UCM707, a potent and selective inhibitor of endocannabinoid uptake, potentiates hypokinetic and antinociceptive effects of anandamide (449) 99
- Deutsch, S.I., Rosse, R.B., Billingslea, E.N., Bellack, A.S. and Mastropaolo, J.
Topiramate antagonizes MK-801 in an animal model of schizophrenia (449) 121
- Dougherty, J.J., see Van Hooft, J.A. (449) 221
- Dreixler, J.C., see Cao, Y.-J. (449) 47
- Dubocovich, M.L., see Mseech, F. (449) 29
- Eckel, S., see Anthes, J.C. (449) 229
- Egan, R.W., see Anthes, J.C. (449) 229
- Egashira, T., see Takeda, H. (449) 261
- Elías, M.M., see Monasterolo, L.A. (449) 155
- Endeman, D., see Van Hooft, J.A. (449) 221
- Evans, T.W., see Price, S. (449) 279
- Farkas, A. and Coker, S.J.
Limited induction of torsade de pointes by terikalant and erythromycin in an in vivo model (449) 143
- Fernández-Ruiz, J., see De Lago, E. (449) 99
- Finance, O., see Tömösközi, Z. (449) 55
- Finnström, N., see Xie, H.-J. (449) 197
- Fleckenstein, A.E., see Riddle, E.L. (449) 71
- Fone, K.C.F., see Kogan, H.A. (449) 105
- Franklin, K.B.J., see Gilbert, A.-K. (449) 75
- Fukushima, S., see Teramura, K. (449) 191
- Gerdin, M.J., see Mseech, F. (449) 29
- Gholami, A., Haeri-Rohani, A., Sahraie, H. and Zarrindast, M.-R.
Nitric oxide mediation of morphine-induced place preference in the nucleus accumbens of rat (449) 267
- Gilbert, A.-K. and Franklin, K.B.J.
The role of descending fibers from the rostral ventromedial medulla in opioid analgesia in rats (449) 75
- Gilchrest, H., see Anthes, J.C. (449) 229
- Gouardères, C., see Quelven, I. (449) 91
- Greenfeder, S., see Anthes, J.C. (449) 229
- Guerrini, R., see Hashimoto, Y. (449) 17
- Haeri-Rohani, A., see Gholami, A. (449) 267
- Hall, R., Andrews, P.L.R. and Hoyle, C.H.V.
Effects of testosterone on neuromuscular transmission in rat isolated urinary bladder (449) 301
- Hanson, G.R., see Riddle, E.L. (449) 71
- Hao, X.-J., see Li, L. (449) 23
- Hashimoto, Y., Calo', G., Guerrini, R., Smith, G. and Lambert, D.G.
Effects of chronic nociceptin/orphanin FQ exposure on cAMP accumulation and receptor density in Chinese hamster ovary cells expressing human nociceptin/orphanin FQ receptors (449) 17

- Hassan, M., see Xie, H.-J. (449) 197
 Haycock, J.W., see Riddle, E.L. (449) 71
 Hesk, D., see Anthes, J.C. (449) 229
 Hilburn, C., see King, G.R. (449) 253
 Hitomi, T., see Karasawa, Y. (449) 127
 Houamed, K.M., see Cao, Y.-J. (449) 47
 Hoyle, C.H.V., see Hall, R. (449) 301
- Inazu, M., see Takeda, H. (449) 261
 Ishii-Nozawa, R., see Nakazawa, K. (449) 207
 Ishii, Y., Kimura, T., Morishima, Y., Mochizuki, M., Nomura, A., Sakamoto, T., Uchida, Y. and Sekizawa, K.
 S-carboxymethylcysteine inhibits neutrophil activation mediated by *N*-formyl-methionyl-leucyl-phenylalanine (449) 183
 Isobe, Y., see Karasawa, Y. (449) 127
- Jang, M.-H., Shin, M.-C., Shin, H.-S., Kim, K.-H., Park, H.-J., Kim, E.-H. and Kim, C.-J.
 Alcohol induces apoptosis in TM3 mouse Leydig cells via bax-dependent caspase-3 activation (449) 39
 Jouvert, P., Pain, L., Aunis, D. and Zwiler, J.
 The anesthetics propofol and ketamine inhibit cocaine-induced *egr-1* gene expression in rat forebrain (449) 239
- Kamei, C., see Kayasuga, R. (449) 287
 Karami, M., Zarrindast, M.R., Sepehri, H. and Sahraei, H.
 Role of nitric oxide in the rat hippocampal CA1 area on morphine-induced conditioned place preference (449) 113
 Karasawa, A., see Noji, T. (449) 293
 Karasawa, Y., Hitomi, T., Komiyama, H., Isobe, Y., Kobayashi, T., Yoshida, S., Nakaïke, S. and Araki, H.
 Effect of TTC-909 in a middle cerebral artery thrombosis model in stroke-prone spontaneously hypertensive rats (449) 127
 Kastenbauer, S., Koedel, U., Becker, B.F. and Pfister, H.W.
 Pneumococcal meningitis in the rat: evaluation of peroxynitrite scavengers for adjunctive therapy (449) 177
 Kayasuga, R., Sugimoto, Y., Watanabe, T. and Kamei, C.
 Participation of chemical mediators other than histamine in nasal allergy signs: a study using mice lacking histamine H₁ receptors (449) 287
- Kim, C.-J., see Jang, M.-H. (449) 39
 Kim, E.-H., see Jang, M.-H. (449) 39
 Kim, K.-H., see Jang, M.-H. (449) 39
 Kimura, T., see Ishii, Y. (449) 183
 King, G.R., Pinto, G., Konen, J., Castro, G., Tran, S. and Hilburn, C.
 The effects of continuous 5-HT₃ receptor antagonist administration on the subsequent behavioral response to cocaine (449) 253
 Kleinrok, Z., see Borowicz, K.K. (449) 85
 Kobayashi, T., see Karasawa, Y. (449) 127
 Koedel, U., see Kastenbauer, S. (449) 177
 Kogan, H.A., Marsden, C.A. and Fone, K.C.F.
 DR4004, a putative 5-HT₇ receptor antagonist, also has functional activity at the dopamine D2 receptor (449) 105
 Kokubo, S., see Teramura, K. (449) 191
 Komiyama, H., see Karasawa, Y. (449) 127
 Kompella, U.B., see Ayalasomayajula, S.P. (449) 213
 Konen, J., see King, G.R. (449) 253
 Konturek, J.W., see Pawlik, T. (449) 1
 Konturek, P.C., see Pawlik, T. (449) 1
 Konturek, S.J., see Pawlik, T. (449) 1
 Kowalska, A., see Borowicz, K.K. (449) 85
 Kreutner, W., see Anthes, J.C. (449) 229
 Kurumatani, H., see Yamada, M. (449) 167
 Kusaka, H., see Noji, T. (449) 293
- Li, L., Shen, Y.-M., Yang, X.-S., Zuo, G.-Y., Shen, Z.-Q., Chen, Z.-H. and Hao, X.-J.
 Antiplatelet aggregation activity of diterpene alkaloids from *Spiraea japonica* (449) 23
 López-Rodríguez, M.L., see De Lago, E. (449) 99
 Lundgren, S., see Xie, H.-J. (449) 197
- Marsden, C.A., see Kogan, H.A. (449) 105
 Massi, M., see Ciccocioppo, R. (449) 245
 Mastropaolo, J., see Deutsch, S.I. (449) 121
 Matsumiya, T., see Takeda, H. (449) 261
 Matsushita, T., see Yamada, M. (449) 167
 Mazarguil, H., see Quelven, I. (449) 91
 Meyer, M.D., see Buckner, S.A. (449) 159
 Milicic, I., see Buckner, S.A. (449) 159
 Mitchell, J.A., see Price, S. (449) 279
 Mochizuki, M., see Ishii, Y. (449) 183
 Monasterolo, L.A., Trumper, L. and Elías, M.M.
 Reversal of benzodiazepine-induced renal vasculature relaxation with flumazenil (449) 155
 Morishima, Y., see Ishii, Y. (449) 183
 Mseeh, F., Gerdin, M.J. and Dubocovich, M.L.
 Identification of cysteines involved in ligand binding to the human melatonin MT₂ receptor (449) 29
- Nakaïke, S., see Karasawa, Y. (449) 127
 Nakazawa, K., Sawa, H., Ojima, H., Ishii-Nozawa, R., Takeuchi, K. and Ohno, Y.
 Size of side-chain at channel pore mouth affects Ca²⁺ block of P2X₂ receptor (449) 207
 Nichols, R.A., see Van Hooft, J.A. (449) 221
 Nishikawa, S., see Noji, T. (449) 293
 Noji, T., Sato, H., Sano, J.-i., Nishikawa, S., Kusaka, H. and Karasawa, A.
 Treatment with an adenosine uptake inhibitor attenuates glomerulonephritis in mice (449) 293
 Nomura, A., see Ishii, Y. (449) 183
 Nozaki, K., see Teramura, K. (449) 191
- Ohno, Y., see Nakazawa, K. (449) 207
 Ojima, H., see Nakazawa, K. (449) 207
 Ortega-Gutiérrez, S., see De Lago, E. (449) 99
- Pain, L., see Jouvert, P. (449) 239
 Park, H.-J., see Jang, M.-H. (449) 39
 Parolaro, D., see Costa, B. (449) 61
 Pawlik, T., Konturek, P.C., Konturek, J.W., Konturek, S.J., Brzozowski, T., Cześnikiewicz, M., Plonka, M., Bielanski, W. and Areny, H.
 Impact of *Helicobacter pylori* and nonsteroidal anti-inflammatory drugs on gastric ulcerogenesis in experimental animals and in humans (449) 1
 Perfumi, M., see Ciccocioppo, R. (449) 245
 Pfister, H.W., see Kastenbauer, S. (449) 177
 Pinto, G., see King, G.R. (449) 253
 Plonka, M., see Pawlik, T. (449) 1
 Pompei, P., see Ciccocioppo, R. (449) 245
 Price, S., Evans, T.W. and Mitchell, J.A.
 Nitric oxide supports atrial function in sepsis: relevance to side effects of inhibitors in shock (449) 279
- Quelven, I., Roussin, A., Burlet-Schiltz, O., Gouardères, C., Tafani, J.-A.M., Mazarguil, H. and Zajac, J.-M.
 Dissociation of pharmacological pro- and anti-opioid effects by neuropeptide FF analogs (449) 91
- Ramos, J.A., see De Lago, E. (449) 99
 Rane, A., see Xie, H.-J. (449) 197
- Lambert, D.G., see Hashimoto, Y. (449) 17
 Lankhuizen, I., see Van Kerckhoven, R. (449) 135

- Richard, C., see Anthes, J.C. (449) 229
- Riddle, E.L., Topham, M.K., Haycock, J.W., Hanson, G.R. and Fleckenstein, A.E.
Differential trafficking of the vesicular monoamine transporter-2 by methamphetamine and cocaine (449) 71
- Rosse, R.B., see Deutsch, S.I. (449) 121
- Roussin, A., see Quelven, I. (449) 91
- Sahraei, H., see Karami, M. (449) 113
- Sahraie, H., see Gholami, A. (449) 267
- Sakamoto, T., see Ishii, Y. (449) 183
- Sano, J.-i., see Noji, T. (449) 293
- Sasaki, R., see Yamada, M. (449) 167
- Sato, H., see Noji, T. (449) 293
- Sato, N., see Yamada, M. (449) 167
- Sawa, H., see Nakazawa, K. (449) 207
- Saxena, P.R., see Van Kerckhoven, R. (449) 135
- Schoemaker, R.G., see Van Kerckhoven, R. (449) 135
- Sekizawa, K., see Ishii, Y. (449) 183
- Sepehri, H., see Karami, M. (449) 113
- Shen, Y.-M., see Li, L. (449) 23
- Shen, Z.-Q., see Li, L. (449) 23
- Shin, H.-S., see Jang, M.-H. (449) 39
- Shin, M.-C., see Jang, M.-H. (449) 39
- Smith, G., see Hashimoto, Y. (449) 17
- Sugimoto, Y., see Kayasuga, R. (449) 287
- Sullivan, J.P., see Buckner, S.A. (449) 159
- Suzuki, M., see Yamada, M. (449) 167
- Świąder, M., see Borowicz, K.K. (449) 85
- Tafani, J.-A.M., see Quelven, I. (449) 91
- Takahashi, K., see Teramura, K. (449) 191
- Takeda, H., Tsuji, M., Inazu, M., Egashira, T. and Matsumiya, T.
Rosmarinic acid and caffeic acid produce antidepressive-like effect in the forced swimming test in mice (449) 261
- Takeuchi, K., see Nakazawa, K. (449) 207
- Tamura, M., see Yamada, M. (449) 167
- Teramura, K., Fukushima, S., Nozaki, K., Kokubo, S. and Takahashi, K.
Comparison of incadronate and alfacalcidol on increased bone turnover caused by ovariectomy in rats (449) 191
- Tömösközi, Z., Finance, O. and Arányi, P.
Drotaverine interacts with the L-type Ca^{2+} channel in pregnant rat uterine membranes (449) 55
- Topham, M.K., see Riddle, E.L. (449) 71
- Tran, S., see King, G.R. (449) 253
- Trumper, L., see Monasterolo, L.A. (449) 155
- Tsuji, M., see Takeda, H. (449) 261
- Uchida, Y., see Ishii, Y. (449) 183
- Van Hooft, J.A., Dougherty, J.J., Endeman, D., Nichols, R.A. and Wadman, W.J.
Gabapentin inhibits presynaptic Ca^{2+} influx and synaptic transmission in rat hippocampus and neocortex (449) 221
- Van Kerckhoven, R., Lankhuizen, I., Van Veghel, R., Saxena, P.R. and Schoemaker, R.G.
Chronic vasopressin $\text{V}_{1\text{A}}$ but not V_2 receptor antagonism prevents heart failure in chronically infarcted rats (449) 135
- Van Veghel, R., see Van Kerckhoven, R. (449) 135
- Viso, A., see De Lago, E. (449) 99
- Wadman, W.J., see Van Hooft, J.A. (449) 221
- Watanabe, T., see Kayasuga, R. (449) 287
- West Jr., R.E., see Anthes, J.C. (449) 229
- Williams, M., see Buckner, S.A. (449) 159
- Williams, S.M., see Anthes, J.C. (449) 229
- Xie, H.-J., Lundgren, S., Broberg, U., Finnström, N., Rane, A. and Hassan, M.
Effect of cyclophosphamide on gene expression of cytochromes *P450* and β -actin in the HL-60 cell line (449) 197
- Yamada, M., Sasaki, R., Sato, N., Suzuki, M., Tamura, M., Matsushita, T. and Kurumatani, H.
Amelioration by beraprost sodium, a prostacyclin analogue, of established renal dysfunction in rat glomerulonephritis model (449) 167
- Yang, X.-S., see Li, L. (449) 23
- Yoshida, S., see Karasawa, Y. (449) 127
- Zadrożniak, M., see Borowicz, K.K. (449) 85
- Zajac, J.-M., see Quelven, I. (449) 91
- Zarrindast, M.-R., see Gholami, A. (449) 267
- Zarrindast, M.R., see Karami, M. (449) 113
- Zuo, G.-Y., see Li, L. (449) 23
- Zwiller, J., see Jouvert, P. (449) 239