

Author index

- Abdel-Rahman, A.A., see Rekik, M. (452) 205
- Abe, T., see Tomita, H. (452) 263
- Adcock, I.M., see Eynott, P.R. (452) 123
- Adner, M., see Uddman, E. (452) 215
- Akbarali, H.I., see Malykhina, A.P. (452) 269
- Akerman, S., Williamson, D.J., Kaube, H. and Goadsby, P.J.
The effect of anti-migraine compounds on nitric oxide-induced dilation of dural meningeal vessels (452) 223
- Aoki, I., see Hirose, H. (452) 245
- Athias, P., see Bes, S. (452) 145
- Baker, S.R., see Broad, L.M. (452) 137
- Barnes, P.L., see Eynott, P.R. (452) 123
- Barrett, A.C., Smith, E.S. and Picker, M.J.
Sex-related differences in mechanical nociception and antinociception produced by μ - and κ -opioid receptor agonists in rats (452) 163
- Berg, T.
Analysis of the pressor response to the K^+ channel inhibitor 4-aminopyridine (452) 325
- Bes, S., Ponsard, B., El Asri, M., Tissier, C., Vandroux, D., Rochette, L. and Athias, P.
Assessment of the cytoprotective role of adenosine in an in vitro cellular model of myocardial ischemia (452) 145
- Blanche, T., see Nicholson, G.M. (452) 35
- Boot, J.R., see Broad, L.M. (452) 137
- Bosco, G., see Wang, J. (452) 303
- Bourrie, B., see Bribes, E. (452) 111
- Bribes, E., Bourrie, B., Esclangon, M., Galiegue, S., Vidal, H. and Casellas, P.
Involvement of the peripheral benzodiazepine receptor in the development of rheumatoid arthritis in Mrl/lpr mice (452) 111
- Broad, L.M., Felthouse, C., Zwart, R., McPhie, G.I., Pearson, K.H., Craig, P.J., Wallace, L., Broadmore, R.J., Boot, J.R., Keenan, M., Baker, S.R. and Sher, E.
PSAB-OFP, a selective $\alpha 7$ nicotinic receptor agonist, is also a potent agonist of the 5-HT₃ receptor (452) 137
- Broadmore, R.J., see Broad, L.M. (452) 137
- Camporesi, C.V., see Wang, J. (452) 303
- Camporesi, E.M., see Wang, J. (452) 303
- Caramori, G., see Eynott, P.R. (452) 123
- Casellas, P., see Bribes, E. (452) 111
- Cella, S.G., see Pitsikas, N. (452) 83
- Cerezo, M., Laorden, M.L. and Milanes, M.V.
Inhibition of protein kinase C but not protein kinase A attenuates morphine withdrawal excitation of rat hypothalamus pituitary adrenal axis (452) 57
- Chen, C., see Wang, J. (452) 303
- Chen, J., Shen, C. and Meller, E.
5-HT_{1A} receptor-mediated regulation of mitogen-activated protein kinase phosphorylation in rat brain (452) 155
- Chung, K.F., see Eynott, P.R. (452) 123
- Connoley, I.P., see Liu, Y.-L. (452) 49
- Craig, P.J., see Broad, L.M. (452) 137
- Dave, J.R., see Williams, A.J. (452) 135
- De Clerck, F., see Lu, H.R. (452) 183
- Dehpour, A.R., see Homayoun, H. (452) 67
- Del Carmen Frias Dominguez, M., see Mihailescu, S. (452) 77
- De Lorenzo, R.J., see Wallace, M.J. (452) 295
- Donnelly, L.E., see Eynott, P.R. (452) 123
- Drucker-Colin, R., see Mihailescu, S. (452) 77
- Edvinsson, L., see Uddman, E. (452) 215
- Eidi, A., see Zarrindast, M.-R. (452) 193
- Eidi, M., see Zarrindast, M.-R. (452) 193
- El Asri, M., see Bes, S. (452) 145
- El-Mas, M.M., see Rekik, M. (452) 205
- Esclangon, M., see Bribes, E. (452) 111
- Escobar, M.R., see Fourie, J. (452) 1
- Eynott, P.R., Groneberg, D.A., Caramori, G., Adcock, I.M., Donnelly, L.E., Kharitonov, S., Barnes, P.L. and Chung, K.F.
Role of nitric oxide in allergic inflammation and bronchial hyper-responsiveness (452) 123
- Felthouse, C., see Broad, L.M. (452) 137
- Finckenberg, P., see Nevala, R. (452) 87
- Fourie, J., Escobar, M.R. and Sitar, D.S.
NMDA receptor antagonists to characterize rat renal organic cation transporter function (452) 1
- Fujikawa, T., see Hirose, H. (452) 245
- Fujimura, M., see Nobata, K. (452) 97
- Fujita, T., see Oka, M. (452) 175
- Furusyou, S., see Nobata, K. (452) 97
- Galicia-Canales, N., see Pasapera, A.M. (452) 347
- Galiegue, S., see Bribes, E. (452) 111
- Garcia de la Mora, G., see Pasapera, A.M. (452) 347
- Goadsby, P.J., see Akerman, S. (452) 223
- Gonzalez-Maeso, J., Rodriguez-Puertas, R. and Meana, J.J.
Quantitative stoichiometry of G-proteins activated by μ -opioid receptors in postmortem human brain (452) 21
- Green, A.R., see Nelson, R.M. (452) 255
- Groneberg, D.A., see Eynott, P.R. (452) 123
- Guo, W., Zou, S., Tal, M. and Ren, K.
Activation of spinal kainate receptors after inflammation: behavioral hyperalgesia and subunit gene expression (452) 309
- Gutierrez-Sagal, R., see Pasapera, A.M. (452) 347
- Guzman-Marin, R., see Mihailescu, S. (452) 77
- Hainsworth, A.H., see Nelson, R.M. (452) 255
- Harrison, J., see Liu, Y.-L. (452) 49
- Hashimoto, S., see Izumi, T. (452) 199
- Hayashi, H., see Matsuo, K. (452) 105
- Heal, D.J., see Liu, Y.-L. (452) 49
- Herrera, J., see Pasapera, A.M. (452) 347
- Hey, J.A., see Varty, L.M. (452) 339
- Hirose, H., Aoki, I., Kimura, T., Fujikawa, T., Numazawa, T., Sasaki, K., Nishikibe, M. and Noguchi, K.
The subtypes of muscarinic receptors for neurogenic bladder contraction in rats (452) 245

- Hirose, T., see Nobata, K. (452) 97
- Homayoun, H., Khavandgar, S., Namiranian, K. and Dehpour, A.R.
The effect of cyclosporin A on morphine tolerance and dependence: involvement of L-arginine/nitric oxide pathway (452) 67
- Horie, S., see Komasaaka, M. (452) 235
- Huang, P.-c., see Lai, Y.-L. (452) 229
- Inoue, T., see Izumi, T. (452) 199
- Ishiura, Y., see Nobata, K. (452) 97
- Itoh, Y., see Oka, M. (452) 175
- Izumi, T., Suzuki, K., Inoue, T., Li, X.B., Maki, Y., Muraki, I., Kitaichi, Y., Hashimoto, S. and Koyama, T.
Long-lasting change in 5-HT_{2A} receptor-mediated behavior in rats after a single footshock (452) 199
- Kaibara, M., see Matsuo, K. (452) 105
- Kasahara, K., see Nobata, K. (452) 97
- Kaube, H., see Akerman, S. (452) 223
- Keenan, M., see Broad, L.M. (452) 137
- Kharitonov, S., see Eynott, P.R. (452) 123
- Khavandgar, S., see Homayoun, H. (452) 67
- Kimura, T., see Hirose, H. (452) 245
- Kitaichi, Y., see Izumi, T. (452) 199
- Komasaaka, M., Horie, S., Watanabe, K. and Murayama, T.
Antisecretory effect of somatostatin on gastric acid via inhibition of histamine release in isolated mouse stomach (452) 235
- Korpela, R., see Nevala, R. (452) 87
- Koyama, T., see Izumi, T. (452) 199
- Kurashima, K., see Nobata, K. (452) 97
- Lai, Y.-L. and Huang, P.-c.
Reactive oxygen species in sustained airway constriction induced by citric acid aerosol inhalation (452) 229
- Laorden, M.L., see Cerezo, M. (452) 57
- Lassila, M., see Nevala, R. (452) 87
- Li, X.B., see Izumi, T. (452) 199
- Ling, G., see Williams, A.J. (452) 135
- Liu, Y.-L., Connoley, I.P., Harrison, J., Heal, D.J. and Stock, M.J.
Comparison of the thermogenic and hypophagic effects of sibutramine s metabolite 2 and other monoamine reuptake inhibitors (452) 49
- Lu, H.R., Vlamincx, E., Van Ammel, K. and De Clerck, F.
Drug-induced long QT in isolated rabbit Purkinje fibers: importance of action potential duration, triangulation and early afterdepolarizations (452) 183
- Lu, X.M., see Williams, A.J. (452) 135
- Lundell, I., see Parker, M.S. (452) 279
- Maki, Y., see Izumi, T. (452) 199
- Malykhina, A.P., Shoeb, F. and Akbarali, H.I.
Fenamate-induced enhancement of heterologously expressed HERG currents in *Xenopus* oocytes (452) 269
- Mansfield, K., see Nicholson, G.M. (452) 35
- Martin, B.R., see Wallace, M.J. (452) 295
- Matsuo, K., Kaibara, M., Uezono, Y., Hayashi, H., Taniyama, K. and Nakane, Y.
Involvement of cholinergic neurons in orexin-induced contraction of guinea pig ileum (452) 105
- McPhie, G.I., see Broad, L.M. (452) 137
- Meana, J.J., see Gonzalez-Maeso, J. (452) 21
- Meller, E., see Chen, J. (452) 155
- Mest, H.-J., see Proks, P. (452) 11
- Mihailescu, S., Guzman-Marín, R., del Carmen Frias Dominguez, M. and Drucker-Colin, R.
Mechanisms of nicotine actions on dorsal raphe serotonergic neurons (452) 77
- Milanes, M.V., see Cerezo, M. (452) 57
- Muller, E.E., see Pitsikas, N. (452) 83
- Murakami, Y., Okada, S., Nishihara, M. and Yokotani, K.
Roles of brain prostaglandin E₂ and thromboxane A₂ in the activation of the central sympatho-adrenomedullary outflow in rats (452) 289
- Muraki, I., see Izumi, T. (452) 199
- Murayama, T., see Komasaaka, M. (452) 235
- Mustafa, J.S., see Rekik, M. (452) 205
- Mutoh, S., see Ochi, T. (452) 319
- Myou, S., see Nobata, K. (452) 97
- Nakane, Y., see Matsuo, K. (452) 105
- Nakao, S., see Nobata, K. (452) 97
- Nakazawa, T., see Tomita, H. (452) 263
- Namiranian, K., see Homayoun, H. (452) 67
- Nelson, R.M., Green, A.R. and Hainsworth, A.H.
Electrophysiological actions of γ -aminobutyric acid and clomethiazole on recombinant GABA_A receptors (452) 255
- Nevala, R., Lassila, M., Finckenberg, P., Paukku, K., Korpela, R. and Vapaatalo, H.
Genistein treatment reduces arterial contractions by inhibiting tyrosine kinases in ovariectomized hypertensive rats (452) 87
- Nicholson, G.M., Blanche, T., Mansfield, K. and Tran, Y.
Differential blockade of neuronal voltage-gated Na⁺ and K⁺ channels by antidepressant drugs (452) 35
- Nishihara, M., see Murakami, Y. (452) 289
- Nishikibe, M., see Hirose, H. (452) 245
- Nobata, K., Fujimura, M., Ishiura, Y., Hirose, T., Furusyou, S., Myou, S., Kurashima, K., Kasahara, K. and Nakao, S.
 α_{1L} , but not α_{1H} , adrenoceptor antagonist prevents allergic bronchoconstriction in guinea pigs in vivo (452) 97
- Noguchi, K., see Hirose, H. (452) 245
- Numazawa, T., see Hirose, H. (452) 245
- Ochi, T., Ohkubo, Y. and Mutoh, S.
FR141366 attenuates spinal pain transmission through activation of the serotonergic system (452) 319
- Ohkubo, Y., see Ochi, T. (452) 319
- Oka, M., Itoh, Y. and Fujita, T.
Halothane attenuates the cerebroprotective action of several Na⁺ and Ca²⁺ channel blockers via reversal of their ion channel blockade (452) 175
- Okada, S., see Murakami, Y. (452) 289
- Oryan, S., see Zarrindast, M.-R. (452) 193
- Parker, M.S., Lundell, I. and Parker, S.L.
Internalization of pancreatic polypeptide Y4 receptors: correlation of receptor intake and affinity (452) 279
- Parker, S.L., see Parker, M.S. (452) 279
- Pasapera, A.M., Gutierrez-Sagal, R., Herrera, J., Galicia-Canales, N., Garcia de la Mora, G. and Ulloa-Aguirre, A.
Norethisterone is bioconverted to oestrogenic compounds that activate both the oestrogen receptor α and oestrogen receptor β in vitro (452) 347
- Paukku, K., see Nevala, R. (452) 87
- Pearson, K.H., see Broad, L.M. (452) 137
- Picker, M.J., see Barrett, A.C. (452) 163
- Pitsikas, N., Rigamonti, A.E., Cella, S.G. and Muller, E.E.
Molsidomine attenuates N^o-nitro-L-argininemethylester-induced deficits in a memory task in the rat (452) 83
- Ponsard, B., see Bes, S. (452) 145
- Proks, P., Treinies, I., Mest, H.-J. and Trapp, S.
Inhibition of recombinant K_{ATP} channels by the antidiabetic agents midaglizole, LY397364 and LY389382 (452) 11
- Rekik, M., El-Mas, M.M., Mustafa, J.S. and Abdel-Rahman, A.A.
Role of endothelial adenosine receptor-mediated vasorelaxation in ethanol-induced hypotension in hypertensive rats (452) 205

- Ren, K., see Guo, W. (452) 309
- Rigamonti, A.E., see Pitsikas, N. (452) 83
- Rochette, L., see Bes, S. (452) 145
- Rodriguez-Puertas, R., see Gonzalez-Maeso, J. (452) 21
- Sasaki, K., see Hirose, H. (452) 245
- Shen, C., see Chen, J. (452) 155
- Sher, E., see Broad, L.M. (452) 137
- Shoeb, F., see Malykhina, A.P. (452) 269
- Sitar, D.S., see Fourie, J. (452) 1
- Smith, E.S., see Barrett, A.C. (452) 163
- Stock, M.J., see Liu, Y.-L. (452) 49
- Sugano, E., see Tomita, H. (452) 263
- Suzuki, K., see Izumi, T. (452) 199
- Tal, M., see Guo, W. (452) 309
- Tamai, M., see Tomita, H. (452) 263
- Taniyama, K., see Matsuo, K. (452) 105
- Tissier, C., see Bes, S. (452) 145
- Tomita, H., Nakazawa, T., Sugano, E., Abe, T. and Tamai, M.
Nipradilol inhibits apoptosis by preventing the activation of caspase-3
via S-nitrosylation and the cGMP-dependent pathway (452) 263
- Tortella, F.C., see Williams, A.J. (452) 135
- Tran, Y., see Nicholson, G.M. (452) 35
- Trapp, S., see Proks, P. (452) 11
- Treinies, I., see Proks, P. (452) 11
- Uddman, E., Adner, M. and Edvinsson, L.
Protein kinase C inhibitors decrease endothelin ET_B receptor mRNA
expression and contraction during organ culture of rat mesenteric artery
(452) 215
- Uezono, Y., see Matsuo, K. (452) 105
- Ulloa-Aguirre, A., see Pasapera, A.M. (452) 347
- Van Ammel, K., see Lu, H.R. (452) 183
- Vandroux, D., see Bes, S. (452) 145
- Vapaatalo, H., see Nevala, R. (452) 87
- Varty, L.M. and Hey, J.A.
Histamine H₃ receptor activation inhibits neurogenic sympathetic
vasoconstriction in porcine nasal mucosa (452) 339
- Vidal, H., see Bribe, E. (452) 111
- Vlaminckx, E., see Lu, H.R. (452) 183
- Wallace, L., see Broad, L.M. (452) 137
- Wallace, M.J., Martin, B.R. and DeLorenzo, R.J.
Evidence for a physiological role of endocannabinoids in the
modulation of seizure threshold and severity (452) 295
- Wang, J., Yang, X., Camporesi, C.V., Yang, Z.-j., Bosco, G., Chen, C. and
Camporesi, E.M.
Propofol reduces infarct size and striatal dopamine accumulation
following transient middle cerebral artery occlusion: a microdialysis
study (452) 303
- Watanabe, K., see Komasa, M. (452) 235
- Williams, A.J., Dave, J.R., Lu, X.M., Ling, G. and Tortella, F.C.
Selective NR2B NMDA receptor antagonists are protective against
staurosporine-induced apoptosis (452) 135
- Williamson, D.J., see Akerman, S. (452) 223
- Yang, X., see Wang, J. (452) 303
- Yang, Z.-j., see Wang, J. (452) 303
- Yokotani, K., see Murakami, Y. (452) 289
- Zarrindast, M.-R., Eidi, M., Eidi, A. and Oryan, S.
Effects of histamine and opioid systems on memory retention of passive
avoidance learning in rats (452) 193
- Zou, S., see Guo, W. (452) 309
- Zwart, R., see Broad, L.M. (452) 137