

Author index

- Adeagbo, A.S.O., Patel, D., Iddrissu, A., Walker, J., Thirumalai, S., Joshua, I.G., Schuschke, D. and Wang, Y.
NS-398, a selective cyclooxygenase-2 blocker, acutely inhibits receptor-mediated contractions of rat aorta: role of endothelium (458) 145
- Agil, A., see Horvath, G. (458) 291
- Ago, Y., see Sakaue, M. (458) 141
- Akaike, A., see Takahata, K. (458) 81
- Anavi-Goffer, S. and Coutts, A.A.
Cellular distribution of vanilloid VR1 receptor immunoreactivity in the guinea-pig myenteric plexus (458) 61
- Arvidsson, U., see Salmi, P. (458) 101
- Ayalasomayajula, S.P. and Kompella, U.B.
Celecoxib, a selective cyclooxygenase-2 inhibitor, inhibits retinal vascular endothelial growth factor expression and vascular leakage in a streptozotocin-induced diabetic rat model (458) 283
- Baba, A., see Sakaue, M. (458) 141
- Baba, A., see Takahashi, K. (458) 155
- Baeyens, J.M., see Horvath, G. (458) 291
- Banerjee, B., see Masood, A. (458) 135
- Benedek, G., see Horvath, G. (458) 291
- Berger Bütter, K., see Simmen, U. (458) 251
- Blackburn-Munro, G., see Erichsen, H.K. (458) 275
- Blume, A., see Sandmann, S. (458) 3
- Bobinac, I., see Simmen, U. (458) 251
- Bordet, R., see Six, I. (458) 327
- Boules, M., see Fredrickson, P. (458) 111
- Brioni, J.D., see Hsieh, G.C. (458) 183
- Brodde, O.-E., see Wangemann, T. (458) 163
- Caballero-George, C., Vanderheyden, P.M.L., Solis, P.N., Gupta, M.P., Pieters, L., Vauquelin, G. and Vlietinck, A.
In vitro effect of sanguinarine alkaloid on binding of [³H]candesartan to the human angiotensin AT₁ receptor (458) 257
- Calixto, J.B., see El Sayah, M. (458) 175
- Campana, G., see Loizzo, A. (458) 201
- Capasso, A., see Loizzo, A. (458) 201
- Cavet, M.E., see Lowes, S. (458) 49
- Chen, C.-F., see Chiou, W.-F. (458) 217
- Chen, X.-L., see Kang, J. (458) 25
- Cheng, X., Leung, S.W.S., Lim, S.L. and Pang, C.C.Y.
Attenuated arterial and venous constriction in conscious rats with streptozotocin-induced diabetes (458) 299
- Cheung, D.W.
Modulation of spontaneous transient Ca²⁺-activated K⁺ channel currents by cADP-ribose in vascular smooth muscle cells (458) 57
- Chiba, K., see Koriyama, Y. (458) 235
- Chiou, W.-F., Yau-Chik Shum, A., Peng, C.-H., Chen, C.-F. and Chou, C.-J.
Piperlactam S suppresses macrophage migration by impeding F-actin polymerization and filopodia extension (458) 217
- Chou, C.-J., see Chiou, W.-F. (458) 217
- Cossu, M., see D'Aquila, P.S. (458) 129
- Coutts, A.A., see Anavi-Goffer, S. (458) 61
- D'Aquila, P.S., Peana, A.T., Panin, F., Grixoni, C., Cossu, M. and Serra, G.
Reversal of antidepressant-induced dopaminergic behavioural supersensitivity after long-term chronic imipramine withdrawal (458) 129
- Demiryürek, A.T., see Uzun, Ö. (458) 171
- Dobos, I., see Horvath, G. (458) 291
- Edvinsson, L., see Malmjö, M. (458) 305
- El Sayah, M. and Calixto, J.B.
Study of the mechanisms involved in the bradykinin-induced contraction of the pig iris sphincter muscle in vitro (458) 175
- Erichsen, H.K., Hao, J.-X., Xu, X.-J. and Blackburn-Munro, G.
A comparison of the antinociceptive effects of voltage-activated Na⁺ channel blockers in two rat models of neuropathic pain (458) 275
- Erlinge, D., see Malmjö, M. (458) 305
- Fleckenstein, A.E., see Riddle, E.L. (458) 31
- Fredrickson, P., Boules, M., Yerbury, S. and Richelson, E.
Blockade of nicotine-induced locomotor sensitization by a novel neurotensin analog in rats (458) 111
- Gabra, B.H. and Sirois, P.
Erratum to "Role of bradykinin B₁ receptors in diabetes-induced hyperalgesia in streptozotocin-treated mice" [Eur. J. Pharmacol. 457 (2002) 115–124] (458) 329
- Galiotta, G., see Loizzo, A. (458) 201
- Gasan, G., see Six, I. (458) 327
- Geldenhuis, W.J., Terre'Blanche, G., Van der Schyf, C.J. and Malan, S.F.
Screening of novel pentacyclo-undecylamines for neuroprotective activity (458) 73
- Gholami, A., Zarrindast, M.-R., Sahraei, H. and Haerri-Rohani, A.
Nitric oxide within the ventral tegmental area is involved in mediating morphine reward (458) 119
- Giessler, C., see Wangemann, T. (458) 163
- Grixoni, C., see D'Aquila, P.S. (458) 129
- Gupta, M.P., see Caballero-George, C. (458) 257
- Haerri-Rohani, A., see Gholami, A. (458) 119
- Hamano-Takahashi, A., see Takahashi, K. (458) 155
- Hanaoka, K., see Kadowaki, M. (458) 197
- Hanson, G.R., see Riddle, E.L. (458) 31
- Hao, J.-X., see Erichsen, H.K. (458) 275
- Hayashi, M., see Yatsu, T. (458) 191
- Helyes, Z., see Németh, J. (458) 313
- Honda, M., Nishida, T. and Ono, H.
Tricyclic analogs cyclobenzaprine, amitriptyline and cyproheptadine inhibit the spinal reflex transmission through 5-HT₂ receptors (458) 91
- Honda, Y., see Takahata, K. (458) 81
- Horie, S., see Nemoto, T. (458) 17
- Horvath, G., Agil, A., Joo, G., Dobos, I., Benedek, G. and Baeyens, J.M.
Evaluation of endomorphin-1 on the activity of Na⁺,K⁺-ATPase using in vitro and in vivo studies (458) 291
- Hou, M., see Malmjö, M. (458) 305

- Houlihan, W.J. and Kelly, L.
Assessment of mazindane, a pro-drug form of mazindol, in assays used to define cocaine treatment agents (458) 263
- Hsieh, G.C., O'Neill, A.B., Moreland, R.B., Sullivan, J.P. and Brioni, J.D.
YC-1 potentiates the nitric oxide/cyclic GMP pathway in corpus cavernosum and facilitates penile erection in rats (458) 183
- Iddrissu, A., see Adeagbo, A.S.O. (458) 145
- Ihenetu, K., Molleman, A., Parsons, M.E. and Whelan, C.J.
Inhibition of interleukin-8 release in the human colonic epithelial cell line HT-29 by cannabinoids (458) 207
- Jakab, B., see Németh, J. (458) 313
- Joo, G., see Horvath, G. (458) 291
- Joshua, I.G., see Adeagbo, A.S.O. (458) 145
- Kadowaki, M., Nagakura, Y., Tokita, K., Hanaoka, K. and Tomoi, M.
Adenosine A₁ receptor blockade reverses experimental postoperative ileus in rat colon (458) 197
- Kameo, K., see Takahashi, K. (458) 155
- Kang, J., Chen, X.-L., Wang, H. and Rampe, D.
Interactions of the narcotic *l*- α -acetylmethadol with human cardiac K⁺ channels (458) 25
- Kaschina, E., see Sandmann, S. (458) 3
- Kashii, S., see Takahata, K. (458) 81
- Katsuki, H., see Takahata, K. (458) 81
- Kela, J., see Salmi, P. (458) 101
- Kelly, L., see Houlihan, W.J. (458) 263
- Kobayashi, Y., see Takahata, K. (458) 81
- Kompella, U.B., see Ayalasomayajula, S.P. (458) 283
- Koriyama, Y., Chiba, K. and Mohri, T.
Propentofylline protects β -amyloid protein-induced apoptosis in cultured rat hippocampal neurons (458) 235
- Koyama, Y., see Sakaue, M. (458) 141
- Kruse, M.-L., see Sandmann, S. (458) 3
- Kume, T., see Takahata, K. (458) 81
- Kurosawa, H., see Yatsu, T. (458) 191
- Leung, S.W.S., see Cheng, X. (458) 299
- Lim, S.L., see Cheng, X. (458) 299
- Liu, R.-H., Mizuta, M. and Matsukura, S.
Long-term oral nicotine administration reduces insulin resistance in obese rats (458) 227
- Liu, Y.-C. and Wu, S.-N.
Block of *erg* current by linoleoylamide, a sleep-inducing agent, in pituitary GH₃ cells (458) 37
- Loizzo, A., Capasso, A., Galletta, G., Severini, C., Campana, G. and Spampinato, S.
Vas deferens response to selective opioid receptor agonists in adult mice is impaired following postnatal repeated mild stress (458) 201
- Longmore, J., see Scott, P. (458) 319
- Lowes, S., Cavet, M.E. and Simmons, N.L.
Evidence for a non-MDR1 component in digoxin secretion by human intestinal Caco-2 epithelial layers (458) 49
- Lübbert, H., see Simmen, U. (458) 251
- Malan, S.F., see Geldenhuys, W.J. (458) 73
- Malmjö, M., Hou, M., Pendergast, W., Erlinge, D. and Edvinsson, L.
The stable pyrimidines UDP β S and UTP γ S discriminate between contractile cerebrovascular P2 receptors (458) 305
- Masood, A., Banerjee, B., Vijayan, V.K. and Ray, A.
Modulation of stress-induced neurobehavioral changes by nitric oxide in rats (458) 135
- Matsuda, T., see Sakaue, M. (458) 141
- Matsuda, T., see Takahashi, K. (458) 155
- Matsukura, S., see Liu, R.-H. (458) 227
- Mizuta, M., see Liu, R.-H. (458) 227
- Mohri, T., see Koriyama, Y. (458) 235
- Molleman, A., see Ihenetu, K. (458) 207
- Moreland, R.B., see Hsieh, G.C. (458) 183
- Mura, E., see Six, I. (458) 327
- Muraoka, S., see Takahata, K. (458) 81
- Murayama, T., see Nemoto, T. (458) 17
- Nagakura, Y., see Kadowaki, M. (458) 197
- Németh, J., Helyes, Z., Oroszi, G., Jakab, B., Pintér, E., Szilvassy, Z. and Szolcsányi, J.
Role of voltage-gated cation channels and axon reflexes in the release of sensory neuropeptides by capsaicin from isolated rat trachea (458) 313
- Nemoto, T., Shimma, N., Horie, S., Saito, T., Okuma, Y., Nomura, Y. and Murayama, T.
Involvement of the system L amino acid transporter on uptake of *S*-nitroso-L-cysteine, an endogenous *S*-nitrosothiol, in PC12 cells (458) 17
- Nishida, T., see Honda, M. (458) 91
- Nomura, Y., see Nemoto, T. (458) 17
- Okuma, Y., see Nemoto, T. (458) 17
- O'Neill, A.B., see Hsieh, G.C. (458) 183
- Onishi, M., see Takahashi, K. (458) 155
- Ono, H., see Honda, M. (458) 91
- Oroszi, G., see Németh, J. (458) 313
- Ota, T., see Takahashi, K. (458) 155
- Pang, C.C.Y., see Cheng, X. (458) 299
- Panin, F., see D'Aquila, P.S. (458) 129
- Parsons, M.E., see Ihenetu, K. (458) 207
- Patel, D., see Adeagbo, A.S.O. (458) 145
- Peana, A.T., see D'Aquila, P.S. (458) 129
- Pendergast, W., see Malmjö, M. (458) 305
- Peng, C.-H., see Chiou, W.-F. (458) 217
- Pieters, L., see Caballero-George, C. (458) 257
- Pintér, E., see Németh, J. (458) 313
- Rampe, D., see Kang, J. (458) 25
- Rau, K.S., see Riddle, E.L. (458) 31
- Ray, A., see Masood, A. (458) 135
- Razzaque, Z., see Scott, P. (458) 319
- Richelson, E., see Fredrickson, P. (458) 111
- Richter, A.
The NMDA receptor NR2B subtype selective antagonist Ro 25-6981 aggravates paroxysmal dyskinesia in the *dt^{sz}* mutant (458) 107
- Riddle, E.L., Rau, K.S., Topham, M.K., Hanson, G.R. and Fleckenstein, A.E.
Ceramide-induced alterations in dopamine transporter function (458) 31
- Sahraei, H., see Gholami, A. (458) 119
- Saito, T., see Nemoto, T. (458) 17
- Sakaue, M., Ago, Y., Sowa, C., Koyama, Y., Baba, A. and Matsuda, T.
The 5-HT_{1A} receptor agonist MKC-242 increases the exploratory activity of mice in the elevated plus-maze (458) 141
- Salmi, P., Kela, J., Arvidsson, U. and Wahlestedt, C.
Functional interactions between δ - and μ -opioid receptors in rat thermoregulation (458) 101
- Sandmann, S., Kaschina, E., Blume, A., Kruse, M.-L. and Unger, T.
Bradykinin B₁ and B₂ receptors differentially regulate cardiac Na⁺-H⁺ exchanger, Na⁺-Ca²⁺ exchanger and Na⁺-HCO₃⁻ symporter (458) 3
- Satoh, S., see Yatsu, T. (458) 191
- Schaffner, W., see Simmen, U. (458) 251
- Schoeffter, P., see Simmen, U. (458) 251
- Schuschke, D., see Adeagbo, A.S.O. (458) 145

- Scott, P., Razzaque, Z. and Longmore, J.
Characterisation of bradykinin B₁ and B₂ receptors using rat isolated vas deferens (458) 319
- Serra, G., see D'Aquila, P.S. (458) 129
- Severini, C., see Loizzo, A. (458) 201
- Shimma, N., see Nemoto, T. (458) 17
- Silber, R.-E., see Wangemann, T. (458) 163
- Simmen, U., Bobirnac, I., Ullmer, C., Lübbert, H., Berger Büter, K., Schaffner, W. and Schoeffter, P.
Antagonist effect of pseudohypericin at CRF₁ receptors (458) 251
- Simmons, N.L., see Lowes, S. (458) 49
- Sirois, P., see Gabra, B.H. (458) 329
- Six, I., Gasan, G., Mura, E. and Bordet, R.
Beneficial effect of pharmacological mobilization of bone marrow in experimental cerebral ischemia (458) 327
- Solis, P.N., see Caballero-George, C. (458) 257
- Sowa, C., see Sakaue, M. (458) 141
- Spampinato, S., see Loizzo, A. (458) 201
- Sullivan, J.P., see Hsieh, G.C. (458) 183
- Suzuki, T., see Takahashi, K. (458) 155
- Szilvási, Z., see Németh, J. (458) 313
- Szolcsányi, J., see Németh, J. (458) 313
- Takahashi, K., Takahashi, T., Suzuki, T., Onishi, M., Tanaka, Y., Hamano-Takahashi, A., Ota, T., Kameo, K., Matsuda, T. and Baba, A.
Protective effects of SEA0400, a novel and selective inhibitor of the Na⁺/Ca²⁺ exchanger, on myocardial ischemia–reperfusion injuries (458) 155
- Takahashi, T., see Takahashi, K. (458) 155
- Takahata, K., Katsuki, H., Kobayashi, Y., Muraoka, S., Yoneda, F., Kume, T., Kashii, S., Honda, Y. and Akaike, A.
Protective effects of selegiline and desmethylselegiline against N-methyl-D-aspartate-induced rat retinal damage (458) 81
- Tanaka, Y., see Takahashi, K. (458) 155
- Terre'Blanche, G., see Geldenhuys, W.J. (458) 73
- Thirumalai, S., see Adeagbo, A.S.O. (458) 145
- Tokita, K., see Kadowaki, M. (458) 197
- Tomoi, M., see Kadowaki, M. (458) 197
- Topham, M.K., see Riddle, E.L. (458) 31
- Ullmer, C., see Simmen, U. (458) 251
- Unger, T., see Sandmann, S. (458) 3
- Uzun, Ö. and Demiryürek, A.T.
Nuclear factor-κB inhibitors abolish hypoxic vasoconstriction in sheep-isolated pulmonary arteries (458) 171
- Van der Schyf, C.J., see Geldenhuys, W.J. (458) 73
- Vanderheyden, P.M.L., see Caballero-George, C. (458) 257
- Vauquelin, G., see Caballero-George, C. (458) 257
- Vijayan, V.K., see Masood, A. (458) 135
- Vlietinck, A., see Caballero-George, C. (458) 257
- Wahlestedt, C., see Salmi, P. (458) 101
- Walker, J., see Adeagbo, A.S.O. (458) 145
- Wang, H., see Kang, J. (458) 25
- Wang, J.-P.
GEA3162 stimulates Ca²⁺ entry in neutrophils (458) 243
- Wang, Y., see Adeagbo, A.S.O. (458) 145
- Wangemann, T., Giessler, C., Willmy-Matthes, P., Silber, R.-E. and Brodde, O.-E.
The *indirect* negative inotropic effect of carbachol in β₁-adrenoceptor antagonist-treated human right atria (458) 163
- Whelan, C.J., see Ihenetu, K. (458) 207
- Willmy-Matthes, P., see Wangemann, T. (458) 163
- Wu, S.-N., see Liu, Y.-C. (458) 37
- Xu, X.-J., see Erichsen, H.K. (458) 275
- Yatsu, T., Kurosawa, H., Hayashi, M. and Satoh, S.
The role of Ca²⁺ in the control of renin release from dog renal cortical slices (458) 191
- Yau-Chik Shum, A., see Chiou, W.-F. (458) 217
- Yerbury, S., see Fredrickson, P. (458) 111
- Yoneda, F., see Takahata, K. (458) 81
- Zarrindast, M.-R., see Gholami, A. (458) 119