

Master author index to volumes 434–457 (2002)

- Aasly, J., see White, L.R. (448) 51
- Abdel-Rahman, A.A., see Rekik, M. (452) 205
- Abdelrahman, A.M. and Pang, C.C.Y.
Regional hemodynamic effects of nociceptin/orphanin FQ in the anesthetized rat (450) 263
- Abdelrahman, A.M. and Pang, C.C.Y.
Effect of nociceptin/orphanin FQ on venous tone in conscious rats (455) 143
- Abe, A., Kiriya, Y., Hirano, M., Miura, T., Kamiya, H., Harashima, H. and Tokumitsu, Y.
Troglitazone suppresses cell growth of KU812 cells independently of PPAR γ (436) 7
- Abe, K., see Kajioka, S. (443) 19
- Abe, T., see Tomita, H. (452) 263
- Abe, Y., see Tian, R.-X. (437) 79
- Abe, Y., Kasuya, H., Suzuki, S., Yamanishi, Y. and Hori, T.
Effect of a platelet-activating factor antagonist, E5880, on cerebrovasospasm following subarachnoid hemorrhage in a canine double-hemorrhage model (455) 127
- Abendroth, F., see Schoof, E. (457) 195
- Ablake, M., Itoh, M., Kaneko, T., Imura, A., Nakamura, Y., Meroni, P. and Nicoletti, F.
Short-term prophylaxis with deoxyspergualin prevents testicular autoimmunity in mice (450) 209
- Aboulafia, J., Silva, B.A. and Nouailhetas, V.L.A.
Protein kinase C modulators enhance angiotensin II desensitization of guinea pig ileum via maxi-K⁺ channels (442) 29
- Abreu, P., see Sanchez, J.J. (438) 79
- Abukhalaf, I.K., see Ganafa, A.A. (454) 217
- Abu-Raya, S., Tabakman, R., Blaugrund, E., Trembovler, V. and Lazarovici, P.
Neuroprotective and neurotoxic effects of monoamine oxidase-B inhibitors and derived metabolites under ischemia in PC12 cells (434) 109
- Accomazzo, M.R., Cattaneo, S., Nicosia, S. and Rovati, G.E.
Bell-shaped curves for prostaglandin-induced modulation of adenylate cyclase: two mutually opposing effects (454) 107
- Adachi, H.
Penile erectile responses to cavernous nerve stimulation in rats are not affected by nitrate tolerance (445) 267
- Adachi, K., see Hasegawa, M. (441) 217
- Adachi, K., Hasegawa, M., Fujita, S., Sato, M., Miwa, Y., Ikeda, H., Koshikawa, N. and Cools, A.R.
Dopaminergic and cholinergic stimulation of the ventrolateral striatum elicit rat jaw movements that are funnelled via distinct efferents (442) 81
- Adamantidis, M., see Gluais, P. (444) 123
- Adams, J., see Törnquist, K. (453) 1
- Adcock, I.M., see Eynott, P.R. (452) 123
- Adcock, I.M., see Eynott, P.R. (455) 79
- Addae, J.I., see Stone, T.W. (447) 285
- Adl, M., see Zarrindast, M.-R. (451) 63
- Adner, M., see Uddman, E. (452) 215
- Adner, M., see Möller, S. (454) 209
- Adriaan Nelemans, S., see Oostendorp, J. (457) 1
- Adriaensen, H., see Deseure, K. (456) 51
- Advokat, C.
Spinal transection increases the potency of clonidine on the tail-flick and hindlimb flexion reflexes (437) 63
- Ahmadi, R., see Zarrindast, M.-R. (454) 193
- Ahmadiani, A., see Dehpour, A.R. (445) 31
- Ahmed, M., see Spetea, M. (435) 245
- Aimi, N., see Tsuchiya, S. (443) 185
- Aimi, N., see Kang, T.-H. (444) 39
- Aimi, N., see Kang, T.-H. (455) 27
- Aistrup, G.L., see Bian, J.-T. (453) 159
- Aizenman, E., see Legos, J.J. (447) 37
- Ajiro, Y., Hagiwara, N., Katsube, Y., Sperelakis, N. and Kasanuki, H.
Levosimendan increases L-type Ca²⁺ current via phosphodiesterase-3 inhibition in human cardiac myocytes (435) 27
- Akagi, Y., see Okada, Y. (455) 19
- Akaike, A., see Shirakawa, H. (454) 165
- Akaike, A., see Kume, T. (455) 91
- Akaishi, Y., see Sakuma, I. (437) 155
- Akamatsu, K.-i., see Urakawa, K. (435) 237
- Akamatsu, S., see Moritani, Y. (439) 43
- Akbarali, H.I., see Malykhina, A.P. (452) 269
- Akerman, S., Williamson, D.J., Kaube, H. and Goadsby, P.J.
The effect of anti-migraine compounds on nitric oxide-induced dilation of dural meningeal vessels (452) 223
- Aki, K., see Sendo, T. (450) 203
- Akimoto, K., see Nishikimi, T. (453) 175
- Alabadí, J.A., see Miranda, F.J. (439) 121
- Al-Ani, B., see Nishikawa, H. (447) 87
- Alarcón de la Lastra, C., see Berenguer, B. (442) 125
- Alberdi, E., see Matute, C. (447) 239
- Alberts, P., see Modiri, A.-R. (451) 171
- Albino-Teixeira, A., see Sousa, T. (441) 99
- Albino-Teixeira, A., see Morato, M. (455) 135
- Alborch, E., see Miranda, F.J. (439) 121
- Alcaraz, M.J., see Rioja, I. (434) 177
- Alcaro, S., see Ottanà, R. (448) 71
- Aldegheri, L., see Virginio, C. (445) 153
- Aldershvile, J., see Gruhn, N. (446) 143
- Alegret, M., see Llaverías, G. (451) 11
- Alfonsi, E., see Sandrini, G. (450) 259
- Al-Hayani, A. and Davies, S.N.
Effect of cannabinoids on synaptic transmission in the rat hippocampal slice is temperature-dependent (442) 47
- Allgaier, C., see Fischer, W. (438) 53
- Alloui, A., Chassaing, C., Schmidt, J., Ardid, D., Dubray, C., Cloarec, A. and Eschaliér, A.
Paracetamol exerts a spinal, tropisetron-reversible, antinociceptive effect in an inflammatory pain model in rats (443) 71
- Alm, R., see Edvinsson, L. (434) 49
- Altar, C.A., see Jordan, S. (441) 137
- Altenbach, R.J., see Buckner, S.A. (449) 159
- Altura, B.M., see Barbour, R.L. (447) 79

- Altura, B.M., Gebrewold, A., Zhang, A. and Altura, B.T.
Role of leukocytes in ethanol-induced microvascular injury in the rat brain in situ: potential role in alcohol brain pathology and stroke (448) 89
- Altura, B.T., see Barbour, R.L. (447) 79
- Altura, B.T., see Altura, B.M. (448) 89
- Álvarez, D., see Candelario-Jalil, E. (453) 189
- Alvarez-Guerra, M., Hameg, A., Bayle, F., Dib, M. and Garay, R.P.
5-HT_{2A} receptor antagonist properties of cyamemazine in rat and guinea pig smooth muscle (454) 235
- Alves, D.P. and Duarte, I.D.G.
Involvement of ATP-sensitive K⁺ channels in the peripheral antinociceptive effect induced by dipyrone (444) 47
- Amann, R. and Peskar, B.A.
Anti-inflammatory effects of aspirin and sodium salicylate (447) 1
- Amarante, L.H. and Duarte, I.D.G.
The κ -opioid agonist ($\pm$)-bremazocine elicits peripheral antinociception by activation of the L-arginine/nitric oxide/cyclic GMP pathway (454) 19
- Ambrosi, F., see Gregorio, F. (456) 141
- Anagnostakis, E., see Andreadou, I. (441) 209
- Ando, N., see Togashi, Y. (435) 259
- Ando, T., see Fukatsu, T. (453) 59
- Andoh, T. and Kuraishi, Y.
Inhibitory effects of azelastine on substance P-induced itch-associated response in mice (436) 235
- Andreadou, I., Papalois, A., Triantafyllidis, J.K., Demonakou, M., Govosdis, V., Vidali, M., Anagnostakis, E. and Kourounakis, P.N.
Beneficial effect of a novel non-steroidal anti-inflammatory agent with basic character and antioxidant properties on experimental colitis in rats (441) 209
- Andreadou, I., Tasouli, A., Iliodromitis, E., Tsantili-Kakoulidou, A., Papalois, A., Siatra, T. and Kremastinos, D.Th.
Reduction of myocardial infarct size in rabbits by a novel indole derivative with antioxidant and free radical scavenging properties (453) 271
- Andrews, P.L.R., see Hall, R. (449) 301
- Angus, J.A., see Scott, D.A. (451) 279
- Anthes, J.C., Gilchrist, H., Richard, C., Eckel, S., Hesk, D., West Jr., R.E., Williams, S.M., Greenfeder, S., Billah, M., Kreutner, W. and Egan, R.W.
Biochemical characterization of desloratadine, a potent antagonist of the human histamine H₁ receptor (449) 229
- Anthes, J.C., Chapman, R.W., Richard, C., Eckel, S., Corboz, M., Hey, J.A., Fernandez, X., Greenfeder, S., McLeod, R., Sehring, S., Rizzo, C., Crawley, Y., Shih, N.-Y., Piwinski, J., Reichard, G., Ting, P., Carruthers, N., Cuss, F.M., Billah, M., Kreutner, W. and Egan, R.W.
SCH 206272: a potent, orally active tachykinin NK₁, NK₂, and NK₃ receptor antagonist (450) 191
- Antonelli, L., see Ciccocioppo, R. (449) 245
- Antunes, E., see Ferreira, H.H.A. (442) 155
- Aoki, I., see Hirose, H. (452) 245
- Aoki, M., see Tsukada, J. (446) 127
- Aoki, M., see Wada, K.-i. (450) 169
- Aoki, T., Yoshinaka, Y., Yamazaki, H., Suzuki, H., Tamaki, T., Sato, F., Kitahara, M. and Saito, Y.
Triglyceride-lowering effect of pitvastatin in a rat model of postprandial lipemia (444) 107
- Aperia, A., see Heijtz, R.D. (445) 97
- Apostoliti, F., see Breschi, M.C. (437) 91
- Arai, K., see Ohata, H. (457) 201
- Arai, Y., see Wada, K.-i. (450) 169
- Arakawa, T., see Takashima, T. (451) 265
- Araki, H., see Nishikawa, H. (447) 87
- Araki, H., see Karasawa, Y. (449) 127
- Arányi, P., see Tömösközi, Z. (449) 55
- Arch, J.R.S.
 β_3 -Adrenoceptor agonists: potential, pitfalls and progress (440) 99
- Arch, J.R.S., see Smart, D. (440) 199
- Ardid, D., see Alloui, A. (443) 71
- Areny, H., see Pawlik, T. (449) 1
- Arletti, R., see Pompei, P. (450) 245
- Armijo, J.A., see Cuadrado, A. (453) 43
- Arnt, J., see Hertel, P. (439) 107
- Arpacik, M., see Kaya, T.T. (442) 147
- Asai, F., see Ogawa, T. (457) 107
- Asakawa, H., see Nishikimi, T. (453) 175
- Asami, A., see Takekawa, S. (438) 129
- Asano, S., see Sakai, H. (435) 125
- Asano, T., see Satoh, S.-i. (455) 169
- Asanuma, Y., Nagai, K., Kato, M., Sugiura, H. and Kawai, S.
Weekly pulse therapy of methotrexate improves survival compared with its daily administration in MRL/lpr mice (435) 253
- Ashby Jr., C.R., see Sakanoue, M. (438) 93
- Asokan, K.T., Sarkar, S.N., Mishra, S.K. and Raviprakash, V.
Effects of mibefradil on uterine contractility (455) 65
- Aspley, S., see Tao, R. (445) 69
- Ates, M., see Gühring, H. (454) 153
- Athias, P., see Bès, S. (452) 145
- Au, A.L.S., see Choy, W.Y. (434) 55
- Auerbach, S., see Tao, R. (445) 69
- Aunis, D., see Jouvert, P. (449) 239
- Aurilio, C., see Oliva, P. (445) 179
- Autrup, H., see Autrup, J.L. (438) 15
- Autrup, J.L., Hokland, P., Pedersen, L. and Autrup, H.
Effect of glutathione S-transferases on the survival of patients with acute myeloid leukaemia (438) 15
- Averbeck, B., see Wüst, M. (454) 59
- Avezaat, C.J.J., see van den Broek, R.W.M. (443) 125
- Avogadri, E., see Broglio, F. (448) 193
- Ayalasomayajula, S.P. and Kompella, U.B.
Induction of vascular endothelial growth factor by 4-hydroxynonenal and its prevention by glutathione precursors in retinal pigment epithelial cells (449) 213
- Baamonde, A., see Villanueva, N. (445) 83
- Babu, E., see Takeda, M. (438) 137
- Babu, E., see Takeda, M. (450) 111
- Bäck, M., see Sakata, K. (436) 119
- Bado, A., see Guilmeau, S. (447) 99
- Bahreini, T., see Zarrindast, M.-R. (451) 63
- Bai, J. and Shi, Y.
Inhibition of T-type Ca²⁺ currents in mouse spermatogenic cells by gossypol, an antifertility compound (440) 1
- Baird, A.W., see Murphy, J.E.J. (444) 61
- Baker, D., see Brooks, J.W. (439) 83
- Baker, S.R., see Broad, L.M. (452) 137
- Ball, S.L., see Shahidullah, M. (435) 93
- Ballerio, R., see Buccellati, C. (443) 133
- Ballinger, A. and Peikin, S.R.
Orlistat: its current status as an anti-obesity drug (440) 109
- Balster, R.L., see Beardsley, P.M. (435) 209
- Bandi, N. and Kompella, U.B.
Budesonide reduces multidrug resistance-associated protein 1 expression in an airway epithelial cell line (Calu-1) (437) 9
- Bang, L., see Gruhn, N. (446) 143
- Bang, R., see Thiele, A. (453) 325
- Baptista, T., Lacruz, A., Páez, X., Hernández, L. and Beaulieu, S.
The antipsychotic drug sulpiride does not affect bodyweight in male rats. Is insulin resistance involved? (447) 91
- Barbosa, A.M.R.B., see França, L.P. (439) 13
- Barbour, R.L., Gebrewold, A., Altura, B.T. and Altura, B.M.
Optical spectroscopy and prevention of deleterious cerebral vascular effects of ethanol by magnesium ions (447) 79
- Barišić, K., see Čulić, O. (450) 277

- Barnes, P.J., see Mak, J.C.W. (436) 165
 Barnes, P.J., see Eynott, P.R. (455) 79
 Barnes, P.L., see Eynott, P.R. (452) 123
 Barnes, T.A., see McDonald, J. (443) 7
 Baron, R. and Tsouderos, Y.
 In vitro effects of S12911-2 on osteoclast function and bone marrow macrophage differentiation (450) 11
 Barone, F.C., see Legos, J.J. (447) 37
 Barrett, A.C., Smith, E.S. and Picker, M.J.
 Sex-related differences in mechanical nociception and antinociception produced by μ - and κ -opioid receptor agonists in rats (452) 163
 Barthelmebs, M., see Rahmouni, K. (436) 207
 Barthelmebs, M., see Loichot, C. (454) 241
 Bartholini, F., see Marchese, G. (444) 69
 Bartholini, F., see Marchese, G. (447) 109
 Barton, M., see Locher, R. (434) 1
 Bastide, M., see Gluais, P. (444) 123
 Battaglia, A., see Vairetti, M. (453) 69
 Battaglia, A., see Lombardi, G. (457) 95
 Battastini, A.M.O., see Pereira, G.S. (437) 151
 Baumann, M.H., see Rothman, R.B. (447) 51
 Bäumer, W., Gorr, G., Hoppmann, J., Ehinger, A.M., Ehinger, B. and Kietzmann, M.
 Effects of the phosphodiesterase 4 inhibitors SB 207499 and AWD 12-281 on the inflammatory reaction in a model of allergic dermatitis (446) 193
 Bayle, F., see Alvarez-Guerra, M. (454) 235
 Bayorh, M.A., see Ganafa, A.A. (454) 217
 Bazzani, C., see Cainazzo, M.M. (441) 91
 Beardsley, P.M., Dance, M.E., Balster, R.L. and Munzar, P.
 Evaluation of the reinforcing effects of the cannabinoid CB₁ receptor antagonist, SR141716, in rhesus monkeys (435) 209
 Beardsley, P.M., see Cook, C.D. (442) 93
 Beastall, G.H., see Zhang, L. (435) 269
 Beaulieu, S., see Baptista, T. (447) 91
 Becker, A., see Junker, V. (446) 25
 Becker, B.F., see Kastenbauer, S. (449) 177
 Beckius, G.E., see Chapman, J.G. (456) 59
 Bednarek, M.A., see MacNeil, D.J. (440) 141
 Bednarek, M.A., see MacNeil, D.J. (450) 93
 Begg, M., Molleman, A. and Parsons, M.
 Modulation of the release of endogenous γ -aminobutyric acid by cannabinoids in the guinea pig ileum (434) 87
 Beitner, R., see Penso, J. (451) 227
 Bell, D., see Nicholl, S.M. (441) 23
 Bell, N.J., see Page, N.M. (437) 27
 Bellack, A.S., see Deutsch, S.I. (449) 121
 Bellinger, L., see Wellman, P. (455) 117
 Belloli, S., see Matarrese, M. (453) 231
 Belus, A. and White, E.
 Effects of streptomycin sulphate on I_{CaL} , I_{Kr} and I_{Ks} in guinea-pig ventricular myocytes (445) 171
 Benedek, G., see Kekesi, G. (445) 93
 Benéteau, N., see Rival, Y. (435) 143
 Benoist, J.-M., Keime, F., Montagne, J., Noble, F., Fournié-Zaluski, M.-C., Roques, B.P., Willer, J.-C. and Le Bars, D.
 Depressant effect on a C-fibre reflex in the rat, of RB101, a dual inhibitor of enkephalin-degrading enzymes (445) 201
 Benso, A., see Broglio, F. (448) 193
 Benyhe, S., see Biyashev, D. (442) 23
 Beraki, S., see Heijtz, R.D. (445) 97
 Berdeaux, A., see Lellouche, N. (450) 179
 Berenguer, B., Alarcón de la Lastra, C., Moreno, F.J. and Martín, M.J.
 Chronic gastric ulcer healing in rats subjected to selective and non-selective cyclooxygenase-2 inhibitors (442) 125
 Beręsewicz, A., see Kurzelewski, M. (434) 95
 Berg, T.
 Analysis of the pressor response to the K⁺ channel inhibitor 4-aminopyridine (452) 325
 Bermúdez, I., see Slater, Y. (450) 213
 Berrino, L., see Palazzo, E. (439) 69
 Berrino, L., see Oliva, P. (445) 179
 Berta, D., see Castelli, M.P. (446) 1
 Bertè, F., see Vairetti, M. (453) 69
 Berti, F., see De Gennaro Colonna, V. (450) 61
 Bertolini, A., see Cainazzo, M.M. (441) 91
 Bertorelli, R., see Briscini, L. (447) 59
 Bertorelli, R., see Briscini, L. (450) 113
 Bès, S., Ponsard, B., El Asri, M., Tissier, C., Vandroux, D., Rochette, L. and Athias, P.
 Assessment of the cytoprotective role of adenosine in an in vitro cellular model of myocardial ischemia (452) 145
 Besson, J.-M., see Buritova, J. (441) 67
 Besson, J.-M., see Guen, S.L. (441) 141
 Bhalla, P., Sharma, H.S., Wurch, T., Pauwels, P.J. and Saxena, P.R.
 Molecular cloning and expression of the porcine trigeminal ganglion cDNA encoding a 5-h_{1F} receptor (436) 23
 Bhat, S.G., Mishra, S., Mei, Y., Nie, Z., Whitworth, C.A., Rybak, L.P. and Ramkumar, V.
 Cisplatin up-regulates the adenosine A₁ receptor in the rat kidney (442) 250
 Bian, J.-T., Yeh, J.Z., Aistrup, G.L., Narahashi, T. and Moore, E.J.
 Inhibition of K⁺ currents of outer hair cells in guinea pig cochlea by fluoxetine (453) 159
 Bianchi, B.R., see McDonald, H.A. (435) 135
 Bianchi, M., see Morley-Fletcher, S. (448) 31
 Bianchi, P., see Kunduzova, O.R. (448) 225
 Biber, K., see Oostendorp, J. (457) 1
 Bidlack, J.M., see Parkhill, A.L. (451) 257
 Bielanski, W., see Pawlik, T. (449) 1
 Biessels, G.J., van der Heide, L.P., Kamal, A., Bleys, R.L.A.W. and Gispen, W.H.
 Ageing and diabetes: implications for brain function (441) 1
 Biessels, G.J., ter Laak, M.P., Hamers, F.P.T. and Gispen, W.H.
 Neuronal Ca²⁺ dysregulation in diabetes mellitus (447) 201
 Bifulco, M., see Brooks, J.W. (439) 83
 Biggio, G., see Sanna, E. (451) 103
 Bijak, M., see Zahorodna, A. (443) 51
 Bilbao, A., see Del Arco, I. (454) 103
 Bileviciute-Ljungar, I., see Spetea, M. (435) 245
 Billah, M., see Anthes, J.C. (449) 229
 Billah, M., see Anthes, J.C. (450) 191
 Billah, M.M., see Wan, Y. (456) 1
 Billingslea, E.N., see Deutsch, S.I. (449) 121
 Binsack, R., see Paiva, L. (434) 197
 Biondini, M., see Ciccocioppo, R. (449) 245
 Bischoff, H., see Ledwig, D. (445) 141
 Bisogno, T., see Brooks, J.W. (439) 83
 Biyashev, D., Garadnay, S., Marton, J., Makleit, S., Borsodi, A. and Benyhe, S.
 Biochemical characterisation of newly developed β -etorphine and β -dihydroetorphine derivatives (442) 23
 Bjerre-Knudsen, L., see Larsen, P.J. (440) 159
 Blackburn-Munro, G., Ibsen, N. and Erichsen, H.K.
 A comparison of the anti-nociceptive effects of voltage-activated Na⁺ channel blockers in the formalin test (445) 231
 Blanche, T., see Nicholson, G.M. (452) 35
 Blanck, T.J.J., see Pardo, L. (455) 81
 Blanco-Colio, L.M., see Ortego, M. (448) 113
 Blaugrund, E., see Abu-Raya, S. (434) 109
 Bleys, R.L.A.W., see Biessels, G.J. (441) 1

- Blezer, E.L.A., Nicolay, K., Goldschmeding, R., Koomans, H.A. and Joles, J.A.
Reduction of cerebral injury in stroke-prone spontaneously hypertensive rats by amlodipine (444) 75
- Blier, P., see Richer, M. (435) 195
- Blindt, R., Bosserhoff, A.-K., vom Dahl, J., Hanrath, P., Schrör, K., Hohlfeld, T. and Meyer-Kirchath, J.
Activation of IP and EP₃ receptors alters cAMP-dependent cell migration (444) 31
- Blokland, A., see Prickaerts, J. (436) 83
- Bloksma, N., see Kloek, J. (442) 288
- Blond, O., Crépel, F. and Otani, S.
Long-term potentiation in rat prefrontal slices facilitated by phased application of dopamine (438) 115
- Blough, B.E., see Rothman, R.B. (447) 51
- Bocchini, V., see Zicca, A. (442) 264
- Boddeke, H.W.G.M., see Oostendorp, J. (457) 1
- Boemi, M., see Gregorio, F. (456) 141
- Boesgaard, S., see Gruhn, N. (446) 143
- Bogers, A.J.J.C., see van den Broek, R.W.M. (443) 125
- Bonacorso, H.G., see Souza, F.R. (451) 141
- Bonan, C.D., see Pereira, G.S. (437) 151
- Bond, C.P., see Tan, Y.Y. (457) 153
- Bonomo, S., see De Gennaro Colonna, V. (450) 61
- Boot, B.P., Mechan, A.O., McCann, U.D. and Ricaurte, G.A.
MDMA- and *p*-chlorophenylalanine-induced reduction in 5-HT concentrations: effects on serotonin transporter densities (453) 239
- Boot, J.R., see Broad, L.M. (452) 137
- Bordallo, C., see Velasco, L. (438) 45
- Borges, L.P., see Souza, F.R. (451) 141
- Borggrefe, M., see Ortlepp, J.R. (445) 151
- Borowicz, K.K., Zadrozniak, M., Swiader, M., Kowalska, A., Kleinrok, Z. and Czuczwar, S.J.
Interaction of the neurosteroid alphaxalone with conventional antiepileptic drugs in different types of experimental seizures (449) 85
- Borsodi, A., see Biyashev, D. (442) 23
- Bortalanza, L.B., Ferreira, J., Hess, S.C., Delle Monache, F., Yunes, R.A. and Calixto, J.B.
Anti-allodynic action of the tormentic acid, a triterpene isolated from plant, against neuropathic and inflammatory persistent pain in mice (453) 203
- Borzabadi, S., see Zarrindast, M.-R. (451) 287
- Bosco, G., see Wang, J. (452) 303
- Bosker, F.J., see Jongsma, M.E. (455) 109
- Bosserhoff, A.-K., see Blindt, R. (444) 31
- Bouaziz, N., Redon, M., Quéré, L., Remacle, J. and Michiels, C.
Mitochondrial respiratory chain as a new target for anti-ischemic molecules (441) 35
- Bourgoin, S., see Mauborgne, A. (441) 47
- Bourin, M., see Malagie, I. (443) 99
- Bourrié, B., Bribes, E., De Nys, N., Esclangon, M., Garcia, L., Galiègue, S., Lair, P., Paul, R., Thomas, C., Vernières, J.-C. and Casellas, P.
SSR125329A, a high affinity σ receptor ligand with potent anti-inflammatory properties (456) 123
- Bourrie, B., see Bribes, E. (452) 111
- Bouysset, F., see Vayssettes-Courchay, C. (453) 287
- Bowen, W.D., see Crawford, K.W. (443) 207
- Bracht, A., see Fernandes, T.R.L. (454) 225
- Brading, A.F., see Kajioaka, S. (443) 19
- Brajša, K., see Čulić, O. (450) 277
- Brammer, R., see Tao, R. (445) 69
- Brändén, L., see Lehmann, A. (448) 67
- Bräter, M., see Wüst, M. (454) 59
- Bravi, D., see Uberti, D. (434) 17
- Bremner-Danielsen, M., see Lehmann, A. (448) 67
- Breschi, M.C., Martinotti, E., Apostoliti, F. and Nieri, P.
Protective effect of silymarin in antigen challenge- and histamine-induced bronchoconstriction in in vivo guinea-pigs (437) 91
- Breuer, J., see Ortlepp, J.R. (436) 145
- Bribes, E., Bourrie, B., Esclangon, M., Galiègue, S., Vidal, H. and Casellas, P.
Involvement of the peripheral benzodiazepine receptor in the development of rheumatoid arthritis in Mrl/lpr mice (452) 111
- Bribes, E., see Bourrié, B. (456) 123
- Bridges, D., see Brooks, J.W. (439) 83
- Briggs, C.A., see McDonald, H.A. (435) 135
- Bringmann, G., see Riederer, P. (442) 1
- Brioni, J.D., see Buckner, S.A. (449) 159
- Briscini, L., Corradini, L., Ongini, E. and Bertorelli, R.
Up-regulation of ORL-1 receptors in spinal tissue of allodynic rats after sciatic nerve injury (447) 59
- Briscini, L., Corradini, L., Ongini, E. and Bertorelli, R.
Corrigendum to "Up-regulation of ORL-1 receptors in spinal tissue of allodynic rats after sciatic nerve injury" [Eur. J. Pharmacol. 447 (2002) 59–65] (450) 113
- Britti, D., see Cuzzocrea, S. (450) 67
- Britti, D., see Cuzzocrea, S. (453) 119
- Broad, L.M., Felthouse, C., Zwart, R., McPhie, G.I., Pearson, K.H., Craig, P.J., Wallace, L., Broadmore, R.J., Boot, J.R., Keenan, M., Baker, S.R. and Sher, E.
PSAB-OFP, a selective $\alpha 7$ nicotinic receptor agonist, is also a potent agonist of the 5-HT₃ receptor (452) 137
- Broadley, K.J., see Martin, T.J. (451) 89
- Broadmore, R.J., see Broad, L.M. (452) 137
- Broberg, U., see Xie, H.-J. (449) 197
- Brodie, M.J., see Santangeli, S. (438) 63
- Broglio, F., Guarracino, F., Benso, A., Gottero, C., Prodham, F., Granata, R., Avogadri, E., Muccioli, G., Deghenghi, R. and Ghigo, E.
Effects of acute hexarelin administration on cardiac performance in patients with coronary artery disease during by-pass surgery (448) 193
- Brooks, J.W., Pryce, G., Bisogno, T., Jaggar, S.I., Hankey, D.J.R., Brown, P., Bridges, D., Ledent, C., Bifulco, M., Rice, A.S.C., Di Marzo, V. and Baker, D.
Arvanil-induced inhibition of spasticity and persistent pain: evidence for therapeutic sites of action different from the vanilloid VR1 receptor and cannabinoid CB₁/CB₂ receptors (439) 83
- Brooks, R.J., see Ross, B.M. (450) 141
- Bross, J.G., see Schindler, C.W. (442) 230
- Brough, D., see Le Feuvre, R. (447) 261
- Brouri, F., Findji, L., Mediani, O., Mougenot, N., Hanoun, N., Le Naour, G., Hamon, M. and Lechat, P.
Toxic cardiac effects of catecholamines: role of β -adrenoceptor downregulation (456) 69
- Brown, D.R., see Green, B.T. (451) 185
- Brown, J.A., see Marala, R.B. (451) 37
- Brown, J.M., see Metzger, R.R. (456) 39
- Brown, P., see Brooks, J.W. (439) 83
- Brown, R.A., Ilg, K.J., Chen, A.F. and Ren, J.
Dietary Mg²⁺ supplementation restores impaired vasoactive responses in isolated rat aorta induced by chronic ethanol consumption (442) 240
- Brown, R.C., see Huber, J.D. (450) 297
- Bruce, A., see Dringenberg, H.C. (447) 43
- Bruchey, A.K., see de Paulis, T. (442) 214
- Brückner, R., see Riederer, P. (442) 1
- Brüne, B., see Sumbayev, V.V. (444) 1
- Brune, K., see Gühring, H. (454) 153
- Brunet, A., see David-Duflho, M. (436) 159
- Brunetti, G., see Serra, S. (443) 95
- Brunetti, G., see Vacca, G. (445) 55
- Brunetti, G., see Carai, M.A.M. (445) 195

- Brunetti, L., Recinella, L., Orlando, G., Michelotto, B., Di Nisio, C. and Vacca, M.
Effects of ghrelin and amylin on dopamine, norepinephrine and serotonin release in the hypothalamus (454) 189
- Brzozowski, T., see Pawlik, T. (449) 1
- Brzozowski, T., see Konturek, P.C. (451) 191
- Buber, R., see Cleary, L. (451) 303
- Buccellati, C., Ciceri, P., Ballerio, R., Casagrande, C., Folco, G. and Nicosia, S.
Evaluation of the effects of anti-thromboxane agents in platelet–vessel wall interaction (443) 133
- Buckland, P., see Deslandes, P.N. (453) 223
- Buckner, S.A., Milicic, I., Daza, A.V., Meyer, M.D., Altenbach, R.J., Williams, M., Sullivan, J.P. and Brioni, J.D.
ABT-866, a novel α_{1A} -adrenoceptor agonist with antagonist properties at the α_{1B} - and α_{1D} -adrenoceptor subtypes (449) 159
- Buemi, M., see Catania, M.A. (437) 147
- Bueters, T.J.H., van Helden, H.P.M., Danhof, M. and IJzerman, A.P.
Effects of the adenosine A_1 receptor allosteric modulators PD 81,723 and LUF 5484 on the striatal acetylcholine release (454) 177
- Bufler, J., see Krampfl, K. (435) 1
- Bujalance-Arenas, I., see Montilla-López, P. (451) 237
- Bültmann, R., Klebroff, W. and Starke, K.
Nucleotide-evoked relaxation of rat vas deferens: possible mechanisms (436) 135
- Buñag, R.D., Thomas, C.V. and Mellick, J.R.
Ketanserin versus urapidil: age-related cardiovascular effects in conscious rats (435) 85
- Burcher, E., see Warner, F.J. (438) 171
- Burcin İsmailoglu, U., Sahin-Erdemli, I. and İlhan, M.
L-arginine-induced relaxation of the rat isolated penile bulb (435) 113
- Burde, T. and Rimon, G.
On the interaction of specific prostaglandin H synthase-2 inhibitors with prostaglandin H synthase-1 (453) 167
- Burgard, E.C., see McDonald, H.A. (435) 135
- Burgess, G., see Davis, C. (450) 123
- Buritova, J., see Guen, S.L. (441) 141
- Buritova, J. and Besson, J.-M.
Effects of nefopam on the spinal nociceptive processes: a c-Fos protein study in the rat (441) 67
- Burke, S.E., see Lubbers, N.L. (435) 79
- Burlet-Schiltz, O., see Quelven, I. (449) 91
- Burno, M., see Lemaire, W. (450) 19
- Burnstock, G., see Ziganshin, A.U. (456) 107
- Burton, T.J., Edwardson, J.M., Ingham, J., Tempest, H.V. and Ferguson, D.R.
Regulation of Na^+ channel density at the apical surface of rabbit urinary bladder epithelium (448) 215
- Busonero, F., see Sanna, E. (451) 103
- Bussygina, O.G., see Severina, I.S. (438) 69
- Bustos, C., see Ortego, M. (448) 113
- Buszman, E., see Wrześniok, D. (446) 7
- Butt, A.M., see James, G. (447) 247
- Buyse, M., see Guilmeau, S. (447) 99
- Cabré, F., Carabaza, A., García, A.M., Calvo, L., Cucchi, P., Palomer, A., Pascual, J., García, M.L., Manzini, S., Lecci, A., Crea, A. and Maggi, C.A.
Pharmacological profile of MEN91507, a new CysLT_1 receptor antagonist (451) 317
- Cadet, J.L., see Stefanski, R. (439) 59
- Cafaggi, S., see Zicca, A. (442) 264
- Caffieri, S., see Miolo, G. (450) 223
- Cai, Z., Lin, S. and Rhodes, P.G.
Neuroprotective effects of *N*-acetylaspartylglutamate in a neonatal rat model of hypoxia-ischemia (437) 139
- Cainazzo, M.M., Ferrazza, G., Mioni, C., Bazzani, C., Bertolini, A. and Guarini, S.
Cannabinoid CB_1 receptor blockade enhances the protective effect of melanocortins in hemorrhagic shock in the rat (441) 91
- Calapai, G., see Catania, M.A. (437) 147
- Calatayud, S., Mitchell, J.A., Perretti, M., Giuliano, F. and Warner, T.D.
Effects of cyclooxygenase-1/cyclooxygenase-2 inhibition on leukocyte/endothelial cell interactions in the rat mesentery (440) 71
- Calixto, J.B., see Bortalanza, L.B. (453) 203
- Calo', G., see McDonald, J. (443) 7
- Calo', G., see Hashimoto, Y. (449) 17
- Calvo, L., see Cabré, F. (451) 317
- Camarasa, J., see Pubill, D. (448) 165
- Cambon, C., see Kunduzova, O.R. (448) 225
- Camins, A., see Pubill, D. (448) 165
- Camporesi, C.V., see Wang, J. (452) 303
- Camporesi, E.M., see Wang, J. (452) 303
- Campos, C.R., see Huber, J.D. (450) 297
- Campos, M.G., see Oropeza, M.V. (446) 159
- Candelario-Jalil, E., Álvarez, D., González-Falcón, A., García-Cabrera M., Martínez-Sánchez, G., Merino, N., Giuliani, A. and León, O.S.
Neuroprotective efficacy of nimesulide against hippocampal neuronal damage following transient forebrain ischemia (453) 189
- Cannon, D.M., see Murphy, J.E.J. (444) 61
- Canonica, P.L., see Uberti, D. (434) 17
- Canonica, P.L., see Lombardi, G. (457) 95
- Cantabrana, B., see Velasco, L. (438) 45
- Cao, B.-J. and Reith, M.E.A.
Nitric oxide scavenger carboxy-PTIO potentiates the inhibition of dopamine uptake by nitric oxide donors (448) 27
- Cao, E.-H., see Chen, A. (448) 11
- Cao, J., Shayibuzhati, M., Tajima, T., Kitazawa, T. and Taneike, T.
In vitro pharmacological characterization of the prostanoid receptor population in the non-pregnant porcine myometrium (442) 115
- Cao, Y.-J., Dreixler, J.C., Couey, J.J. and Houamed, K.M.
Modulation of recombinant and native neuronal SK channels by the neuroprotective drug riluzole (449) 47
- Cappelen, J., see White, L.R. (448) 51
- Caputi, A.P., see Catania, M.A. (437) 147
- Caputi, A.P., see Ottanà, R. (448) 71
- Caputi, A.P., see Cuzzocrea, S. (450) 67
- Caputi, A.P., see Cuzzocrea, S. (453) 119
- Carabaza, A., see Cabré, F. (451) 317
- Carageorgiou, H., see Pantos, C. (444) 191
- Carai, M.A.M., Colombo, G., Reali, R., Serra, S., Mocci, I., Castelli, M.P., Cignarella, G. and Gessa, G.L.
Central effects of 1,4-butanediol are mediated by GABA_B receptors via its conversion into γ -hydroxybutyric acid (441) 157
- Carai, M.A.M., see Serra, S. (443) 95
- Carai, M.A.M., see Vacca, G. (445) 55
- Carai, M.A.M., Brunetti, G., Lobina, C., Serra, S., Vacca, G., Minardi, G., Colombo, G. and Gessa, G.L.
Proconvulsive effect of the GABA_B receptor antagonist, SCH 50911, in rats undergoing ethanol withdrawal syndrome (445) 195
- Caramori, G., see Eynott, P.R. (452) 123
- Caramori, G., see Eynott, P.R. (455) 79
- Cardozo, A.M., see Koepp, J. (435) 103
- Carfagna, N., see Vairetti, M. (453) 69
- Caricati-Neto, A., see Verde, L.F. (443) 13
- Carignani, C. and Corsi, M.
Inhibition of SK3 channels in the TE671 human medulloblastoma cell line by desipramine and imipramine (448) 139
- Carini, F., see Tramontana, M. (439) 149
- Carle, F., see Gregorio, F. (456) 141
- Carlson, K.W., see Stair, S. (450) 291
- Caron, J., see Gluais, P. (444) 123

- Carpentier, C., see Vilpoux, C. (443) 85
- Carpinelli, A., see Matarrese, M. (453) 231
- Carr, R.D., see Ribel, U. (451) 217
- Carroll, F.I., see Cook, C.D. (442) 93
- Carruthers, N., see Anthes, J.C. (450) 191
- Carta, A.R., see Pinna, A. (446) 75
- Carta, M., see Sanna, E. (451) 103
- Cartmell, J., see McDonald, H.A. (435) 135
- Casagrande, C., see Buccellati, C. (443) 133
- Casellas, P., see Bribes, E. (452) 111
- Casellas, P., see Bourri , B. (456) 123
- Cashen, D.E., see Martin, W.J. (454) 71
- Cassali, G.D., see Souza, D.G. (440) 61
- Cassels, B.K., see Slater, Y. (450) 213
- Casta eda-Hern ndez, G., see Ortiz, M.I. (438) 85
- Castelli, M.P., see Carai, M.A.M. (441) 157
- Castelli, M.P., Mocchi, I., Pistis, M., Peis, M., Berta, D., Gelain, A., Gessa, G.L. and Cignarella, G.
Stereoselectivity of NCS-382 binding to γ -hydroxybutyrate receptor in the rat brain (446) 1
- Casti, P., see Marchese, G. (444) 69
- Casti, P., see Marchese, G. (447) 109
- Casti, P., see Marchese, G. (448) 263
- Castro, G., see King, G.R. (446) 111
- Castro, G., see King, G.R. (449) 253
- Catalioto, R.-M., see Tramontana, M. (439) 149
- Catania, M.A., Marciano, M.C., Parisi, A., Sturiale, A., Buemi, M., Grasso, G., Squadrito, F., Caputi, A.P. and Calapai, G.
Erythropoietin prevents cognition impairment induced by transient brain ischemia in gerbils (437) 147
- Cattaneo, S., see Accomazzo, M.R. (454) 107
- Cavazzuti, E., see Pompei, P. (450) 245
- Caviglioli, G., see Zicca, A. (442) 264
- Cayse, R., see King, G.R. (446) 111
- Cecchini, A.P., see Sandrini, G. (450) 259
- Cecil, A., see Knapp, R.J. (440) 27
- Cella, S.G., see Pitsikas, N. (452) 83
- Cen, X., see Wang, X. (443) 213
- Centeno, J.M., see Miranda, F.J. (439) 121
- Cepeda-Benito, A., see Wellman, P. (455) 117
-  epelak, I., see  uli , O. (450) 277
- Cerezo, M., Laorden, M.L. and Milan s, M.V.
Inhibition of protein kinase C but not protein kinase A attenuates morphine withdrawal excitation of rat hypothalamus–pituitary–adrenal axis (452) 57
- Cerletti, C., see Rotondo, S. (453) 131
- Cermak, R., see Kuhn, G. (457) 187
- Cesselin, F., see Mauborgne, A. (441) 47
- Cha, S.H., see Takeda, M. (441) 215
- Chada, M., see von der Hardt, K. (457) 71
- Chan, G.H.H. and Fiscus, R.R.
Severe impairment of CGRP-induced hypotension in vivo and vasorelaxation in vitro in elderly rats (434) 133
- Chan, J.Y.H., see Lo, W.-C. (454) 39
- Chang, F.-Y., see Wu, C.-L. (457) 169
- Chang, L.-C., see Wang, J.-P. (434) 9
- Chang, W., see Chen, X. (448) 1
- Chao, Y.-Y., Chen, I.-S., Yeh, J.-L., Chen, J.-J., Ko, Y.-C., Cheng, J.-S., Liu, C.-P., Lo, Y.-K., Su, W., Chou, K.-J., Chen, W.-C. and Jan, C.-R.
Novel action of lignans isolated from *Hernandia nymphaeifolia* on Ca^{2+} signaling in renal tubular cells (443) 31
- Chapman, J.G., Magee, W.P., Stukenbrok, H.A., Beckius, G.E., Milici, A.J. and Tracey, W.R.
A Novel nonpeptidic caspase-3/7 inhibitor, (S)-(+)-5-[1-(2-methoxymethylpyrrolidinyl)sulfonyl]isatin reduces myocardial ischemic injury (456) 59
- Chapman, R.W., see Anthes, J.C. (450) 191
- Chassaing, C., see Alloui, A. (443) 71
- Chatterjee, P.K., see Cuzzocrea, S. (453) 119
- Chaudhary, A.G., see Lemaire, W. (450) 19
- Chawla, S.
Regulation of gene expression by Ca^{2+} signals in neuronal cells (447) 131
- Cheetham, S.C., see Hansard, M.J. (451) 157
- Chen, A., Cao, E.-H., Zhang, T.-C. and Qin, J.-F.
Arsenite-induced reactive oxygen species and the repression of α -tocopherol in the MGC-803 cells (448) 11
- Chen, A.F., see Brown, R.A. (442) 240
- Chen, A.S., see MacNeil, D.J. (440) 141
- Chen, A.S., see MacNeil, D.J. (450) 93
- Chen, C., see Wang, J. (452) 303
- Chen, C.-F., see Wang, G.-J. (445) 239
- Chen, C.-F., see Chiou, W.-F. (446) 149
- Chen, C.-M., see Wang, J.-P. (434) 9
- Chen, G., see Osborn, B.L. (456) 149
- Chen, H.Y., see MacNeil, D.J. (440) 141
- Chen, H.Y., see MacNeil, D.J. (450) 93
- Chen, I.-S., see Chao, Y.-Y. (443) 31
- Chen, J., Shen, C. and Meller, E.
5-HT_{1A} receptor-mediated regulation of mitogen-activated protein kinase phosphorylation in rat brain (452) 155
- Chen, J.-J., see Chao, Y.-Y. (443) 31
- Chen, J.-R., see Yeh, G.-C. (453) 197
- Chen, L., see Chen, X. (448) 1
- Chen, R., see Jordan, S. (441) 137
- Chen, W.-C., see Chao, Y.-Y. (443) 31
- Chen, W.-H., see Loh, S.-H. (443) 169
- Chen, W.-J., see Ho, L.-L. (453) 149
- Chen, X., Cui, Z., Zhang, F., Chang, W., Chen, L. and Liu, L.
Angiotensin II and cAMP regulate AT₁-mRNA expression in rat cardiomyocytes by transcriptional mechanism (448) 1
- Chen, X.-L., see Kongsamut, S. (450) 37
- Chen, Y., see Raufman, J.-P. (457) 77
- Chen, Y.-C., see Shen, S.-C. (446) 185
- Chen, Z.-H., see Li, L. (449) 23
- Cheng, B.-L., see Rossowski, W.J. (438) 159
- Cheng, J.-S., see Chao, Y.-Y. (443) 31
- Cheng, K., see Raufman, J.-P. (457) 77
- Cheng, S.-B., see Kozako, T. (454) 199
- Cheng, T.-H., see Loh, S.-H. (443) 169
- Chern, J.-W., see Chueh, S.-C. (445) 125
- Chess-Williams, R., see Chong, L.K. (437) 1
- Chi, J., see Varanasi, S. (436) 67
- Chimirri, A., see De Sarro, G. (451) 55
- Chiou, W.-F. and Chen, C.-F.
Pharmacological profile of evodiamine in isolated rabbit corpus cavernosum (446) 149
- Chitaley, K., see Mills, T.M. (439) 173
- Cho, C.H., see Luk, H.H. (443) 197
- Cho, C.H., see Shin, V.Y. (444) 115
- Cho, C.-H., see Wong, D. (434) 81
- Cho, K.W., see Cui, X. (451) 295
- Choi, H., see Pereira, G.S. (437) 151
- Choi, S., Jung, S.-Y., Lee, J.-H., Sala, F., Criado, M., Mulet, J., Valor, L.M., Sala, S., Engel, A.G. and Nah, S.-Y.
Effects of ginsenosides, active components of ginseng, on nicotinic acetylcholine receptors expressed in *Xenopus* oocytes (442) 37
- Chong, L.K., Chess-Williams, R. and Peachell, P.T.
Pharmacological characterisation of the β -adrenoceptor expressed by human lung mast cells (437) 1
- Choong, C.-M., see Chueh, S.-C. (445) 125
- Chotard, C., see Tighilet, B. (446) 63
- Chou, K.-J., see Chao, Y.-Y. (443) 31

- Choy, W.Y., Wong, Y.F., Kwan, Y.W., Au, A.L.S., Lau, W.H., Raymond, K. and Zuo, J.Z.
Role of mitogen-activated protein kinase pathway in acetylcholine-mediated *in vitro* relaxation of rat pulmonary artery (434) 55
- Christensen, J.D., see Kjeldsen, T.H. (451) 209
- Christensen, J.K., see Dupuis, D.S. (437) 129
- Christensen, S., see Thomsen, K. (437) 85
- Christopher, T.A., Lopez, B.L., Stillwagon, J.C., Gao, F., Gao, E., Ma, X.-L., Ohlstein, E.H. and Yue, T.-L.
Idoxifene causes endothelium-dependent, nitric oxide-mediated vasorelaxation in male rats (446) 137
- Christophersen, P., see Dupuis, D.S. (437) 129
- Chu, K.L., see McDonald, H.A. (435) 135
- Chuang, T.-T., see Mak, J.C.W. (436) 165
- Chue, S.-C., see Seow, C.-J. (443) 189
- Chueh, S.-C., Chern, J.-W., Choong, C.-M., Guh, J.-H. and Teng, C.-M.
Characterization of some novel α_1 -adrenoceptor antagonists in human hyperplastic prostate (445) 125
- Chun, B.-G., see Shim, I. (443) 119
- Chuncharunee, A., see Piyachaturawat, P. (439) 141
- Chung, K.F., see Huang, T.-J. (437) 187
- Chung, K.F., see Eynott, P.R. (452) 123
- Chung, K.F., see Eynott, P.R. (455) 79
- Ciccocioppo, R., Antonelli, L., Biondini, M., Perfumi, M., Pompei, P. and Massi, M.
Memory impairment following combined exposure to Δ^9 -tetrahydrocannabinol and ethanol in rats (449) 245
- Ciceri, P., see Buccellati, C. (443) 133
- Cignarella, G., see Carai, M.A.M. (441) 157
- Cignarella, G., see Castelli, M.P. (446) 1
- Cirule, H., see Dambrova, M. (445) 105
- Claasz, A., see Tan, Y.Y. (457) 153
- Clark, J.D., see Li, X. (450) 43
- Cleary, L., Buber, R. and Docherty, J.R.
Effects of amphetamine derivatives and cathinone on noradrenaline-evoked contractions of rat right ventricle (451) 303
- Climent, B., see Fernández, N. (457) 161
- Cloarec, A., see Alloui, A. (443) 71
- Clodfelter, G.V., Porter, N.M., Landfield, P.W. and Thibault, O.
Sustained Ca^{2+} -induced Ca^{2+} -release underlies the post-glutamate lethal Ca^{2+} plateau in older cultured hippocampal neurons (447) 189
- Coghlan, M.J., see Liu, Y. (435) 153
- Coitinho, A.S., see Porciúncula, L.O. (451) 165
- Coker, S.J., see Farkas, A. (449) 143
- Coker, S.J., see Farkas, A. (454) 105
- Cokkinos, D., see Pantos, C. (444) 191
- Cokkinos, D.D., see Pantos, C. (444) 191
- Colleoni, M., see Costa, B. (449) 61
- Collins, A.C., see Dukat, M. (435) 171
- Colombo, G., see Carai, M.A.M. (441) 157
- Colombo, G., see Serra, S. (443) 95
- Colombo, G., see Carai, M.A.M. (445) 195
- Colombo, G., see Vacca, G. (445) 55
- Colpaert, E.E., Timmermans, J.-P. and Lefebvre, R.A.
Investigation of the potential modulatory effect of biliverdin, carbon monoxide and bilirubin on nitergic neurotransmission in the pig gastric fundus (457) 177
- Colpaert, F.C., see Rival, Y. (435) 143
- Colpaert, F.C., see Prinssen, E.P.M. (453) 217
- Colpaert, F.C., see Deseure, K. (456) 51
- Colzi, A., see Uberti, D. (434) 17
- Commers, P., see de Paulis, T. (442) 214
- Compadre, C., see Raufman, J.-P. (457) 77
- Compadre, L., see Raufman, J.-P. (457) 77
- Connoley, I.P., see Liu, Y.-L. (452) 49
- Connor, T.J. and Kelly, J.P.
Fenfluramine-induced immunosuppression: an *in vivo* analysis (455) 175
- Conran, N., see Ferreira, H.H.A. (442) 155
- Contarino, A., Picetti, R., Matthes, H.W., Koob, G.F., Kieffer, B.L. and Gold, L.H.
Lack of reward and locomotor stimulation induced by heroin in μ -opioid receptor-deficient mice (446) 103
- Contreras, E., see Sepúlveda, J. (445) 87
- Cook, C.D., Carroll, F.I. and Beardsley, P.M.
RTI 113, a 3-phenyltropane analog, produces long-lasting cocaine-like discriminative stimulus effects in rats and squirrel monkeys (442) 93
- Cools, A.R., see Adachi, K. (442) 81
- Cools, A.R., see Fusa, K. (448) 143
- Coop, A., see Crawford, K.W. (443) 207
- Coppage, M., see Sayeed, S. (445) 163
- Corboz, M., see Anthes, J.C. (450) 191
- Corcoran, M., see Osborn, B.L. (456) 149
- Cordi, A., see Vayssettes-Courchay, C. (453) 287
- Cornelli, U., see Walzer, M. (445) 211
- Corradini, L., see Briscini, L. (447) 59
- Corradini, L., see Briscini, L. (450) 113
- Corrêa, S.A.A., see França, L.P. (439) 13
- Corsi, C., see Pinna, A. (446) 75
- Corsi, M., see Carignani, C. (448) 139
- Coşkun, U. and Gülay, Ş.
Glutamate mediated responses in isolated trachea preparations from control and ovalbumin sensitized guinea-pigs (437) 97
- Costa, B., Parolaro, D. and Colleoni, M.
Chronic treatment with the endocannabinoid anandamide increases cytochrome P450 metabolizing system in the rat (449) 61
- Costentin, J., see Vilpoux, C. (443) 85
- Couey, J.J., see Cao, Y.-J. (449) 47
- Cox, B.F., see Polakowski, J.S. (435) 73
- Cox, B.F., see Lubbers, N.L. (435) 79
- Coy, D.H., see Rossowski, W.J. (438) 159
- Craib, S.J., see Pertwee, R.G. (456) 99
- Craig, P.J., see Broad, L.M. (452) 137
- Crawford, K.W., Coop, A. and Bowen, W.D.
 α_2 Receptors regulate changes in sphingolipid levels in breast tumor cells (443) 207
- Crawley, Y., see Anthes, J.C. (450) 191
- Crea, A., see Cabré, F. (451) 317
- Cremers, T.I.F.H., see Pudovkina, O.L. (445) 37
- Crépel, F., see Blond, O. (438) 115
- Criado, M., see Choi, S. (442) 37
- Crites, G., see Knapp, R.J. (440) 27
- Croci, N., see Ding-Zhou, L. (457) 137
- Croci, T., see Landi, M. (450) 77
- Crocker, A.D., see Hemsley, K.M. (434) 117
- Crocker, P.J., see Martin, B.R. (435) 35
- Crosby, M.J., Hanson, J.E., Fleckenstein, A.E. and Hanson, G.R.
Phencyclidine increases vesicular dopamine uptake (438) 75
- Crowe, A.
The influence of P-glycoprotein on morphine transport in Caco-2 cells. Comparison with paclitaxel (440) 7
- Cryan, J.F., Page, M.E. and Lucki, I.
Noradrenergic lesions differentially alter the antidepressant-like effects of reboxetine in a modified forced swim test (436) 197
- Csullog, E., see Kekesi, G. (445) 93
- Cuadrado, A., de las Cuevas, I., Valdizán, E.M. and Armijo, J.A.
Synergistic interaction between valproate and lamotrigine against seizures induced by 4-aminopyridine and pentylenetetrazole in mice (453) 43
- Cucchi, P., see Cabré, F. (451) 317

- Cui, X., Wen, J.F., Jin, H., Li, D., Jin, J.Y., Kim, S.H., Kim, S.Z., Lee, H.S. and Cho, K.W.
Subtype-specific roles of cAMP phosphodiesterases in regulation of atrial natriuretic peptide release (451) 295
- Cui, Z., see Chen, X. (448) 1
- Čulić, O., Eraković, V., Čepelak, I., Barišić, K., Brajša, K., Ferenčić, Ž., Galović, R., Glojnarčić, I., Manojlović, Z., Munić, V., Novak-Mirčetić, R., Pavičić-Beljak, V., Sučić, M., Veljača, M., Žanić-Grubišić, T. and Parnham, M.J.
Azithromycin modulates neutrophil function and circulating inflammatory mediators in healthy human subjects (450) 277
- Cullen, J.P., see Sayeed, S. (445) 163
- Culmsee, C., see Junker, V. (446) 25
- Cunha, F.Q., see Prado, W.A. (441) 57
- Cunha, R.A., see Rebola, N. (454) 31
- Cuomo, D., see Palazzo, E. (439) 69
- Cuss, F.M., see Anthes, J.C. (450) 191
- Cuzzocrea, S., see Ottanà, R. (448) 71
- Cuzzocrea, S., Mazzon, E., Dugo, L., Serrano, I., Di Paola, R., Britti, D., De Sarro, A., Pierpaoli, S., Caputi, A.P., Masini, E. and Salvemini, D.
A role for superoxide in gentamicin-mediated nephropathy in rats (450) 67
- Cuzzocrea, S., Chatterjee, P.K., Mazzon, E., McDonald, M.C., Dugo, L., Di Paola, R., Serrano, I., Britti, D., Caputi, A.P. and Thiemermann, C.
Beneficial effects of GW274150, a novel, potent and selective inhibitor of iNOS activity, in a rodent model of collagen-induced arthritis (453) 119
- Czarnowska, E., see Kurzelewski, M. (434) 95
- Czeńnikiewicz, M., see Pawlik, T. (449) 1
- Czuczwar, S.J., see Borowicz, K.K. (449) 85
- Dalpiatz, A., Pavan, B., Ngos, F.N., Franchetti, P. and IJzerman, A.P.
Temperature dependence of the affinity enhancement of selective adenosine A₁ receptor agonism: a thermodynamic analysis (448) 123
- Damase-Michel, C., see Vernejoul, F. (444) 197
- Dambrova, M., Veveris, M., Cirule, H., Pugovichs, O., Post, C., Lundstedt, T., Kalvinsh, I., Skottnier, A. and Wikberg, J.E.S.
The novel guanidine ME10092 protects the heart during ischemia–reperfusion (445) 105
- Damgé, C., see Kuntz, E. (448) 253
- Dance, M.E., see Beardsley, P.M. (435) 209
- Danhof, M., see Zuideveld, K.P. (445) 43
- Danhof, M., see Bueters, T.J.H. (454) 177
- Daniell, K.M., see Lubbers, N.L. (435) 79
- D'Aquila, P.S., Peana, A.T., Tanda, O. and Serra, G.
Different sensitivity to the motor-stimulating effect of amphetamine in Sardinian alcohol-preferring and non-preferring rats (435) 67
- Das, B., Sarkar, C. and Karanth, K.S.
Selective mitochondrial K_{ATP} channel activation results in antiarrhythmic effect during experimental myocardial ischemia/reperfusion in anesthetized rabbits (437) 165
- Datta, R., see Rossowski, W.J. (438) 159
- Datta, S., see Mavanji, V. (455) 35
- Dave, J.R., see Williams, A.J. (452) 135
- David, D.J., see Malagić, I. (443) 99
- David-Dufilho, M., Brunet, A., Privat, C. and Devynck, M.-A.
Quinacrine increases endothelial nitric oxide release: role of superoxide anion (436) 159
- Davidson, C., Lazarus, C., Lee, T.H. and Ellinwood, E.H.
Behavioral sensitization is greater after repeated versus single chronic cocaine dosing regimens (441) 75
- Davidson, C., Lazarus, C., Xiong, X., Lee, T.H. and Ellinwood, E.H.
5-HT₂ receptor antagonists given in the acute withdrawal from daily cocaine injections can reverse established sensitization (453) 255
- Davies, J.A., see Naish, H.J. (443) 79
- Davies, S.N., see Al-Hayani, A. (442) 47
- Davis, C. and Burgess, G.
The pharmacology of T-kinin and des-Arg¹¹-T-kinin in primary cultures of rat bladder smooth muscle cells (450) 123
- Davis, T.P., see Huber, J.D. (450) 297
- Dawson, N.F., see Tan, Y.Y. (457) 153
- Daza, A.V., see Buckner, S.A. (449) 159
- De Bont, D.B.A., see Van Hoorn, D.E.C. (451) 111
- De Clerck, F., see Klock, J. (442) 288
- De Clerck, F., see Lu, H.R. (452) 183
- De Gennaro Colonna, V., Rossoni, G., Rigamonti, A.E., Bonomo, S., Manfredi, B., Berti, F. and Muller, E.E.
Enalapril and quinapril improve endothelial vasodilator function and aortic eNOS gene expression in L-NAME-treated rats (450) 61
- De Giorgi, F., see Dessolin, J. (447) 155
- De Groote, L., Olivier, B. and Westenberg, H.G.M.
The effects of selective serotonin reuptake inhibitors on extracellular 5-HT levels in the hippocampus of 5-HT_{1B} receptor knockout mice (439) 93
- De Jong, J.W., see De Jonge, R. (441) 165
- De Jong, W., see Rahmouni, K. (436) 207
- De Jong, W., see Loichot, C. (454) 241
- De Jonge, R., Out, M., Maas, W.J. and De Jong, J.W.
Preconditioning of rat hearts by adenosine A₁ or A₃ receptor activation (441) 165
- De Kloet, E.R., see Rahmouni, K. (436) 207
- De Kloet, E.R., see Van Kampen, M. (457) 207
- De Lago, E., Fernández-Ruiz, J., Ortega-Gutiérrez, S., Viso, A., López-Rodríguez, M.L. and Ramos, J.A.
UCM707, a potent and selective inhibitor of endocannabinoid uptake, potentiates hypokinetic and antinociceptive effects of anandamide (449) 99
- De las Cuevas, I., see Cuadrado, A. (453) 43
- De Luca, G., see Ottanà, R. (448) 71
- De Lucca, E.M., see Quadros, I.M.H. (442) 55
- De Lucca, F.L., Serrano, S.V., Souza, L.R. and Watanabe, M.A.E.
Activation of RNA-dependent protein kinase and nuclear factor-κB by regulatory RNA from lipopolysaccharide-stimulated macrophages: implications for cytokine production (450) 85
- De Novellis, V., see Palazzo, E. (439) 69
- De Nucci, G., see Ferreira, H.H.A. (442) 155
- De Nys, N., see Bourrié, B. (456) 123
- De Oliveira, D.S., see Fernandes, T.R.L. (454) 225
- De Paulis, T., Schmidt, D.E., Bruchey, A.K., Kirby, M.T., McDonald, M.P., Commers, P., Lovinger, D.M. and Martin, P.R.
Dicinnamoylquinides in roasted coffee inhibit the human adenosine transporter (442) 214
- De Sarro, A., see De Sarro, G. (442) 204
- De Sarro, A., see Cuzzocrea, S. (450) 67
- De Sarro, G., Di Paola, E.D., Ferreri, G., De Sarro, A. and Fischer, W.
Influence of some β-adrenoceptor antagonists on the anticonvulsant potency of antiepileptic drugs against audiogenic seizures in DBA/2 mice (442) 204
- De Sarro, G., Chimirri, A. and Meldrum, B.S.
Group III mGlu receptor agonists potentiate the anticonvulsant effect of AMPA and NMDA receptor block (451) 55
- De Vente, J., see Prickaerts, J. (436) 83
- De Vry, J. and Rüdiger Jentzsch, K.
Discriminative stimulus effects of BAY 38-7271, a novel cannabinoid receptor agonist (457) 147
- De Witte, P., see Quertemont, E. (444) 143
- Deacon, C.F., see Ribbel, U. (451) 217
- Dean, D.C., see Lemaire, W. (450) 19
- Deghenghi, R., see Muccioli, G. (440) 235
- Deghenghi, R., see Broglio, F. (448) 193
- Dehghani, M., see Dehpour, A.R. (445) 31

- Dehpour, A.R., Seyyedi, A., Rastegar, H., Namiranian, K., Moezi, L., Sadeghipour, H., Dehghani, M., Jorjani, M., Roushanzamir, F. and Ahmadiani, A.
The nonadrenergic noncholinergic relaxation of anococcygeus muscles of bile duct-ligated rats (445) 31
- Dehpour, A.R., see Homayoun, H. (452) 67
- Del Arco, I., Navarro, M., Bilbao, A., Ferrer, B., Piomelli, D. and Rodríguez De Fonseca, F.
Attenuation of spontaneous opiate withdrawal in mice by the anandamide transport inhibitor AM404 (454) 103
- Del Carmen Frías Domínguez, M., see Mihailescu, S. (452) 77
- Del Río, J., see Tordera, R.M. (442) 63
- Delbruyère, M., see Pantos, C. (444) 191
- Delhon, A., see Rival, Y. (435) 143
- Delle Monache, F., see Bortalanza, L.B. (453) 203
- Dell'Elba, G., see Rotondo, S. (453) 131
- DeLorenzo, R.J., see Wallace, M.J. (452) 295
- Demirci, C., see van Dam, B. (455) 43
- Demonakou, M., see Andreadou, I. (441) 209
- Denbow, D.M., see Saito, E.-s. (453) 75
- Deng, H.-W., see Peng, J. (436) 89
- Deng, H.-W., see Zhou, Z.-H. (439) 129
- Dengler, R., see Krampfl, K. (435) 1
- Denhardt, G., see Smith, S.R. (457) 57
- Dersch, C.M., see Rothman, R.B. (447) 51
- Deseure, K., Koek, W., Colpaert, F.C. and Adriaensen, H.
The 5-HT_{1A} receptor agonist F 13640 attenuates mechanical allodynia in a rat model of trigeminal neuropathic pain (456) 51
- Deslandes, P.N., Pache, D.M., Buckland, P. and Sewell, R.D.E.
Morphine, cocaine and antidepressant induced motivational activity and midbrain dopaminergic neurotransmission (453) 223
- Dessolin, J., Schuler, M., Quinart, A., De Giorgi, F., Ghosez, L. and Ichas, F.
Selective targeting of synthetic antioxidants to mitochondria: towards a mitochondrial medicine for neurodegenerative diseases? (447) 155
- Detheux, M., see Mollereau, C. (451) 245
- Deutsch, S.I., Rosse, R.B., Billingslea, E.N., Bellack, A.S. and Mastroaalo, J.
Topiramate antagonizes MK-801 in an animal model of schizophrenia (449) 121
- Devynck, M.-A., see David-Dufilho, M. (436) 159
- Di Marzo, V., see Brooks, J.W. (439) 83
- Di Nisio, C., see Brunetti, L. (454) 189
- Di Paola, E.D., see De Sarro, G. (442) 204
- Di Paola, R., see Cuzzocrea, S. (450) 67
- Di Paola, R., see Cuzzocrea, S. (453) 119
- Diana, G., Pieri, M. and Valentini, G.
Effects of Win 55,212-2 on hippocampal CA1 long-term potentiation in experiments controlled for basal glutamatergic synaptic transmission (453) 251
- Díaz Reval, Ma.I., see Hernández-Delgadillo, G.P. (441) 177
- Díaz, C., see Llaverías, G. (451) 11
- Díaz, M.
Triphenylethylene antiestrogen-induced acute relaxation of mouse duodenal muscle. Possible involvement of Ca²⁺ channels (445) 257
- Díaz, G.J., see Lubbers, N.L. (435) 79
- Díaz-Cruz, A., see González-Benítez, E. (437) 105
- Dib, M., see Alvarez-Guerra, M. (454) 235
- Diéguez, G., see Fernández, N. (457) 161
- Diener, M., see Schultheiss, G. (444) 21
- Dikmen, A., see Resim, S. (442) 294
- Dingemanse, J., see van Giersbergen, P.L.M. (450) 115
- Ding-Zhou, L., Marchand-Verrecchia, C., Croci, N., Plotkine, M. and Margail, I.
L-NAME reduces infarction, neurological deficit and blood-brain barrier disruption following cerebral ischemia in mice (457) 137
- Diniz, C., see Queiroz, G. (448) 45
- Dipp, N.C.J., see Paul, M. (438) 35
- Dobashi, K., see Utsugi, M. (436) 47
- Dobos, I., see Kekesi, G. (445) 93
- Docherty, J.R., see Cleary, L. (451) 303
- Docherty, J.R., see Vandeputte, C. (457) 45
- Domenech, C., see Segarra, G. (444) 103
- Domenici, M.R., see Tebano, M.T. (450) 253
- Domínguez Ramírez, A.M., see Hernández-Delgadillo, G.P. (441) 177
- Donnelly, L.E., see Newton, R. (441) 193
- Donnelly, L.E., see Eynott, P.R. (452) 123
- Donnelly, L.E., see Eynott, P.R. (455) 79
- Doods, H.N., see Schindler, M. (442) 186
- D'Orléans-Juste, P., see Koeppe, J. (435) 103
- Dos Santos, N., see Rahimian, R. (434) 141
- Dötsch, J., see von der Hardt, K. (457) 71
- Dötsch, J., see Schoof, E. (457) 195
- Dougherty, J.J., see van Hooft, J.A. (449) 221
- Dreixler, J.C., see Cao, Y.-J. (449) 47
- Dremencov, E., see Gur, E. (436) 57
- Dringenberg, H.C., Rubenstein, M.L., Solty, H., Tomaszek, S. and Bruce, A.
Electroencephalographic activation by tacrine, deprenyl, and quipazine: cholinergic vs. non-cholinergic contributions (447) 43
- Drisko, J.E., see Martin, W.J. (454) 71
- Drozdowicz, D., see Konturek, P.C. (451) 191
- Drucker-Colín, R., see Mihailescu, S. (452) 77
- Du, J., see Zhao, Y.L. (445) 115
- Duarte, I.D.G., see Alves, D.P. (444) 47
- Duarte, I.D.G., see Amarante, L.H. (454) 19
- Duarte, J., see Wangenstein, R. (444) 97
- Dubé, G.P., see Rahimian, R. (434) 141
- Dubocovich, M.L., see Erşahin, Ç. (439) 171
- Dubocovich, M.L., see Msee, F. (449) 29
- Dubray, C., see Alloui, A. (443) 71
- Duburs, G., see Klegeris, A. (441) 203
- Duchen, M.R., see Krieger, C. (447) 177
- Dugo, L., see Ottanà, R. (448) 71
- Dugo, L., see Cuzzocrea, S. (450) 67
- Dugo, L., see Cuzzocrea, S. (453) 119
- Dugué, B., see Törnquist, K. (453) 1
- Dukat, M., Damaj, I.M., Young, R., Vann, R., Collins, A.C., Marks, M.J., Martin, B.R. and Glennon, R.A.
Functional diversity among 5-substituted nicotine analogs; in vitro and in vivo investigations (435) 171
- Dumont, Y., see Mollereau, C. (451) 245
- Duncan, A., see Shahidullah, M. (435) 93
- Dupont-Passelaigue, E., see Rival, Y. (435) 143
- Dupuis, D.S., Schröder, R.L., Jespersen, T., Christensen, J.K., Christophersen, P., Jensen, B.S. and Olesen, S.P.
Activation of KCNQ5 channels stably expressed in HEK293 cells by BMS-204352 (437) 129
- Eason, M.G., see Liang, M. (437) 41
- Easter, A. and Spruce, A.E.
Recombinant GABA_B receptors formed from GABA_{B1} and GABA_{B2} subunits selectively inhibit N-type Ca²⁺ channels in NG108-15 cells (440) 17
- Eatman, D., see Ganafa, A.A. (454) 217
- Ebenezer, I.S.
Effects of intracerebroventricular administration of the CCK₁ receptor antagonist devazepide on food intake in rats (441) 79
- Ebert, B., see Mortensen, M. (451) 125
- Ebert, B., see Mortensen, M. (453) 345
- Eckel, J., see Ledwig, D. (445) 141
- Eckel, S., see Anthes, J.C. (449) 229
- Eckel, S., see Anthes, J.C. (450) 191

- Eddleston, J., see Newton, R. (441) 193
- Edvinsson, L., Alm, R., Shaw, D., Rutledge, R.Z., Koblan, K.S., Longmore, J. and Kane, S.A.
Effect of the CGRP receptor antagonist BIBN4096BS in human cerebral, coronary and omental arteries and in SK-N-MC cells (434) 49
- Edvinsson, L., see Uddman, E. (452) 215
- Edvinsson, L., see Möller, S. (454) 209
- Edwards, R.M.
Basolateral, but not apical, ATP inhibits vasopressin action in rat inner medullary collecting duct (438) 179
- Edwardson, J.M., see Burton, T.J. (448) 215
- Egan, R.W., see Anthes, J.C. (449) 229
- Egan, R.W., see Anthes, J.C. (450) 191
- Egan, R.W., see Wan, Y. (456) 1
- Egashira, N., Mishima, K., Katsurabayashi, S., Yoshitake, T., Matsumoto, Y., Ishida, J., Yamaguchi, M., Iwasaki, K. and Fujiwara, M.
Involvement of 5-hydroxytryptamine neuronal system in Δ^9 -tetrahydrocannabinol-induced impairment of spatial memory (445) 221
- Egashira, T., see Takeda, H. (449) 261
- Eger, K., see Thiele, A. (453) 325
- Egido, J., see Ortego, M. (448) 113
- Eguchi, S., see Saito, S. (443) 47
- Ehinger, A.M., see Bäumler, W. (446) 193
- Ehinger, B., see Bäumler, W. (446) 193
- Ehrlich, K., see Peskar, B.M. (434) 65
- Eiberg, J., see Gruhn, N. (446) 143
- Eidi, A., see Zarrindast, M.-R. (452) 193
- Eidi, M., see Zarrindast, M.-R. (452) 193
- Eisenwiener, K.-P., see Reubi, J.C. (456) 45
- Eitner, F., see Ortlepp, J.R. (436) 145
- El Asri, M., see Bès, S. (452) 145
- El-Fakahany, E.E., see Linden, D.R. (436) 53
- Eliás, M.M., see Monasterolo, L.A. (449) 155
- Ellinwood, E.H., see Davidson, C. (441) 75
- Ellinwood, E.H., see Davidson, C. (453) 255
- Ellis, K.M., see Fozard, J.R. (438) 183
- El-Mas, M.M., see Rekik, M. (452) 205
- Eltorp, C.T., see Olsen, U.B. (435) 43
- Eltze, M., Grebe, T., Michel, M.C., Czyborra, P. and Ullrich, B.
Affinity profile at α_1 - and α_2 -adrenoceptor subtypes and in vitro cardiovascular actions of (+)-baldine (443) 151
- Elwan, M.A. and Sakuragawa, N.
Uptake of dopamine by cultured monkey amniotic epithelial cells (435) 205
- Elwan, M.A., see Metzger, R.R. (456) 39
- Emmanuele, L., see Locher, R. (434) 1
- Endeman, D., see van Hooft, J.A. (449) 221
- Endoh, T., see Togashi, Y. (435) 259
- Endou, H., see Takeda, M. (438) 137
- Endou, H., see Takeda, M. (441) 215
- Endou, H., see Takeda, M. (450) 111
- Endou, K., see Utsugi, M. (436) 47
- Engel, A.G., see Choi, S. (442) 37
- Eraković, V., see Čulić, O. (450) 277
- Ergün, Y., see Ögülcen, N. (450) 267
- Erhardt, J.A., see Legos, J.J. (447) 37
- Erichsen, H.K., see Blackburn-Munro, G. (445) 231
- Erşahin, Ç., Masana, M.I. and Dubocovich, M.L.
Constitutively active melatonin MT₁ receptors in male rat caudal arteries (439) 171
- Eschalier, A., see Alloui, A. (443) 71
- Esclangon, M., see Bribes, E. (452) 111
- Esclangon, M., see Bourrié, B. (456) 123
- Escobar, M.R., see Fourie, J. (452) 1
- Escubedo, E., see Pubill, D. (448) 165
- Eto, M., see Matsuda, M. (453) 141
- Eto, T., see Nagoshi, Y. (450) 237
- Evangelista, V., see Rotondo, S. (453) 131
- Evans, T.W., see Price, S. (449) 279
- Eynott, P., see Huang, T.-J. (437) 187
- Eynott, P.R., Groneberg, D.A., Caramori, G., Adcock, I.M., Donnelly, L.E., Kharitonov, S., Barnes, P.L. and Chung, K.F.
Role of nitric oxide in allergic inflammation and bronchial hyper-responsiveness (452) 123
- Eynott, P.R., Groneberg, D.A., Caramori, G., Adcock, I.M., Donnelly, L.E., Kharitonov, S., Barnes, P.J. and Chung, K.F.
Erratum to “Role of nitric oxide in allergic inflammation and bronchial hyperresponsiveness” [Eur. J. Pharmacol. 452 (2002) 123–133] (455) 79
- Faltynek, C., see McDonald, H.A. (435) 135
- Fan Chung, K., see Newton, R. (441) 193
- Farb, D.H., see Steiger, J.L. (446) 199
- Fareed, J., see Walzer, M. (445) 211
- Farkas, A. and Coker, S.J.
Limited induction of torsade de pointes by terikalant and erythromycin in an in vivo model (449) 143
- Farkas, A. and Coker, S.J.
Corrigendum to “Limited induction of torsade de pointes by terikalant and erythromycin in an in vivo model” [Eur. J. Pharmacol. 449 (2002) 143–153] (454) 105
- Fazio, F., see Matarrese, M. (453) 231
- Fazli-Tabaei, S., see Zarrindast, M.-R. (451) 287
- Fedulova, S.A. and Veselovsky, N.S.
Quantal GABA release in hippocampal synapses: role of local Ca²⁺ dynamics within the single terminals (447) 163
- Feijóo López, M., see Montilla-López, P. (451) 237
- Feineis, D., see Riederer, P. (442) 1
- Felthouse, C., see Broad, L.M. (452) 137
- Fendt, M., see Schwienbacher, I. (444) 161
- Ferenčić, Ž., see Čulić, O. (450) 277
- Ferencz, A., see Pórszász, R. (441) 173
- Ferguson, D.R., see Burton, T.J. (448) 215
- Fernandes, T.R.L., de Oliveira, D.S., Suzuki-Kemmelmeier, F. and Bracht, A.
Inhibition by extracellular ATP of organic anion transport in the perfused rat liver (454) 225
- Fernández, N., Martínez, Ma.A., Climent, B., García-Villalón, A.L., Monge, L., Sanz, E. and Diéguez, G.
Coronary reactivity to endothelin-1 during partial ischemia and reperfusion in anesthetized goats. Role of nitric oxide and prostanoids (457) 161
- Fernandez, X., see Anthes, J.C. (450) 191
- Fernández-Pastor, B. and Meana, J.J.
In vivo tonic modulation of the noradrenaline release in the rat cortex by locus coeruleus somatodendritic α_2 -adrenoceptors (442) 224
- Fernández-Ruiz, J., see de Lago, E. (449) 99
- Ferrazza, G., see Cainazzo, M.M. (441) 91
- Ferreira, A.T., see França, L.P. (439) 13
- Ferreira, H.H.A., Lodo, M.L.S., Martins, A.R., Kandratavicius, L., Salaroli, A.F., Conran, N., Antunes, E. and De Nucci, G.
Expression of nitric oxide synthases and in vitro migration of eosinophils from allergic rhinitis subjects (442) 155
- Ferreira, J., see Bortalanza, L.B. (453) 203
- Ferrer, B., see Del Arco, I. (454) 103
- Ferreri, G., see De Sarro, G. (442) 204
- Ferretti, M.E., see Dalpiaz, A. (436) 187
- Ferry, X. and Landry, Y.
Agmatine: a mastoparan-like activity related to direct activation of heterotrimeric G proteins (435) 19
- Feuerbach, D., see Nunn, C. (436) 173

- Filipponi, P., see Gregorio, F. (456) 141
- Finance, O., see Tömösközi, Z. (449) 55
- Finckenberg, P., see Nevala, R. (452) 87
- Findji, L., see Brouiri, F. (456) 69
- Finnström, N., see Xie, H.-J. (449) 197
- Fischer, W., Franke, H., Scheibler, P., Allgaier, C. and Illes, P.
AMPA-induced Ca^{2+} influx in cultured rat cortical nonpyramidal
neurons: pharmacological characterization using fura-2 microfluorim-
etry (438) 53
- Fischer, W., see De Sarro, G. (442) 204
- Fiscus, R.R., see Chan, G.H.H. (434) 133
- Fleck, M.W., see Glick, S.D. (438) 99
- Fleckenstein, A.E., see Riddle, E.L. (435) 181
- Fleckenstein, A.E., see Crosby, M.J. (438) 75
- Fleckenstein, A.E., see Riddle, E.L. (449) 71
- Fleckenstein, A.E., see Metzger, R.R. (456) 39
- Fletcher, P.J., see Ross, B.M. (450) 141
- Floege, J., see Ortlepp, J.R. (436) 145
- Flügge, G., see Van Kampen, M. (457) 207
- Flynn, J.J., see Murphy, J.E.J. (444) 61
- Fokt, R.M., see Paul, M. (438) 35
- Folco, G., see Buccellati, C. (443) 133
- Foley, P., see Riederer, P. (442) 1
- Folkerts, G., see Kloek, J. (442) 288
- Folkerts, G., see Scheerens, J. (453) 111
- Fone, K.C.F., see Kogan, H.A. (449) 105
- Fong, T.M., see MacNeil, D.J. (440) 141
- Fong, T.M., see MacNeil, D.J. (450) 93
- Forssberg, H., see Heijtz, R.D. (445) 97
- Fourie, J., Escobar, M.R. and Sitar, D.S.
NMDA receptor antagonists to characterize rat renal organic cation
transporter function (452) 1
- Fournié-Zaluski, M.-C., see Guen, S.L. (441) 141
- Fournié-Zaluski, M.-C., see Benoist, J.-M. (445) 201
- Fox, A.J., see Newton, R. (441) 193
- Fozard, J.R., Ellis, K.M., Villela Dantas, M.F., Tigani, B. and
Mazzoni, L.
Effects of CGS 21680, a selective adenosine A_{2A} receptor agonist, on
allergic airways inflammation in the rat (438) 183
- Fraga, S., Serrão, M.P. and Soares-da-Silva, P.
The L-3,4-dihydroxyphenylalanine transporter in human and rat
epithelial intestinal cells is a type 2 hetero amino acid exchanger
(441) 127
- França, L.P., Corrêa, S.A.A., Barbosa, A.M.R.B., Ferreira, A.T., Han, S.W.,
Shimuta, S.I. and Paiva, A.C.M.
Evidence for changes in the tachyphylactic property of recombinant
angiotensin II AT_1 receptor expressed in CHO cells (439) 13
- Franchetti, P., see Dalpiaz, A. (448) 123
- Frank, G.D., see Saito, S. (443) 47
- Franke, H., see Fischer, W. (438) 53
- Franklin, K.B.J., see Gilbert, A.-K. (449) 75
- Fray, A., see Tao, R. (445) 69
- Freidinger, R.M., see Lemaire, W. (450) 19
- Frølund, B., see Mortensen, M. (451) 125
- Frølund, B., see Mortensen, M. (453) 345
- Fruebis, J., see Tsao, T.-S. (440) 213
- Frussa-Filho, R., see Quadros, I.M.H. (442) 55
- Fuchs, E., see Van Kampen, M. (457) 207
- Fujii, H., see Sasamura, T. (441) 185
- Fujii, H., see Hirano, Y. (448) 19
- Fujii, Y., Takeuchi, H., Tanaka, K., Sakuma, S., Ohkubo, Y. and Mutoh, S.
Effects of FK506 (tacrolimus hydrate) on chronic oxazolone-induced
dermatitis in rats (456) 115
- Fujikawa, T., see Hirose, H. (452) 245
- Fujimoto, K., see Ogawa, T. (457) 107
- Fujimura, A., see Sugimoto, K.-i. (450) 183
- Fujimura, M., see Nobata, K. (452) 97
- Fujino, M., see Takekawa, S. (438) 129
- Fujisawa, Y., see Tian, R.-X. (437) 79
- Fujishige, K., see Mochida, H. (456) 91
- Fujishima, M., see Kitayama, J. (438) 153
- Fujishiro, J., Imanishi, T., Onozawa, K. and Tsushima, M.
Comparison of the anticholinergic effects of the serotonergic
antidepressants, paroxetine, fluvoxamine and clomipramine (454)
183
- Fujita, N., see Uemura, M. (456) 29
- Fujita, S., see Adachi, K. (442) 81
- Fujita, T., see Oka, M. (452) 175
- Fujiwara, M., see Egashira, N. (445) 221
- Fukatsu, T., Miyake-Takagi, K., Nagakura, A., Omino, K., Okuyama, N.,
Ando, T., Takagi, N., Furuya, Y. and Takeo, S.
Effects of nefiracetam on spatial memory function and acetylcholine
and GABA metabolism in microsphere-embolized rats (453) 59
- Fukushima, S., see Teramura, K. (449) 191
- Fukushima, S., see Teramura, K. (457) 51
- Fukushima, Y., Nagayama, T., Hikichi, H., Mizukami, K., Yoshida, M.,
Suzuki-Kusaba, M., Hisa, H., Kimura, T. and Satoh, S.
Role of K^+ channels in the PACAP-induced catecholamine secretion
from the rat adrenal gland (437) 69
- Fülöp, K., see Müllner, K. (435) 225
- Funatsu, T., Kakuta, H., Takasu, T. and Miyata, K.
Atorvastatin increases hepatic fatty acid beta-oxidation in sucrose-fed
rats: comparison with an MTP inhibitor (455) 161
- Fung, H.S., see Luk, H.H. (443) 197
- Furman, B.L., see Zhang, L. (435) 269
- Fürst, S., see Müllner, K. (435) 225
- Furue, M., see Goto, Y. (438) 189
- Furusawa, S., see Sakaguchi, S. (451) 309
- Furuse, M., see Saito, E.-s. (453) 75
- Furusyou, S., see Nobata, K. (452) 97
- Furuya, Y., see Fukatsu, T. (453) 59
- Fusa, K., Saigusa, T., Koshikawa, N. and Cools, A.R.
Tyrosine-induced release of dopamine is under inhibitory control of
presynaptic dopamine D2 and, probably, D3 receptors in the dorsal
striatum, but not in the nucleus accumbens (448) 143
- Gabra, B.H. and Sirois, P.
Role of bradykinin B_1 receptors in diabetes-induced hyperalgesia in
streptozotocin-treated mice (457) 115
- Gabriele, J., Rajaram, M., Zhang, B., Sharma, S. and Mishra, R.K.
Modulation of a 40-kDa catecholamine-regulated protein following D-
amphetamine treatment in discrete brain regions (453) 13
- Galicía-Canales, N., see Pasapera, A.M. (452) 347
- Galiegue, S., see Bribes, E. (452) 111
- Galiegue, S., see Bourrié, B. (456) 123
- Galigniana, M.D., see Piwien-Pilipuk, G. (454) 131
- Gallardo-Ortiz, I.A., see Villalobos-Molina, R. (455) 59
- Galler, J.R., see Steiger, J.L. (446) 199
- Galli Kienle, M., see Matarrese, M. (453) 231
- Gallwitz, B., see Meier, J.J. (440) 269
- Galović, R., see Čulić, O. (450) 277
- Ganado, P., see Sanz, M. (442) 99
- Ganafa, A.A., Socci, R.R., Eatman, D., Silvestrova, N., Abukhalaf, I.K. and
Bayorh, M.A.
Acute inhibition of glutathione biosynthesis alters endothelial function
and blood pressure in rats (454) 217
- Gantert, L.T., see Martin, W.J. (454) 71
- Gao, E., see Christopher, T.A. (446) 137
- Gao, F., see Christopher, T.A. (446) 137
- Gao, F.-S., see Yeh, G.-C. (453) 197
- Gao, Y. and Usha Raj, J.
Effects of SQ 22536, an adenylyl cyclase inhibitor, on isoproterenol-
induced cyclic AMP elevation and relaxation in newborn ovine
pulmonary veins (436) 227

- Gao, Z.-g. and Jacobson, K.A.
2-Chloro-*N*⁶-cyclopentyladenosine, adenosine A₁ receptor agonist, antagonizes the adenosine A₃ receptor (443) 39
- Garadnay, S., see Biyashev, D. (442) 23
- Garay, R.P., see Alvarez-Guerra, M. (454) 235
- García de la Mora, G., see Pasapera, A.M. (452) 347
- García, A.M., see Cabré, F. (451) 317
- García, M.L., see Cabré, F. (451) 317
- García, L., see Bourrié, B. (456) 123
- García-Barrado, M.J., Iglesias-Osma, M.C., Rodríguez, R., Martín, M. and Moratinos, J.
Role of μ -opioid receptors in insulin release in the presence of inhibitory and excitatory secretagogues (448) 95
- García-Cabrera, M., see Candelario-Jalil, E. (453) 189
- García-Colunga, J., see Rangel-González, F.J. (441) 15
- García-Colunga, J., see López-Valdés, H.E. (444) 13
- García-Marin, L., see Leyton, J. (442) 178
- García-Villalón, A.L., see Fernández, N. (457) 161
- Gard, P.R.
The role of angiotensin II in cognition and behaviour (438) 1
- Gardier, A.M., see Malagié, I. (443) 99
- Gariépy, C.E., see Konishi, F. (451) 177
- Garlisi, C.G., see Wan, Y. (456) 1
- Garnham, A., see Sanidas, D. (453) 183
- Gasparini, F., see Spooren, W.P.J.M. (435) 161
- Gebka, J., see Mikolajczak, P. (444) 83
- Gebrewold, A., see Barbour, R.L. (447) 79
- Gebrewold, A., see Altura, B.M. (448) 89
- Gelain, A., see Castelli, M.P. (446) 1
- Gentsch, C., see Spooren, W.P.J.M. (435) 161
- Gerdin, M.J., see Mseeh, F. (449) 29
- Gerevich, Z., Wirkner, K. and Illes, P.
Adenosine A_{2A} receptors inhibit the *N*-methyl-D-aspartate component of excitatory synaptic currents in rat striatal neurons (451) 161
- Gerlach, M., see Riederer, P. (442) 1
- Gerra, G., see Morley-Fletcher, S. (448) 31
- Gessa, G.L., see Carai, M.A.M. (441) 157
- Gessa, G.L., see Serra, S. (443) 95
- Gessa, G.L., see Marchese, G. (444) 69
- Gessa, G.L., see Vacca, G. (445) 55
- Gessa, G.L., see Carai, M.A.M. (445) 195
- Gessa, G.L., see Castelli, M.P. (446) 1
- Gessa, G.L., see Marchese, G. (447) 109
- Gessa, G.L., see Marchese, G. (448) 263
- Ghaleh, B., see Lellouche, N. (450) 179
- Ghigo, E., see Muccioli, G. (440) 235
- Ghigo, E., see Broglio, F. (448) 193
- Gholami, A., Haeri-Rohani, A., Sahraie, H. and Zarrindast, M.-R.
Nitric oxide mediation of morphine-induced place preference in the nucleus accumbens of rat (449) 269
- Ghosez, L., see Dessolin, J. (447) 155
- Giacometti, A., see Virginio, C. (445) 153
- Gilbert, A.-K. and Franklin, K.B.J.
The role of descending fibers from the rostral ventromedial medulla in opioid analgesia in rats (449) 75
- Gilchrest, H., see Anthes, J.C. (449) 229
- Gillberg, P.-G., see Modiri, A.-R. (451) 171
- Gispen, W.H., see Biessels, G.J. (441) 1
- Gispen, W.H., see Biessels, G.J. (447) 201
- Giudicelli, J.-F., see Lellouche, N. (450) 179
- Giuliani, A., see Candelario-Jalil, E. (453) 189
- Giuliani, S., see Tramontana, M. (439) 149
- Giuliano, F., see Calatayud, S. (440) 71
- Giusti, P., see Miolo, G. (450) 223
- Glennon, R.A., see Dukat, M. (434) 101
Mal3 β 4 nicotinic receptors as a strategy to reduce opioid and stimulant self-administration (438) 99
- Glick, S.D., Maisonneuve, I.M. and Kitchen, B.A.
Modulation of nicotine self-administration in rats by combination therapy with agents blocking α 3 β 4 nicotinic receptors (448) 185
- Glojnaric, I., see Čulić, O. (450) 277
- Gluais, P., Bastide, M., Caron, J. and Adamantidis, M.
Risperidone prolongs cardiac action potential through reduction of K⁺ currents in rabbit myocytes (444) 123
- Gnagy, M.E., see Kantor, L. (451) 27
- Gnerre, C., see van Giersbergen, P.L.M. (450) 115
- Go, M.-L., see Loke, W.-K. (442) 278
- Goadsby, P.J., see Akerman, S. (452) 223
- Göçmen, C., see Resim, S. (442) 294
- Gold, L.H., see Contarino, A. (446) 103
- Goldberg, S.R., see Munzar, P. (436) 75
- Goldberg, S.R., see Stefanski, R. (439) 59
- Goldenberg, R., see Knapp, R.J. (440) 27
- Goldschmeding, R., see Blezer, E.L.A. (444) 75
- Gomes, B., see Patel, M. (446) 37
- Gonçalves, J., see Queiroz, G. (448) 45
- Gonzalez, M.C., see Sanchez, J.J. (438) 79
- González-Benítez, E., Guinzberg, R., Díaz-Cruz, A. and Piña, E.
Regulation of glycogen metabolism in hepatocytes through adenosine receptors. Role of Ca²⁺ and cAMP (437) 105
- González-Falcón, A., see Candelario-Jalil, E. (453) 189
- González-Maeso, J., Rodríguez-Puertas, R. and Meana, J.J.
Quantitative stoichiometry of G-proteins activated by μ -opioid receptors in postmortem human brain (452) 21
- Gonzalez-Tejero, A., see Rioja, I. (434) 177
- Goromaru, T., see Sendo, T. (450) 203
- Gorr, G., see Bäumer, W. (446) 193
- Goto, K., see Yuzurihara, M. (444) 183
- Goto, T., see Nishigaki, F. (437) 123
- Goto, Y., Watanabe, N., Kogawa, N., Tsuchiya, M., Takahashi, O., Uchi, H., Furue, M. and Hayashi, H.
CX-659S: a novel diaminouracil derivative that has antioxidative and acute anti-inflammatory activities (438) 189
- Gotoh, M., Notoya, K., Ienaga, Y., Kawase, M. and Makino, H.
Enhancement of osteogenesis in vitro by a novel osteoblast differentiation-promoting compound, TAK-778, partly through the expression of Msx2 (451) 19
- Gottero, C., see Broglio, F. (448) 193
- Gouardères, C., see Quelven, I. (449) 91
- Goulet, M.T., see MacNeil, D.J. (440) 141
- Goulet, M.T., see MacNeil, D.J. (450) 93
- Govosdis, V., see Andreadou, I. (441) 209
- Gower, A.J., see Lamberty, Y. (439) 101
- Granados-Soto, V., see Ortiz, M.I. (438) 85
- Granata, R., see Broglio, F. (448) 193
- Grasso, G., see Catania, M.A. (437) 147
- Grasso, P., see Lee, D.W. (440) 129
- Grebe, T., see Eltze, M. (443) 151
- Green, A.R., see Nelson, R.M. (452) 255
- Green, B.T. and Brown, D.R.
Active bicarbonate-dependent secretion evoked by 5-hydroxytryptamine in porcine ileal mucosa is mediated by opioid-sensitive enteric neurons (451) 185
- Greenfeder, S., see Anthes, J.C. (449) 229
- Greenfeder, S., see Anthes, J.C. (450) 191
- Gregorio, F., Ambrosi, F., Boemi, M., Carle, F. and Filipponi, P.
Effects of S 21403 on hormone secretion from isolated rat pancreas at different glucose concentrations (456) 141
- Grella, A., see Oliva, P. (445) 179
- Grella, E., see Oliva, P. (445) 179
- Gressens, P., see Menton, K. (444) 53
- Grife, V., see Varga, E.V. (451) 101
- Grima, M., see Rahmouni, K. (436) 207

- Grima, M., see Loichot, C. (454) 241
- Groen, H., see Visser, J. (445) 133
- Groenink, L., see Pattij, T. (447) 67
- Groneberg, D.A., see Eynott, P.R. (452) 123
- Groneberg, D.A., see Eynott, P.R. (455) 79
- Groschner, K., see Wakabayashi, I. (448) 267
- Gross, S.S., see Weissman, B.A. (435) 9
- Gruhn, N., Boesgaard, S., Eiberg, J., Bang, L., Thiis, J., Schroeder, T.V. and Aldershvile, J.
Effects of large conductance Ca^{2+} -activated K^{+} channels on nitroglycerin-mediated vasorelaxation in humans (446) 143
- Guan, X., see MacNeil, D.J. (440) 141
- Guan, X., see MacNeil, D.J. (450) 93
- Guarini, S., see Cainazzo, M.M. (441) 91
- Guarracino, F., see Broglio, F. (448) 193
- Guen, S.L., Noble, F., Fournié-Zaluski, M.-C., Roques, B.P., Besson, J.-M. and Buritova, J.
RB101(S), a dual inhibitor of enkephalinases does not induce antinociceptive tolerance, or cross-tolerance with morphine: a c-Fos study at the spinal level (441) 141
- Guerrini, R., see McDonald, J. (443) 7
- Guerrini, R., see Hashimoto, Y. (449) 17
- Guh, J.-H., see Chueh, S.-C. (445) 125
- Gühning, H., Hamza, M., Sergejeva, M., Ates, M., Kotalla, C.E., Ledent, C. and Brune, K.
A role for endocannabinoids in indomethacin-induced spinal antinociception (454) 153
- Guilmeau, S., Nagain-Domaine, C., Buyse, M., Tsocas, A., Rozé, C. and Bado, A.
Modulation of exocrine pancreatic secretion by leptin through CCK_1 -receptors and afferent vagal fibres in the rat (447) 99
- Guimarães, S., see Mota, A. (453) 265
- Guimarães, S., see Morato, M. (455) 135
- Guinzberg, R., see González-Benítez, E. (437) 105
- Guiry, P.J., see Murphy, J.E.J. (444) 61
- Güluy, Ş., see Coşkun, U. (437) 97
- Gullapalli, S., Gurumoorthy, K., Kaul, C.L. and Ramarao, P.
Role of L-type Ca^{2+} channels in attenuated morphine antinociception in streptozotocin-diabetic rats (435) 187
- Gullapalli, S. and Ramarao, P.
Regulation of dihydropyridine-sensitive Ca^{2+} channels during naloxone-induced opioid supersensitivity in rats (451) 271
- Gunay, I., see Mert, T. (439) 77
- Gundlach, A.L.
Galanin/GALP and galanin receptors: role in central control of feeding, body weight/obesity and reproduction? (440) 255
- Gunes, Y., see Mert, T. (439) 77
- Guo, W., Zou, S., Tal, M. and Ren, K.
Activation of spinal kainate receptors after inflammation: behavioral hyperalgesia and subunit gene expression (452) 309
- Gur, E., Dremencov, E., Van De Kar, L.D., Lerer, B. and Newman, M.E.
Effects of chronically administered venlafaxine on 5-HT receptor activity in rat hippocampus and hypothalamus (436) 57
- Gur, E., Lifschytz, T., Lerer, B. and Newman, M.E.
Effects of triiodothyronine and imipramine on basal 5-HT levels and 5-HT₁ autoreceptor activity in rat cortex (457) 37
- Gurtman, C.G., Morley, K.C., Li, K.M., Hunt, G.E. and McGregor, I.S.
Increased anxiety in rats after 3,4-methylenedioxymethamphetamine: association with serotonin depletion (446) 89
- Gurumoorthy, K., see Gullapalli, S. (435) 187
- Gürün, M.S., İlçöl, Y.Ö., Taga, Y. and Ulus, I.H.
Hyperglycemia induced by intracerebroventricular choline: involvement of the sympatho-adrenal system (438) 197
- Gutiérrez-Sagal, R., see Pasapera, A.M. (452) 347
- Gütschow, M., see Thiele, A. (453) 325
- Guven, M., see Mert, T. (439) 77
- Guzmán-Marín, R., see Mihăilescu, S. (452) 77
- Gyires, K., see Müllner, K. (435) 225
- Haasio, K., Koponen, A., Penttilä, K.E. and Nissinen, E.
Effects of entacapone and tolcapone on mitochondrial membrane potential (453) 21
- Habibi, M., see Zarrindast, M.-R. (451) 287
- Haddad, E.-B., see Newton, R. (441) 193
- Haeri-Rohani, A., see Gholami, A. (449) 269
- Haeri-Rohani, A., see Zarrindast, M.-R. (454) 193
- Haginaka, J., see Yamaguchi, Y. (436) 97
- Hagio, T., see Kawabata, K. (451) 1
- Hagiwara, N., see Ajiro, Y. (435) 27
- Hahn, D.-H., see Shim, I. (443) 119
- Hahn, E.G., see Konturek, P.C. (451) 191
- Hainsworth, A.H., see Nelson, R.M. (452) 255
- Haj-Yehia, A., see Nassar, T. (436) 111
- Hall, R., Andrews, P.L.R. and Hoyle, C.H.V.
Effects of testosterone on neuromuscular transmission in rat isolated urinary bladder (449) 301
- Hämäläinen, M., Lahti, A. and Moilanen, E.
Calcineurin inhibitors, cyclosporin A and tacrolimus inhibit expression of inducible nitric oxide synthase in colon epithelial and macrophage cell lines (448) 239
- Hamanaka, E.S., see Marala, R.B. (451) 37
- Hamann, M. and Richter, A.
Effects of striatal injections of GABA_A receptor agonists and antagonists in a genetic animal model of paroxysmal dystonia (443) 59
- Hameg, A., see Alvarez-Guerra, M. (454) 235
- Hamers, F.P.T., see Biessels, G.J. (447) 201
- Hamon, M., see Mauborgne, A. (441) 47
- Hamon, M., see Brouri, F. (456) 69
- Hamza, M., see Gühning, H. (454) 153
- Han, S.W., see França, L.P. (439) 13
- Hanania, T., McCreary, A.C., Haughey, H.M., Salaz, D.O. and Zahniser, N.R.
MK-801- and ethanol-induced activity in inbred long-sleep and short-sleep mice: dopamine and serotonin systems (457) 125
- Haneda, M., see Nishio, T. (437) 113
- Hanin, I., see Walzer, M. (445) 211
- Hankey, D.J.R., see Brooks, J.W. (439) 83
- Hanoun, N., see Brouri, F. (456) 69
- Hanrath, P., see Ortlepp, J.R. (436) 145
- Hanrath, P., see Blindt, R. (444) 31
- Hanrath, P., see Ortlepp, J.R. (445) 151
- Hansard, M.J., Smith, L.A., Jackson, M.J., Cheetham, S.C. and Jenner, P.
Dopamine reuptake inhibition and failure to evoke dyskinesia in MPTP-treated primates (451) 157
- Hansen, A.J., see Olsen, U.B. (435) 43
- Hansen, E.W., see Kjeldsen, T.H. (451) 209
- Hanson, G.R., see Riddle, E.L. (435) 181
- Hanson, G.R., see Crosby, M.J. (438) 75
- Hanson, G.R., see Riddle, E.L. (449) 71
- Hanson, G.R., see Metzger, R.R. (456) 39
- Hanson, J.E., see Crosby, M.J. (438) 75
- Hao, J.-X., see Kouya, P.F. (450) 49
- Hao, X.-J., see Li, L. (449) 23
- Hapfelmeier, G., see Haseneder, R. (451) 43
- Harashima, H., see Abe, A. (436) 7
- Harris, C.A., see Mak, J.C.W. (436) 165
- Harris, R., see Liu, Y. (435) 153
- Harrison, J., see Liu, Y.-L. (452) 49
- Harrison, P.J., see Meller, R. (445) 13

- Harsch, I.A., see Konturek, P.C. (451) 191
- Hasegawa, M., Adachi, K., Nakamura, S., Sato, M., Waddington, J.L. and Koshikawa, N.
Erratum to "Ventral striatal vs. accumbal (shell) mechanisms and non-cyclase-coupled dopamine D₁-like receptors in jaw movements" [Eur. J. Pharmacol. 423 (2001) 171–178] (441) 217
- Hasegawa, M., see Adachi, K. (442) 81
- Hasegawa, T., see Zhao, Y.L. (445) 115
- Haseneder, R., Rammes, G., Zieglgänsberger, W., Kochs, E. and Hapfelmeier, G.
GABA_A receptor activation and open-channel block by volatile anaesthetics: a new principle of receptor modulation? (451) 43
- Hashimoto, N., see Kawanabe, Y. (435) 119
- Hashimoto, N., see Kawanabe, Y. (447) 31
- Hashimoto, S., see Izumi, T. (452) 199
- Hashimoto, Y., Calo', G., Guerrini, R., Smith, G. and Lambert, D.G.
Effects of chronic nociceptin/orphanin FQ exposure on cAMP accumulation and receptor density in Chinese hamster ovary cells expressing human nociceptin/orphanin FQ receptors (449) 17
- Hashino, A., see Kume, T. (455) 91
- Hassan, M., see Xie, H.-J. (449) 197
- Hastrup, S., see Wulff, B.S. (453) 33
- Hattori, Y., see Sakuma, I. (437) 155
- Hau, V.S., see Huber, J.D. (450) 297
- Hauber, W., see Schwienbacher, I. (444) 161
- Haughey, H.M., see Hanania, T. (457) 125
- Hauschildt, S., see Thiele, A. (453) 325
- Haus-Wegrzyniak, B., see Wenk, G.L. (453) 319
- Hawisa, S., see Newton, R. (441) 193
- Hayakawa, K., Kimura, M. and Kamata, K.
Mechanism underlying γ -aminobutyric acid-induced antihypertensive effect in spontaneously hypertensive rats (438) 107
- Hayakawa, T., see Yuzurihara, M. (444) 183
- Hayase, Y., see Kashiwakura, I. (437) 19
- Hayashi, H., see Goto, Y. (438) 189
- Hayashi, H., see Matsuo, K. (452) 105
- Hayashi, T., see Sakurada, S. (434) 29
- Haycock, J.W., see Riddle, E.L. (449) 71
- Haynes, A.C., see Smart, D. (440) 199
- Hay-Schmidt, A., see Larsen, P.J. (440) 159
- Heal, D., see Tao, R. (445) 69
- Heal, D.J., see Liu, Y.-L. (452) 49
- Heerschap, A., see Legtenberg, R.J. (434) 35
- Heijtz, R.D., Beraki, S., Scott, L., Aperia, A. and Forsberg, H.
Sex differences in the motor inhibitory and stimulatory role of dopamine D1 receptors in rats (445) 97
- Heiman, M., see Muccioli, G. (440) 235
- Hejna, M., see Walzer, M. (445) 211
- Helmchen, F. and Waters, J.
Ca²⁺ imaging in the mammalian brain in vivo (447) 119
- Helwig, J.-J., see Loichot, C. (454) 241
- Hemsley, K.M. and Crocker, A.D.
Atropine reduces raclopride-induced muscle rigidity by acting in the ventral region of the striatum (434) 117
- Hen, R., see Richer, M. (435) 195
- Hen, R., see Malagie, I. (443) 99
- Henriques, J.A.P., see Picada, J.N. (443) 105
- Herin, G.A., see Legos, J.J. (447) 37
- Hernández, A.G., see Ortego, M. (448) 113
- Hernández, G., see Llaverías, G. (451) 11
- Hernández, L., see Baptista, T. (447) 91
- Hernández-Delgadillo, G.P., Ventura Martínez, R., Díaz Reval, Ma.I., Domínguez Ramírez, A.M. and López-Muñoz, F.J.
Metamizol potentiates morphine antinociception but not constipation after chronic treatment (441) 177
- Hernández-Presa, M.A., see Ortego, M. (448) 113
- Herrera, J., see Pasapera, A.M. (452) 347
- Hertel, P., Olsen, C.K. and Arnt, J.
Repeated administration of the neurotensin analogue NT69L induces tolerance to its suppressant effect on conditioned avoidance behaviour (439) 107
- Hertz, L., see Peng, L. (446) 53
- Hesk, D., see Anthes, J.C. (449) 229
- Hesk, D., see Wan, Y. (456) 1
- Hess, S.C., see Bortalanza, L.B. (453) 203
- Hey, J.A., see Anthes, J.C. (450) 191
- Hey, J.A., see Varty, L.M. (452) 339
- Hidalgo, A., see Velasco, L. (438) 45
- Hidalgo, A., see Villanueva, N. (445) 83
- Hikichi, H., see Fukushima, Y. (437) 69
- Hilburn, C., see King, G.R. (449) 253
- Hill, M.A., see Murphy, T.V. (442) 107
- Hill, R.J., see Marala, R.B. (451) 37
- Hillburn, C., see King, G.R. (446) 111
- Hipólido, D.C., see Quadros, I.M.H. (442) 55
- Hirakata, H., see Sueishi, K. (451) 203
- Hiramatsu, M., Hoshino, T., Kameyama, T. and Nabeshima, T.
Involvement of κ -opioid and σ receptors in short-term memory in mice (453) 91
- Hirano, F., see Hirano, Y. (448) 19
- Hirano, M., see Abe, A. (436) 7
- Hirano, Y., Hirano, F., Fujii, H. and Makino, I.
Fibrates suppress chenodeoxycholic acid-induced RANTES expression through inhibition of NF- κ B activation (448) 19
- Hirose, H., Aoki, I., Kimura, T., Fujikawa, T., Numazawa, T., Sasaki, K., Nishikibe, M. and Noguchi, K.
The subtypes of muscarinic receptors for neurogenic bladder contraction in rats (452) 245
- Hirose, T., see Nobata, K. (452) 97
- Hirouchi, M., see Noda, K. (456) 81
- Hisa, H., see Fukushima, Y. (437) 69
- Hisamichi, N., see Moritani, Y. (439) 43
- Hitomi, A., see Satoh, S.-i. (455) 169
- Hitomi, T., see Karasawa, Y. (449) 127
- Ho, C.-Y. and Kou, Y.R.
Mechanisms of wood smoke-induced increases in nasal airway resistance and reactivity in rats (436) 127
- Ho, D., see Wellman, P. (455) 117
- Ho, L.-L., Chen, W.-J., Lin-Shiau, S.-Y. and Lin, J.-K.
Penta-*O*-galloyl- β -D-glucose inhibits the invasion of mouse melanoma by suppressing metalloproteinase-9 through down-regulation of activator protein-1 (453) 149
- Ho, Y.-S., see Lin, C.-H. (438) 143
- Hodge, C.W., see Olive, M.F. (437) 55
- Hodgson, W.C., see Ramasamy, S. (434) 151
- Hoffmann, R., see Ortlepp, J.R. (445) 151
- Hofman, Z., see Van Hoorn, D.E.C. (451) 111
- Hofmann, F., see Klugbauer, N. (447) 279
- Hohlfeld, T., see Blindt, R. (444) 31
- Hokland, P., see Autrup, J.L. (438) 15
- Hollenberg, M.D., see Nishikawa, H. (447) 87
- Hollweg, G., see Ortlepp, J.R. (436) 145
- Hölscher, C.
Different strains of rats show different sensitivity to block of long-term potentiation by nitric oxide synthase inhibitors (457) 99
- Hom, G.J., see Martin, W.J. (454) 71
- Homayoun, H., Khavandgar, S., Namiranian, K. and Dehpour, A.R.
The effect of cyclosporin A on morphine tolerance and dependence: involvement of L-arginine/nitric oxide pathway (452) 67
- Honda, M., Sekiguchi, Y., Sato, N. and Ono, H.
Involvement of imidazole receptors in the centrally acting muscle-relaxant effects of tizanidine (445) 187

- Honda, R., see Tsuneki, H. (448) 245
 Honda, T., see Togashi, Y. (435) 259
 Hong, G.-J., see Loh, S.-H. (443) 169
 Hong, W. and Werling, L.L.
 Binding of σ receptor ligands and their effects on muscarine-induced Ca^{2+} changes in SH-SY5Y cells (436) 35
 Honig, W., see Prickaerts, J. (436) 83
 Hoppmann, J., see Bäumer, W. (446) 193
 Hori, K., see Sakai, H. (435) 125
 Hori, T., see Abe, Y. (455) 127
 Horie, S., see Mitamura, M. (436) 217
 Horie, S., see Ishihara, S. (441) 105
 Horie, S., see Tsuchiya, S. (443) 185
 Horie, S., see Someya, A. (450) 131
 Horie, S., see Komasa, M. (452) 235
 Horikawa, T., see Oku, H. (446) 165
 Horinouchi, T. and Koike, K.
 Cyclic AMP-independent relaxation mediated by β_3 -adrenoceptors on guinea pig gastrointestinal (442) 137
 Horinouchi, T., see Shibano, M. (456) 77
 Horio, T., see Yoshihara, F. (436) 1
 Horio, T., see Nishikimi, T. (453) 175
 Horvath, G., see Kekesi, G. (445) 93
 Hoshino, O., see Indra, B. (437) 173
 Hoshino, O., see Indra, B. (445) 21
 Hoshino, T., see Hiramatsu, M. (453) 91
 Hosoyamada, M., see Takeda, M. (441) 215
 Hossein Yahyavi, S., see Zarrindast, M.-R. (451) 287
 Hou, Y.P., see Su, Z.G. (454) 9
 Houamed, K.M., see Cao, Y.-J. (449) 47
 Houlihan, L.M., see Slater, Y. (450) 213
 Houston, R.J.F., see Legtenberg, R.J. (434) 35
 Howard, A.D., see MacNeil, D.J. (440) 141
 Howard, A.D., see MacNeil, D.J. (450) 93
 Howard, A.D., see Martin, W.J. (454) 71
 Hoyer, D., see Nunn, C. (436) 173
 Hoyle, C.H.V., see Hall, R. (449) 301
 Hsiao, G., see Lin, C.-H. (450) 1
 Hsu, M.-F., see Wang, J.-P. (434) 9
 Hu, C.-L., see Yeh, G.-C. (453) 197
 Hu, S.
 Interaction of nateglinide with K_{ATP} channel in β -cells underlies its unique insulinotropic action (442) 163
 Huang, D.J., see Su, Z.G. (454) 9
 Huang, H.-C., see Shen, S.-C. (446) 185
 Huang, P.-c., see Lai, Y.-L. (452) 229
 Huang, T.-J., Eynott, P., Salmon, M., Nicklin, P.L. and Chung, K.F.
 Effect of topical immunomodulators on acute allergic inflammation and bronchial hyperresponsiveness in sensitised rats (437) 187
 Huang, Y.-P., see Ji, Y.-H. (454) 25
 Huber, J.D., Hau, V.S., Mark, K.S., Brown, R.C., Campos, C.R. and Davis, T.P.
 Viability of microvascular endothelial cells to direct exposure of formalin, λ -carrageenan, and complete Freund's adjuvant (450) 297
 Hudson, A.L., see Robinson, E.S.J. (450) 55
 Hühne, R., see Junker, V. (446) 25
 Hung, C.-R., see Wu, C.-L. (457) 169
 Hung, K.-c., Wu, H.-e., Mizoguchi, H. and Tseng, L.F.
 Acute antinociceptive tolerance and unidirectional cross-tolerance to endomorphin-1 and endomorphin-2 given intraventricularly in the rat (448) 169
 Hunt, G.E., see Gurtman, C.G. (446) 89
 Hutchinson, M.R. and Somogyi, A.A.
 Diacetylmorphine degradation to 6-monoacetylmorphine and morphine in cell culture: implications for in vitro studies (453) 27
 Huwiler, A., see Rölz, W. (442) 194
 Hyytiä, P., see Soini, S.L. (448) 157
 Ibarra, M., see Villalobos-Molina, R. (455) 59
 Ibarretxe, G., see Matute, C. (447) 239
 Ibayashi, S., see Kitayama, J. (438) 153
 Ibsen, N., see Blackburn-Munro, G. (445) 231
 Ichas, F., see Dessolin, J. (447) 155
 Ichihara, M., see Moritani, Y. (439) 43
 Ichimura, M., see Saki, M. (444) 133
 Ichinowatari, G., Yamada, M., Yaginuma, H., Tsuyuki, K., Tanimoto, A. and Ohuchi, K.
 Participation of prostaglandin E_2 and platelet-activating factor in thapsigargin-induced production of interleukin-6 (434) 187
 Ienaga, Y., see Gotoh, M. (451) 19
 Igeta, K., see Inagaki, N. (448) 175
 Iglesias-Osma, M.C., see Garcia-Barrado, M.J. (448) 95
 Iida, Y., see Sasamura, T. (441) 185
 Imura, A., see Ablake, M. (450) 209
 Iizuka, Y., see Sakaguchi, S. (451) 309
 IJzerman, A.P., see Dalpiaz, A. (448) 123
 IJzerman, A.P., see Bueters, T.J.H. (454) 177
 Ikarashi, Y., see Yuzurihara, M. (444) 183
 Ikari, A., see Sakai, H. (435) 125
 Ikari, A., Nakajima, K., Taki, S. and Suketa, Y.
 Up-regulation of Na^+ -dependent Mg^{2+} transport by nitric oxide and cyclic GMP pathway in renal epithelial cells (451) 133
 Ikeda, H., see Adachi, K. (442) 81
 Ikeda, T., see Tateyama, S. (451) 79
 Ikeda, Y., see Kondo, K. (455) 53
 Ikegaki, I., see Satoh, S.-i. (455) 169
 Ikeo, T., see Inoue, H. (443) 179
 İlçöl, Y.Ö., see Gürün, M.S. (438) 197
 Ilg, K.J., see Brown, R.A. (442) 240
 Ilhan, M., see Burcin İsmailoglu, U. (435) 113
 Ilodromitis, E., see Andreadou, I. (453) 271
 Illes, P., see Fischer, W. (438) 53
 Illes, P., see Gerevich, Z. (451) 161
 Imanishi, T., see Fujishiro, J. (454) 183
 Imazumi, K., see Yamakuni, H. (442) 272
 Imbesi, M., see Miolo, G. (450) 223
 Imbs, J.-L., see Rahmouni, K. (436) 207
 Imbs, J.-L., see Loichot, C. (454) 241
 Inagaki, N., Igeta, K., Kim, J.F., Nagao, M., Shiraishi, N., Nakamura, N. and Nagai, H.
 Involvement of unique mechanisms in the induction of scratching behavior in BALB/c mice by compound 48/80 (448) 175
 Inagaki, O., see Moritani, Y. (439) 43
 Inagami, T., see Saito, S. (443) 47
 Inanami, O., see Kashiwakura, I. (437) 19
 Inazu, M., see Takeda, H. (449) 261
 Inazu, M., see Shinozaki, K. (456) 133
 Indra, B., Matsunaga, K., Hoshino, O., Suzuki, M., Ogasawara, H. and Ohizumi, Y.
 Structure–activity relationship studies with ($\pm$)-nantenine derivatives for α_1 -adrenoceptor antagonist activity (437) 173
 Indra, B., Matsunaga, K., Hoshino, O., Suzuki, M., Ogasawara, H., Muramatsu, I., Taniguchi, T. and Ohizumi, Y.
 ($\pm$)-Domesticine, a novel and selective α_{1D} -adrenoceptor antagonist in animal tissues and human α_1 -adrenoceptors (445) 21
 Ingham, J., see Burton, T.J. (448) 215
 Ingvarsden, B.K., see Olsen, U.B. (435) 43
 Inoki, K., see Nishio, T. (437) 113
 Inoue, H., see Mochida, H. (440) 45
 Inoue, H., see Mochida, H. (456) 91
 Inoue, H., Yano, K., Noto, T., Takagi, M., Ikeo, T. and Kikkawa, K.
 T-1032, a novel phosphodiesterase type 5 inhibitor, increases the survival of cardiomyopathic hamsters (443) 179
 Inoue, R., see Iwai, T. (446) 117
 Inoue, T., see Li, X.B. (441) 151

- Inoue, T., see Izumi, T. (452) 199
- Irie, K., see Nishikori, T. (451) 327
- Irvine, R.J., see Lewanowitsch, T. (445) 61
- Ishida, J., see Egashira, N. (445) 221
- Ishigooka, J., see Suzuki, T. (435) 59
- Ishihara, M. and Ito, M.
Influence of aging on gastric ulcer healing activities of cimetidine and omeprazole (444) 209
- Ishihara, S., Minowa, S., Tsuchiya, S., Horie, S., Watanabe, K. and Murayama, T.
Gastric acid secretion stimulated by centrally injected nociceptin in urethane-anesthetized rats (441) 105
- Ishihara, Y., see Takekawa, S. (438) 129
- Ishihata, A., Tasaki, K. and Katano, Y.
Involvement of p44/42 mitogen-activated protein kinases in regulating angiotensin II- and endothelin-1-induced contraction of rat thoracic aorta (445) 247
- Ishii, N., see Tsukada, J. (446) 127
- Ishii, Y., Kimura, T., Morishima, Y., Mochizuki, M., Nomura, A., Sakamoto, T., Uchida, Y. and Sekizawa, K.
S-carboxymethylcysteine inhibits neutrophil activation mediated by *N*-formyl-methionyl-leucyl-phenylalanine (449) 183
- Ishii-Nozawa, R., see Nakazawa, K. (449) 207
- Ishikawa, M., see Sakaguchi, S. (451) 309
- Ishiura, Y., see Nobata, K. (452) 97
- Isobe, Y., see Karasawa, Y. (449) 127
- Ito, J., see Shirakawa, H. (454) 165
- Ito, K., see Nagoshi, Y. (450) 237
- Ito, M., see Ishihara, M. (444) 209
- Itoh, M., see Ablake, M. (450) 209
- Itoh, Y., see Sendo, T. (450) 203
- Itoh, Y., see Sueishi, K. (451) 203
- Itoh, Y., see Oka, M. (452) 175
- Iwai, T., Tanonaka, K., Motegi, K., Inoue, R., Kasahara, S. and Takeo, S.
Nicorandil preserves mitochondrial function during ischemia in perfused rat heart (446) 117
- Iwai, T., see Teramura, K. (457) 51
- Iwao, K., see Kanai, M. (453) 53
- Iwasaki, K., see Egashira, N. (445) 221
- Iwata, S., see Takahara, A. (434) 43
- Iwata, Y., see Sakanoue, M. (438) 93
- Izquierdo, I., see Pereira, G.S. (437) 151
- Izquierdo, I., see Picada, J.N. (443) 105
- Izquierdo, I., see Porciúncula, L.O. (451) 165
- Izumi, T., Suzuki, K., Inoue, T., Li, X.B., Maki, Y., Muraki, I., Kitaichi, Y., Hashimoto, S. and Koyama, T.
Long-lasting change in 5-HT_{2A} receptor-mediated behavior in rats after a single footshock (452) 199
- Izushi, K., Nakahara, H., Tai, N., Mio, M., Watanabe, T. and Kamei, C.
The role of histamine H₁ receptors in late-phase reaction of allergic conjunctivitis (440) 79
- Jackson, M.J., see Hansard, M.J. (451) 157
- Jacobson, K.A., see Gao, Z.-g. (443) 39
- Jaggar, S.I., see Brooks, J.W. (439) 83
- Jakway, J.P., see Wan, Y. (456) 1
- James, G. and Butt, A.M.
P2Y and P2X purinoceptor mediated Ca²⁺ signalling in glial cell pathology in the central nervous system (447) 247
- Jan, C.-R., see Chao, Y.-Y. (443) 31
- Jang, M.-H., Shin, M.-C., Shin, H.-S., Kim, K.-H., Park, H.-J., Kim, E.-H. and Kim, C.-J.
Alcohol induces apoptosis in TM3 mouse Leydig cells via bax-dependent caspase-3 activation (449) 39
- Jankowski, J., see van der Giet, M. (448) 207
- Jarvis, M.F., see McDonald, H.A. (435) 135
- Jefferson, R.G., see Martin, B.R. (435) 35
- Jenner, P., see Hansard, M.J. (451) 157
- Jensen, B.S., see Dupuis, D.S. (437) 129
- Jensen, P.B., see Larsen, P.J. (440) 159
- Jensen, R.T., see Leyton, J. (442) 178
- Jespersen, T., see Dupuis, D.S. (437) 129
- Ji, Y.-H., Wang, W.-X., Wang, Q. and Huang, Y.-P.
The binding of BmK abT, a unique neurotoxin, to mammal brain and insect Na⁺ channels using biosensor (454) 25
- Jiang, J.-L., see Zhou, Z.-H. (439) 129
- Jibiki, I., see Kubota, T. (453) 245
- Jin, H., see Cui, X. (451) 295
- Jin, J.Y., see Cui, X. (451) 295
- John, G.W., see van den Broek, R.W.M. (443) 125
- Joles, J.A., see Blezer, E.L.A. (444) 75
- Jolliet, P., see Malagić, I. (443) 99
- Jonassen, T.E.N., see Thomsen, K. (437) 85
- Jones, C.L., see Weissman, B.A. (435) 9
- Jones, O.T.
Ca²⁺ channels and epilepsy (447) 211
- Jones, R.L., see Kan, K.K.W. (453) 299
- Jongsma, M.E., Sebens, J.B., Bosker, F.J. and Korff, J.
Effect of 5-HT_{1A} receptor-mediated serotonin augmentation on Fos immunoreactivity in rat brain (455) 109
- Joo, G., see Kekesi, G. (445) 93
- Joost, H.-G., see Ortlepp, J.R. (436) 145
- Jordan, S., Koprivica, V., Chen, R., Tottori, K., Kikuchi, T. and Altar, C.A.
The antipsychotic aripiprazole is a potent, partial agonist at the human 5-HT_{1A} receptor (441) 137
- Jørgensen, A.T., see Mortensen, M. (451) 125
- Jørgensen, A.T., see Mortensen, M. (453) 345
- Jørgensen, T.K., see Olsen, U.B. (435) 43
- Jorjani, M., see Dehpour, A.R. (445) 31
- Jossan, S.S., see Modiri, A.-R. (451) 171
- Jouvert, P., Pain, L., Aunis, D. and Zwiller, J.
The anesthetics propofol and ketamine inhibit cocaine-induced *egr-1* gene expression in rat forebrain (449) 239
- Jové, M., see Llaverías, G. (451) 11
- Jung, S.-Y., see Choi, S. (442) 37
- Junker, V., Becker, A., Hühne, R., Zembatov, M., Ravati, A., Culmsee, C. and Kriegelstein, J.
Stimulation of β -adrenoceptors activates astrocytes and provides neuroprotection (446) 25
- Junquéro, D., see Rival, Y. (435) 143
- Jurkiewicz, A., see Verde, L.F. (443) 13
- Jurkiewicz, N.H., see Verde, L.F. (443) 13
- Justinova, Z., see Munzar, P. (436) 75
- Juul, R., see White, L.R. (448) 51
- Kadery, B., see Nassar, T. (436) 111
- Kadowaki, T., see Shiojiri, T. (448) 231
- Kagaya, N., Tagawa, Y.-i., Nagashima, H., Saijo, R., Kawase, M. and Yagi, K.
Suppression of cytotoxin-induced cell death in isolated hepatocytes by tea catechins (450) 231
- Kageyama, S., Matsushita, J. and Yamamoto, H.
Effect of a humanized monoclonal antibody to von Willebrand factor in a canine model of coronary arterial thrombosis (443) 143
- Kagota, S., see Yamaguchi, Y. (436) 97
- Kaibara, M., see Matsuo, K. (452) 105
- Kaiya, H., see Saito, E.-s. (453) 75
- Kajioka, S., Nakayama, S., McMurray, G., Abe, K. and Brading, A.F.
Ca²⁺ channel properties in smooth muscle cells of the urinary bladder from pig and human (443) 19
- Kaku, K., see Matsuda, M. (453) 141
- Kaku, S., see Moritani, Y. (439) 43
- Kakuta, H., see Funatsu, T. (455) 161
- Kalinsky, K.S., see Ross, B.M. (450) 141

- Kalluri, H.S.G. and Ticku, M.K.
Ethanol-mediated inhibition of mitogen-activated protein kinase phosphorylation in mouse brain (439) 53
- Kalluri, H.S.G. and Ticku, M.K.
Role of GABA_A receptors in the ethanol-mediated inhibition of extracellular signal-regulated kinase (451) 51
- Kalvinsh, I., see Dambrova, M. (445) 105
- Kamal, A., see Biessels, G.J. (441) 1
- Kamata, K., see Hayakawa, K. (438) 107
- Kamata, K., see Kobayashi, T. (441) 83
- Kamei, C., see Izushi, K. (440) 79
- Kamei, C., see Kayasuga, R. (449) 287
- Kamei, J., see Togashi, Y. (435) 259
- Kamei, J., see Zushida, K. (448) 39
- Kamei, J., see Zushida, K. (453) 209
- Kameyama, T., see Hiramatsu, M. (453) 91
- Kamikawa, Y., see Kojima, S. (444) 203
- Kaminska, E., see Mikolajczak, P. (444) 83
- Kamisaki, Y., see Shiojiri, T. (448) 231
- Kamiya, H., see Abe, A. (436) 7
- Kan, K.K.W., Jones, R.L., Ngan, M.-P. and Rudd, J.A.
Actions of prostanoids to induce emesis and defecation in the ferret (453) 299
- Kanai, M., Takahashi, S., Kosaka, K., Iwao, K., Kobayashi, H. and Oka, T.
[Met⁵]enkephalin-Arg-Gly-Leu-induced antinociception is greatly increased by peptidase inhibitors (453) 53
- Kanazawa, H., see Zhao, Y.L. (445) 115
- Kandler, M.A., see von der Hardt, K. (457) 71
- Kandler, M.A., see Schoof, E. (457) 195
- Kandravicius, L., see Ferreira, H.H.A. (442) 155
- Kane, S.A., see Edvinsson, L. (434) 49
- Kaneko, I., see Nakagami, Y. (457) 11
- Kaneko, S., see Shirakawa, H. (454) 165
- Kaneko, S., see Kume, T. (455) 91
- Kaneko, T., see Ablake, M. (450) 209
- Kanelakis, K.C., see Piwien-Pilipuk, G. (454) 131
- Kang, J., see Kongsamut, S. (450) 37
- Kang, T.-H., Matsumoto, K., Tohda, M., Murakami, Y., Takayama, H., Kitajima, M., Aimi, N. and Watanabe, H.
Pteropodine and isopteropodine positively modulate the function of rat muscarinic M₁ and 5-HT₂ receptors expressed in *Xenopus* oocyte (444) 39
- Kang, T.-H., Murakami, Y., Matsumoto, K., Takayama, H., Kitajima, M., Aimi, N. and Watanabe, H.
Rhynchophylline and isorhynchophylline inhibit NMDA receptors expressed in *Xenopus* oocytes (455) 27
- Kangawa, K., see Yoshihara, F. (436) 1
- Kangawa, K., see Saito, E.-s. (453) 75
- Kankaanranta, H., see Lahti, A. (454) 115
- Kantor, L., Park, Y.H., Wang, K.K.W. and Gnegy, M.E.
Enhanced amphetamine-mediated dopamine release develops in PC12 cells after repeated amphetamine treatment (451) 27
- Karadas, B., see Kaya, T.T. (442) 147
- Karami, M., Zarrindast, M.R., Sepehri, H. and Sahraei, H.
Role of nitric oxide in the rat hippocampal CA1 area on morphine-induced conditioned place preference (449) 113
- Karami, M., see Zarrindast, M.R. (453) 81
- Karanth, K.S., see Das, B. (437) 165
- Karasawa, A., see Noji, T. (449) 293
- Karasawa, A., see Noji, T. (454) 85
- Karasawa, A., see Noji, T. (455) 187
- Karasawa, Y., Hitomi, T., Komiyama, H., Isobe, Y., Kobayashi, T., Yoshida, S., Nakaike, S. and Araki, H.
Effect of TTC-909 in a middle cerebral artery thrombosis model in stroke-prone spontaneously hypertensive rats (449) 127
- Karna, E. and Palka, J.A.
Inhibitory effect of acetylsalicylic acid on metalloproteinase activity in human lung adenocarcinoma at different stages of differentiation (443) 1
- Karna, E., see Wrześniok, D. (446) 7
- Kärrberg, L., see Lehmann, A. (448) 67
- Kasaba, T., see Tateyama, S. (451) 79
- Kasahara, K., see Nobata, K. (452) 97
- Kasahara, S., see Iwai, T. (446) 117
- Kasanuki, H., see Ajiro, Y. (435) 27
- Kashimoto, T., see Kudo, K. (456) 19
- Kashiwakura, I., Murakami, M., Inanami, O., Hayase, Y., Takahashi, T.A., Kuwabara, M. and Takagi, Y.
Effects of amifostine on the proliferation and differentiation of megakaryocytic progenitor cells (437) 19
- Kastenbauer, S., Koedel, U., Becker, B.F. and Pfister, H.W.
Pneumococcal meningitis in the rat: evaluation of peroxynitrite scavengers for adjunctive therapy (449) 177
- Kasuya, H., see Abe, Y. (455) 127
- Katagiri, C., see Noji, T. (454) 85
- Katano, Y., see Ishihata, A. (445) 247
- Kataoka, H., see Nakanishi, T. (439) 135
- Katayama, K., see Shiojiri, T. (448) 231
- Kato, H., see Tsuda, Y. (446) 15
- Kato, J., see Nagoshi, Y. (450) 237
- Kato, K., see Takekawa, S. (438) 129
- Kato, M., see Asanuma, Y. (435) 253
- Katsnelson, M., see Rothman, R.B. (447) 51
- Katsube, Y., see Ajiro, Y. (435) 27
- Katsuki, H., see Shirakawa, H. (454) 165
- Katsuki, H., see Kume, T. (455) 91
- Katsurabayashi, S., see Egashira, N. (445) 221
- Kaube, H., see Akerman, S. (452) 223
- Kauffman, H.F., see Oostendorp, J. (457) 1
- Kaul, C.L., see Gullapalli, S. (435) 187
- Kaul, C.L., see Thiagarajan, M. (453) 335
- Kawabata, A., see Nishikawa, H. (447) 87
- Kawabata, K., Hagio, T. and Matsuoka, S.
The role of neutrophil elastase in acute lung injury (451) 1
- Kawachi, A., see Kozako, T. (454) 199
- Kawada, N., see Takashima, T. (451) 265
- Kawai, K., see Nishikawa, H. (447) 87
- Kawai, M., see Sakanoue, M. (438) 93
- Kawai, S., see Asanuma, Y. (435) 253
- Kawamura, A., see Urakawa, K. (435) 237
- Kawamura, K., see Togashi, Y. (435) 259
- Kawanabe, Y., Hashimoto, N. and Masaki, T.
Effects of extracellular Ca²⁺ influx on endothelin-1-induced intracellular mitogenic cascades in C6 glioma cells (435) 119
- Kawanabe, Y., Hashimoto, N., Miwa, S. and Masaki, T.
Effects of Ca²⁺ influx through nonselective cation channel on noradrenaline-induced mitogenic responses (447) 31
- Kawasaki, F., see Matsuda, M. (453) 141
- Kawasaki, K., see Nakanishi, T. (439) 135
- Kawasaki, T., see Moritani, Y. (439) 43
- Kawase, M., see Kagaya, N. (450) 231
- Kawase, M., see Gotoh, M. (451) 19
- Kaya, T.T., Koyluoglu, G., Soydan, A.S., Arpacik, M. and Karadas, B.
Effects of nimesulide and pentoxifylline on decreased contractile responses in rat ileum with peritonitis (442) 147
- Kayasuga, R., Sugimoto, Y., Watanabe, T. and Kamei, C.
Participation of chemical mediators other than histamine in nasal allergy signs: a study using mice lacking histamine H₁ receptors (449) 287
- Keenan, A.K., see Murphy, J.E.J. (444) 61
- Keenan, M., see Broad, L.M. (452) 137
- Keime, F., see Benoist, J.-M. (445) 201

- Kekesi, G., Joo, G., Csullog, E., Dobos, I., Klimscha, W., Toth, K., Benedek, G. and Horvath, G.
The antinociceptive effect of intrathecal kynurenic acid and its interaction with endomorphin-1 in rats (445) 93
- Kelly, J.P., see Connor, T.J. (455) 175
- Kendall, D.A., see Ralevic, V. (444) 171
- Kennedy, S.P., see Marala, R.B. (451) 37
- Kerr, D.I.B., Ong, J., Puspawati, N.M. and Prager, R.H.
Arylalkylamines are a novel class of positive allosteric modulators at GABA_B receptors in rat neocortex (451) 69
- Kersten, S.
Peroxisome proliferator activated receptors and obesity (440) 223
- Kharitonov, S., see Eynott, P.R. (452) 123
- Kharitonov, S., see Eynott, P.R. (455) 79
- Khavandgar, S., see Homayoun, H. (452) 67
- Khropov, Y.V., see Severina, I.S. (438) 69
- Kieffer, B.L., see Contarino, A. (446) 103
- Kiel, G., see Ortlepp, J.R. (445) 151
- Kietzmann, M., see Bäumer, W. (446) 193
- Kikkawa, K., see Mochida, H. (440) 45
- Kikkawa, K., see Inoue, H. (443) 179
- Kikkawa, K., see Mochida, H. (456) 91
- Kikkawa, R., see Nishio, T. (437) 113
- Kikuchi, T., see Jordan, S. (441) 137
- Kim, C.-J., see Jang, M.-H. (449) 39
- Kim, E.-H., see Jang, M.-H. (449) 39
- Kim, H., see Rhim, H. (436) 151
- Kim, H.-T., see Shim, I. (443) 119
- Kim, J.F., see Inagaki, N. (448) 175
- Kim, K.-H., see Jang, M.-H. (449) 39
- Kim, S.E., see Shim, I. (443) 119
- Kim, S.H., see Cui, X. (451) 295
- Kim, S.Z., see Cui, X. (451) 295
- Kim, Y.-H., see Shim, I. (443) 119
- Kimura, I., see Tsuneki, H. (448) 245
- Kimura, M., see Hayakawa, K. (438) 307
- Kimura, S., see Tian, R.-X. (437) 79
- Kimura, T., see Fukushima, Y. (437) 69
- Kimura, T., see Ishii, Y. (449) 183
- Kimura, T., see Hirose, H. (452) 245
- Kindler, C.H., see Paul, M. (438) 35
- King, G.R., Pinto, G., Konen, J., Hillburn, C., Tran, S., Love, W., Cayse, R. and Castro, G.
The effects of continuous cocaine duration on the induction of behavioral tolerance and dopamine autoreceptor function (446) 111
- King, G.R., Pinto, G., Konen, J., Castro, G., Tran, S. and Hilburn, C.
The effects of continuous 5-HT₃ receptor antagonist administration on the subsequent behavioral response to cocaine (449) 253
- Kirby, M.T., see de Paulis, T. (442) 214
- Kiriyama, Y., see Abe, A. (436) 7
- Kirschke, C., Schadrack, J., Zieglgänsberger, W. and Spanagel, R.
Effects of morphine withdrawal on μ -opioid receptor-stimulated guanylyl 5' -[γ -³⁵S]thio]-triphosphate autoradiography in rat brain (446) 43
- Kitabatake, A., see Sakuma, I. (437) 155
- Kitahara, M., see Aoki, T. (444) 107
- Kitaichi, K., see Zhao, Y.L. (445) 115
- Kitaichi, Y., see Izumi, T. (452) 199
- Kitajima, M., see Kang, T.-H. (444) 39
- Kitajima, M., see Kang, T.-H. (455) 27
- Kitamura, K., see Nagoshi, Y. (450) 237
- Kitanaka, J., Kitanaka, N., Tsujimura, T., Terada, N. and Takemura, M.
Expression of diamine oxidase (histaminase) in guinea-pig tissues (437) 179
- Kitanaka, N., see Kitanaka, J. (437) 179
- Kitayama, J., Kitazono, T., Ooboshi, H., Takada, J., Fujishima, M. and Ibayashi, S.
Long-term effects of benidipine on cerebral vasoreactivity in hypertensive rats (438) 153
- Kitazawa, M., see Tazawa, S. (434) 169
- Kitazawa, T., see Cao, J. (442) 115
- Kitazono, T., see Kitayama, J. (438) 153
- Kitazumi, K., see Noguchi, H. (434) 21
- Kitchen, B.A., see Glick, S.D. (438) 99
- Kitchen, B.A., see Glick, S.D. (448) 185
- Kjeldsen, T.H., Hansen, E.W., Christensen, J.D. and Moesby, L.
Baclofen influences lipopolysaccharide-mediated interleukin-6 release from murine pituicytes (451) 209
- Klatte, F., see Visser, J. (445) 133
- Klebroff, W., see Bültmann, R. (436) 135
- Klegeris, A., Liutkevicius, E., Mikalauskiene, G., Duburs, G., McGeer, P.L. and Klusa, V.
Anti-inflammatory effects of cerebrocrast in a model of rat paw edema and on mononuclear THP-1 cells (441) 203
- Kleinman, Y., see Nassar, T. (436) 111
- Kleinrok, Zdzislzka, J. (448) 133
- Kleinrok, Zdzislmu, K. (453) 1
- Klimscha, W., see Kekesi, G. (445) 93
- Klitgaard, H., see Lamberty, Y. (439) 101
- Kloek, J., Nijkamp, F., Bloksma, N., De Clerck, F. and Folkerts, G.
Differential responsiveness of proximal and distal parts of isolated guinea pig trachea (442) 288
- Kloft, C., see Rommelspacher, H. (441) 115
- Klugbauer, N., Welling, A., Specht, V., Seisenberger, C. and Hofmann, F.
L-type Ca²⁺ channels of the embryonic mouse heart (447) 279
- Kluge, K., see Ortlepp, J.R. (436) 145
- Kluge, R., see Ortlepp, J.R. (436) 145
- Klusa, V., see Klegeris, A. (441) 203
- Knapp, R.J., Goldenberg, R., Shuck, C., Cecil, A., Watkins, J., Miller, C., Crites, G. and Malatynska, E.
Antidepressant activity of memory-enhancing drugs in the reduction of submissive behavior model (440) 27
- Knight, D.R., see Marala, R.B. (451) 37
- Knudsen, L.B., see Ribel, U. (451) 217
- Ko, C.-H., see Shen, S.-C. (446) 185
- Ko, J.K.S., see Luk, H.H. (443) 197
- Ko, Y.-C., see Chao, Y.-Y. (443) 31
- Kobayashi, H., see Kanai, M. (453) 53
- Kobayashi, K., Terada, C. and Tsukamoto, I.
Methotrexate-induced apoptosis in hepatocytes after partial hepatectomy (438) 19
- Kobayashi, N., see Tsubokou, Y. (457) 85
- Kobayashi, T. and Kamata, K.
Modulation by hydrogen peroxide of noradrenaline-induced contraction in aorta from streptozotocin-induced diabetic rat (441) 83
- Kobayashi, T., see Karasawa, Y. (449) 127
- Koblan, K.S., see Edvinsson, L. (434) 49
- Koch, M., see Schwienbacher, I. (444) 161
- Kochs, E., see Haseneder, R. (451) 43
- Kocks, S.L., see Schultheiss, G. (444) 21
- Koedel, U., see Kastenbauer, S. (449) 177
- Koek, W., see Prinssen, E.P.M. (453) 217
- Koek, W., see Deseure, K. (456) 51
- Koenig, H.N., see Olive, M.F. (437) 55
- Koepp, J., Cardozo, A.M., D'Orléans-Juste, P. and Rae, G.A.
Influence of indomethacin on effects of endothelin-1 on guinea pig isolated rings of common bile duct and sphincter of Oddi (435) 103
- Koga, Y., see Utsugi, M. (436) 47
- Kogan, H.A., Marsden, C.A. and Fone, K.C.F.
DR4004, a putative 5-HT₇ receptor antagonist, also has functional activity at the dopamine D2 receptor (449) 105
- Koganei, H., see Takahara, A. (434) 43

- Kogawa, N., see Goto, Y. (438) 189
- Kogen, H., see Nakagami, Y. (457) 11
- Kohno, S., see Yamasaki, M. (439) 159
- Koike, K., see Horinouchi, T. (442) 137
- Koike, K., see Shibano, M. (456) 77
- Koizumi, T., see Tazawa, S. (434) 169
- Kojima, S., Sugiura, T., Waku, K. and Kamikawa, Y.
Contractile response to a cannabimimetic eicosanoid, 2-arachidonoyl-glycerol, of longitudinal smooth muscle from the guinea-pig distal colon in vitro (444) 203
- Kokoshka, J.M., see Riddle, E.L. (435) 181
- Kokubo, S., see Teramura, K. (449) 191
- Kokubo, S., see Teramura, K. (457) 51
- Komararat, P., see Piyachaturawat, P. (439) 141
- Komasaka, M., Horie, S., Watanabe, K. and Murayama, T.
Antisecretory effect of somatostatin on gastric acid via inhibition of histamine release in isolated mouse stomach (452) 235
- Komiyama, H., see Karasawa, Y. (449) 127
- Kompa, A.R., see Tan, Y.Y. (457) 153
- Kompella, U.B., see Bandi, N. (437) 9
- Kompella, U.B., see Ayalasomayajula, S.P. (449) 213
- Komuro, I., see Kushida, S. (457) 19
- Kondo, K., Suzuki, Y., Ikeda, Y. and Umemura, K.
Genistein, an isoflavone included in soy, inhibits thrombotic vessel occlusion in the mouse femoral artery and in vitro platelet aggregation (455) 53
- Kondou, N., see Tian, R.-X. (437) 79
- Konen, J., see King, G.R. (446) 111
- Konen, J., see King, G.R. (449) 253
- Kong, J.X., see Marala, R.B. (451) 37
- Kongsamut, S., Kang, J., Chen, X.-L., Roehr, J. and Rampe, D.
A comparison of the receptor binding and HERG channel affinities for a series of antipsychotic drugs (450) 37
- Konishi, F., Okada, Y., Takaoka, M., Garipey, C.E., Yanagisawa, M. and Matsumura, Y.
Role of endothelin ET_B receptors in the renal hemodynamic and excretory responses to big endothelin-1 (451) 177
- Kontos, H.A., see Rosenblum, W.I. (448) 201
- Konturek, J.W., see Pawlik, T. (449) 1
- Konturek, P.C., see Pawlik, T. (449) 1
- Konturek, P.C., Brzozowski, T., Kwiecień, S., Drozdowicz, D., Harsch, I.A., Meixner, H., Stachura, J., Hahn, E.G. and Konturek, S.J.
Effect of *Helicobacter pylori* on delay in ulcer healing induced by aspirin in rats (451) 191
- Konturek, S.J., see Pawlik, T. (449) 1
- Konturek, S.J., see Konturek, P.C. (451) 191
- Koo, M.W.L., see Wong, D. (434) 81
- Koo, M.W.L., see Shin, V.Y. (444) 115
- Koob, G.F., see Contarino, A. (446) 103
- Koomans, H.A., see Blezer, E.L.A. (444) 75
- Koponen, A., see Haasio, K. (453) 21
- Koprivica, V., see Jordan, S. (441) 137
- Korf, J., see Jongsma, M.E. (455) 109
- Korpela, R., see Nevala, R. (452) 87
- Korpi, E.R., see Soini, S.L. (448) 157
- Kosai, K., see Tateyama, S. (451) 79
- Kosaka, H., see Tian, R.-X. (437) 79
- Kosaka, K., see Kanai, M. (453) 53
- Kosaka, N., see Tamura, T. (448) 81
- Koshikawa, N., see Hasegawa, M. (441) 217
- Koshikawa, N., see Adachi, K. (442) 81
- Koshikawa, N., see Fusa, K. (448) 143
- Koss, M.C.
Differential neural activation of vascular α -adrenoceptors in oral tissues of cats (440) 53
- Kotalla, C.E., see Gühring, H. (454) 153
- Kotani, M., see Mollereau, C. (451) 245
- Kotera, J., see Mochida, H. (456) 91
- Kou, Y.R., see Ho, C.-Y. (436) 127
- Kouno, S.-i., see Kurita, M. (442) 17
- Kourounakis, P.N., see Andreadou, I. (441) 209
- Kouya, P.F., Hao, J.-X. and Xu, X.-J.
Buprenorphine alleviates neuropathic pain-like behaviors in rats after spinal cord and peripheral nerve injury (450) 49
- Kovács, G.L., Soroncz, M. and Tegyei, I.
Plasma catecholamines in ethanol tolerance and withdrawal in mice (448) 151
- Kowalska, A., see Borowicz, K.K. (449) 85
- Kowalska, M., see Nalepa, I. (444) 151
- Koya, D., see Nishio, T. (437) 113
- Koyama, K., see Nakagami, Y. (457) 11
- Koyama, T., see Li, X.B. (441) 151
- Koyama, T., see Izumi, T. (452) 199
- Koyluoglu, G., see Kaya, T.T. (442) 147
- Kozako, T., Kawachi, A., Cheng, S.-B., Kuchiiwa, S., Motoya, T., Nakagawa, S. and Yamada, K.
Role of the vestibular nuclei in endothelin-1-induced barrel rotation in rats (454) 199
- Krafte, D.S., see Liu, Y. (435) 153
- Krampf, K., Wolfes, H., Dengler, R. and Bufler, J.
Kinetic analysis of the agonistic and blocking properties of pentobarbital on recombinant rat $\alpha_1\beta_2\gamma_{2S}$ GABA_A receptor channels (435) 1
- Krauze-Brzósko, K., see Rotondo, S. (453) 131
- Kreichbergs, A., see Spetea, M. (435) 245
- Kreiner, G., see Nalepa, I. (444) 151
- Kremastinos, D.Th., see Andreadou, I. (453) 271
- Kreutner, W., see Anthes, J.C. (449) 229
- Kreutner, W., see Anthes, J.C. (450) 191
- Krieger, C. and Duchon, M.R.
Mitochondria, Ca²⁺ and neurodegenerative disease (447) 177
- Kriegelstein, J., see Junker, V. (446) 25
- Kristensen, P., see Larsen, P.J. (440) 159
- Krogsgaard-Larsen, P., see Mortensen, M. (451) 125
- Krogsgaard-Larsen, P., see Mortensen, M. (453) 345
- Krotkiewski, M.
Thyroid hormones in the pathogenesis and treatment of obesity (440) 85
- Kuan, I.-H., see Lin, C.-H. (450) 1
- Kubo, T., see Nakagami, Y. (457) 11
- Kubota, T., Jibiki, I. and Kurokawa, S.
Effects of zotepine on excitatory synaptic responses in the perforant path–dentate gyrus pathway in chronically prepared rabbits (453) 245
- Kuchiiwa, S., see Kozako, T. (454) 199
- Kudo, C., see Shiojiri, T. (448) 231
- Kudo, K., Tachikawa, E. and Kashimoto, T.
Inhibition by pregnenolone sulfate of nicotinic acetylcholine response in adrenal chromaffin cells (456) 19
- Kuhn, G., Cermak, R., Minck, K., Vujicic, Z. and Scharrer, E.
Gossypol induces chloride secretion in rat proximal colon (457) 187
- Kuhn, R., see Spooren, W.P.J.M. (435) 161
- Kumasaka, T., see Kurita, M. (442) 17
- Kume, T., see Shirakawa, H. (454) 165
- Kume, T., Nishikawa, H., Taguchi, R., Hashino, A., Katsuki, H., Kaneko, S., Minami, M., Satoh, M. and Akaike, A.
Antagonism of NMDA receptors by σ receptor ligands attenuates chemical ischemia-induced neuronal death in vitro (455) 91
- Kunduzova, O.R., Bianchi, P., Parini, A. and Cambon, C.
Hydrogen peroxide production by monoamine oxidase during ischemia/reperfusion (448) 225
- Kunitomo, M., see Yamaguchi, Y. (436) 97
- Kuntz, E., Pinget, M. and Damgé, C.
Effects of cholecystokinin octapeptide on the exocrine pancreas in a new rat model of type 2 diabetes (448) 253
- Kuo, H.-P., see Lin, C.-H. (450) 1

- Kuraishi, Y., see Andoh, T. (436) 235
 Kuraishi, Y., see Sasamura, T. (441) 185
 Kurashima, K., see Nobata, K. (452) 97
 Kurita, M., Mashiko, H., Rai, M., Kumasaka, T., Kouno, S.-i., Niwa, S.-i. and Nakahata, N.
 Lithium chloride at a therapeutic concentration reduces Ca^{2+} response in protein kinase C down-regulated human astrocytoma cells (442) 17
 Kuroda, R., see Nishikawa, H. (447) 87
 Kurokawa, S., see Kubota, T. (453) 245
 Kurumatani, H., see Yamada, M. (449) 167
 Kurzelewski, M., Czarnowska, E. and Beręsewicz, A.
 Endothelin in the mechanism of endothelial injury and neutrophil adhesion in the post-ischemic guinea-pig heart (434) 95
 Kusaka, H., see Noji, T. (449) 293
 Kusaka, H., see Noji, T. (454) 85
 Kusaka, H., see Noji, T. (455) 187
 Kusayama, T., see Tsukada, J. (446) 127
 Kushida, S., Ogura, T., Komuro, I. and Nakaya, H.
 Inhibitory effect of the class III antiarrhythmic drug nifekalant on HERG channels: mode of action (457) 19
 Kutkat, S.W., see Munzar, P. (436) 75
 Kuwabara, M., see Kashiwakura, I. (437) 19
 Kuwahara, M.
 Involvement of Rho and tyrosine kinase in angiotensin II-induced actin reorganization in mesothelial cells (436) 15
 Kuwasako, K., see Nagoshi, Y. (450) 237
 Kwan, Y.W., see Choy, W.Y. (434) 55
 Kwiecień, S., see Konturek, P.C. (451) 191
 Lacour, M., see Tighilet, B. (446) 63
 Lacruz, A., see Baptista, T. (447) 91
 Lafayette, S.S.L., see Verde, L.F. (443) 13
 Laguna, J.C., see Llaverias, G. (451) 11
 Lahti, A., see Hämäläinen, M. (448) 239
 Lahti, A., Kankaanranta, H. and Moilanen, E.
 P38 mitogen-activated protein kinase inhibitor SB203580 has a bi-directional effect on iNOS expression and NO production (454) 115
 Lai, M.-C., see Yeh, G.-C. (453) 197
 Lai, Y.-L. and Huang, P.-c.
 Reactive oxygen species in sustained airway constriction induced by citric acid aerosol inhalation (452) 229
 Lair, P., see Bourrié, B. (456) 123
 Lambert, D.G., see McDonald, J. (443) 7
 Lambert, D.G., see Hashimoto, Y. (449) 17
 Lamberty, Y., Gower, A.J. and Klitgaard, H.
 The new antiepileptic drug levetiracetam normalises chlorthalidopoxide withdrawal-induced anxiety in mice (439) 101
 Landfield, P.W., see Verkhatsky, A. (447) 115
 Landfield, P.W., see Clodfelter, G.V. (447) 189
 Landi, M., Croci, T., Rinaldi-Carmona, M., Maffrand, J.-P., Le Fur, G. and Manara, L.
 Modulation of gastric emptying and gastrointestinal transit in rats through intestinal cannabinoid CB_1 receptors (450) 77
 Landry, Y., see Ferry, X. (435) 19
 Lankhuizen, I., see Van Kerckhoven, R. (449) 135
 Lannoy, V., see Mollereau, C. (451) 245
 Laorden, M.L., see Cerezo, M. (452) 57
 Larsen, M.O., see Ribel, U. (451) 217
 Larsen, P.J., Vrang, N., Tang-Christensen, M., Jensen, P.B., Hay-Schmidt, A., Rømer, J., Bjerre-Knudsen, L. and Kristensen, P.
 Ups and downs for neuropeptides in body weight homeostasis: pharmacological potential of cocaine amphetamine regulated transcript and pre-proglucagon-derived peptides (440) 159
 Lasheras, B., see Tordera, R.M. (442) 63
 Lassila, M., see Nevala, R. (452) 87
 Lastra, A., see Villanueva, N. (445) 83
 Lau, W.H., see Choy, W.Y. (434) 55
 Laubie, M., see Vayssettes-Courchay, C. (453) 287
 Laviola, G., see Morley-Fletcher, S. (448) 31
 Lazarovici, P., see Abu-Raya, S. (434) 109
 Lazarus, C., see Davidson, C. (441) 75
 Lazarus, C., see Davidson, C. (453) 255
 Le Bars, D., see Benoist, J.-M. (445) 201
 Le Feuvre, R., Brough, D. and Rothwell, N.
 Extracellular ATP and P2X7 receptors in neurodegeneration (447) 261
 Le Fur, G., see Landi, M. (450) 77
 Le Naour, G., see Brouri, F. (456) 69
 Lecci, A., see Tramontana, M. (439) 149
 Lecci, A., see Cabré, F. (451) 317
 Lechat, P., see Brouri, F. (456) 69
 Ledent, C., see Brooks, J.W. (439) 83
 Ledent, C., see Gühring, H. (454) 153
 Ledwig, D., Müller, H., Bischoff, H. and Eckel, J.
 Early acarbose treatment ameliorates resistance of insulin-regulated GLUT4 trafficking in obese Zucker rats (445) 141
 Lee, D.W., Leinung, M.C., Rozhavskaya-Arena, M. and Grasso, P.
 Leptin and the treatment of obesity: its current status (440) 129
 Lee, D.Y., see Rhim, H. (436) 151
 Lee, E.H., see Shim, I. (443) 119
 Lee, H.-J., see Shim, I. (443) 119
 Lee, H.-M., see Lin, C.-H. (438) 143
 Lee, H.-M., see Lin, C.-H. (450) 1
 Lee, H.S., see Cui, X. (451) 295
 Lee, J.-H., see Choi, S. (442) 37
 Lee, J.M., see Walzer, M. (445) 211
 Lee, M., see Ross, B.M. (450) 141
 Lee, S.-H., see Stefanski, R. (439) 59
 Lee, T.H., see Davidson, C. (441) 75
 Lee, T.H., see Davidson, C. (453) 255
 Lee, W.-R., see Shen, S.-C. (446) 185
 Lee, W.-S., see Lin, C.-H. (450) 1
 Lefebvre, R.A., see Van Geldre, L.A. (455) 149
 Lefebvre, R.A., see Colpaert, E.E. (457) 177
 Legos, J.J., McLaughlin, B., Skaper, S.D., Strijbos, P.J.L.M., Parsons, A.A., Aizenman, E., Herin, G.A., Barone, F.C. and Erhardt, J.A.
 The selective p38 inhibitor SB-239063 protects primary neurons from mild to moderate excitotoxic injury (447) 37
 Legtenberg, R.J., Houston, R.J.F., Heerschap, A., Oeseburg, B. and Smits, P.
 Glibenclamide attenuates ischemia-induced acidosis and loss of cardiac function in rats (434) 35
 Legvari, G., see Porszasz, R. (443) 211
 Lehmann, A., Bremner-Danielsen, M., Brändén, L. and Kärrberg, L.
 Inhibitory effects of GABA_B receptor agonists on swallowing in the dog (448) 67
 Leinung, M.C., see Lee, D.W. (440) 129
 Lellouche, N., Tissier, R., Souktani, R., Giudicelli, J.-F., Berdeaux, A. and Ghaleh, B.
 Reperfusion duration paradox with late myocardial preconditioning in rabbits (450) 179
 Lemaire, W., O'Brien, J.A., Burno, M., Chaudhary, A.G., Dean, D.C., Williams, P.D., Freidinger, R.M., Pettibone, D.J. and Williams Jr., D.L.
 A nonpeptide oxytocin receptor antagonist radioligand highly selective for human receptors (450) 19
 León, O.S., see Candelario-Jalil, E. (453) 189
 Lerer, B., see Gur, E. (436) 57
 Lerer, B., see Gur, E. (457) 37
 Leroux-Nicollet, I., see Vilpoux, C. (443) 85
 Levorato, L., see Miolo, G. (450) 223
 Lewanowitsch, T. and Irvine, R.J.
 Naloxone methiodide reverses opioid-induced respiratory depression and analgesia without withdrawal (445) 61
 Lewis, R.W., see Mills, T.M. (439) 173

- Leyton, J., Garcia-Marin, L., Jensen, R.T. and Moody, T.W.
Neurotensin causes tyrosine phosphorylation of focal adhesion kinase in lung cancer cells (442) 178
- Li, C.-L., see Sheng, G.-Q. (451) 119
- Li, D., see Cui, X. (451) 295
- Li, K.M., see Gurtman, C.G. (446) 89
- Li, L., Shen, Y.-M., Yang, X.-S., Zuo, G.-Y., Shen, Z.-Q., Chen, Z.-H. and Hao, X.-J.
Antiplatelet aggregation activity of diterpene alkaloids from *Spiraea japonica* (449) 23
- Li, S. and Quock, R.M.
Effects of a nitric oxide donor on behavior and interaction with nitrous oxide in the mouse light/dark exploration test (447) 75
- Li, S.-M., Yin, L.-L., Shi, J., Lin, Z.-B. and Zheng, J.-W.
The effect of 7-nitroindazole on the acquisition and expression of D-methamphetamine-induced place preference in rats (435) 217
- Li, S.-M., Ren, Y.-H. and Zheng, J.-W.
Effect of 7-nitroindazole on drug-priming reinstatement of D-methamphetamine-induced conditioned place preference (443) 205
- Li, T., see Su, Z.G. (454) 9
- Li, X. and Clark, J.D.
Spinal cord heme oxygenase participates in glutamate-induced pain-related behaviors (450) 43
- Li, X.B., Inoue, T. and Koyama, T.
Effect of chronic treatment with the protein kinase C inhibitor staurosporine on the acquisition and expression of contextual fear conditioning (441) 151
- Li, X.B., see Izumi, T. (452) 199
- Li, Y.-J., see Peng, J. (436) 89
- Li, Y.-J., see Zhou, Z.-H. (439) 129
- Li, Y.-J. and Peng, J.
The cardioprotection of calcitonin gene-related peptide-mediated preconditioning (442) 173
- Liang, M., Eason, M.G., Theiss, C.T. and Liggett, S.B.
Phosphorylation of Ser³⁶⁰ in the third intracellular loop of the α_{2A} -adrenoceptor during protein kinase C-mediated desensitization (437) 41
- Liao, L.C., see Su, Z.G. (454) 9
- Lifschytz, T., see Gur, E. (457) 37
- Liggett, S.B., see Liang, M. (437) 41
- Liljefors, T., see Mortensen, M. (451) 125
- Liljefors, T., see Mortensen, M. (453) 345
- Lilli, R., see Serretti, A. (438) 117
- Lim, S., see Newton, R. (441) 193
- Lin, C.-H., Wu, C.-H., Thum, W.-Y., Ho, Y.-S. and Lee, H.-M.
Involvement of p38 mitogen-activated protein kinase in PLL-AGE-induced cyclooxygenase-2 expression (438) 143
- Lin, C.-H., Kuan, I.-H., Wang, C.-H., Lee, H.-M., Lee, W.-S., Sheu, J.-R., Hsiao, G., Wu, C.-H. and Kuo, H.-P.
Lipoteichoic acid-induced cyclooxygenase-2 expression requires activations of p44/42 and p38 mitogen-activated protein kinase signal pathways (450) 1
- Lin, C.-I., see Loh, S.-H. (443) 169
- Lin, H.L., see Osborn, B.L. (456) 149
- Lin, H.P., see Ukai, M. (446) 97
- Lin, H.-Y., see Shen, S.-C. (446) 185
- Lin, J.-K., see Ho, L.-L. (453) 149
- Lin, L.-C., see Wu, C.-L. (457) 169
- Lin, Q., see Richard, D. (440) 189
- Lin, S., see Cai, Z. (437) 139
- Lin, X., see Nunn, C. (436) 173
- Lin, Y.-L., see Wang, G.-J. (445) 239
- Lin, Z.-B., see Li, S.-M. (435) 217
- Linden, A.-M., see Quirk, J.C. (454) 125
- Linden, D.R. and El-Fakahany, E.E.
Microglial derived nitric oxide decreases serotonin content in rat basophilic leukemia (RBL-2H3) cells (436) 53
- Ling, G., see Williams, A.J. (452) 135
- Linotte, S., see Quertemont, E. (444) 143
- Lin-Shiau, S.-Y., see Ho, L.-L. (453) 149
- Literati, P.N., see Porszasz, R. (443) 211
- Liu, C.-P., see Chao, Y.-Y. (443) 31
- Liu, D., see Liu, Y. (435) 153
- Liu, E.S.L., see Wong, D. (434) 81
- Liu, E.S.L., see Shin, V.Y. (444) 115
- Liu, L., see Chen, X. (448) 1
- Liu, Q., see Weissman, B.A. (435) 9
- Liu, Y., Liu, D., Printzenhoff, D., Coghlan, M.J., Harris, R. and Krafte, D.S.
Tenidap, a novel anti-inflammatory agent, is an opener of the inwardly rectifying K⁺ channel hKir2.3 (435) 153
- Liu, Y.-L., Connoley, I.P., Harrison, J., Heal, D.J. and Stock, M.J.
Comparison of the thermogenic and hypophagic effects of sibutramine's metabolite 2 and other monoamine reuptake inhibitors (452) 49
- Liutkevicius, E., see Klegeris, A. (441) 203
- Llaverías, G., Jové, M., Vázquez-Carrera, M., Sánchez, R.M., Díaz, C., Hernández, G., Laguna, J.C. and Alegret, M.
Avasimibe and atorvastatin synergistically reduce cholesteryl ester content in THP-1 macrophages (451) 11
- Lloréns, S., see Miranda, F.J. (439) 121
- Lluch, S., see Segarra, G. (444) 103
- Lo, W.-C., Chan, J.Y.H., Tung, C.-S. and Tseng, C.-J.
Carbon monoxide and metabotropic glutamate receptors in rat nucleus tractus solitarius: participation in cardiovascular effect (454) 39
- Lo, Y.-K., see Chao, Y.-Y. (443) 31
- Lobina, C., see Carai, M.A.M. (445) 195
- Locher, R., Emmanuele, L., Suter, P.M., Vetter, W. and Barton, M.
Green tea polyphenols inhibit human vascular smooth muscle cell proliferation stimulated by native low-density lipoprotein (434) 1
- Lodish, H.F., see Tsao, T.-S. (440) 213
- Lodo, M.L.S., see Ferreira, H.H.A. (442) 155
- Loh, S.-H., Tsai, C.-S., Tsai, Y., Chen, W.-H., Hong, G.-J., Wei, J., Cheng, T.-H. and Lin, C.-I.
Hydrogen peroxide-induced intracellular acidosis and electromechanical inhibition in the diseased human ventricular myocardium (443) 169
- Loichot, C., Grima, M., De Jong, W., Helwig, J.-J., Imbs, J.-L. and Barthelmebs, M.
Oxytocin-induced renin secretion by denervated kidney in anaesthetized rat (454) 241
- Loke, W.-K., Sim, M.-K. and Go, M.-L.
O-Substituted derivatives of pralidoxime: muscarinic properties and protection against soman effects in rats (442) 278
- Lombardi, G., Varsaldi, F., Miglio, G., Papini, M.G., Battaglia, A. and Canonico, P.L.
Cabergoline prevents necrotic neuronal death in an in vitro model of oxidative stress (457) 95
- Longmore, J., see Edvinsson, L. (434) 49
- Loos, S., see Thiele, A. (453) 325
- Lopez, B.L., see Christopher, T.A. (446) 137
- López-Guerrero, J.J., see Villalobos-Molina, R. (455) 59
- López-Muñoz, F.J., see Hernández-Delgadillo, G.P. (441) 177
- López-Rodríguez, M.L., see de Lago, E. (449) 99
- López-Valdés, H.E., García-Colunga, J. and Miledi, R.
Effects of clomipramine on neuronal nicotinic acetylcholine receptors (444) 13
- Lorens, S., see Walzer, M. (445) 211
- Löscher, W., see Seegers, U. (451) 149
- Löscher, W., see Richter, A. (454) 145
- Lotan, C., see Nassar, T. (436) 111
- Love, W., see King, G.R. (446) 111
- Lovinger, D.M., see de Paulis, T. (442) 214
- Low, K.S.Y., see Sachidhanandam, S.B. (450) 163

- Lu, H.R., Vlamincx, E., Van Ammel, K. and De Clerck, F.
Drug-induced long QT in isolated rabbit Purkinje fibers: importance of action potential duration, triangulation and early afterdepolarizations (452) 183
- Lu, L., see Wang, X. (443) 213
- Lu, R., see Peng, J. (436) 89
- Lu, X.M., see Williams, A.J. (452) 135
- Lubbers, N.L., Polakowski, J.S., Wegner, C.D., Burke, S.E., Diaz, G.J., Daniell, K.M. and Cox, B.F.
Oral bimosamol elevates heat shock protein 70 and reduces myocardial infarct size in rats (435) 79
- Lucas, L.R., see Pompei, P. (450) 245
- Luchowski, P., see Stążka, J. (448) 133
- Lucki, I., see Cryan, J.F. (436) 197
- Luigi Canonico, P., see Vairetti, M. (453) 69
- Luk, H.H., Ko, J.K.S., Fung, H.S. and Cho, C.H.
Delineation of the protective action of zinc sulfate on ulcerative colitis in rats (443) 197
- Lukas, R.J., see Slater, Y. (450) 213
- Lundbæk, J.A., see Olsen, U.B. (435) 43
- Lundberg, J.O.N., see Malmström, R.E. (439) 113
- Lundeberg, T., see Spetea, M. (435) 245
- Lundell, I., see Parker, M.S. (452) 279
- Lundgren, S., see Xie, H.-J. (449) 197
- Lundstedt, T., see Dambrova, M. (445) 105
- Luo, J.C., see Shin, V.Y. (444) 115
- Luque, C.A. and Rey, J.A.
The discovery and status of sibutramine as an anti-obesity drug (440) 119
- Lynch, K.J., see McDonald, H.A. (435) 135
- Ma, J., see Sheng, G.-Q. (451) 119
- Ma, X.-L., see Christopher, T.A. (446) 137
- Maas, W.J., see De Jonge, R. (441) 165
- MaassenVanDenBrink, A., see van den Broek, R.W.M. (443) 125
- Maccari, R., see Ottanà, R. (448) 71
- Machado, U.F., see Paiva, L. (434) 197
- MacIntyre, D.E., see Martin, W.J. (454) 71
- MacIntyre, E.D., see MacNeil, D.J. (440) 141
- MacIntyre, E.D., see MacNeil, D.J. (450) 93
- Maciocco, E., see Sanna, E. (451) 103
- Mäcke, H.R., see Reubi, J.C. (451) 45
- MacNeil, D.J., Howard, A.D., Guan, X., Fong, T.M., Nargund, R.P., Bednarek, M.A., Goulet, M.T., Weinberg, D.H., Strack, A.M., Marsh, D.J., Chen, H.Y., Shen, C.-P., Chen, A.S., Rosenblum, C.I., MacNeil, T., Tota, M., MacIntyre, E.D. and Van der Ploeg, L.H.T.
The role of melanocortins in body weight regulation: opportunities for the treatment of obesity (440) 141
- MacNeil, D.J., Howard, A.D., Guan, X., Fong, T.M., Nargund, R.P., Bednarek, M.A., Goulet, M.T., Weinberg, D.H., Strack, A.M., Marsh, D.J., Chen, H.Y., Shen, C.-P., Chen, A.S., Rosenblum, C.I., MacNeil, T., Tota, M., MacIntyre, E.D. and Van der Ploeg, L.H.T.
“The role of melanocortins in body weight regulation: opportunities for the treatment of obesity” (450) 93
- MacNeil, T., see MacNeil, D.J. (440) 141
- MacNeil, T., see MacNeil, D.J. (450) 93
- Maeda, H., see Yahata, T. (434) 71
- Maeda, N., see Takashima, T. (451) 265
- Maeda, S., see Nishio, T. (437) 113
- Maeda, Y., see Yamakuni, H. (442) 272
- Maes, R.A.A., see Pattij, T. (447) 67
- Maffrand, J.-P., see Landi, M. (450) 77
- Magee, W.P., see Chapman, J.G. (456) 59
- Maggi, C.A., see Tramontana, M. (439) 149
- Maggi, C.A., see Cabré, F. (451) 317
- Magni, F., see Matarrese, M. (453) 231
- Maillot, C., see Saunders, P.R. (435) 231
- Maione, S., see Palazzo, E. (439) 69
- Maione, S., see Oliva, P. (445) 179
- Maisonneuve, I.M., see Glick, S.D. (438) 99
- Maisonneuve, I.M., see Glick, S.D. (448) 185
- Mak, J., see Newton, R. (441) 193
- Mak, J.C.W., Chuang, T.-T., Harris, C.A. and Barnes, P.J.
Increased expression of G protein-coupled receptor kinases in cystic fibrosis lung (436) 165
- Maki, Y., see Izumi, T. (452) 199
- Makino, H., see Gotoh, M. (451) 19
- Makino, I., see Hirano, Y. (448) 19
- Makino, K., see Sueishi, K. (451) 203
- Makleit, S., see Biyashev, D. (442) 23
- Malagié, I., David, D.J., Joliet, P., Hen, R., Bourin, M. and Gardier, A.M.
Improved efficacy of fluoxetine in increasing hippocampal 5-hydroxytryptamine outflow in 5-HT_{1B} receptor knock-out mice (443) 99
- Malatynska, E., see Knapp, R.J. (440) 27
- Malliopoulou, V., see Pantos, C. (444) 191
- Malmström, R.E., Lundberg, J.O.N. and Weitzberg, E.
Autoinhibitory function of the sympathetic prejunctional neuropeptide Y Y₂ receptor evidenced by BIIE0246 (439) 113
- Malmström, R.E.
Pharmacology of neuropeptide Y receptor antagonists Focus on cardiovascular functions (447) 11
- Malykhina, A.P., Shoeb, F. and Akbarali, H.I.
Fenamate-induced enhancement of heterologously expressed HERG currents in *Xenopus* oocytes (452) 269
- Manabe, H., see Uemura, M. (456) 29
- Manara, L., see Landi, M. (450) 77
- Manarini, S., see Rotondo, S. (453) 131
- Manda, T., see Yamakuni, H. (442) 272
- Manev, H. and Uz, T.
DNA hypomethylating agents 5-aza-2'-deoxycytidine and valproate increase neuronal 5-lipoxygenase mRNA (445) 149
- Manev, H., see Miolo, G. (450) 223
- Manev, R., see Miolo, G. (450) 223
- Manfredi, B., see De Gennaro Colonna, V. (450) 61
- Manojlović, Z., see Čulić, O. (450) 277
- Mansfield, K., see Nicholson, G.M. (452) 35
- Manzini, S., see Cabré, F. (451) 317
- Marabese, I., see Palazzo, E. (439) 69
- Marala, R.B., Brown, J.A., Kong, J.X., Tracey, W.R., Knight, D.R., Wester, R.T., Sun, D., Kennedy, S.P., Hamanaka, E.S., Ruggeri, R.B. and Hill, R.J.
Zoniporide: a potent and highly selective inhibitor of human Na⁺/H⁺ exchanger-1 (451) 37
- Marchand-Verrecchia, C., see Ding-Zhou, L. (457) 137
- Marchese, G., Bartholini, F., Ruii, S., Casti, P., Saba, P., Gessa, G.L. and Pani, L.
Effect of the amisulpride isomers on rat catalepsy (444) 69
- Marchese, G., Ruii, S., Casti, P., Bartholini, F., Saba, P., Gessa, G.L. and Pani, L.
Carmoxirole is able to reduce amisulpride-induced hyperprolactinemia without affecting its central effect (447) 109
- Marchese, G., Ruii, S., Casti, P., Saba, P., Gessa, G.L. and Pani, L.
Effect of the amisulpride isomers on rat prolactinemia (448) 263
- Marciano, M.C., see Catania, M.A. (437) 147
- Marcus, D., see Mollereau, C. (451) 245
- Margaill, I., see Ding-Zhou, L. (457) 137
- Mariggiò, M.A., see Zicca, A. (442) 264
- Mark, K.S., see Huber, J.D. (450) 297
- Markham, A., see Menton, K. (444) 53
- Marks, M.J., see Dukat, M. (435) 171
- Marsden, C.A., see Kogan, H.A. (449) 105

- Marsh, D.J., see MacNeil, D.J. (440) 141
 Marsh, D.J., see MacNeil, D.J. (450) 93
 Marsh, W.L., see Naish, H.J. (443) 79
 Marshall, I.C.B., see Mason, S. (438) 25
 Martarelli, D., see Pompei, P. (450) 245
 Martelli, N., see Rotondo, S. (453) 131
 Martín, M., see García-Barrado, M.J. (448) 95
 Martín, M.J., see Berenguer, B. (442) 125
 Martin, B.R., see Dukat, M. (435) 171
 Martin, B.R., Jefferson, R.G., Winckler, R., Wiley, J.L., Thomas, B.F., Crocker, P.J., Williams, W. and Razdan, R.K.
 Assessment of structural commonality between tetrahydrocannabinol and anandamide (435) 35
 Martin, B.R., see Wallace, M.J. (452) 295
 Martin, P.R., see de Paulis, T. (442) 214
 Martin, R.J., see Purcell, J. (456) 11
 Martin, T.J. and Broadley, K.J.
 Mediators of adenosine- and ovalbumen-induced bronchoconstriction of sensitized guinea-pig isolated airways (451) 89
 Martin, W., see Shahidullah, M. (435) 93
 Martin, W.J., McGowan, E., Cashen, D.E., Gantert, L.T., Drisko, J.E., Hom, G.J., Nargund, R., Sebbat, I., Howard, A.D., Van der Ploeg L.H.T. and MacIntyre, D.E.
 Activation of melanocortin MC₄ receptors increases erectile activity in rats *ex copula* (454) 71
 Martínez, Ma.A., see Fernández, N. (457) 161
 Martínez-León, J.B., see Segarra, G. (444) 103
 Martínez-Sánchez, G., see Candelario-Jalil, E. (453) 189
 Martinotti, E., see Breschi, M.C. (437) 91
 Martins, A.R., see Ferreira, H.H.A. (442) 155
 Martins, M.A.P., see Souza, F.R. (451) 141
 Marton, J., see Biyashev, D. (442) 23
 Marumoto, S., see Nakagami, Y. (457) 11
 Masaki, T., see Kawanabe, Y. (435) 119
 Masaki, T., see Kawanabe, Y. (447) 31
 Masana, M.I., see Erşahin, Ç. (439) 171
 Mashiko, H., see Kurita, M. (442) 17
 Masini, E., see Cuzzocrea, S. (450) 67
 Mason, S., Smart, D., Marshall, I.C.B., McKnight, A., Skepper, J.N. and McNulty, S.
 Identification and characterisation of functional bombesin receptors in human astrocytes (438) 25
 Massa, F., see Sanna, E. (451) 103
 Massi, M., see Ciccocioppo, R. (449) 245
 Massi, M., see Pompei, P. (450) 245
 Massimo, F., see Oliva, P. (445) 179
 Mastropaolo, J., see Deutsch, S.I. (449) 121
 Masubuchi, K., see Utsugi, M. (436) 47
 Masuda, N., see Tazawa, S. (434) 169
 Masui, H., see Wakabayashi, I. (448) 267
 Matarrese, M., Moresco, R.M., Romeo, G., Turolla, E.A., Simonelli, P., Todde, S., Belloli, S., Carpinelli, A., Magni, F., Russo, F., Galli Kienle, M. and Fazio, F.
 [¹¹C]RN5: A new agent for the in vivo imaging of myocardial α₁-adrenoceptors (453) 231
 Mather, D., see Osborn, B.L. (456) 149
 Mato, S., Pazos, A. and Valdizán, E.M.
 Cannabinoid receptor antagonism and inverse agonism in response to SR141716A on cAMP production in human and rat brain (443) 43
 Matsuda, M., Kawasaki, F., Mikami, Y., Takeuchi, Y., Saito, M., Eto, M. and Kaku, K.
 Rescue of beta-cell exhaustion by diazoxide after the development of diabetes mellitus in rats with streptozotocin-induced diabetes (453) 141
 Matsumiya, T., see Takeda, H. (449) 261
 Matsumiya, T., see Shinozaki, K. (456) 133
 Matsumoto, K., see Kang, T.-H. (444) 39
 Matsumoto, K., see Kang, T.-H. (455) 27
 Matsumoto, N., see Uemura, M. (456) 29
 Matsumoto, Y., see Moritani, Y. (439) 43
 Matsumoto, Y., see Egashira, N. (445) 221
 Matsumura, Y., see Konishi, F. (451) 177
 Matsunaga, K., see Indra, B. (437) 173
 Matsunaga, K., see Indra, B. (445) 21
 Matsuno, S., see Yamaguchi, Y. (436) 97
 Matsuo, H., see Yoshihara, F. (436) 1
 Matsuo, K., Kaibara, M., Uezono, Y., Hayashi, H., Taniyama, K. and Nakane, Y.
 Involvement of cholinergic neurons in orexin-induced contraction of guinea pig ileum (452) 105
 Matsuo, M., see Yamakuni, H. (442) 272
 Matsuoka, H., see Nishikimi, T. (453) 175
 Matsuoka, H., see Tsubokou, Y. (457) 85
 Matsuoka, S., see Kawabata, K. (451) 1
 Matsushima, K., see Tozawa, Y. (440) 37
 Matsushita, J., see Kageyama, S. (443) 143
 Matsushita, T., see Yamada, M. (449) 167
 Matthes, H.W., see Contarino, A. (446) 103
 Matute, C., Alberdi, E., Ibarretxe, G. and Sánchez-Gómez, M.V.
 Excitotoxicity in glial cells (447) 239
 Mauborgne, A., Poliñor, H., Hamon, M., Cesselin, F. and Bourgoign, S.
 Adenosine receptor-mediated control of in vitro release of pain-related neuropeptides from the rat spinal cord (441) 47
 Mavanji, V., Meti, B. and Datta, S.
 Sleep–wake effects of *meta*-chlorophenyl piperazine and mianserin in the behaviorally depressed rat (455) 35
 Mayer, G. and Taberner, P.V.
 Effects of the imidazole ligands efaroxan and KU14R on blood glucose homeostasis in the mouse (454) 95
 Mayumi, T., see Shiojiri, T. (448) 231
 Mazarguil, H., see Quelven, I. (449) 91
 Mazarguil, H., see Mollereau, C. (451) 245
 Mazzon, E., see Ottanà, R. (448) 71
 Mazzon, E., see Cuzzocrea, S. (450) 67
 Mazzon, E., see Cuzzocrea, S. (453) 119
 Mazzoni, L., see Fozard, J.R. (438) 183
 McBean, G.J., see Murphy, J.E.J. (444) 61
 McCann, U.D., see Boot, B.P. (453) 239
 McCormack, P., see Murphy, J.E.J. (444) 61
 McCreary, A.C., see Hanania, T. (457) 125
 McDermott, B.J., see Nicholl, S.M. (441) 23
 McDonald, H.A., Chu, K.L., Bianchi, B.R., McKenna, D.G., Briggs, C.A., Burgard, E.C., Lynch, K.J., Faltynek, C., Cartmell, J. and Jarvis, M.F.
 Potent desensitization of human P2X₃ receptors by diadenosine polyphosphates (435) 135
 McDonald, J., Barnes, T.A., Calo', G., Guerrini, R., Rowbotham, D.J. and Lambert, D.G.
 Effects of [(pF)Phe⁴]nociceptin/orphanin FQ-(1–13)NH₂ on GTPγ³⁵S binding and cAMP formation in Chinese hamster ovary cells expressing the human nociceptin/orphanin FQ receptor (443) 7
 McDonald, M.C., see Cuzzocrea, S. (453) 119
 McDonald, M.P., see de Paulis, T. (442) 214
 McGann, K., see Wenk, G.L. (453) 319
 McGeer, P.L., see Klegeris, A. (441) 203
 McGowan, E., see Martin, W.J. (454) 71
 McGregor, I.S., see Gurtman, C.G. (446) 89
 McKenna, D.G., see McDonald, H.A. (435) 135
 McKnight, A., see Mason, S. (438) 25
 McLarnon, S.J. and Riccardi, D.
 Physiological and pharmacological agonists of the extracellular Ca²⁺-sensing receptor (447) 271
 McLaughlin, B., see Legos, J.J. (447) 37
 McLeod, R., see Anthes, J.C. (450) 191

- McManus, B.M., see Rahimian, R. (434) 141
- McMurray, G., see Kajiooka, S. (443) 19
- McNulty, S., see Mason, S. (438) 25
- McPate, M.J.W., see Shahidullah, M. (435) 93
- McPhie, G.I., see Broad, L.M. (452) 137
- Meana, J.J., see Fernández-Pastor, B. (442) 224
- Meana, J.J., see González-Maeso, J. (452) 21
- Mechan, A.O., see Boot, B.P. (453) 239
- Mediani, O., see Brouiri, F. (456) 69
- Medina, P., see Segarra, G. (444) 103
- Meguro, M., see Nakagami, Y. (457) 11
- Mei, Y., see Bhat, S.G. (442) 250
- Meier, J.J., Gallwitz, B., Schmidt, W.E. and Nauck, M.A.
Glucagon-like peptide 1 as a regulator of food intake and body weight: therapeutic perspectives (440) 269
- Meier-Henco, M., see Rommelspacher, H. (441) 115
- Meixner, H., see Konturek, P.C. (451) 191
- Meldrum, B.S., see De Sarro, G. (451) 55
- Meller, E., see Chen, J. (452) 155
- Meller, R., Harrison, P.J. and Sharp, T.
Studies on the role of calcium in the 5-HT-stimulated release of glutamate from C6 glioma cells (445) 13
- Mellick, J.R., see Buñag, R.D. (435) 85
- Mello e Souza, T., see Pereira, G.S. (437) 151
- Mello, C.F., see Souza, F.R. (451) 141
- Memo, M., see Uberti, D. (434) 17
- Menéndez, L., see Villanueva, N. (445) 83
- Menton, K., Spedding, M., Gressens, P., Villa, P., Williamson, T. and Markham, A.
Role of spin trapping and P2Y receptor antagonism in the neuroprotective effects of 2,2'-pyridylisatogen tosylate and related compounds (444) 53
- Merino, N., see Candelario-Jalil, E. (453) 189
- Meroni, P., see Ablake, M. (450) 209
- Mert, T., Gunes, Y., Guven, M., Gunay, I. and Ozcengiz, D.
Comparison of nerve conduction blocks by an opioid and a local anesthetic (439) 77
- Mest, H.-J., see Proks, P. (452) 11
- Meti, B., see Mavanji, V. (455) 35
- Metzger, R.R., Brown, J.M., Sandoval, V., Rau, K.S., Elwan, M.A., Miller, G.W., Hanson, G.R. and Fleckenstein, A.E.
Inhibitory effect of reserpine on dopamine transporter function (456) 39
- Meurs, H., see Oostendorp, J. (457) 1
- Mevissen, V., see Ortlepp, J.R. (445) 151
- Meyer, C.U., see Zhou, X. (453) 309
- Meyer, M.D., see Buckner, S.A. (449) 159
- Meyer, U.A., see van Giersbergen, P.L.M. (450) 115
- Meyer-Kirchrath, J., see Blindt, R. (444) 31
- Mian, R., see Sanidas, D. (453) 183
- Michel, M.C., see Eltze, M. (443) 151
- Michelotto, B., see Brunetti, L. (454) 189
- Michiels, C., see Bouaziz, N. (441) 35
- Miglio, G., see Lombardi, G. (457) 95
- Mihailescu, S., Guzmán-Marín, R., del Carmen Frías Domínguez, M. and Drucker-Colín, R.
Mechanisms of nicotine actions on dorsal raphe serotonergic neurons (452) 77
- Mihara, M., see Urakawa, K. (435) 237
- Mikalauskienė, G., see Klegeris, A. (441) 203
- Mikami, Y., see Matsuda, M. (453) 141
- Mikhailitsyn, F.S., see Severina, I.S. (438) 69
- Mikolajczak, P., Okulicz-Kozaryn, I., Kaminska, E., Niedopad, L., Polanska, A. and Gebka, J.
Effects of acamprosate and some polyamine site ligands of NMDA receptor on short-term memory in rats (444) 83
- Milanés, M.V., see Cerezo, M. (452) 57
- Miledi, R., see Rangel-González, F.J. (441) 15
- Miledi, R., see López-Valdés, H.E. (444) 13
- Milici, A.J., see Chapman, J.G. (456) 59
- Milicic, I., see Buckner, S.A. (449) 159
- Millard, R.J., see Warner, F.J. (438) 171
- Miller, C., see Knapp, R.J. (440) 27
- Miller, G.W., see Metzger, R.R. (456) 39
- Million, M., see Saunders, P.R. (435) 231
- Mills, T.M., Chitaley, K., Lewis, R.W. and Webb, R.C.
Nitric oxide inhibits RhoA/Rho-kinase signaling to cause penile erection (439) 173
- Minabe, Y., see Sakanoue, M. (438) 93
- Minami, M., see Kume, T. (455) 91
- Minamino, N., see Nishikimi, T. (453) 175
- Minardi, G., see Carai, M.A.M. (445) 195
- Minck, K., see Kuhn, G. (457) 187
- Minowa, S., see Ishihara, S. (441) 105
- Mio, M., see Izushi, K. (440) 79
- Miolo, G., Caffieri, S., Levorato, L., Imbesi, M., Giusti, P., Uz, T., Manev, R. and Manev, H.
Photoisomerization of fluvoxamine generates an isomer that has reduced activity on the 5-hydroxytryptamine transporter and does not affect cell proliferation (450) 223
- Mioni, C., see Cainazzo, M.M. (441) 91
- Miranda, F.J., Alabadi, J.A., Lloréns, S., Ruiz de Apodaca, R.F., Centeno, J.M. and Alborch, E.
Experimental diabetes induces hyperreactivity of rabbit renal artery to 5-hydroxytryptamine (439) 121
- Mishima, K., see Egashira, N. (445) 221
- Mishima, K., see Sueishi, K. (451) 203
- Mishra, R.K., see Gabriele, J. (453) 13
- Mishra, S., see Bhat, S.G. (442) 250
- Mishra, S.K., see Asokan, K.T. (455) 65
- Mistry, M., see Moreno, C. (434) 163
- Mita, S.-i., see Tsubokou, Y. (457) 85
- Mitamura, M., Horie, S., Sakaguchi, M., Someya, A., Tsuchiya, S., Van de Voorde, J., Murayama, T. and Watanabe, K.
Mesaconitine-induced relaxation in rat aorta: involvement of Ca²⁺ influx and nitric-oxide synthase in the endothelium (436) 217
- Mitchell, J.A., see Stanford, S.J. (436) 241
- Mitchell, J.A., see Calatayud, S. (440) 71
- Mitchell, J.A., see Price, S. (449) 279
- Miura, T., see Abe, A. (436) 7
- Miwa, S., see Kawanabe, Y. (447) 31
- Miwa, Y., see Adachi, K. (442) 81
- Miyagawa, I., see Saito, M. (454) 81
- Miyake-Takagi, K., see Fukatsu, T. (453) 59
- Miyaoka, H., see Suzuki, T. (435) 59
- Miyashita, S., see Tsuchiya, S. (443) 185
- Miyata, H., see Tazawa, S. (434) 169
- Miyata, K., see Funatsu, T. (455) 161
- Miyata, S., see Nishigaki, F. (437) 123
- Miyazaki, M., see Okamoto, Y. (435) 265
- Mizoguchi, H., see Hung, K.-c. (448) 169
- Mizukami, K., see Fukushima, Y. (437) 69
- Mizutani, M., see Noji, T. (454) 85
- Mizutani, N., see Yamasaki, M. (439) 159
- Mlynarczyk, M., see Tutka, P. (437) 47
- Mobarakeh, J.I., see Sakurada, S. (434) 29
- Mocci, I., see Carai, M.A.M. (441) 157
- Mocci, I., see Castelli, M.P. (446) 1
- Mochida, H., Inoue, H., Takagi, M., Noto, T., Yano, K. and Kikkawa, K.
Sildenafil and T-1032, phosphodiesterase type 5 inhibitors, showed a different vasorelaxant property in the isolated rat aorta (440) 45

- Mochida, H., Takagi, M., Inoue, H., Noto, T., Yano, K., Fujishige, K., Sasaki, T., Yuasa, K., Kotera, J., Omori, K. and Kikkawa, K.
Enzymological and pharmacological profile of T-0156, a potent and selective phosphodiesterase type 5 inhibitor (456) 91
- Mochizuki, M., see Ishii, Y. (449) 183
- Modiri, A.-R., Vasänge, M., Alberts, P., Jossan, S.S., Sundquist, S. and Gillberg, P.-G.
Characterization of a new muscarinic receptor antagonist PNU-171990 in guinea pig, cat and human smooth muscle (451) 171
- Moesby, L., see Kjeldsen, T.H. (451) 209
- Moezi, L., see Dehpour, A.R. (445) 31
- Moilanen, E., see Hämäläinen, M. (448) 239
- Moilanen, E., see Lahti, A. (454) 115
- Molina, P., see Rioja, I. (434) 177
- Molleman, A., see Begg, M. (434) 87
- Möller, S., Uddman, E., Welsh, N., Edvinsson, L. and Adner, M.
Analysis of the time course for organ culture-induced endothelin ET_B receptor upregulation in rat mesenteric arteries (454) 209
- Mollereau, C., Mazarguil, H., Marcus, D., Quelven, I., Kotani, M., Lannoy, V., Dumont, Y., Quirion, R., Detheux, M., Parmentier, M. and Zajac, J.-M.
Pharmacological characterization of human NPFF₁ and NPFF₂ receptors expressed in CHO cells by using NPY Y₁ receptor antagonists (451) 245
- Monasterolo, L.A., Trumper, L. and Elías, M.M.
Reversal of benzodiazepine-induced renal vasculature relaxation with flumazenil (449) 155
- Monforte, F., see Ottanà, R. (448) 71
- Monge, A., see Tordera, R.M. (442) 63
- Monge, L., see Fernández, N. (457) 161
- Montagne, J., see Benoist, J.-M. (445) 201
- Montastruc, J.-L., see Vernejoul, F. (444) 197
- Montilla-López, P., Muñoz-Águeda, M.C., Feijóo López, M., Muñoz-Castañeda, J.R., Bujalance-Arenas, I. and Túnez-Fiñana, I.
Comparison of melatonin versus vitamin C on oxidative stress and antioxidant enzyme activity in Alzheimer's disease induced by okadaic acid in neuroblastoma cells (451) 237
- Moochhala, S.M., see Sachidhanandam, S.B. (450) 163
- Moody, T.W., see Leyton, J. (442) 178
- Moore, E.J., see Bian, J.-T. (453) 159
- Moratinos, J., see García-Barrado, M.J. (448) 95
- Morato, M., see Sousa, T. (441) 99
- Morato, M., Sousa, T., Guimarães, S., Moura, D. and Albino-Teixeira, A.
The role of angiotensin II in hypertension due to adenosine receptors blockade (455) 135
- Morelli, M., see Pinna, A. (446) 75
- Moreno, C., Mistry, M. and Roman, R.J.
Renal effects of glucagon-like peptide in rats (434) 163
- Moreno, F.J., see Berenguer, B. (442) 125
- Moresco, R.M., see Matarrese, M. (453) 231
- Mori, M., see Noguchi, H. (434) 21
- Mori, M., see Utsugi, M. (436) 47
- Mori, M., see Takekawa, S. (438) 129
- Mori, N., see Sakanoue, M. (438) 93
- Mori, Y., see Nishikimi, T. (453) 175
- Morishima, Y., see Ishii, Y. (449) 183
- Moritani, Y., Sato, K., Shigenaga, T., Hisamichi, N., Ichihara, M., Akamatsu, S., Suzuki, K.-i., Nii, T., Kaku, S., Kawasaki, T., Matsumoto, Y., Inagaki, O., Tomioka, K. and Yanagisawa, I.
Pharmacological properties of YM-57029, a novel platelet glycoprotein IIb/IIIa antagonist (439) 43
- Morley, K.C., see Gurtman, C.G. (446) 89
- Morley-Fletcher, S., Bianchi, M., Gerra, G. and Laviola, G.
Acute and carryover effects in mice of MDMA ("ecstasy") administration during periadolescence (448) 31
- Mortensen, M., Frølund, B., Jørgensen, A.T., Liljefors, T., Krogsgaard-Larsen, P. and Ebert, B.
Activity of novel 4-PIOL analogues at human $\alpha_1\beta_2\gamma_{2S}$ GABA_A receptors—correlation with hydrophobicity (451) 125
- Mortensen, M., Frølund, B., Jørgensen, A.T., Liljefors, T., Krogsgaard-Larsen, P. and Ebert, B.
Corrigendum to "Activity of novel 4-PIOL analogues at human $\alpha_1\beta_2\gamma_{2S}$ GABA_A receptors—correlation with hydrophobicity" [Eur. J. Pharmacol. 451 (2002) 125–132] (453) 345
- Mota, A. and Guimarães, S.
Interaction between α_2 -autoreceptors and receptors mediating the effects of angiotensin II and bradykinin in the heart of newborn rats (453) 265
- Motegi, K., see Iwai, T. (446) 117
- Motley, E.D., see Saito, S. (443) 47
- Motoya, T., see Kozako, T. (454) 199
- Mougenot, N., see Brouri, F. (456) 69
- Moura, D., see Morato, M. (455) 135
- Mourouzis, I., see Pantos, C. (444) 191
- Mourre, C., see Tighilet, B. (446) 63
- M'Rabet, L., see Van Hoorn, D.E.C. (451) 111
- Mseeh, F., Gerdin, M.J. and Dubocovich, M.L.
Identification of cysteines involved in ligand binding to the human melatonin MT₂ receptor (449) 29
- Muccioli, G., Tschöp, M., Papotti, M., Deghenghi, R., Heiman, M. and Ghigo, E.
Neuroendocrine and peripheral activities of ghrelin: implications in metabolism and obesity (440) 235
- Muccioli, G., see Broglio, F. (448) 193
- Mulder, P.G.H., see van den Broek, R.W.M. (443) 125
- Mulet, J., see Choi, S. (442) 37
- Müller, H., see Ledwig, D. (445) 141
- Muller, E.E., see De Gennaro Colonna, V. (450) 61
- Muller, E.E., see Pitsikas, N. (452) 83
- Müllner, K., Rónai, A.Z., Fülöp, K., Fürst, S. and Gyires, K.
Involvement of central K_{ATP} channels in the gastric antiseecretory action of α_2 -adrenoceptor agonists and β -endorphin in rats (435) 225
- Munić, V., see Čulić, O. (450) 277
- Muñoz-Águeda, M.C., see Montilla-López, P. (451) 237
- Muñoz-Castañeda, J.R., see Montilla-López, P. (451) 237
- Munzar, P., see Beardsley, P.M. (435) 209
- Munzar, P., Justinova, Z., Kutkat, S.W. and Goldberg, S.R.
Differential involvement of 5-HT_{2A} receptors in the discriminative-stimulus effects of cocaine and methamphetamine (436) 75
- Murakami, M., see Kashiwakura, I. (437) 19
- Murakami, Y., see Kang, T.-H. (444) 39
- Murakami, Y., Okada, S., Nishihara, M. and Yokotani, K.
Roles of brain prostaglandin E₂ and thromboxane A₂ in the activation of the central sympatho-adrenomedullary outflow in rats (452) 289
- Murakami, Y., see Kang, T.-H. (455) 27
- Murakami, Y., Okada, S. and Yokotani, K.
Brain inducible nitric oxide synthase is involved in interleukin-1 β -induced activation of the central sympathetic outflow in rats (455) 73
- Murakami, Y., see Okada, S. (457) 29
- Muraki, I., see Izumi, T. (452) 199
- Murakoshi, H., see Takekawa, S. (438) 129
- Muramatsu, I., see Indra, B. (445) 21
- Muramatsu, I., see Okada, Y. (455) 19
- Murasugi, T., see Nakagami, Y. (457) 11
- Murata, J., see Sasamura, T. (441) 185
- Murayama, T., see Mitamura, M. (436) 217
- Murayama, T., see Ishihara, S. (441) 105
- Murayama, T., see Someya, A. (450) 131
- Murayama, T., see Komasa, M. (452) 235

- Murphy, J.E.J., Flynn, J.J., Cannon, D.M., Guiry, P.J., McCormack, P., Baird, A.W., McBean, G.J. and Keenan, A.K.
In vitro neuronal and vascular responses to 5-hydroxytryptamine: modulation by 4-methylthioamphetamine, 4-methylthiomethamphetamine and 3,4-methylenedioxymethamphetamine (444) 61
- Murphy, T.V., Spurrell, B.E. and Hill, M.A.
Mechanisms underlying pervanadate-induced contraction of rat cremaster muscle arterioles (442) 107
- Mustafa, J.S., see Rekik, M. (452) 205
- Mutoh, S., see Yamakuni, H. (442) 272
- Mutoh, S., see Ochi, T. (452) 319
- Mutoh, S., see Fujii, Y. (456) 115
- Myhrer, T., see Strømme Johannesen, T. (437) 73
- Myou, S., see Nobata, K. (452) 97
- Nabe, T., see Yamasaki, M. (439) 159
- Nabeshima, T., see Hiramatsu, M. (453) 91
- Nagai, H., see Inagaki, N. (448) 175
- Nagai, K., see Asanuma, Y. (435) 253
- Nagain-Domaine, C., see Guilmeau, S. (447) 99
- Nagakura, A., see Fukatsu, T. (453) 59
- Nagao, M., see Inagaki, N. (448) 175
- Nagao, T., see Sato, R. (434) 125
- Nagase, H., see Togashi, Y. (435) 259
- Nagashima, H., see Kagaya, N. (450) 231
- Nagayama, T., see Fukushima, Y. (437) 69
- Nagoshi, Y., Kuwasako, K., Ito, K., Uemura, T., Kato, J., Kitamura, K. and Eto, T.
The calcitonin receptor-like receptor/receptor activity-modifying protein 1 heterodimer can function as a calcitonin gene-related peptide-(8–37)-sensitive adrenomedullin receptor (450) 237
- Nah, S.-Y., see Rhim, H. (436) 151
- Nah, S.-Y., see Choi, S. (442) 37
- Naish, H.J., Marsh, W.L. and Davies, J.A.
Effect of low-affinity NMDA receptor antagonists on electrical activity in mouse cortical slices (443) 79
- Naito, Y., see Uemura, M. (456) 29
- Nakagami, Y., Nishimura, S., Murasugi, T., Kubo, T., Kaneko, I., Meguro, M., Marumoto, S., Kogen, H., Koyama, K. and Oda, T.
A novel compound RS-0466 reverses β -amyloid-induced cytotoxicity through the Akt signaling pathway in vitro (457) 11
- Nakagawa, K., see Tada, H. (454) 53
- Nakagawa, S., see Kozako, T. (454) 199
- Nakahara, H., see Izushi, K. (440) 79
- Nakahata, N., see Kurita, M. (442) 17
- Nakaike, S., see Karasawa, Y. (449) 127
- Nakajima, A., see Shiojiri, T. (448) 231
- Nakajima, K., see Ikari, A. (451) 133
- Nakamura, K., see Yokotani, K. (446) 83
- Nakamura, K., see Okada, S. (457) 29
- Nakamura, N., see Inagaki, N. (448) 175
- Nakamura, S., see Sasamura, T. (441) 185
- Nakamura, S., see Hasegawa, M. (441) 217
- Nakamura, T., see Tateyama, S. (451) 79
- Nakamura, Y., see Ablake, M. (450) 209
- Nakane, T., see Tazawa, S. (434) 169
- Nakane, Y., see Matsuo, K. (452) 105
- Nakanishi, T., Kawasaki, K., Uchio, Y., Kataoka, H., Terashima, M. and Ochi, M.
AG-041R, a cholecystokinin-B/gastrin receptor antagonist, stimulates the repair of osteochondral defect in rabbit model (439) 135
- Nakao, S., see Nobata, K. (452) 97
- Nakashima, Y., see Tsuda, Y. (446) 15
- Nakaya, H., see Kushida, S. (457) 19
- Nakayama, S., see Kajioaka, S. (443) 19
- Nakazato, H., see Oku, H. (446) 165
- Nakazato, H., Oku, H., Yamane, S., Tsuruta, Y. and Suzuki, R.
A novel anti-fibrotic agent pirfenidone suppresses tumor necrosis factor- α at the translational level (446) 175
- Nakazato, T.
The medial prefrontal cortex mediates 3-methoxytyramine-induced behavioural changes in rat (442) 73
- Nakazawa, K., Sawa, H., Ojima, H., Ishii-Nozawa, R., Takeuchi, K. and Ohno, Y.
Size of side-chain at channel pore mouth affects Ca^{2+} block of P2X₂ receptor (449) 207
- Nakazawa, T., see Utsugi, M. (436) 47
- Nakazawa, T., see Tomita, H. (452) 263
- Nalepa, I., Kreiner, G., Kowalska, M., Sanak, M., Zelek-Molik, A. and Vetulani, J.
Repeated imipramine and electroconvulsive shock increase α_{1A} -adrenoceptor mRNA level in rat prefrontal cortex (444) 151
- Namiranian, K., see Dehpour, A.R. (445) 31
- Namiranian, K., see Homayoun, H. (452) 67
- Nannini, M.A., see Olive, M.F. (437) 55
- Nan-ya, K.-i., see Noji, T. (454) 85
- Nappi, G., see Sandrini, G. (450) 259
- Narahashi, T., see Bian, J.-T. (453) 159
- Nargund, R., see Martin, W.J. (454) 71
- Nargund, R.P., see MacNeil, D.J. (440) 141
- Nargund, R.P., see MacNeil, D.J. (450) 93
- Narikawa, S., see Takeda, M. (438) 137
- Narikawa, S., see Takeda, M. (441) 215
- Narikawa, S., see Takeda, M. (450) 111
- Nassar, T., Kadery, B., Lotan, C., Da'as, N., Kleinman, Y. and Haj-Yehia, A.
Effects of the superoxide dismutase-mimetic compound tempol on endothelial dysfunction in streptozotocin-induced diabetic rats (436) 111
- Nation, J., see Wellman, P. (455) 117
- Nauck, M.A., see Meier, J.J. (440) 269
- Naudon, L., see Vilpoux, C. (443) 85
- Navarro, M., see Del Arco, I. (454) 103
- Nawrat, P., see Wrześniok, D. (446) 7
- Nebert, D.W., see Su, Z.G. (454) 9
- Nelli, S., see Shahidullah, M. (435) 93
- Nelson, R.M., Green, A.R. and Hainsworth, A.H.
Electrophysiological actions of γ -aminobutyric acid and clomethiazole on recombinant GABA_A receptors (452) 255
- Nemeth, J., see Porszasz, R. (443) 211
- Nevala, R., Lassila, M., Finckenberg, P., Paukku, K., Korpela, R. and Vapaatalo, H.
Genistein treatment reduces arterial contractions by inhibiting tyrosine kinases in ovariectomized hypertensive rats (452) 87
- Newman, M.E., see Gur, E. (436) 57
- Newman, M.E., see Gur, E. (457) 37
- Newton, R., Eddleston, J., Haddad, E.-B., Hawisa, S., Mak, J., Lim, S., Fox, A.J., Donnelly, L.E. and Fan Chung, K.
Regulation of kinin receptors in airway epithelial cells by inflammatory cytokines and dexamethasone (441) 193
- Ngan, M.-P., see Kan, K.K.W. (453) 299
- Ngos, F.N., see Dalpiaz, A. (448) 123
- Nicholl, S.M., Bell, D., Paul Spiers, J. and McDermott, B.J.
Neuropeptide Y Y₁ receptor regulates protein turnover and constitutive gene expression in hypertrophying cardiomyocytes (441) 23
- Nichols, R.A., see van Hooft, J.A. (449) 221
- Nicholson, G.M., Blanche, T., Mansfield, K. and Tran, Y.
Differential blockade of neuronal voltage-gated Na⁺ and K⁺ channels by antidepressant drugs (452) 35
- Nicklin, P.L., see Huang, T.-J. (437) 187
- Nicolay, K., see Blezer, E.L.A. (444) 75
- Nicoletti, F., see Ablake, M. (450) 209
- Nicosia, S., see Buccellati, C. (443) 133
- Nicosia, S., see Accomazzo, M.R. (454) 107

- Nie, Z., see Bhat, S.G. (442) 250
- Niedopad, L., see Mikolajczak, P. (444) 83
- Nieri, P., see Breschi, M.C. (437) 91
- Nii, T., see Moritani, Y. (439) 43
- Nijkamp, F., see Kloek, J. (442) 288
- Nijkamp, F.P., see Scheerens, J. (453) 111
- Nijveldt, R.J., see Van Hoorn, D.E.C. (451) 111
- Nikitas, N., see Pantos, C. (444) 191
- Nisato, D., see Pantos, C. (444) 191
- Nisenbaum, E.S., see Quirk, J.C. (454) 125
- Nishigaki, F., Sakuma, S., Ogawa, T., Miyata, S., Ohkubo, T. and Goto, T.
FK506 induces chondrogenic differentiation of clonal mouse embryonic carcinoma cells, ATDC5 (437) 123
- Nishihara, M., see Murakami, Y. (452) 289
- Nishikawa, H., Kawai, K., Nishimura, S., Tanaka, S., Araki, H., Al-Ani, B., Hollenberg, M.D., Kuroda, R. and Kawabata, A.
Suppression by protease-activated receptor-2 activation of gastric acid secretion in rats (447) 87
- Nishikawa, H., see Kume, T. (455) 91
- Nishikawa, S., see Noji, T. (449) 293
- Nishikawa, S., see Noji, T. (454) 85
- Nishikawa, S., see Noji, T. (455) 187
- Nishikibe, M., see Hirose, H. (452) 245
- Nishikimi, T., see Yoshihara, F. (436) 1
- Nishikimi, T., Tadokoro, K., Wang, X., Mori, Y., Asakawa, H., Akimoto, K., Yoshihara, F., Horio, T., Minamino, N. and Matsuoka, H.
Cerivastatin, a hydroxymethylglutaryl coenzyme A reductase inhibitor, inhibits cardiac myocyte hypertrophy induced by endothelin (453) 175
- Nishikori, T., Irie, K., Suganuma, T., Ozaki, M. and Yoshioka, T.
Anti-inflammatory potency of FR167653, a p38 mitogen-activated protein kinase inhibitor, in mouse models of acute inflammation (451) 327
- Nishimori, T., see Tateyama, S. (451) 79
- Nishimura, O., see Takekawa, S. (438) 129
- Nishimura, S., see Nishikawa, H. (447) 87
- Nishimura, S., see Nakagami, Y. (457) 11
- Nishimura, Y., see Yahata, T. (434) 71
- Nishio, T., Haneda, M., Koya, D., Inoki, K., Maeda, S. and Kikkawa, R.
Cyclic AMP inhibits stretch-induced overexpression of fibronectin in glomerular mesangial cells (437) 113
- Nishiyama, A., see Tian, R.-X. (437) 79
- Nissinen, E., see Haasio, K. (453) 21
- Niwa, S.-i., see Kurita, M. (442) 17
- Nobata, K., Fujimura, M., Ishiura, Y., Hirose, T., Furusyou, S., Myou, S., Kurashima, K., Kasahara, K. and Nakao, S.
 α_{1L} -, but not α_{1H} -, adrenoceptor antagonist prevents allergic bronchoconstriction in guinea pigs in vivo (452) 97
- Noble, F., see Guen, S.L. (441) 141
- Noble, F., see Benoist, J.-M. (445) 201
- Nobrega, J.N., see Quadros, I.M.H. (442) 55
- Noda, K., Takebe, M., Oka, M., Hirouchi, M., Ukai, Y. and Toda, N.
Functional role of inhibitory and excitatory nerves in the porcine lower urinary tract (456) 81
- Noguchi, H., Kitazumi, K., Mori, M. and Shiba, T.
Binding and neuropharmacological profile of zaleplon, a novel nonbenzodiazepine sedative/hypnotic (434) 21
- Noguchi, K., see Hirose, H. (452) 245
- Noji, T., Sato, H., Sano, J.-i., Nishikawa, S., Kusaka, H. and Karasawa, A.
Treatment with an adenosine uptake inhibitor attenuates glomerulonephritis in mice (449) 293
- Noji, T., Nan-ya, K.-i., Mizutani, M., Katagiri, C., Sano, J.-i., Takada, C., Nishikawa, S., Karasawa, A. and Kusaka, H.
KF24345, an adenosine uptake inhibitor, ameliorates the severity and mortality of lethal acute pancreatitis via endogenous adenosine in mice (454) 85
- Noji, T., Sato, H., Sano, J.-i., Nishikawa, S., Kusaka, H. and Karasawa, A.
Erratum to "Treatment with an adenosine uptake inhibitor attenuates glomerulonephritis in mice" [Eur. J. Pharmacol. 449 (2002) 293–300] (455) 187
- Nojima, H., see Sasamura, T. (441) 185
- Nomura, A., see Ishii, Y. (449) 183
- Nonaka, H., see Saki, M. (444) 133
- Norby, F.L. and Ren, J.
Anisodamine inhibits cardiac contraction and intracellular Ca^{2+} transients in isolated adult rat ventricular myocytes (439) 21
- Noto, T., see Mochida, H. (440) 45
- Noto, T., see Inoue, H. (443) 179
- Noto, T., see Mochida, H. (456) 91
- Notoya, K., see Gotoh, M. (451) 19
- Nouailhetas, V.L.A., see Aboulafia, J. (442) 29
- Novak-Mirčetić, R., see Čulić, O. (450) 277
- Nozaki, K., see Teramura, K. (449) 191
- Nozaki, K., see Teramura, K. (457) 51
- Numazawa, T., see Hirose, H. (452) 245
- Nunn, C., Feuerbach, D., Lin, X., Peter, R. and Hoyer, D.
Pharmacological characterisation of the goldfish somatostatin sst₅ receptor (436) 173
- Nutt, D.J., see Robinson, E.S.J. (450) 55
- Nylander, I., see Spetea, M. (435) 245
- O'Brien, J.A., see Lemaire, W. (450) 19
- Ochi, M., see Nakanishi, T. (439) 135
- Ochi, T., Ohkubo, Y. and Mutoh, S.
FR143166 attenuates spinal pain transmission through activation of the serotonergic system (452) 319
- Ochiai, J., see Uemura, M. (456) 29
- Oda, T., see Nakagami, Y. (457) 11
- Oeseburg, B., see Legtenberg, R.J. (434) 35
- Ogasawara, H., see Indra, B. (437) 173
- Ogasawara, H., see Indra, B. (445) 21
- Ogawa, T., see Nishigaki, F. (437) 123
- Ogawa, T., Sugidachi, A., Tanaka, N., Fujimoto, K. and Asai, F.
Pharmacological profiles of R-96544, the active form of a novel 5-HT_{2A} receptor antagonist R-102444 (457) 107
- Ögülcener, N. and Ergün, Y.
A putative role for S-nitrosoglutathione as the source of nitric oxide in photorelaxation of the mouse gastric fundus (450) 267
- Ogura, T., see Kushida, S. (457) 19
- Oh, T.H., see Rhim, H. (436) 151
- Ohata, H., Arai, K. and Shibasaki, T.
Effect of chronic administration of a CRF₁ receptor antagonist, CRA1000, on locomotor activity and endocrine responses to stress (457) 201
- Ohizumi, Y., see Indra, B. (437) 173
- Ohizumi, Y., see Indra, B. (445) 21
- Ohizumi, Y., see Rohra, D.K. (453) 279
- Ohkubo, T., see Nishigaki, F. (437) 123
- Ohkubo, Y., see Ochi, T. (452) 319
- Ohkubo, Y., see Fujii, Y. (456) 115
- Ohlstein, E.H., see Christopher, T.A. (446) 137
- Ohmori, K., see Tamura, T. (448) 81
- Ohno, Y., see Nakazawa, K. (449) 207
- Ohuchi, K., see Ichinowatari, G. (434) 187
- Oishi, R., see Sendo, T. (450) 203
- Oishi, R., see Sueishi, K. (451) 203
- Oishi, Y., see Tsuda, Y. (446) 15
- Ojima, H., see Nakazawa, K. (449) 207
- Oka, M., Itoh, Y. and Fujita, T.
Halothane attenuates the cerebroprotective action of several Na^{+} and Ca^{2+} channel blockers via reversal of their ion channel blockade (452) 175
- Oka, M., see Noda, K. (456) 81

- Oka, T., see Kanai, M. (453) 53
- Okada, S., see Yokotani, K. (446) 83
- Okada, S., see Murakami, Y. (452) 289
- Okada, S., see Murakami, Y. (455) 73
- Okada, S., Murakami, Y., Nakamura, K. and Yokotani, K.
Vasopressin V₁ receptor-mediated activation of central sympatho-adrenomedullary outflow in rats (457) 29
- Okada, Y., see Konishi, F. (451) 177
- Okada, Y., Taniguchi, T., Akagi, Y. and Muramatsu, I.
Two-phase response of acid extrusion triggered by purinoceptor in Chinese hamster ovary cells (455) 19
- Okamoto, Y., Takai, S. and Miyazaki, M.
Chymase inhibitor suppresses adhesion formation in a hamster experimental model (435) 265
- Okano, K., see Togashi, Y. (435) 259
- Okazaki, M., see Tsuda, Y. (446) 15
- Oku, H., Nakazato, H., Horikawa, T., Tsuruta, Y. and Suzuki, R.
Pirfenidone suppresses tumor necrosis factor- α , enhances interleukin-10 and protects mice from endotoxic shock (446) 165
- Oku, H., see Nakazato, H. (446) 175
- Okuda, H., see Tsuda, Y. (446) 15
- Okulicz-Kozaryn, I., see Mikolajczak, P. (444) 83
- Okuyama, H., see Takashima, T. (451) 265
- Okuyama, N., see Fukatsu, T. (453) 59
- Olesen, S.P., see Dupuis, D.S. (437) 129
- Olianas, M.C., see Onali, P. (448) 105
- Oliva, P., Aurilio, C., Massimo, F., Grella, A., Maione, S., Grella, E., Scafuro, M., Rossi, F. and Berrino, L.
The antinociceptive effect of tramadol in the formalin test is mediated by the serotonergic component (445) 179
- Olive, M.F., Nannini, M.A., Ou, C.J., Koenig, H.N. and Hodge, C.W.
Effects of acute acamprosate and homotaurine on ethanol intake and ethanol-stimulated mesolimbic dopamine release (437) 55
- Oliveira, C.R., see Rebola, N. (454) 31
- Oliveira, M.R., see Souza, F.R. (451) 141
- Olivier, B., see De Groote, L. (439) 93
- Olivier, B., see Pattij, T. (447) 67
- Olsen, C.K., see Hertel, P. (439) 107
- Olsen, U.B., Eltorp, C.T., Ingvarsdén, B.K., Jørgensen, T.K., Lundbæk, J.A., Thomsen, C. and Hansen, A.J.
ReN 1869, a novel tricyclic antihistamine, is active against neurogenic pain and inflammation (435) 43
- Omino, K., see Fukatsu, T. (453) 59
- Omori, K., see Mochida, H. (456) 91
- Onali, P. and Olianas, M.C.
Muscarinic M₄ receptor inhibition of dopamine D1-like receptor signalling in rat nucleus accumbens (448) 105
- Önder, S., see Resim, S. (442) 294
- Ong, J., see Kerr, D.I.B. (451) 69
- Ongini, E., see Briscini, L. (447) 59
- Ongini, E., see Briscini, L. (450) 113
- Ono, H., see Honda, M. (445) 187
- Onodera, K., see Sakurada, S. (434) 29
- Onodera, K., see Zushida, K. (453) 209
- Onozawa, K., see Fujishiro, J. (454) 183
- Ooboshi, H., see Kitayama, J. (438) 153
- Oostendorp, J., Meurs, H., Adriaan Nelemans, S., Zaagsma, J., Kauffman, H.F., Postma, D.S., Boddeke, H.W.G.M. and Biber, K.
Cloning, pharmacological characterization, and polymorphism screening of the guinea pig β_2 -adrenoceptor (457) 1
- Oosting, R.S., see Pattij, T. (447) 67
- Orito, T., see Sakurada, S. (434) 29
- Orlando, G., see Brunetti, L. (454) 189
- Oropeza, M.V., Ponce-Monter, H., Villanueva-Tello, T., Palma-Aguirre, J.A. and Campos, M.G.
Anatomical differences in uterine sensitivity to prostaglandin F_{2 α} and serotonin in non-pregnant rats (446) 159
- Ortega, A., see Sepúlveda, J. (445) 87
- Ortega-Gutiérrez, S., see de Lago, E. (449) 99
- Ortego, M., Hernández, A.G., Bustos, C., Blanco-Colio, L.M., Hernández-Presa, M.A., Tuñón, J. and Egido, J.
3-Hydroxy-3-methylglutaryl coenzyme A reductase inhibitors increase the binding activity and nuclear level of Oct-1 in mononuclear cells (448) 113
- Ortiz, M.I., Torres-López, J.E., Castañeda-Hernández, G., Rosas, R., Vidal-Cantú, G.C. and Granados-Soto, V.
Pharmacological evidence for the activation of K⁺ channels by diclofenac (438) 85
- Ortlepp, J.R., Breuer, J., Eitner, F., Kluge, K., Kluge, R., Floege, J., Hollweg, G., Hanrath, P. and Joost, H.-G.
Inhibition of the renin-angiotensin system ameliorates genetically determined hyperinsulinemia (436) 145
- Ortlepp, J.R., Hanrath, P., Mevissen, V., Kiel, G., Borggrefe, M. and Hoffmann, R.
Variants of the CYP11B2 gene predict response to therapy with candesartan (445) 151
- Ortuso, F., see Ottanà, R. (448) 71
- Oryan, S., see Zarrindast, M.-R. (452) 193
- Oryan, S., see Zarrindast, M.-R. (454) 193
- Osajima, A., see Tsuda, Y. (446) 15
- Osborn, B.L., Sekut, L., Corcoran, M., Poortman, C., Sturm, B., Chen, G., Mather, D., Lin, H.L. and Parry, T.J.
Albutropin: a growth hormone-albumin fusion with improved pharmacokinetics and pharmacodynamics in rats and monkeys (456) 149
- Osuna, A., see Wangenstein, R. (444) 97
- Otani, S., see Blond, O. (438) 115
- Ottanà, R., Mazzon, E., Dugo, L., Monforte, F., Maccari, R., Sautebin, L., De Luca, G., Vigorita, M.G., Alcaro, S., Ortuso, F., Caputi, A.P. and Cuzzocrea, S.
Modeling and biological evaluation of 3,3'-(1,2-ethanediyl)bis[2-(4-methoxyphenyl)-thiazolidin-4-one], a new synthetic cyclooxygenase-2 inhibitor (448) 71
- Ottone, M., see Zicca, A. (442) 264
- Ou, C.J., see Olive, M.F. (437) 55
- Out, M., see De Jonge, R. (441) 165
- Ozaki, M., see Nishikori, T. (451) 327
- Ozcengiz, D., see Mert, T. (439) 77
- Pache, D.M., see Deslandes, P.N. (453) 223
- Páez, X., see Baptista, T. (447) 91
- Page, M.E., see Cryan, J.F. (436) 197
- Page, N.M. and Bell, N.J.
The human tachykinin NK₁ (short form) and tachykinin NK₄ receptor: a reappraisal (437) 27
- Pain, L., see Jouvart, P. (449) 239
- Paiva, A.C.M., see França, L.P. (439) 13
- Paiva, L., Binsack, R. and Machado, U.F.
Chronic acarbose-feeding increases GLUT1 protein without changing intestinal glucose absorption function (434) 197
- Palazzo, E., de Novellis, V., Marabese, I., Cuomo, D., Rossi, F., Berrino, L., Rossi, F. and Maione, S.
Interaction between vanilloid and glutamate receptors in the central modulation of nociception (439) 69
- Palka, J., see Wrześniok, D. (446) 7
- Palka, J.A., see Karna, E. (443) 1
- Pallàs, M., see Pubill, D. (448) 165
- Palma-Aguirre, J.A., see Oropeza, M.V. (446) 159
- Palomer, A., see Cabré, F. (451) 317
- Pang, C.C.Y., see Poon, K.S. (436) 107
- Pang, C.C.Y., see Abdelrahman, A.M. (450) 263
- Pang, C.C.Y., see Abdelrahman, A.M. (455) 143
- Pani, L., see Marchese, G. (444) 69

- Pani, L., see Marchese, G. (447) 109
- Pani, L., see Marchese, G. (448) 263
- Pani, M., see Serra, S. (443) 95
- Pantos, C., Mourouzis, I., Delbruyère, M., Malliopoulou, V., Tzeis, S., Cokkinos, D.D., Nikitas, N., Carageorgiou, H., Varonos, D., Cokkinos, D. and Nisato, D.
Effects of dronedarone and amiodarone on plasma thyroid hormones and on the basal and posts ischemic performance of the isolated rat heart (444) 191
- Papadopoulos, T., see Schoof, E. (457) 195
- Papalois, A., see Andreadou, I. (441) 209
- Papalois, A., see Andreadou, I. (453) 271
- Papini, M.G., see Lombardi, G. (457) 95
- Papotti, M., see Muccioli, G. (440) 235
- Parai, K. and Tabrizchi, R.
A comparative study of the effects of Cl^- channel blockers on mesenteric vascular conductance in anaesthetized rat (448) 59
- Pardo, L., Blanck, T.J.J. and Recio-Pinto, E.
The neuronal lipid membrane permeability was markedly increased by bupivacaine and mildly affected by lidocaine and ropivacaine (455) 81
- Parini, A., see Kunduzova, O.R. (448) 225
- Parisi, A., see Catania, M.A. (437) 147
- Parivar, K., see Zarrindast, M.-R. (454) 193
- Park, H.-J., see Jang, M.-H. (449) 39
- Park, Y.H., see Kantor, L. (451) 27
- Parker, E., Van Heek, M. and Stamford, A.
Neuropeptide Y receptors as targets for anti-obesity drug development: perspective and current status (440) 173
- Parker, M.S., Lundell, I. and Parker, S.L.
Internalization of pancreatic polypeptide Y4 receptors: correlation of receptor intake and affinity (452) 279
- Parker, S.L., see Parker, M.S. (452) 279
- Parkhill, A.L. and Bidlack, J.M.
Several δ -opioid receptor ligands display no subtype selectivity to the human δ -opioid receptor (451) 257
- Parmentier, M., see Mollereau, C. (451) 245
- Parnham, M.J., see Čulić, O. (450) 277
- Parolaro, D., see Costa, B. (449) 61
- Parratt, J.R., see Zhang, L. (435) 269
- Parry, T.J., see Osborn, B.L. (456) 149
- Parsons, A.A., see Legos, J.J. (447) 37
- Parsons, M., see Begg, M. (434) 87
- Patilla, J.S., see Rothman, R.B. (447) 51
- Pasapera, A.M., Gutiérrez-Sagal, R., Herrera, J., Galicia-Canales, N., García de la Mora, G. and Ulloa-Aguirre, A.
Norethisterone is bioconverted to oestrogenic compounds that activate both the oestrogen receptor α and oestrogen receptor β in vitro (452) 347
- Pascual, J., see Cabré, F. (451) 317
- Pasternack, M., see Törnquist, K. (453) 1
- Pataki, T., see Pórszász, R. (441) 173
- Patel, C., see Patel, M. (446) 37
- Patel, M., Gomes, B., Patel, C. and Yoburn, B.C.
Antagonist-induced μ -opioid receptor up-regulation decreases G-protein receptor kinase-2 and dynamin-2 abundance in mouse spinal cord (446) 37
- Patoiseau, J.-F., see Rival, Y. (435) 143
- Pattij, T., Groenink, L., Oosting, R.S., van der Gugten, J., Maes, R.A.A. and Olivier, B.
GABA_A-benzodiazepine receptor complex sensitivity in 5-HT_{1A} receptor knockout mice on a 129/Sv background (447) 67
- Pau, K.-Y. Francis, see Wu, C.-L. (457) 169
- Paukku, K., see Nevala, R. (452) 87
- Paul Spiers, J., see Nicholl, S.M. (441) 23
- Paul, M., Kindler, C.H., Fokt, R.M., Dipp, N.C.J. and Spencer Yost, C.
Isobolographic analysis of non-depolarising muscle relaxant interactions at their receptor site (438) 35
- Paul, R., see Bourrié, B. (456) 123
- Pauwels, P.J., see Bhalla, P. (436) 23
- Pavan, B., see Dalpiaz, A. (448) 123
- Pavičić-Beljak, V., see Čulić, O. (450) 277
- Pawlik, T., Konturek, P.C., Konturek, J.W., Konturek, S.J., Brzozowski, T., Czeźnikiewicz, M., Plonka, M., Bielanski, W. and Areny, H.
Impact of *Helicobacter pylori* and nonsteroidal anti-inflammatory drugs on gastric ulcerogenesis in experimental animals and in humans (449) 1
- Pazos, A., see Mato, S. (443) 43
- Peachell, P.T., see Chong, L.K. (437) 1
- Peana, A.T., see D'Aquila, P.S. (435) 67
- Pearson, K.H., see Broad, L.M. (452) 137
- Pecce, R., see Rotondo, S. (453) 131
- Pedata, F., see Pinna, A. (446) 75
- Pedersen, L., see Autrup, J.L. (438) 15
- Pediconi, D., see Pompei, P. (450) 245
- Peikin, S.R., see Ballinger, A. (440) 109
- Peis, M., see Castelli, M.P. (446) 1
- Peis, M., see Sanna, E. (451) 103
- Peletier, L.A., see Zuideveld, K.P. (445) 43
- Peng, J., Lu, R., Deng, H.-W. and Li, Y.-J.
Involvement of α -calcitonin gene-related peptide in monophosphoryl lipid A-induced delayed preconditioning in rat hearts (436) 89
- Peng, J., see Zhou, Z.-H. (439) 129
- Peng, J., see Li, Y.-J. (442) 173
- Peng, L. and Hertz, L.
Amobarbital inhibits K^+ -stimulated glucose oxidation in cerebellar granule neurons by two mechanisms (446) 53
- Penso, J. and Beitner, R.
Clotrimazole decreases glycolysis and the viability of lung carcinoma and colon adenocarcinoma cells (451) 227
- Penttilä, K.E., see Haasio, K. (453) 21
- Pepper, J.R., see Stanford, S.J. (436) 241
- Pereira, G.S., Mello e Souza, T., Vinadé, E.R.C., Choi, H., Rodrigues, C., Battastini, A.M.O., Izquierdo, I., Sarkis, J.J.F. and Bonan, C.D.
Blockade of adenosine A₁ receptors in the posterior cingulate cortex facilitates memory in rats (437) 151
- Pérez Leirós, C., see Rosignoli, F. (439) 27
- Perfumi, M., see Ciccocioppo, R. (449) 245
- Perretti, M., see Calatayud, S. (440) 71
- Pertwee, R.G., Ross, R.A., Craib, S.J. and Thomas, A.
(-)-Cannabidiol antagonizes cannabinoid receptor agonists and norepinephrine in the mouse vas deferens (456) 99
- Peskar, B.A., see Peskar, B.M. (434) 65
- Peskar, B.A., see Amann, R. (447) 1
- Peskar, B.M., Ehrlich, K. and Peskar, B.A.
Interaction of cyclooxygenase-2 inhibitors and salicylate in gastric mucosal damage (434) 65
- Peter, R., see Nunn, C. (436) 173
- Petersen, O.H., see Verkhatsky, A. (447) 141
- Pettibone, D.J., see Lemaire, W. (450) 19
- Pezet, M., see Rival, Y. (435) 143
- Pfeilschifter, J., see Röhlz, W. (442) 194
- Pfister, H.W., see Kastenbauer, S. (449) 177
- Picada, J.N., Schröder, N., Izquierdo, I., Henriques, J.A.P. and Roesler, R.
Differential neurobehavioral deficits induced by apomorphine and its oxidation product, 8-oxo-apomorphine-semiquinone, in rats (443) 105
- Piccioni, L., see Uberti, D. (434) 17
- Picetti, R., see Contarino, A. (446) 103
- Picker, M.J., see Barrett, A.C. (452) 163
- Pieri, M., see Diana, G. (453) 251
- Pierpaoli, S., see Cuzzocrea, S. (450) 67
- Pietras, T.A. and Rowland, N.E.
Effect of opioid and cannabinoid receptor antagonism on orphanin FQ-induced hyperphagia in rats (442) 236
- Pihlaja, K., see Törnquist, K. (453) 1
- Piña, E., see González-Benítez, E. (437) 105

- Pinget, M., see Kuntz, E. (448) 253
- Pinho, V., see Souza, D.G. (440) 61
- Pinna, A., Corsi, C., Carta, A.R., Valentini, V., Pedata, F. and Morelli, M.
Modification of adenosine extracellular levels and adenosine A_{2A} receptor mRNA by dopamine denervation (446) 75
- Pinto, G., see King, G.R. (446) 111
- Pinto, G., see King, G.R. (449) 253
- Piomelli, D., see Del Arco, I. (454) 103
- Pistis, M., see Castelli, M.P. (446) 1
- Pitsikas, N., Rigamonti, A.E., Cella, S.G. and Muller, E.E.
Molsidomine attenuates N^ω-nitro-L-argininemethylester-induced deficits in a memory task in the rat (452) 83
- Piwnien-Pilipuk, G., Kanelakis, K.C. and Galigniana, M.D.
Correlation between pregnanesteroid conformation, receptor affinity, and anti-natriuretic effect (454) 131
- Piwnski, J., see Anthes, J.C. (450) 191
- Piyachaturawat, P., Srivoraphan, P., Chuncharunee, A., Komaratat, P. and Suksamram, A.
Cholesterol lowering effects of a choleretic phloracetophenone in hypercholesterolemic hamsters (439) 141
- Plonka, M., see Pawlik, T. (449) 1
- Plotkine, M., see Ding-Zhou, L. (457) 137
- Polakowski, J.S., Wegner, C.D. and Cox, B.F.
Bimoclolomol elevates heat shock protein 70 and cytoprotects rat neonatal cardiomyocytes (435) 73
- Polakowski, J.S., see Lubbers, N.L. (435) 79
- Polanska, A., see Mikolajczak, P. (444) 83
- Poliénor, H., see Mauborgne, A. (441) 47
- Pompei, P., see Ciccocioppo, R. (449) 245
- Pompei, P., Cavazzuti, E., Martarelli, D., Pediconi, D., Arletti, R., Lucas, L.R. and Massi, M.
Preprotachykinin A gene expression after administration of 3,4-methylene dioxymethamphetamine (Ecstasy) (450) 245
- Ponce-Monter, H., see Oropeza, M.V. (446) 159
- Ponsard, B., see Bès, S. (452) 145
- Poole, S., see Souza, D.G. (440) 61
- Poon, K.S. and Pang, C.C.Y.
Venodilator action of an organotransition-metal nitrosyl complex (436) 107
- Poortman, C., see Osborn, B.L. (456) 149
- Popoli, P., see Tebano, M.T. (450) 253
- Popp, K., see von der Hardt, K. (457) 71
- Porciúncula, L.O., Schmidt, A.P., Coitinho, A.S., Vinadé, L., Izquierdo, I., Rocha, J.B.T. and Souza, D.O.
Intrahippocampal infusion of ebsele impairs retention of an inhibitory avoidance task in rats (451) 165
- Porkoláb, Á., see Pórszász, R. (441) 173
- Pórszász, R., Porkoláb, Á., Ferencz, A., Pataki, T., Szilvássy, Z. and Szolcsányi, J.
Capsaicin-induced nonneural vasoconstriction in canine mesenteric arteries (441) 173
- Porszasz, R., Legvári, G., Nemeth, J., Literati, P.N., Szolcsányi, J. and Szilvassy, Z.
The sensory nitrenergic nature of the hepatic insulin sensitizing substance mechanism in conscious rabbits (443) 211
- Porter, N.M., see Clodfelter, G.V. (447) 189
- Post, C., see Dambrova, M. (445) 105
- Postma, D.S., see Oostendorp, J. (457) 1
- Potschka, H., see Seegers, U. (451) 149
- Prado, W.A., Schiavon, V.F. and Cunha, F.Q.
Dual effect of local application of nitric oxide donors in a model of incision pain in rats (441) 57
- Prager, R.H., see Kerr, D.I.B. (451) 69
- Prenzel, F., see Sandmann, S. (453) 99
- Price, S., Evans, T.W. and Mitchell, J.A.
Nitric oxide supports atrial function in sepsis: relevance to side effects of inhibitors in shock (449) 279
- Prickaerts, J., de Vente, J., Honig, W., Steinbusch, H.W.M. and Blokland, A.
cGMP, but not cAMP, in rat hippocampus is involved in early stages of object memory consolidation (436) 83
- Prieto, F., see Segarra, G. (444) 103
- Prinssen, E.P.M., Colpaert, F.C. and Koek, W.
5-HT_{1A} receptor activation and anti-cataleptic effects: high-efficacy agonists maximally inhibit haloperidol-induced catalepsy (453) 217
- Printzenhoff, D., see Liu, Y. (435) 153
- Privat, C., see David-Dufilho, M. (436) 159
- Prodám, F., see Broglio, F. (448) 193
- Proks, P., Treinies, I., Mest, H.-J. and Trapp, S.
Inhibition of recombinant K_{ATP} channels by the antidiabetic agents midaglizole, LY397364 and LY389382 (452) 11
- Pryce, G., see Brooks, J.W. (439) 83
- Pu, X.-P., see Sheng, G.-Q. (451) 119
- Pubill, D., Verdaguer, E., Sureda, F.X., Camins, A., Pallàs, M., Camarasa, J. and Escubedo, E.
Carnosine prevents methamphetamine-induced gliosis but not dopamine terminal loss in rats (448) 165
- Pudovkina, O.L., Cremers, T.I.F.H. and Westerink, B.H.C.
The interaction between the locus coeruleus and dorsal raphe nucleus studied with dual-probe microdialysis (445) 37
- Pugovichs, O., see Dambrova, M. (445) 105
- Purcell, J., Robertson, A.P., Thompson, D.P. and Martin, R.J.
PF4, a FMRFamide-related peptide, gates low-conductance Cl⁻ channels in *Ascaris suum* (456) 11
- Puspawati, N.M., see Kerr, D.I.B. (451) 69
- Pyatakova, N.V., see Severina, I.S. (438) 69
- Pyne, N.J., see Zhang, L. (435) 269
- Qin, J.-F., see Chen, A. (448) 11
- Qiu, H., see Wan, Y. (456) 1
- Quadros, I.M.H., Hipólido, D.C., Frussa-Filho, R., De Lucca, E.M., Nobrega, J.N. and Souza-Formigoni, M.L.O.
Resistance to ethanol sensitization is associated with increased NMDA receptor binding in specific brain areas (442) 55
- Queiroz, G., Diniz, C. and Gonçalves, J.
Facilitation of noradrenaline release by adenosine A_{2A} receptors in the epididymal portion and adenosine A_{2B} receptors in the prostatic portion of the rat vas deferens (448) 45
- Queiroz, M.L.S., see Valadares, M.C. (439) 35
- Quelven, I., Roussin, A., Burlet-Schiltz, O., Gouardères, C., Tafani, J.-A., Mazarguil, H. and Zajac, J.-M.
Dissociation of pharmacological pro- and anti-opioid effects by neuropeptide FF analogs (449) 91
- Quelven, I., see Mollereau, C. (451) 245
- Quéré, L., see Bouaziz, N. (441) 35
- Quertemont, E., Linotte, S. and De Witte, P.
Differential taurine responsiveness to ethanol in high- and low-alcohol sensitive rats: a brain microdialysis study (444) 143
- Quesada, A., see Wangenstein, R. (444) 97
- Quinart, A., see Dessolin, J. (447) 155
- Quirion, R., see Mollereau, C. (451) 245
- Quirk, J.C., Linden, A.-M., Strakhova, M., Yu, H., Skolnick, P. and Nisenbaum, E.S.
A single residue contributes sensitivity to allosteric modulation of AMPA receptors by LY395153 (454) 125
- Quock, R.M., see Li, S. (447) 75
- Rae, G.A., see Koepp, J. (435) 103
- Rafique, K.M., see Shahidullah, M. (435) 93
- Rahimian, R., Dubé, G.P., Toma, W., Dos Santos, N., McManus, B.M. and Van Breemen, C.
Raloxifene enhances nitric oxide release in rat aorta via increasing endothelial nitric oxide mRNA expression (434) 141
- Rahman, M., see Tian, R.-X. (437) 79

- Rahmouni, K., Sibug, R.M., De Kloet, E.R., Barthelmebs, M., Grima, M., Imbs, J.-L. and De Jong, W.
Effects of brain mineralocorticoid receptor blockade on blood pressure and renal functions in DOCA–salt hypertension (436) 207
- Rai, M., see Kurita, M. (442) 17
- Rajaram, M., see Gabriele, J. (453) 13
- Ralevic, V. and Kendall, D.A.
Cannabinoids inhibit pre- and postjunctionally sympathetic neurotransmission in rat mesenteric arteries (444) 171
- Ramarao, P., see Gullapalli, S. (435) 187
- Ramarao, P., see Gullapalli, S. (451) 271
- Ramarao, P., see Thiagarajan, M. (453) 335
- Ramasamy, S., Hodgson, W.C. and Ventura, S.
Protein kinase C and the sub-sensitivity and sub-reactivity of the diabetic rat prostate gland to noradrenaline (434) 151
- Ramkumar, V., see Bhat, S.G. (442) 250
- Rammes, G., see Haseneder, R. (451) 43
- Ramos, J.A., see de Lago, E. (449) 99
- Rampe, D., see Kongsamut, S. (450) 37
- Ramström, C., see Törnquist, K. (453) 1
- Rane, A., see Xie, H.-J. (449) 197
- Rangel-González, F.J., García-Colunga, J. and Miledi, R.
Inhibition of neuronal nicotinic acetylcholine receptors by La^{3+} (441) 15
- Rascher, W., see von der Hardt, K. (457) 71
- Rascher, W., see Schoof, E. (457) 195
- Rastegar, H., see Dehpour, A.R. (445) 31
- Ratzlaff, V., see Souza, F.R. (451) 141
- Rau, K.S., see Metzger, R.R. (456) 39
- Raufman, J.-P., Chen, Y., Cheng, K., Compadre, C., Compadre, L. and Zimniak, P.
Selective interaction of bile acids with muscarinic receptors: a case of molecular mimicry (457) 77
- Raung, S.-L., see Wang, J.-P. (434) 9
- Ravati, A., see Junker, V. (446) 25
- Ravens, U., see Wüst, M. (454) 59
- Raviprakash, V., see Asokan, K.T. (455) 65
- Raymond, K., see Choy, W.Y. (434) 55
- Razdan, R.K., see Martin, B.R. (435) 35
- Real, R., see Carai, M.A.M. (441) 157
- Rebola, N., Oliveira, C.R. and Cunha, R.A.
Transducing system operated by adenosine A_{2A} receptors to facilitate acetylcholine release in the rat hippocampus (454) 31
- Recinella, L., see Brunetti, L. (454) 189
- Recio-Pinto, E., see Pardo, L. (455) 81
- Redmond, E.M., see Sayeed, S. (445) 163
- Redon, M., see Bouaziz, N. (441) 35
- Reichard, G., see Anthes, J.C. (450) 191
- Reid, A., see Sawynok, J. (450) 153
- Reid, C.A.
The role of dendritic spines: comparing the complex with the simple (447) 173
- Reif, S., see Wüst, M. (454) 59
- Reith, M.E.A., see Cao, B.-J. (448) 27
- Reitsma, H.J., see van Dam, B. (455) 43
- Rekik, M., El-Mas, M.M., Mustafa, J.S. and Abdel-Rahman, A.A.
Role of endothelial adenosine receptor-mediated vasorelaxation in ethanol-induced hypotension in hypertensive rats (452) 205
- Remacle, J., see Bouaziz, N. (441) 35
- Ren, J., see Norby, F.L. (439) 21
- Ren, J., see Brown, R.A. (442) 240
- Ren, J., see Wang, G.-J. (445) 239
- Ren, K., see Guo, W. (452) 309
- Ren, S., see Rölz, W. (442) 194
- Ren, Y.-H., see Li, S.-M. (443) 205
- Resim, S., Sinem Göktürk Büyüknacar, H., Göçmen, C., Önder, S. and Dikmen, A.
A possible effect of sulfhydryl reagents on the contractile activity of the rat detrusor muscle (442) 294
- Reubi, J.C., Eisenwiener, K.-P., Rink, H., Waser, B. and Mäcke, H.R.
A new peptidic somatostatin agonist with high affinity to all five somatostatin receptors (456) 45
- Rey, J.A., see Luque, C.A. (440) 119
- Rhim, H., Kim, H., Lee, D.Y., Oh, T.H. and Nah, S.-Y.
Ginseng and ginsenoside Rg_3 , a newly identified active ingredient of ginseng, modulate Ca^{2+} channel currents in rat sensory neurons (436) 151
- Rhodes, P.G., see Cai, Z. (437) 139
- Ribel, U., Larsen, M.O., Rolin, B., Carr, R.D., Wilken, M., Sturis, J., Westergaard, L., Deacon, C.F. and Knudsen, L.B.
NN2211: a long-acting glucagon-like peptide-1 derivative with anti-diabetic effects in glucose-intolerant pigs (451) 217
- Ricaurte, G.A., see Boot, B.P. (453) 239
- Riccardi, D., see McLarnon, S.J. (447) 271
- Rice, A.S.C., see Brooks, J.W. (439) 83
- Richard, C., see Anthes, J.C. (449) 229
- Richard, C., see Anthes, J.C. (450) 191
- Richard, D., Lin, Q. and Timofeeva, E.
The corticotropin-releasing factor family of peptides and CRF receptors: their roles in the regulation of energy balance (440) 189
- Richelmi, P., see Vairetti, M. (453) 69
- Richer, M., Hen, R. and Blier, P.
Modification of serotonin neuron properties in mice lacking 5-HT $_1A$ receptors (435) 195
- Richter, A., see Hamann, M. (443) 59
- Richter, A. and Löscher, W.
Effects of pharmacological manipulations of cannabinoid receptors on severity of dystonia in a genetic model of paroxysmal dyskinesia (454) 145
- Riddle, E.L., Kokoshka, J.M., Wilkins, D.G., Hanson, G.R. and Fleckenstein, A.E.
Tolerance to the neurotoxic effects of methamphetamine in young rats (435) 181
- Riddle, E.L., Topham, M.K., Haycock, J.W., Hanson, G.R. and Fleckenstein, A.E.
Differential trafficking of the vesicular monoamine transporter-2 by methamphetamine and cocaine (449) 71
- Riederer, P., Foley, P., Bringmann, G., Feineis, D., Brückner, R. and Gerlach, M.
Biochemical and pharmacological characterization of 1-trichloromethyl-1,2,3,4-tetrahydro- β -carboline: a biologically relevant neurotoxin? (442) 1
- Rigamonti, A.E., see De Gennaro Colonna, V. (450) 61
- Rigamonti, A.E., see Pitsikas, N. (452) 83
- Rimland, J.M., see Virginio, C. (445) 153
- Rimon, G., see Burde, T. (453) 167
- Rimvall, K., see Wulff, B.S. (453) 33
- Rinaldi-Carmona, M., see Landi, M. (450) 77
- Rink, H., see Reubi, J.C. (456) 45
- Rioja, I., Terencio, M.C., Ubeda, A., Molina, P., Tárraga, A., Gonzalez-Tejero, A. and Alcaraz, M.J.
A pyrroloquinazoline derivative with anti-inflammatory and analgesic activity by dual inhibition of cyclo-oxygenase-2 and 5-lipoxygenase (434) 177
- Rival, Y., Benéteau, N., Taillandier, T., Pezet, M., Dupont-Passelaigue, E., Patoiseau, J.-F., Junquéro, D., Colpaert, F.C. and Delhon, A.
PPAR α and PPAR δ activators inhibit cytokine-induced nuclear translocation of NF- κ B and expression of VCAM-1 in EAhy926 endothelial cells (435) 143
- Rizzo, C., see Anthes, J.C. (450) 191
- Robertson, A.P., see Purcell, J. (456) 11
- Robinson, E.S.J., Tyacke, R.J., Nutt, D.J. and Hudson, A.L.
Distribution of [^3H]BU224, a selective imidazoline I_2 binding site ligand, in rat brain (450) 55
- Rocha, J.B.T., see Porciúncula, L.O. (451) 165
- Rochette, L., see Bès, S. (452) 145

- Rodrigues, C., see Pereira, G.S. (437) 151
- Rodríguez De Fonseca, F., see Del Arco, I. (454) 103
- Rodríguez, R., see García-Barrado, M.J. (448) 95
- Rodríguez-Puertas, R., see González-Maeso, J. (452) 21
- Roehr, J., see Kongsamut, S. (450) 37
- Roeske, W.R., see Varga, E.V. (451) 101
- Roesler, R., see Picada, J.N. (443) 105
- Rohra, D.K., Saito, S.-y. and Ohizumi, Y.
Functional role of Cl^- channels in acidic pH-induced contraction of the aorta of spontaneously hypertensive and Wistar Kyoto rats (453) 279
- Rolin, B., see Ribet, U. (451) 217
- Röhlz, W., Xin, C., Ren, S., Pfeilschifter, J. and Huwiler, A.
Interleukin-1 inhibits angiotensin II-stimulated protein kinase B pathway in renal mesangial cells via the inducible nitric oxide synthase (442) 194
- Roman, R.J., see Moreno, C. (434) 163
- Romeo, G., see Matarrese, M. (453) 231
- Rømer, J., see Larsen, P.J. (440) 159
- Rommelspacher, H., Meier-Henco, M., Smolka, M. and Kloft, C.
The levels of norharman are high enough after smoking to affect monoamine oxidase B in platelets (441) 115
- Rónai, A.Z., see Müllner, K. (435) 225
- Roques, B.P., see Guen, S.L. (441) 141
- Roques, B.P., see Benoist, J.-M. (445) 201
- Rosas, R., see Ortiz, M.I. (438) 85
- Rosenblum, C.I., see MacNeil, D.J. (440) 141
- Rosenblum, C.I., see MacNeil, D.J. (450) 93
- Rosenblum, W.I., Wei, E.P. and Kontos, H.A.
Dilation of rat brain arterioles by hypercapnia in vivo can occur even after blockade of guanylate cyclase by ODQ (448) 201
- Rosi, S., see Wenk, G.L. (453) 319
- Rosignoli, F. and Pérez Leirós, C.
Activation of nitric oxide synthase through muscarinic receptors in rat parotid gland (439) 27
- Ross, B.M., Brooks, R.J., Lee, M., Kalasinsky, K.S., Vorce, S.P., Seeman, M., Fletcher, P.J. and Turenne, S.D.
Cyclooxygenase inhibitor modulation of dopamine-related behaviours (450) 141
- Ross, R.A., see Pertwee, R.G. (456) 99
- Rosse, R.B., see Deutsch, S.I. (449) 121
- Rossi, F., see Palazzo, E. (439) 69
- Rossi, F., see Oliva, P. (445) 179
- Rossol, M., see Thiele, A. (453) 325
- Rossoni, G., see De Gennaro Colonna, V. (450) 61
- Rossowski, W.J., Cheng, B.-L., Taylor, J.E., Datta, R. and Coy, D.H.
Human urotensin II-induced aorta ring contractions are mediated by protein kinase C, tyrosine kinases and Rho-kinase: inhibition by somatostatin receptor antagonists (438) 159
- Rostamin, P., see Zarrindast, M.-R. (451) 287
- Rothman, R.B., Katsnelson, M., Vu, N., Partilla, J.S., Dersch, C.M., Blough, B.E. and Baumann, M.H.
Interaction of the anorectic medication, phendimetrazine, and its metabolites with monoamine transporters in rat brain (447) 51
- Rothwell, N., see Le Feuvre, R. (447) 261
- Rotondo, S., Dell'Elba, G., Krauze-Brzósko, K., Manarini, S., Martelli, N., Pecce, R., Evangelista, V. and Cerletti, C.
Licofelone, a dual lipooxygenase–cyclooxygenase inhibitor, down-regulates polymorphonuclear leukocyte and platelet function (453) 131
- Roushanzamir, F., see Dehpour, A.R. (445) 31
- Roussin, A., see Quelven, I. (449) 91
- Rovati, G.E., see Accomazzo, M.R. (454) 107
- Rowbotham, D.J., see McDonald, J. (443) 7
- Rowland, N.E., see Pietras, T.A. (442) 236
- Rozalski, M. and Watala, C.
Antagonists of platelet fibrinogen receptor are less effective in carriers of $\text{Pl}^{\text{A}2}$ polymorphism of β_3 integrin (454) 1
- Rozé, C., see Guilmeau, S. (447) 99
- Rozhanskaya-Arena, M., see Lee, D.W. (440) 129
- Rozing, J., see Visser, J. (445) 133
- Rubenstein, M.L., see Dringenberg, H.C. (447) 43
- Rubenzik, M., see Varga, E.V. (451) 101
- Rubín, J.M., see Velasco, L. (438) 45
- Rudd, J.A., see Kan, K.K.W. (453) 299
- Rudd, J.A., Yamamoto, K., Yamatodani, A. and Takeda, N.
Differential action of ondansetron and dexamethasone to modify cisplatin-induced acute and delayed kaolin consumption (“pica”) in rats (454) 47
- Rüdiger Jentzsch, K., see De Vry, J. (457) 147
- Rudnäs, B., see Törnquist, K. (453) 1
- Ruggeri, R.B., see Marala, R.B. (451) 37
- Ruii, S., see Marchese, G. (444) 69
- Ruii, S., see Marchese, G. (447) 109
- Ruii, S., see Marchese, G. (448) 263
- Ruiz de Apodaca, R.F., see Miranda, F.J. (439) 121
- Russek, S.J., see Steiger, J.L. (446) 199
- Russo, F., see Matarrese, M. (453) 231
- Rutledge, R.Z., see Edvinsson, L. (434) 49
- Rybak, L.P., see Bhat, S.G. (442) 250
- Rychkov, A.V., see Ziganshin, A.U. (456) 107
- Rydelius, G., see Spetea, M. (435) 245
- Saba, P., see Marchese, G. (444) 69
- Saba, P., see Marchese, G. (447) 109
- Saba, P., see Marchese, G. (448) 263
- Sachidhanandam, S.B., Low, K.S.Y. and Mochhala, S.M.
Naltrexone attenuates plasma nitric oxide release following acute heat stress (450) 163
- Sadeghipour, H., see Dehpour, A.R. (445) 31
- Safo, P., see Wingrove, P.B. (437) 31
- Sahin-Erdemli, I., see Burcin İsmailoglu, U. (435) 113
- Sahraei, H., see Karami, M. (449) 113
- Sahraei, H., see Gholami, A. (449) 269
- Sahraei, H., see Zarrindast, M.R. (453) 81
- Saigusa, T., see Fusa, K. (448) 143
- Saijo, R., see Kagaya, N. (450) 231
- Saiki, I., see Sasamura, T. (441) 185
- Sainz, J., see Wangenstein, R. (444) 97
- Saito, E.-s., Kaiya, H., Takagi, T., Yamasaki, I., Denbow, D.M., Kangawa, K. and Furuse, M.
Chicken ghrelin and growth hormone-releasing peptide-2 inhibit food intake of neonatal chicks (453) 75
- Saito, M., see Matsuda, M. (453) 141
- Saito, M., Suzuki, H., Yamada, M. and Miyagawa, I.
Preventive effect of long-chain fatty alcohol on ischemia–reperfusion injury in the rat bladder (454) 81
- Saito, S., Frank, G.D., Motley, E.D., Utsunomiya, H., Inagami, T. and Eguchi, S.
Cyclosporin A inhibits angiotensin II-induced c-Jun NH_2 -terminal kinase activation but not protein synthesis in vascular smooth muscle cells (443) 47
- Saito, S.-y., see Rohra, D.K. (453) 279
- Saito, Y., see Aoki, T. (444) 107
- Sakaguchi, M., see Mitamura, M. (436) 217
- Sakaguchi, S., Iizuka, Y., Furusawa, S., Ishikawa, M., Satoh, S. and Takayanagi, M.
Role of Zn^{2+} in oxidative stress caused by endotoxin challenge (451) 309
- Sakai, H., Shimizu, T., Hori, K., Ikari, A., Asano, S. and Takeguchi, N.
Molecular and pharmacological properties of inwardly rectifying K^+ channels of human lung cancer cells (435) 125
- Sakai, N., see Sendo, T. (450) 203
- Sakai, S.-I., see Tsuchiya, S. (443) 185

- Sakakibara, I., see Yuzurihara, M. (444) 183
- Sakamoto, K., see Sato, R. (434) 125
- Sakamoto, T., see Ishii, Y. (449) 183
- Sakanoue, M., Mori, N., Takei, N., Kawai, M., Tani, K., Suzuki, K., Iwata, Y., Sekine, Y., Ashby Jr., C.R. and Minabe, Y.
Tacrolimus, a specific inhibitor of calcineurin, modifies the locomotor activity of quinpirole, but not that of SKF82958, in male rats (438) 93
- Sakata, K. and Bäck, M.
Receptor preferences of cysteinyl-leukotrienes in the guinea pig lung parenchyma (436) 119
- Saki, M., Tsumuki, H., Nonaka, H., Shimada, J. and Ichimura, M.
KF26777 (2-(4-bromophenyl)-7,8-dihydro-4-propyl-1*H*-imidazo[2,1-*i*]purin-5(4*H*)-one dihydrochloride), a new potent and selective adenosine A₃ receptor antagonist (444) 133
- Sakuma, I., Akaishi, Y., Tomioka, H., Sato, A., Kitabatake, A. and Hattori, Y.
Interactions of sildenafil with various coronary vasodilators in isolated porcine coronary artery (437) 155
- Sakuma, S., see Nishigaki, F. (437) 123
- Sakuma, S., see Fujii, Y. (456) 115
- Sakurada, C., see Sakurada, S. (434) 29
- Sakurada, S., Orito, T., Sakurada, C., Sato, T., Hayashi, T., Mobarakeh, J.I., Yanai, K., Onodera, K., Watanabe, T. and Sakurada, T.
Possible involvement of tachykinin NK₁ and NMDA receptors in histamine-induced hyperalgesia in mice (434) 29
- Sakurada, T., see Sakurada, S. (434) 29
- Sakuragawa, N., see Elwan, M.A. (435) 205
- Sala, F., see Choi, S. (442) 37
- Sala, S., see Choi, S. (442) 37
- Salaroli, A.F., see Ferreira, H.H.A. (442) 155
- Salaz, D.O., see Hanania, T. (457) 125
- Salmon, M., see Huang, T.-J. (437) 187
- Salvemini, D., see Cuzzocrea, S. (450) 67
- Sanak, M., see Nalepa, I. (444) 151
- Sánchez, M., see Velasco, L. (438) 45
- Sánchez, R.M., see Llaverías, G. (451) 11
- Sanchez, J.J., Abreu, P. and Gonzalez, M.C.
Sodium nitroprusside stimulates L-DOPA release from striatal tissue through nitric oxide and cGMP (438) 79
- Sánchez-Gómez, M.V., see Matute, C. (447) 239
- Sandau, K.B., see Sumbayev, V.V. (444) 1
- Sandmann, S., Spormann, J., Prenzel, F., Shaw, L. and Unger, T.
Calcium channel blockade limits transcriptional, translational and functional up-regulation of the cardiac calpain system after myocardial infarction (453) 99
- Sandoval, V., see Metzger, R.R. (456) 39
- Sandrini, G., Tassorelli, C., Cecchini, A.P., Alfonsi, E. and Nappi, G.
Effects of nimesulide on nitric oxide-induced hyperalgesia in humans—a neurophysiological study (450) 259
- Sanidas, D., Garnham, A. and Mian, R.
Hypoxia-induced chemiluminescence in human leukocytes: the role of Ca²⁺ (453) 183
- Sanna, E., Busonero, F., Talani, G., Carta, M., Massa, F., Peis, M., Maciocco, E. and Biggio, G.
Comparison of the effects of zaleplon, zolpidem, and triazolam at various GABA_A receptor subtypes (451) 103
- Sano, J.-i., see Noji, T. (449) 293
- Sano, J.-i., see Noji, T. (454) 85
- Sano, J.-i., see Noji, T. (455) 187
- Santangeli, S., Sills, G.J., Thompson, G.G. and Brodie, M.J.
Na⁺ channel effects of remacemide and desglycyl-remacemide in rat cortical synaptosomes (438) 63
- Santicoli, P., see Tramontana, M. (439) 149
- Santo-Yamada, Y., see Yamada, K. (440) 281
- Santo-Yamada, Y., see Yamada, K. (448) 269
- Sanz, E., see Fernández, N. (457) 161
- Sanz, M., Ganado, P. and Tejerina, T.
Two angiotensin AT₁ receptor antagonists, irbesartan and losartan, effects in cholesterol-fed rabbits (442) 99
- Sarkar, C., see Das, B. (437) 165
- Sarkar, S.N., see Asokan, K.T. (455) 65
- Sarkis, J.J.F., see Pereira, G.S. (437) 151
- Sasaki, H., see Yuzurihara, M. (444) 183
- Sasaki, K., see Yamasaki, M. (439) 159
- Sasaki, K., see Hirose, H. (452) 245
- Sasaki, R., see Yamada, M. (449) 167
- Sasaki, T., see Mochida, H. (456) 91
- Sasamura, T., Nakamura, S., Iida, Y., Fujii, H., Murata, J., Saiki, I., Nojima, H. and Kuraishi, Y.
Morphine analgesia suppresses tumor growth and metastasis in a mouse model of cancer pain produced by orthotopic tumor inoculation (441) 185
- Sasaoka, T., see Tsuneki, H. (448) 245
- Sato, A., see Sakuma, I. (437) 155
- Sato, F., see Aoki, T. (444) 107
- Sato, H., see Noji, T. (449) 293
- Sato, H., see Noji, T. (455) 187
- Sato, K., see Moritani, Y. (439) 43
- Sato, M., see Hasegawa, M. (441) 217
- Sato, M., see Adachi, K. (442) 81
- Sato, N., see Honda, M. (445) 187
- Sato, N., see Yamada, M. (449) 167
- Sato, N., see Satoh, S.-i. (455) 169
- Sato, R., Sakamoto, K., Yamazaki, J. and Nagao, T.
Differences in protective profiles of diltiazem isomers in ischemic and reperfused guinea pig hearts (434) 125
- Sato, T., see Sakurada, S. (434) 29
- Satoh, M., see Kume, T. (455) 91
- Satoh, S., see Fukushima, Y. (437) 69
- Satoh, S., see Sakaguchi, S. (451) 309
- Satoh, S.-i., Yamaguchi, T., Hitomi, A., Sato, N., Shiraiwa, K., Ikegaki, I., Asano, T. and Shimokawa, H.
Fasudil attenuates interstitial fibrosis in rat kidneys with unilateral ureteral obstruction (455) 169
- Saunders, P.R., Maillot, C., Million, M. and Taché, Y.
Peripheral corticotropin-releasing factor induces diarrhea in rats: role of CRF₁ receptor in fecal watery excretion (435) 231
- Sautebin, L., see Ottaná, R. (448) 71
- Sawa, H., see Nakazawa, K. (449) 207
- Sawai-Nakayama, H., see Yamakuni, H. (442) 272
- Sawynok, J. and Reid, A.
Modulation of formalin-induced behaviors and edema by local and systemic administration of dextromethorphan, memantine and ketamine (450) 153
- Saxena, P.R., see Bhalla, P. (436) 23
- Saxena, P.R., see van den Broek, R.W.M. (443) 125
- Saxena, P.R., see Van Kerckhoven, R. (449) 135
- Sayeed, S., Cullen, J.P., Coppage, M., Sitzmann, J.V. and Redmond, E.M.
Ethanol differentially modulates the expression and activity of cell cycle regulatory proteins in rat aortic smooth muscle cells (445) 163
- Scafuro, M., see Oliva, P. (445) 179
- Scatturin, A., see Dalpiaz, A. (436) 187
- Schadrack, J., see Kirschke, C. (446) 43
- Scharrer, E., see Kuhn, G. (457) 187
- Scheerens, J., van Gessel, S.B.E., Nijkamp, F.P. and Folkerts, G.
Eotaxin protein levels and airway pathology in a mouse model for allergic asthma (453) 111
- Scheibler, P., see Fischer, W. (438) 53
- Schiavon, V.F., see Prado, W.A. (441) 57
- Schindler, C.W., Bross, J.G. and Thorndike, E.B.
Gender differences in the behavioral effects of methamphetamine (442) 230

- Schindler, M. and Doods, H.N.
Binding properties of the novel, non-peptide CGRP receptor antagonist radioligand, [³H]BIBN4096BS (442) 186
- Schlüter, H., see van der Giet, M. (448) 207
- Schmidt, A.P., see Porciúncula, L.O. (451) 165
- Schmidt, D.E., see de Paulis, T. (442) 214
- Schmidt, J., see Alloui, A. (443) 71
- Schmidt, S., see van der Giet, M. (448) 207
- Schmidt, W.E., see Meier, J.J. (440) 269
- Schmidtke, P., see Zhou, X. (453) 309
- Schoeffter, P., see Spooren, W.P.J.M. (435) 161
- Schoemaker, R.G., see Van Kerckhoven, R. (449) 135
- Schoof, E., see von der Hardt, K. (457) 71
- Schoof, E., von der Hardt, K., Wandler, M.A., Abendroth, F., Papadopoulos, T., Rascher, W. and Dötsch, J.
Aerosolized perfluorocarbon reduces adhesion molecule gene expression and neutrophil sequestration in acute respiratory distress (457) 195
- Schröder, R.L., see Dupuis, D.S. (437) 129
- Schröder, N., see Picada, J.N. (443) 105
- Schroeder, T.V., see Gruhn, N. (446) 143
- Schrör, K., see Blindt, R. (444) 31
- Schuler, M., see Dessolin, J. (447) 155
- Schultheiss, G., Seip, G., Kocks, S.L. and Diener, M.
Ca²⁺-dependent and -independent Cl[−] secretion stimulated by the nitric oxide donor, GEA 3162, in rat colonic epithelium (444) 21
- Schwienbacher, I., Fendt, M., Hauber, W. and Koch, M.
Dopamine D₁ receptors and adenosine A₁ receptors in the rat nucleus accumbens regulate motor activity but not prepulse inhibition (444) 161
- Scott, D.A., Wright, C.E. and Angus, J.A.
Actions of intrathecal ω -conotoxins CVID, GVIA, MVIIA, and morphine in acute and neuropathic pain in the rat (451) 279
- Scott, L., see Heijtz, R.D. (445) 97
- Sebens, J.B., see Jongsma, M.E. (455) 109
- Sebhat, I., see Martin, W.J. (454) 71
- Seegers, U., Potschka, H. and Löscher, W.
Lack of effects of prolonged treatment with phenobarbital or phenytoin on the expression of P-glycoprotein in various rat brain regions (451) 149
- Seeman, M., see Ross, B.M. (450) 141
- Segarra, G., Medina, P., Vila, J.M., Martinez-León, J.B., Domenech, C., Prieto, F. and Lluch, S.
Relaxation induced by milrinone and rolipram in human penile arteries and veins (444) 103
- Sehring, S., see Anthes, J.C. (450) 191
- Seifert, G., see Steinhäuser, C. (447) 227
- Seip, G., see Schultheiss, G. (444) 21
- Seisenberger, C., see Klugbauer, N. (447) 279
- Seki, S., see Takashima, T. (451) 265
- Sekiguchi, Y., see Honda, M. (445) 187
- Sekine, T., see Takeda, M. (441) 215
- Sekine, Y., see Sakanoue, M. (438) 93
- Sekizawa, K., see Ishii, Y. (449) 183
- Sekut, L., see Osborn, B.L. (456) 149
- Sendo, T., Goromaru, T., Aki, K., Sakai, N., Itoh, Y. and Oishi, R.
Carbazochrome attenuates pulmonary dysfunction induced by a radiographic contrast medium in rats (450) 203
- Seow, C.-J., Chue, S.-C. and Wong, W.S.F.
Piceatannol, a Syk-selective tyrosine kinase inhibitor, attenuated antigen challenge of guinea pig airways in vitro (443) 189
- Sepehri, H., see Karami, M. (449) 113
- Sepehri, H., see Zarrindast, M.R. (453) 81
- Sepúlveda, J., Ortega, A., Zapata, G. and Contreras, E.
Acamprosate decreases the induction of tolerance and physical dependence in morphine-treated mice (445) 87
- Sergejeva, M., see Gühring, H. (454) 153
- Serra, G., see D'Aquila, P.S. (435) 67
- Serra, S., see Carai, M.A.M. (441) 157
- Serra, S., Brunetti, G., Pani, M., Vacca, G., Carai, M.A.M., Gessa, G.L. and Colombo, G.
Blockade by the cannabinoid CB₁ receptor antagonist, SR 141716, of alcohol deprivation effect in alcohol-preferring rats (443) 95
- Serra, S., see Vacca, G. (445) 55
- Serra, S., see Carai, M.A.M. (445) 195
- Serraino, I., see Cuzzocrea, S. (450) 67
- Serraino, I., see Cuzzocrea, S. (453) 119
- Serrano, S.V., see De Lucca, F.L. (450) 85
- Serrão, M.P., see Fraga, S. (441) 127
- Serretti, A., Lilli, R. and Smeraldi, E.
Pharmacogenetics in affective disorders (438) 117
- Severina, I.S., Pyatakova, N.V., Bussygina, O.G., Mikhailitsyn, F.S. and Khropov, Y.V.
Inhibition of nitric oxide-dependent activation of soluble guanylyl cyclase by the antimalarial drug, artemisinin (438) 69
- Sewell, R.D.E., see Deslandes, P.N. (453) 223
- Seyyedi, A., see Dehpour, A.R. (445) 31
- Shah, H., see Wan, Y. (456) 1
- Shahidullah, M., Duncan, A., Strachan, P.D., Rafique, K.M., Ball, S.L., McPate, M.J.W., Nelli, S. and Martin, W.
Role of catalase in the smooth muscle relaxant actions of sodium azide and cyanamide (435) 93
- Shang, F., see Warner, F.J. (438) 171
- Sharifzadeh, M., see Zarrindast, M.-R. (451) 63
- Sharma, H.S., see Bhalla, P. (436) 23
- Sharma, S., see Gabriele, J. (453) 13
- Sharp, T., see Meller, R. (445) 13
- Shaw, D., see Edvinsson, L. (434) 49
- Shaw, L., see Sandmann, S. (453) 99
- Shayibuzhati, M., see Cao, J. (442) 115
- Shen, C., see Chen, J. (452) 155
- Shen, C.-P., see MacNeil, D.J. (440) 141
- Shen, C.-P., see MacNeil, D.J. (450) 93
- Shen, S.-C., Lee, W.-R., Lin, H.-Y., Huang, H.-C., Ko, C.-H., Yang, L.-L. and Chen, Y.-C.
In vitro and in vivo inhibitory activities of rutin, wogonin, and quercetin on lipopolysaccharide-induced nitric oxide and prostaglandin E₂ production (446) 185
- Shen, Y.-M., see Li, L. (449) 23
- Shen, Z.-Q., see Li, L. (449) 23
- Sheng, G.-Q., Zhang, J.-R., Pu, X.-P., Ma, J. and Li, C.-L.
Protective effect of verbascoide on 1-methyl-4-phenylpyridinium ion-induced neurotoxicity in PC12 cells (451) 119
- Sher, E., see Broad, L.M. (452) 137
- Sheu, J.-R., see Lin, C.-H. (450) 1
- Shi, J., see Li, S.-M. (435) 217
- Shi, Y., see Bai, J. (440) 1
- Shiba, T., see Noguchi, H. (434) 21
- Shibano, M., Yamamoto, Y., Horinouchi, T., Tanaka, Y. and Koike, K.
Pharmacological characterization of α_1 -adrenoceptor in mouse iliac artery (456) 77
- Shibasaki, T., see Ohata, H. (457) 201
- Shibuya, A., see Shiojiri, T. (448) 231
- Shigenaga, T., see Moritani, Y. (439) 43
- Shih, N.-Y., see Anthes, J.C. (450) 191
- Shim, I., Kim, H.-T., Kim, Y.-H., Chun, B.-G., Hahm, D.-H., Lee, E.H., Kim, S.E. and Lee, H.-J.
Role of nitric oxide synthase inhibitors and NMDA receptor antagonist in nicotine-induced behavioral sensitization in the rat (443) 119
- Shimada, J., see Saki, M. (444) 133
- Shimizu, T., see Sakai, H. (435) 125
- Shimizu, Y., see Utsugi, M. (436) 47
- Shimokawa, H., see Satoh, S.-i. (455) 169
- Shimomura, Y., see Takekawa, S. (438) 129

- Shimuta, S.I., see França, L.P. (439) 13
- Shin, H.-S., see Jang, M.-H. (449) 39
- Shin, M.-C., see Jang, M.-H. (449) 39
- Shin, V.Y., Liu, E.S.L., Koo, M.W.L., Luo, J.C., So, W.H.L. and Cho, C.H.
Nicotine suppresses gastric wound repair via the inhibition of polyamine and K⁺ channel expression (444) 115
- Shin, V.Y., see Wong, D. (434) 81
- Shinozaki, K., Takeda, H., Inazu, M., Matsumiya, T. and Takasaki, M.
Abnormal incorporation and utilization of α -tocopherol in erythrocyte membranes of streptozotocin-induced diabetic rats (456) 133
- Shiojiri, T., Wada, K., Nakajima, A., Katayama, K., Shibuya, A., Kudo, C., Kadowaki, T., Mayumi, T., Yura, Y. and Kamisaki, Y.
PPAR γ ligands inhibit nitrotyrosine formation and inflammatory mediator expressions in adjuvant-induced rheumatoid arthritis mice (448) 231
- Shirai, T., see Tamura, T. (448) 81
- Shiraishi, N., see Inagaki, N. (448) 175
- Shiraiwa, K., see Satoh, S.-i. (455) 169
- Shirakawa, H., Katsuki, H., Kume, T., Kaneko, S., Ito, J. and Akaike, A.
Regulation of *N*-methyl-D-aspartate cytotoxicity by neuroactive steroids in rat cortical neurons (454) 165
- Shirley, D.G., see Thomsen, K. (437) 85
- Shoeb, F., see Malykhina, A.P. (452) 269
- Shuck, C., see Knapp, R.J. (440) 27
- Shum, A.-C., see Wang, G.-J. (445) 239
- Shuster, S., see Stair, S. (450) 291
- Siatra, T., see Andreadou, I. (453) 271
- Sibug, R.M., see Rahmouni, K. (436) 207
- Sills, G.J., see Santangeli, S. (438) 63
- Silva, B.A., see Aboulafia, J. (442) 29
- Silvestrova, N., see Ganafa, A.A. (454) 217
- Sim, M.-K., see Loke, W.-K. (442) 278
- Simonelli, P., see Matarrese, M. (453) 231
- Sinem Göktürk Büyüknacar, H., see Resim, S. (442) 294
- Sirois, P., see Gabra, B.H. (457) 115
- Sitar, D.S., see Fourie, J. (452) 1
- Sitzmann, J.V., see Sayeed, S. (445) 163
- Skaper, S.D., see Legos, J.J. (447) 37
- Skepper, J.N., see Mason, S. (438) 25
- Skolnick, P., see Quirk, J.C. (454) 125
- Skottner, A., see Dambrova, M. (445) 105
- Slater, Y., Houlihan, L.M., Cassels, B.K., Lukas, R.J. and Bermúdez, I.
Effects of the plant alkaloid tetrandrine on human nicotinic acetylcholine receptors (450) 213
- Smart, D., see Mason, S. (438) 25
- Smart, D., Haynes, A.C., Williams, G. and Arch, J.R.S.
Orexins and the treatment of obesity (440) 199
- Smeraldi, E., see Serretti, A. (438) 117
- Smith, E.S., see Barrett, A.C. (452) 163
- Smith, G., see Hashimoto, Y. (449) 17
- Smith, L.A., see Hansard, M.J. (451) 157
- Smith, S.R., Denhardt, G. and Terminelli, C.
A role for histamine in cytokine modulation by the adenosine A₃ receptor agonist, 2-Cl-IB-MECA (457) 57
- Smits, P., see Legtenberg, R.J. (434) 35
- Smolka, M., see Rommelspacher, H. (441) 115
- So, W.H.L., see Shin, V.Y. (444) 115
- Soares-da-Silva, P., see Fraga, S. (441) 127
- Socci, R.R., see Ganafa, A.A. (454) 217
- Soini, S.L., Hyytiä, P. and Korpi, E.R.
Brain regional μ -opioid receptor function in rat lines selected for differences in alcohol preference (448) 157
- Solty, H., see Dringenberg, H.C. (447) 43
- Someya, A., see Mitamura, M. (436) 217
- Someya, A., Horie, S. and Murayama, T.
Arachidonic acid release and prostaglandin F_{2 α} formation induced by anandamide and capsaicin in PC12 cells (450) 131
- Somogyi, A.A., see Hutchinson, M.R. (453) 27
- Sorocz, M., see Kovács, G.L. (448) 151
- Souktani, R., see Lellouche, N. (450) 179
- Sousa, T., Morato, M. and Albino-Teixeira, A.
Angiotensin converting enzyme inhibition prevents trophic and hypertensive effects of an antagonist of adenosine receptors (441) 99
- Sousa, T., see Morato, M. (455) 135
- Souza, D.G., Pinho, V., Cassali, G.D., Poole, S. and Teixeira, M.M.
Effect of a BLT receptor antagonist in a model of severe ischemia and reperfusion injury in the rat (440) 61
- Souza, D.O., see Porciúncula, L.O. (451) 165
- Souza, F.R., Souza, V.T., Ratzlaff, V., Borges, L.P., Oliveira, M.R., Bonacorso, H.G., Zanatta, N., Martins, M.A.P. and Mello, C.F.
Hypothermic and antipyretic effects of 3-methyl- and 3-phenyl-5-hydroxy-5-trichloromethyl-4,5-dihydro-1*H*-pyrazole-1-carboxyamides in mice (451) 141
- Souza, L.R., see De Lucca, F.L. (450) 85
- Souza, V.T., see Souza, F.R. (451) 141
- Souza-Formigoni, M.L.O., see Quadros, I.M.H. (442) 55
- Soydan, A.S., see Kaya, T.T. (442) 147
- Spanagel, R., see Kirschke, C. (446) 43
- Specht, V., see Klugbauer, N. (447) 279
- Spedding, M., see Menton, K. (444) 53
- Spencer Yost, C., see Paul, M. (438) 35
- Sperelakis, N., see Ajiro, Y. (435) 27
- Spetea, M., Rydelius, G., Nylander, I., Ahmed, M., Bileviciute-Ljungar, I., Lundeberg, T., Svensson, S. and Kreicbergs, A.
Alteration in endogenous opioid systems due to chronic inflammatory pain conditions (435) 245
- Spisani, S., see Dalpiaz, A. (436) 187
- Spooren, W.P.J.M., Schoeffter, P., Gasparini, F., Kuhn, R. and Gentsch, C.
Pharmacological and endocrinological characterisation of stress-induced hyperthermia in singly housed mice using classical and candidate anxiolytics (LY314582, MPEP and NKP608) (435) 161
- Spormann, J., see Sandmann, S. (453) 99
- Spruce, A.E., see Easter, A. (440) 17
- Spurrell, B.E., see Murphy, T.V. (442) 107
- Squadrito, F., see Catania, M.A. (437) 147
- Srivoraphan, P., see Piyachaturawat, P. (439) 141
- Stachura, J., see Konturek, P.C. (451) 191
- Stair, S., Carlson, K.W., Shuster, S., Wei, E.T. and Stern, R.
Mystixin peptides reduce hyaluronan deposition and edema formation (450) 291
- Stamford, A., see Parker, E. (440) 173
- Stanford, S.J., Pepper, J.R. and Mitchell, J.A.
Cytokine modulation of granulocyte macrophage-CSF and granulocyte-CSF release from stimulated vascular smooth muscle cells (436) 241
- Starke, K., see Bültmann, R. (436) 135
- Stążka, J., Luchowski, P., Wielosz, M., Kleinrok, Z. and Urbańska, E.M.
Endothelium-dependent production and liberation of kynurenic acid by rat aortic rings exposed to L-kynurenine (448) 133
- Stefanski, R., Lee, S.-H., Yasar, S., Cadet, J.L. and Goldberg, S.R.
Lack of persistent changes in the dopaminergic system of rats withdrawn from methamphetamine self-administration (439) 59
- Stehouwer, C.D.A., see van Dam, B. (455) 43
- Steiger, J.L., Galler, J.R., Farb, D.H. and Russek, S.J.
Prenatal protein malnutrition reduces β_2 , β_3 and γ_{2L} GABA_A receptor subunit mRNAs in the adult septum (446) 199
- Steinbusch, H.W.M., see Prickaerts, J. (436) 83
- Steinhäuser, C. and Seifert, G.
Glial membrane channels and receptors in epilepsy: impact for generation and spread of seizure activity (447) 227
- Stephens Jr., R.L., see Varanasi, S. (436) 67
- Stern, R., see Stair, S. (450) 291
- Stillwagon, J.C., see Christopher, T.A. (446) 137
- Stock, M.J., see Liu, Y.-L. (452) 49

- Stone, T.W. and Addae, J.I.
The pharmacological manipulation of glutamate receptors and neuro-protection (447) 285
- Strachan, P.D., see Shahidullah, M. (435) 93
- Strack, A.M., see MacNeil, D.J. (440) 141
- Strack, A.M., see MacNeil, D.J. (450) 93
- Strakhova, M., see Quirk, J.C. (454) 125
- Strijbos, P.J.L.M., see Legos, J.J. (447) 37
- Strømme Johannesen, T. and Myhrer, T.
Impaired visual memory in rats reared in isolation is reversed by D-cycloserine in the adult rat (437) 73
- Stropova, D., see Varga, E.V. (451) 101
- Stukenbrok, H.A., see Chapman, J.G. (456) 59
- Sturiale, A., see Catania, M.A. (437) 147
- Sturis, J., see Ribbel, U. (451) 217
- Sturm, B., see Osborn, B.L. (456) 149
- Su, W., see Chao, Y.-Y. (443) 31
- Su, Z.G., Zhang, S.Z., Hou, Y.P., Li, T., Nebert, D.W., Zhang, L., Huang, D.J., Liao, L.C. and Xiao, C.Y.
Single-nucleotide polymorphisms in the lipoprotein lipase gene associated with coronary heart disease in Chinese (454) 9
- Sučić, M., see Čulić, O. (450) 277
- Sueishi, K., Mishima, K., Makino, K., Itoh, Y., Tsuruya, K., Hirakata, H. and Oishi, R.
Protection by a radical scavenger edaravone against cisplatin-induced nephrotoxicity in rats (451) 203
- Sugano, E., see Tomita, H. (452) 263
- Suganuma, T., see Nishikori, T. (451) 327
- Sugawara, A., see Zhao, Y.L. (445) 115
- Sugidachi, A., see Ogawa, T. (457) 107
- Sugihara, Y., see Tsuneki, H. (448) 245
- Sugimoto, K.-i., Tsuruoka, S. and Fujimura, A.
Renal protective effect of YM598, a selective endothelin ET_A receptor antagonist, against diabetic nephropathy in OLETF rats (450) 183
- Sugimoto, Y., see Kayasuga, R. (449) 287
- Sugiura, H., see Asanuma, Y. (435) 253
- Sugiura, T., see Kojima, S.-i. (444) 203
- Sugiyama, M., see Varga, E.V. (451) 101
- Suketa, Y., see Ikari, A. (451) 133
- Suksamram, A., see Piyachaturawat, P. (439) 141
- Sullivan, J.P., see Buckner, S.A. (449) 159
- Sumbayev, V.V., Sandau, K.B. and Brüne, B.
Mesangial cells but not hepatocytes are protected against NO/O₂⁻ cogeneration: mechanistic considerations (444) 1
- Summers, R.J., see Tan, Y.Y. (457) 153
- Sun, D., see Marala, R.B. (451) 37
- Sundquist, S., see Modiri, A.-R. (451) 171
- Sureda, F.X., see Pubill, D. (448) 165
- Suter, P.M., see Locher, R. (434) 1
- Suzuki, H., see Aoki, T. (444) 107
- Suzuki, H., see Saito, M. (454) 81
- Suzuki, K., see Sakanoue, M. (438) 93
- Suzuki, K., see Izumi, T. (452) 199
- Suzuki, K.-i., see Moritani, Y. (439) 43
- Suzuki, M., see Indra, B. (437) 173
- Suzuki, M., see Indra, B. (445) 21
- Suzuki, M., see Yamada, M. (449) 167
- Suzuki, N., see Takekawa, S. (438) 129
- Suzuki, R., see Oku, H. (446) 165
- Suzuki, R., see Nakazato, H. (446) 175
- Suzuki, S., see Abe, Y. (455) 127
- Suzuki, T., Ishigooka, J., Watanabe, S. and Miyaoka, H.
Enhancement of delayed release of dopamine in the amygdala induced by conditioned fear stress in methamphetamine-sensitized rats (435) 59
- Suzuki, Y., see Kondo, K. (455) 53
- Suzuki-Kemmelmeier, F., see Fernandes, T.R.L. (454) 225
- Suzuki-Kusaba, M., see Fukushima, Y. (437) 69
- Svensson, S., see Spetea, M. (435) 245
- Świader, M., see Borowicz, K.K. (449) 85
- Szilvássy, Z., see Pórszász, R. (441) 173
- Szilvassy, Z., see Porszasz, R. (443) 211
- Szolcsányi, J., see Pórszász, R. (441) 173
- Szolcsanyi, J., see Porszasz, R. (443) 211
- Tabakman, R., see Abu-Raya, S. (434) 109
- Taberner, P.V., see Mayer, G. (454) 95
- Tabrizchi, R., see Parai, K. (448) 59
- Taché, Y., see Saunders, P.R. (435) 231
- Tachikawa, E., see Kudo, K. (456) 19
- Tada, H., Nakagawa, K., Yamamura, T. and Takahashi, T.
Antagonistic effects of CompB on orphanin FQ-induced colonic contractions in rats (454) 53
- Tadokoro, K., see Nishikimi, T. (453) 175
- Tafani, J.-A., see Quelden, I. (449) 91
- Taga, Y., see Gürün, M.S. (438) 197
- Tagawa, Y.-i., see Kagaya, N. (450) 231
- Taguchi, R., see Kume, T. (455) 91
- Tahara, A., see Tsukada, J. (446) 127
- Tahara, A., see Wada, K.-i. (450) 169
- Tai, N., see Izushi, K. (440) 79
- Taillandier, T., see Rival, Y. (435) 143
- Tajima, T., see Cao, J. (442) 115
- Takada, C., see Noji, T. (454) 85
- Takada, J., see Kitayama, J. (438) 153
- Takafumi, N., see Tamura, T. (448) 81
- Takagi, K., see Zhao, Y.L. (445) 115
- Takagi, M., see Mochida, H. (440) 45
- Takagi, M., see Inoue, H. (443) 179
- Takagi, M., see Mochida, H. (456) 91
- Takagi, N., see Urakawa, K. (435) 237
- Takagi, N., see Fukatsu, T. (453) 59
- Takagi, T., see Saito, E.-s. (453) 75
- Takagi, T., see Uemura, M. (456) 29
- Takagi, Y., see Kashiwakura, I. (437) 19
- Takahara, A., Koganei, H., Takeda, T. and Iwata, S.
Antisymphathetic and hemodynamic property of a dual L/N-type Ca²⁺ channel blocker cilnidipine in rats (434) 43
- Takahashi, K., see Teramura, K. (449) 191
- Takahashi, K., see Teramura, K. (457) 51
- Takahashi, O., see Goto, Y. (438) 189
- Takahashi, S., see Kanai, M. (453) 53
- Takahashi, T., see Tada, H. (454) 53
- Takahashi, T.A., see Kashiwakura, I. (437) 19
- Takai, S., see Okamoto, Y. (435) 265
- Takaoka, M., see Konishi, F. (451) 177
- Takasaki, M., see Tateyama, S. (451) 79
- Takasaki, M., see Shinozaki, K. (456) 133
- Takashima, T., Kawada, N., Maeda, N., Okuyama, H., Uyama, N., Seki, S. and Arakawa, T.
Pepstatin A attenuates the inhibitory effect of *N*-acetyl-L-cysteine on proliferation of hepatic myofibroblasts (stellate cells) (451) 265
- Takasu, T., see Funatsu, T. (455) 161
- Takayama, H., see Tsuchiya, S. (443) 185
- Takayama, H., see Kang, T.-H. (444) 39
- Takayama, H., see Kang, T.-H. (455) 27
- Takayanagi, M., see Sakaguchi, S. (451) 309
- Takebe, M., see Noda, K. (456) 81
- Takeda, H., Tsuji, M., Inazu, M., Egashira, T. and Matsu-miya, T.
Rosmarinic acid and caffeic acid produce antidepressive-like effect in the forced swimming test in mice (449) 261
- Takeda, H., see Shinozaki, K. (456) 133

- Takeda, M., Babu, E., Narikawa, S. and Endou, H.
Interaction of human organic anion transporters with various cephalosporin antibiotics (438) 137
- Takeda, M., Narikawa, S., Hosoyamada, M., Cha, S.H., Sekine, T. and Endou, H.
Erratum to “Characterization of organic anion transport inhibitors using cells stably expressing human organic anion transporters” [Eur. J. Pharmacol. 419 (2001) 113–120] (441) 215
- Takeda, M., Babu, E., Narikawa, S. and Endou, H.
Corrigendum to “Interaction of human organic anion transporters with various cephalosporin antibiotics” [Eur. J. Pharmacol. 438 (2001) 137–142] (450) 111
- Takeda, N., see Rudd, J.A. (454) 47
- Takeda, T., see Takahara, A. (434) 43
- Takeda, Y., see Urakawa, K. (435) 237
- Takeguchi, N., see Sakai, H. (435) 125
- Takei, N., see Sakanoue, M. (438) 93
- Takekawa, S., Asami, A., Ishihara, Y., Terauchi, J., Kato, K., Shimomura, Y., Mori, M., Murakoshi, H., Kato, K., Suzuki, N., Nishimura, O. and Fujino, M.
T-226296: a novel, orally active and selective melanin-concentrating hormone receptor antagonist (438) 129
- Takemura, M., see Kitanaka, J. (437) 179
- Takeo, S., see Iwai, T. (446) 117
- Takeo, S., see Fukatsu, T. (453) 59
- Takeuchi, H., see Fujii, Y. (456) 115
- Takeuchi, K., see Nakazawa, K. (449) 207
- Takeuchi, Y., see Matsuda, M. (453) 141
- Taki, S., see Ikari, A. (451) 133
- Tal, M., see Guo, W. (452) 309
- Talani, G., see Sanna, E. (451) 103
- Tamai, M., see Tomita, H. (452) 263
- Tamaki, T., see Aoki, T. (444) 107
- Tamura, M., see Yamada, M. (449) 167
- Tamura, T., Shirai, T., Kosaka, N., Ohmori, K. and Takafumi, N.
Pharmacological studies of diacerein in animal models of inflammation, arthritis and bone resorption (448) 81
- Tan, Y.Y., Dawson, N.F., Kompa, A.R., Bond, C.P., Claasz, A., Wade, J.D., Tregear, G.W. and Summers, R.J.
Structural requirements for the interaction of sheep insulin-like factor 3 with relaxin receptors in rat atria (457) 153
- Tanaka, A., see Tsukada, J. (446) 127
- Tanaka, K., see Fujii, Y. (456) 115
- Tanaka, N., see Ogawa, T. (457) 107
- Tanaka, S., see Nishikawa, H. (447) 87
- Tanaka, T., see Togashi, Y. (435) 259
- Tanaka, Y., see Shibano, M. (456) 77
- Tanda, O., see D'Aquila, P.S. (435) 67
- Taneike, T., see Cao, J. (442) 115
- Tang, X.C., see Zhao, Q. (455) 101
- Tang-Christensen, M., see Larsen, P.J. (440) 159
- Tangelder, G.J., see van Dam, B. (455) 43
- Tani, K., see Sakanoue, M. (438) 93
- Taniguchi, N., see Tsukada, J. (446) 127
- Taniguchi, T., see Indra, B. (445) 21
- Taniguchi, T., see Okada, Y. (455) 19
- Tanimoto, A., see Ichinowatari, G. (434) 187
- Taniyama, K., see Matsuo, K. (452) 105
- Tanonaka, K., see Iwai, T. (446) 117
- Tao, P.-L., see Yeh, G.-C. (453) 197
- Tao, R., Fray, A., Aspley, A., Brammer, R., Heal, D. and Auerbach, S.
Effects on serotonin in rat hypothalamus of D-fenfluramine, aminorex, phentermine and fluoxetine (445) 69
- Tárraga, A., see Rioja, I. (434) 177
- Tasaki, K., see Ishihata, A. (445) 247
- Tasouli, A., see Andreadou, I. (453) 271
- Tassorelli, C., see Sandrini, G. (450) 259
- Tateyama, S., Ikeda, T., Kosai, K., Nakamura, T., Kasaba, T., Takasaki, M. and Nishimori, T.
Endomorphins suppress nociception-induced c-Fos and Zif/268 expression in the rat spinal dorsal horn (451) 79
- Tatsumi, Y., see Zhao, Y.L. (445) 115
- Taylor, J.E., see Rossowski, W.J. (438) 159
- Tazawa, S., Masuda, N., Koizumi, T., Kitazawa, M., Nakane, T. and Miyata, H.
KDR-5169, a new gastrointestinal prokinetic agent, enhances gastric contractile and emptying activities in dogs and rats (434) 169
- Tebano, M.T., Domenici, M.R. and Popoli, P.
SCH 58261 differentially influences quinolinic acid-induced effects in striatal and in hippocampal slices (450) 253
- Tegyei, I., see Kovács, G.L. (448) 151
- Teixeira, M.M., see Souza, D.G. (440) 61
- Tejerina, T., see Sanz, M. (442) 99
- Tempest, H.V., see Burton, T.J. (448) 215
- Teng, C.-M., see Chueh, S.-C. (445) 125
- Tepel, M., see van der Giet, M. (448) 207
- Terencio, M.C., see Rioja, I. (434) 177
- Ter Laak, M.P., see Biessels, G.J. (447) 201
- Terada, C., see Kobayashi, K. (438) 19
- Terada, N., see Kitanaka, J. (437) 179
- Teramura, K., Fukushima, S., Nozaki, K., Kokubo, S. and Takahashi, K.
Comparison of incadronate and alfacalcidol on increased bone turnover caused by ovariectomy in rats (449) 191
- Teramura, K., Fukushima, S., Iwai, T., Nozaki, K., Kokubo, S. and Takahashi, K.
Incadronate inhibits osteoporosis in ovariectomized rats (457) 51
- Terashima, M., see Nakanishi, T. (439) 135
- Terauchi, J., see Takekawa, S. (438) 129
- Terminelli, C., see Smith, S.R. (457) 57
- Terrón, J.A.
Is the 5-HT₇ receptor involved in the pathogenesis and prophylactic treatment of migraine? (439) 1
- Terstappen, G.C., see Virginio, C. (445) 153
- Theiss, C.T., see Liang, M. (437) 41
- Thibault, O., see Verkhatsky, A. (447) 115
- Thibault, O., see Clodfelter, G.V. (447) 189
- Thiele, A., Bang, R., Gütschow, M., Rossol, M., Loos, S., Eger, K., Tiegs, G. and Hauschildt, S.
Cytokine modulation and suppression of liver injury by a novel analogue of thalidomide (453) 325
- Thiemermann, C., see Cuzzocrea, S. (453) 119
- Thiis, J., see Gruhn, N. (446) 143
- Thiyagarajan, M., Kaul, C.L. and Ramarao, P.
Enhancement of α -adrenoceptor-mediated responses in prostate of testosterone-treated rat (453) 335
- Thomas, A., see Pertwee, R.G. (456) 99
- Thomas, B.F., see Martin, B.R. (435) 35
- Thomas, C., see Bourrié, B. (456) 123
- Thomas, C.V., see Buñag, R.D. (435) 85
- Thompson, D.P., see Purcell, J. (456) 11
- Thompson, G.G., see Santangeli, S. (438) 63
- Thompson, S.A., see Wingrove, P.B. (437) 31
- Thomsen, C., see Olsen, U.B. (435) 43
- Thomsen, K., Jonassen, T.E.N., Christensen, S. and Shirley, D.G.
Amiloride inhibits proximal tubular reabsorption in conscious euvoletic rats (437) 85
- Thorndike, E.B., see Schindler, C.W. (442) 230
- Thum, W.-Y., see Lin, C.-H. (438) 143
- Tian, F., see Wan, Y. (456) 1
- Tian, R.-X., Kimura, S., Kondou, N., Fujisawa, Y., Zhou, M.-S., Yoneyama, H., Kosaka, H., Rahman, M., Nishiyama, A. and Abe, Y.
DOI, a 5-HT₂ receptor agonist, induces renal vasodilation via nitric oxide in anesthetized dogs (437) 79
- Ticku, M.K., see Kalluri, H.S.G. (439) 53

- Ticku, M.K., see Kalluri, H.S.G. (451) 51
 Tiegs, G., see Thiele, A. (453) 325
 Tigan, B., see Fozard, J.R. (438) 183
 Tighilet, B., Trottier, S., Mourre, C., Chotard, C. and Lacour, M.
 Betahistine dihydrochloride interaction with the histaminergic system in the cat: neurochemical and molecular mechanisms (446) 63
 Timmermans, J.-P., see Van Geldre, L.A. (455) 149
 Timmermans, J.-P., see Colpaert, E.E. (457) 177
 Timofeeva, E., see Richard, D. (440) 189
 Ting, P., see Anthes, J.C. (450) 191
 Ting, P., see Wan, Y. (456) 1
 Tissier, C., see Bès, S. (452) 145
 Tissier, R., see Lellouche, N. (450) 179
 Toda, N., see Noda, K. (456) 81
 Todde, S., see Matarrese, M. (453) 231
 Togashi, Y., Umeuchi, H., Okano, K., Ando, N., Yoshizawa, Y., Honda, T., Kawamura, K., Endoh, T., Utsumi, J., Kamei, J., Tanaka, T. and Nagase, H.
 Antipruritic activity of the κ -opioid receptor agonist, TRK-820 (435) 259
 Tohda, M., see Kang, T.-H. (444) 39
 Tokarski, K., see Zahorodna, A. (443) 51
 Tokumitsu, Y., see Abe, A. (436) 7
 Tölle, M., see van der Giet, M. (448) 207
 Toma, W., see Rahimian, R. (434) 141
 Tomaszek, S., see Dringenberg, H.C. (447) 43
 Tomioka, H., see Sakuma, I. (437) 155
 Tomioka, K., see Moritani, Y. (439) 43
 Tomita, H., Nakazawa, T., Sugano, E., Abe, T. and Tamai, M.
 Nipradilol inhibits apoptosis by preventing the activation of caspase-3 via S-nitrosylation and the cGMP-dependent pathway (452) 263
 Tömösközi, Z., Finance, O. and Arányi, P.
 Drotaverine interacts with the L-type Ca^{2+} channel in pregnant rat uterine membranes (449) 55
 Tomura, Y., see Tsukada, J. (446) 127
 Tomura, Y., see Wada, K.-i. (450) 169
 Topham, M.K., see Riddle, E.L. (449) 71
 Tordera, R.M., Monge, A., Del Río, J. and Lasheras, B.
 Antidepressant-like activity of VN2222, a serotonin reuptake inhibitor with high affinity at 5-HT_{1A} receptors (442) 63
 Törnquist, K., Ramström, C., Rudnäs, B., Klika, K.D., Dugué, B., Adams, J., Zipkin, R., Pihlaja, K. and Pasternack, M.
 Ceramide 1-(2-cyanoethyl) phosphate enhances store-operated Ca^{2+} entry in thyroid FRTL-5 cells (453) 1
 Torres-López, J.E., see Ortiz, M.I. (438) 85
 Tortella, F.C., see Williams, A.J. (452) 135
 Tota, M., see MacNeil, D.J. (440) 141
 Tota, M., see MacNeil, D.J. (450) 93
 Toth, K., see Kekesi, G. (445) 93
 Tottori, K., see Jordan, S. (441) 137
 Tozawa, Y. and Matsushima, K.
 Peripheral 5-HT_{2A}-receptor-mediated formation of an inhibitor of atrial natriuretic peptide binding involves inflammation (440) 37
 Tracey, W.R., see Marala, R.B. (451) 37
 Tracey, W.R., see Chapman, J.G. (456) 59
 Tramontana, M., Santicoli, P., Giuliani, S., Catalioto, R.-M., Lecci, A., Carini, F. and Maggi, C.A.
 Role of tachykinins in sephadex-induced airway hyperreactivity and inflammation in guinea pigs (439) 149
 Tran, M.-A., see Vernejoul, F. (444) 197
 Tran, S., see King, G.R. (446) 111
 Tran, S., see King, G.R. (449) 253
 Tran, Y., see Nicholson, G.M. (452) 35
 Traniello, S., see Dalpiaz, A. (436) 187
 Trapp, S., see Proks, P. (452) 11
 Tregear, G.W., see Tan, Y.Y. (457) 153
 Treiber, A., see van Giersbergen, P.L.M. (450) 115
 Treinies, I., see Proks, P. (452) 11
 Trembovier, V., see Abu-Raya, S. (434) 109
 Triantafyllidis, J.K., see Andreadou, I. (441) 209
 Trottier, S., see Tighilet, B. (446) 63
 Trumper, L., see Monasterolo, L.A. (449) 155
 Tsai, C.-S., see Loh, S.-H. (443) 169
 Tsai, Y., see Loh, S.-H. (443) 169
 Tsantili-Kakoulidou, A., see Andreadou, I. (453) 271
 Tsao, T.-S., Lodish, H.F. and Fruebis, J.
 ACRP30, a new hormone controlling fat and glucose metabolism (440) 213
 Tschöp, M., see Muccioli, G. (440) 235
 Tseng, C.-J., see Lo, W.-C. (454) 39
 Tseng, L.F., see Hung, K.-c. (448) 169
 Tsocas, A., see Guilmeau, S. (447) 99
 Tsouderos, Y., see Baron, R. (450) 11
 Tsubokou, Y., Kobayashi, N., Mita, S.-i., Yoshida, K. and Matsuoka, H.
 Celiprolol inhibits mitogen-activated protein kinase and endothelin-1 and transforming growth factor- β_1 gene in rats (457) 85
 Tsuchiya, M., see Goto, Y. (438) 189
 Tsuchiya, S., see Mitamura, M. (436) 217
 Tsuchiya, S., see Ishihara, S. (441) 105
 Tsuchiya, S., Miyashita, S., Yamamoto, M., Horie, S., Sakai, S.-I., Aimi, N., Takayama, H. and Watanabe, K.
 Effect of mitragynine, derived from Thai folk medicine, on gastric acid secretion through opioid receptor in anesthetized rats (443) 185
 Tsuda, Y., Okazaki, M., Uezono, Y., Osajima, A., Kato, H., Okuda, H., Oishi, Y., Yashiro, A. and Nakashima, Y.
 Activation of extracellular signal-regulated kinases is essential for pressure-induced proliferation of vascular smooth muscle cells (446) 15
 Tsuji, M., see Takeda, H. (449) 261
 Tsujimura, T., see Kitanaka, J. (437) 179
 Tsukada, J., Tahara, A., Tomura, Y., Wada, K.-i., Kusayama, T., Ishii, N., Aoki, M., Yatsu, T., Uchida, W., Taniguchi, N. and Tanaka, A.
 Pharmacological characterization of YM471, a novel potent vasopressin V_{1A} and V₂ receptor antagonist (446) 127
 Tsukada, J., see Wada, K.-i. (450) 169
 Tsukamoto, I., see Kobayashi, K. (438) 19
 Tsumuki, H., see Saki, M. (444) 133
 Tsuneki, H., Sugihara, Y., Honda, R., Wada, T., Sasaoka, T. and Kimura, I.
 Reduction of blood glucose level by orexins in fasting normal and streptozotocin-diabetic mice (448) 245
 Tsuruoka, S., see Sugimoto, K.-i. (450) 183
 Tsuruta, Y., see Oku, H. (446) 165
 Tsuruta, Y., see Nakazato, H. (446) 175
 Tsuruya, K., see Sueishi, K. (451) 203
 Tsushima, M., see Fujishiro, J. (454) 183
 Tsuyuki, K., see Ichinowatari, G. (434) 187
 Túnez-Fañana, I., see Montilla-López, P. (451) 237
 Tung, C.-S., see Lo, W.-C. (454) 39
 Tuñón, J., see Ortego, M. (448) 113
 Turenne, S.D., see Ross, B.M. (450) 141
 Turolla, E.A., see Matarrese, M. (453) 231
 Tutka, P., Mlynarczyk, M., Żółkowska, D., Kleinrok, Z., Wielosz, M. and Czuczwar, S.J.
 Nitric oxide and convulsions in 4-aminopyridine-treated mice (437) 47
 Tyacke, R.J., see Robinson, E.S.J. (450) 55
 Tzeis, S., see Pantos, C. (444) 191
 Ubeda, A., see Rioja, I. (434) 177
 Uberti, D., Piccioni, L., Colzi, A., Bravi, D., Canonico, P.L. and Memo, M.
 Pergolide protects SH-SY5Y cells against neurodegeneration induced by H₂O₂ (434) 17
 Uchi, H., see Goto, Y. (438) 189
 Uchida, W., see Tsukada, J. (446) 127
 Uchida, Y., see Ishii, Y. (449) 183
 Uchio, Y., see Nakanishi, T. (439) 135

- Uddman, E., Adner, M. and Edvinsson, L.
Protein kinase C inhibitors decrease endothelin ET_B receptor mRNA expression and contraction during organ culture of rat mesenteric artery (452) 215
- Uddman, E., see Möller, S. (454) 209
- Uemura, M., Manabe, H., Yoshida, N., Fujita, N., Ochiai, J., Matsumoto, N., Takagi, T., Naito, Y. and Yoshikawa, T.
 α -Tocopherol prevents apoptosis of vascular endothelial cells via a mechanism exceeding that of mere antioxidation (456) 29
- Uemura, T., see Nagoshi, Y. (450) 237
- Uezono, Y., see Tsuda, Y. (446) 15
- Uezono, Y., see Matsuo, K. (452) 105
- Ukai, M. and Lin, H.P.
Endomorphins 1 and 2 induce amnesia via selective modulation of dopamine receptors in mice (446) 97
- Ukai, Y., see Noda, K. (456) 81
- Ulloa-Aguirre, A., see Pasapera, A.M. (452) 347
- Ullrich, B., see Eltze, M. (443) 151
- Ulus, I.H., see Gürün, M.S. (438) 197
- Umemura, K., see Kondo, K. (455) 53
- Umeuchi, H., see Togashi, Y. (435) 259
- Umland, S.P., see Wan, Y. (456) 1
- Unger, T., see Sandmann, S. (453) 99
- Urakawa, K., Mihara, M., Takagi, N., Kawamura, A., Akamatsu, K.-i. and Takeda, Y.
Polyglutamation of a novel antifolate, MX-68, is not necessary for its anti-arthritis effect (435) 237
- Urbańska, E.M., see Stążka, J. (448) 133
- Usha Raj, J., see Gao, Y. (436) 227
- Utsugi, M., Dobashi, K., Koga, Y., Masubuchi, K., Shimizu, Y., Endou, K., Nakazawa, T. and Mori, M.
Ambroxol inhibits platelet-derived growth factor production in human monocytic cells (436) 47
- Utsumi, J., see Togashi, Y. (435) 259
- Utsunomiya, H., see Saito, S. (443) 47
- Uyama, N., see Takashima, T. (451) 265
- Uz, T., see Manev, H. (445) 149
- Uz, T., see Miolo, G. (450) 223
- Vacca, G., see Serra, S. (443) 95
- Vacca, G., see Carai, M.A.M. (445) 195
- Vacca, G., Serra, S., Brunetti, G., Carai, M.A.M., Gessa, G.L. and Colombo, G.
Boosting effect of morphine on alcohol drinking is suppressed not only by naloxone but also by the cannabinoid CB₁ receptor antagonist, SR 141716 (445) 55
- Vacca, M., see Brunetti, L. (454) 189
- Vairetti, M., Battaglia, A., Carfagna, N., Luigi Canonico, P., Bertè, F. and Richelmi, P.
Antioxidant properties of MDL and MMDL, two nicergoline metabolites, during chronic administration of haloperidol (453) 69
- Valadares, M.C. and Queiroz, M.L.S.
The effect of a Titanocene Dichloride derivative, Ti IV (C₅H₅)₂ NCS₂, on the haematopoietic response of Ehrlich tumour-bearing mice (439) 35
- Valdizán, E.M., see Mato, S. (443) 43
- Valdizán, E.M., see Cuadrado, A. (453) 43
- Valentini, G., see Diana, G. (453) 251
- Valentini, V., see Pinna, A. (446) 75
- Valor, L.M., see Choi, S. (442) 37
- Van Ammel, K., see Lu, H.R. (452) 183
- Van Breemen, C., see Rahimian, R. (434) 141
- Van Dam, B., Demirci, C., Reitsma, H.J., van Lambalgen, A.A., van den Bos, G.C., Tangelder, G.J. and Stehouwer, C.D.A.
Arteriolar changes in nitric oxide activity and sensitivity during the course of streptozotocin-induced diabetes (455) 43
- Van De Kar, L.D., see Gur, E. (436) 57
- Van de Voorde, J., see Mitamura, M. (436) 217
- Van den Bos, G.C., see van Dam, B. (455) 43
- Van den Broek, R.W.M., MaassenVanDenBrink, A., Mulder, P.G.H., Bogers, A.J.J.C., Avezaat, C.J.J., John, G.W. and Saxena, P.R.
Comparison of contractile responses to donitriptan and sumatriptan in the human middle meningeal and coronary arteries (443) 125
- Van der Giet, M., Schmidt, S., Tölle, M., Jankowski, J., Schlüter, H., Zidek, W. and Tepel, M.
Effects of dinucleoside polyphosphates on regulation of coronary vascular tone (448) 207
- Van der Graaf, P.H., see Zuideveld, K.P. (445) 43
- Van der Gugten, J., see Pattij, T. (447) 67
- Van der Heide, L.P., see Biessels, G.J. (441) 1
- Van der Ploeg, L.H.T., see MacNeil, D.J. (440) 141
- Van der Ploeg, L.H.T., see MacNeil, D.J. (450) 93
- Van der Ploeg, L.H.T., see Martin, W.J. (454) 71
- Van Geldre, L.A., Timmermans, J.-P. and Lefebvre, R.A.
L-Citrulline recycling by argininosuccinate synthetase and lyase in rat gastric fundus (455) 149
- Van Gessel, S.B.E., see Scheerens, J. (453) 111
- Van Gestel, A., see Zuideveld, K.P. (445) 43
- Van Giersbergen, P.L.M., Gnerre, C., Treiber, A., Dingemanse, J. and Meyer, U.A.
Bosentan, a dual endothelin receptor antagonist, activates the pregnane X nuclear receptor (450) 115
- Van Heek, M., see Parker, E. (440) 173
- Van Helden, H.P.M., see Bueters, T.J.H. (454) 177
- Van Hooft, J.A., Dougherty, J.J., Endeman, D., Nichols, R.A. and Wadman, W.J.
Gabapentin inhibits presynaptic Ca²⁺ influx and synaptic transmission in rat hippocampus and neocortex (449) 221
- Van Hoorn, D.E.C., Nijveldt, R.J., Van Leeuwen, P.A.M., Hofman, Z., M'Rabet, L., De Bont, D.B.A. and Van Norren, K.
Accurate prediction of xanthine oxidase inhibition based on the structure of flavonoids (451) 111
- Van Kampen, M., De Kloet, E.R., Flügge, G. and Fuchs, E.
Blockade of glucocorticoid receptors with ORG 34116 does not normalize stress-induced symptoms in male tree shrews (457) 207
- Van Kerckhoven, R., Lankhuizen, I., van Veghel, R., Saxena, P.R. and Schoemaker, R.G.
Chronic vasopressin V_{1A} but not V₂ receptor antagonism prevents heart failure in chronically infarcted rats (449) 135
- Van Lambalgen, A.A., see van Dam, B. (455) 43
- Van Leeuwen, P.A.M., see Van Hoorn, D.E.C. (451) 111
- Van Norren, K., see Van Hoorn, D.E.C. (451) 111
- Van Veghel, R., see Van Kerckhoven, R. (449) 135
- Vandeputte, C. and Docherty, J.R.
Vascular actions of 3,4-methylenedioxymethamphetamine in α _{2A/D}-adrenoceptor knockout mice (457) 45
- Vandroux, D., see Bès, S. (452) 145
- Vann, R., see Dukat, M. (435) 171
- Vannozzi, M.O., see Zicca, A. (442) 264
- Vapaatalo, H., see Nevala, R. (452) 87
- Varanasi, S., Chi, J. and Stephens Jr., R.L.
Methiothepin attenuates gastric secretion and motility effects of vagal stimulants at the dorsal vagal complex (436) 67
- Varga, E.V., Rubenzik, M., Grife, V., Sugiyama, M., Stropova, D., Roeske, W.R. and Yamamura, H.I.
Involvement of Raf-1 in chronic δ -opioid receptor agonist-mediated adenylyl cyclase superactivation (451) 101
- Vargas, F., see Wangenstein, R. (444) 97
- Varonos, D., see Pantos, C. (444) 191
- Varsaldi, F., see Lombardi, G. (457) 95
- Varty, L.M. and Hey, J.A.
Histamine H₃ receptor activation inhibits neurogenic sympathetic vasoconstriction in porcine nasal mucosa (452) 339
- Vasänge, M., see Modiri, A.-R. (451) 171

- Vayssettes-Courchay, C., Bouysset, F., Cordi, A., Laubie, M. and Verbeuren, T.J.
Effects of medullary α_2 -adrenoceptor blockade in the rat (453) 287
- Vázquez-Carrera, M., see Llaverías, G. (451) 11
- Velasco, L., Sánchez, M., Rubín, J.M., Hidalgo, A., Bordallo, C. and Cantabrana, B.
Intracellular cAMP increases during the positive inotropism induced by androgens in isolated left atrium of rat (438) 45
- Veljača, M., see Čulić, O. (450) 277
- Ventura Martínez, R., see Hernández-Delgadillo, G.P. (441) 177
- Ventura, S., see Ramasamy, S. (434) 151
- Verbeuren, T.J., see Vayssettes-Courchay, C. (453) 287
- Verdaguer, E., see Pubill, D. (448) 165
- Verde, L.F., Lafayette, S.S.L., Caricati-Neto, A., Jurkiewicz, N.H. and Jurkiewicz, A.
Up-regulation of Ca^{2+} channels in vas deferens after chronic treatment of newborn rats with nifedipine (443) 13
- Verkhatsky, A., Landfield, P.W. and Thibault, O.
Preface (447) 115
- Verkhatsky, A. and Petersen, O.H.
The endoplasmic reticulum as an integrating signalling organelle: from neuronal signalling to neuronal death (447) 141
- Vernejoul, F., Damase-Michel, C., Montastruc, J.-L. and Tran, M.-A.
In vivo effects of fenoldopam on autonomic nervous system after inhibition or activation of ganglionic transmission (444) 197
- Vernières, J.-C., see Bourrié, B. (456) 123
- Vertuani, G., see Dalpiaz, A. (436) 187
- Veselovsky, N.S., see Fedulova, S.A. (447) 163
- Vetter, W., see Locher, R. (434) 1
- Vetulani, J., see Nalepa, I. (444) 151
- Veveris, M., see Dambrova, M. (445) 105
- Viale, M., see Zicca, A. (442) 264
- Vidal, H., see Bribes, E. (452) 111
- Vidal-Cantú, G.C., see Ortiz, M.I. (438) 85
- Vidali, M., see Andreadou, I. (441) 209
- Vigorita, M.G., see Ottanà, R. (448) 71
- Vila, J.M., see Segarra, G. (444) 103
- Villa, P., see Menton, K. (444) 53
- Villalobos-Molina, R., Gallardo-Ortiz, I.A., López-Guerrero, J.J. and Ibarra, M.
Evidence that NAN-190-induced hypotension involves vascular α_1 -adrenoceptor antagonism in the rat (455) 59
- Villanueva, N., Lastra, A., Hidalgo, A., Baamonde, A. and Menéndez, L.
Spinal nociceptin inhibits sepiate but not *N*-methyl-D-aspartate-induced nociceptive behavior in rats (445) 83
- Villanueva-Tello, T., see Oropeza, M.V. (446) 159
- Villela Dantas, M.F., see Fozard, J.R. (438) 183
- Vilpoux, C., Carpentier, C., Leroux-Nicollet, I., Naudon, L. and Costentin, J.
Differential effects of chronic antidepressant treatments on μ - and δ -opioid receptors in rat brain (443) 85
- Vinadé, E.R.C., see Pereira, G.S. (437) 151
- Vinadé, L., see Porciúncula, L.O. (451) 165
- Virginio, C., Giacometti, A., Aldegheri, L., Rimland, J.M. and Terstappen, G.C.
Pharmacological properties of rat α_7 nicotinic receptors expressed in native and recombinant cell systems (445) 153
- Viso, A., see de Lago, E. (449) 99
- Visser, J., Groen, H., Klatter, F. and Rozing, J.
Timing of pentoxifylline treatment determines its protective effect on diabetes development in the Bio Breeding rat (445) 133
- Vlaminckx, E., see Lu, H.R. (452) 183
- Vom Dahl, J., see Blindt, R. (444) 31
- Von der Hardt, K., Kandler, M.A., Popp, K., Schoof, E., Chada, M., Rascher, W. and Dötsch, J.
Aerosolized adrenomedullin suppresses pulmonary transforming growth factor- β 1 and interleukin- β 3 gene expression in vivo (457) 71
- Von der Hardt, K., see Schoof, E. (457) 195
- Vorce, S.P., see Ross, B.M. (450) 141
- Vrang, N., see Larsen, P.J. (440) 159
- Vu, N., see Rothman, R.B. (447) 51
- Vujicic, Z., see Kuhn, G. (457) 187
- Wada, E., see Yamada, K. (440) 281
- Wada, E., see Yamada, K. (448) 269
- Wada, K., see Yamada, K. (440) 281
- Wada, K., see Shiojiri, T. (448) 231
- Wada, K., see Yamada, K. (448) 269
- Wada, K.-i., see Tsukada, J. (446) 127
- Wada, K.-i., Tahara, A., Arai, Y., Aoki, M., Tomura, Y., Tsukada, J. and Yatsu, T.
Effect of the vasopressin receptor antagonist conivaptan in rats with heart failure following myocardial infarction (450) 169
- Wada, T., see Tsuneki, H. (448) 245
- Waddington, J.L., see Hasegawa, M. (441) 217
- Wade, J.D., see Tan, Y.Y. (457) 153
- Wadman, W.J., see van Hooff, J.A. (449) 221
- Wafford, K.A., see Wingrove, P.B. (437) 31
- Wakabayashi, I., Masui, H. and Groschner, K.
Erratum to “Intracellular alkalization augments α_1 -adrenoceptor-mediated vasoconstriction by promotion of Ca^{2+} entry through the non-L-type Ca^{2+} channels” [Eur. J. Pharmacol. 428 (2001) 251–259] (448) 267
- Waku, K., see Kojima, S.-i. (444) 203
- Waldeck, B.
 β -Adrenoceptor agonists and asthma—100 years of development (445) 1
- Wallace, L., see Broad, L.M. (452) 137
- Wallace, M.J., Martin, B.R. and DeLorenzo, R.J.
Evidence for a physiological role of endocannabinoids in the modulation of seizure threshold and severity (452) 295
- Walzer, M., Lorens, S., Hejna, M., Fareed, J., Hanin, I., Cornelli, U. and Lee, J.M.
Low molecular weight glycosaminoglycan blockade of β -amyloid induced neuropathology (445) 211
- Wan, Y., Jakway, J.P., Qiu, H., Shah, H., Garlisi, C.G., Tian, F., Ting, P., Hesk, D., Egan, R.W., Billah, M.M. and Umland, S.P.
Identification of full, partial and inverse CC chemokine receptor 3 agonists using [^{35}S]GTP γ S binding (456) 1
- Wang, C.-H., see Lin, C.-H. (450) 1
- Wang, G.-J., Wu, X.-C., Lin, Y.-L., Ren, J., Shum, A.-C., Wu, Y.-Y. and Chen, C.-F.
 Ca^{2+} channel blocking effect of *iso*-S-petasin in rat aortic smooth muscle cells (445) 239
- Wang, J.-P., Chang, L.-C., Raung, S.-L., Hsu, M.-F. and Chen, C.-M.
Cellular mechanisms of inhibition of superoxide anion generation in rat neutrophils by the synthetic isoquinoline DMDI (434) 9
- Wang, J., Yang, X., Camporesi, C.V., Yang, Z.-j., Bosco, G., Chen, C. and Camporesi, E.M.
Propofol reduces infarct size and striatal dopamine accumulation following transient middle cerebral artery occlusion: a microdialysis study (452) 303
- Wang, K.K.W., see Kantor, L. (451) 27
- Wang, P.S., see Wu, C.-L. (457) 169
- Wang, Q., see Ji, Y.-H. (454) 25
- Wang, W.-X., see Ji, Y.-H. (454) 25
- Wang, X., Cen, X. and Lu, L.
Erratum to: “Noradrenaline in the bed nucleus of the stria terminalis is critical for stress-induced reactivation of morphine-conditioned place preference in rats” [Eur. J. Pharmacol. 432 (2001) 153–161] (443) 213
- Wang, X., see Nishikimi, T. (453) 175
- Wangenstein, R., Quesada, A., Sainz, J., Duarte, J., Vargas, F. and Osuna, A.
Role of endothelium-derived relaxing factors in adrenomedullin-induced vasodilation in the rat kidney (444) 97

- Warner, F.J., Shang, F., Millard, R.J. and Burcher, E.
Enhancement of neurokinin A-induced smooth muscle contraction in human urinary bladder by mucosal removal and phosphoramidon: relationship to peptidase inhibition (438) 171
- Warner, T.D., see Calatayud, S. (440) 71
- Waser, B., see Reubi, J.C. (456) 45
- Watala, C., see Rozalski, M. (454) 1
- Watanabe, H., see Kang, T.-H. (444) 39
- Watanabe, H., see Kang, T.-H. (455) 27
- Watanabe, K., see Mitamura, M. (436) 217
- Watanabe, K., see Ishihara, S. (441) 105
- Watanabe, K., see Tsuchiya, S. (443) 185
- Watanabe, K., see Komasa, M. (452) 235
- Watanabe, M.A.E., see De Lucca, F.L. (450) 85
- Watanabe, N., see Goto, Y. (438) 189
- Watanabe, S., see Suzuki, T. (435) 59
- Watanabe, T., see Sakurada, S. (434) 29
- Watanabe, T., see Izushi, K. (440) 79
- Watanabe, T., see Kayasuga, R. (449) 287
- Waters, J., see Helmchen, F. (447) 119
- Watkins, J., see Knapp, R.J. (440) 27
- Webb, R.C., see Mills, T.M. (439) 173
- Wegner, C.D., see Polakowski, J.S. (435) 73
- Wegner, C.D., see Lubbers, N.L. (435) 79
- Wei, E.P., see Rosenblum, W.I. (448) 201
- Wei, E.T., see Stair, S. (450) 291
- Wei, J., see Loh, S.-H. (443) 169
- Weinberg, D.H., see MacNeil, D.J. (440) 141
- Weinberg, D.H., see MacNeil, D.J. (450) 93
- Weissman, B.A., Jones, C.L., Liu, Q. and Gross, S.S.
Activation and inactivation of neuronal nitric oxide synthase: characterization of Ca^{2+} -dependent [^{125}I]Calmodulin binding (435) 9
- Weitzberg, E., see Malmström, R.E. (439) 113
- Welling, A., see Klugbauer, N. (447) 279
- Wellman, P., Ho, D., Cepeda-Benito, A., Bellinger, L. and Nation, J.
Cocaine-induced hypophagia and hyperlocomotion in rats are attenuated by prazosin (455) 117
- Welsh, N., see Möller, S. (454) 209
- Wen, J.F., see Cui, X. (451) 295
- Wenk, G.L., Rosi, S., McGann, K. and Hauss-Wegrzyniak, B.
A nitric oxide-donating flurbiprofen derivative reduces neuro-inflammation without interacting with galantamine in the rat (453) 319
- Werling, L.L., see Hong, W. (436) 35
- West Jr., R.E., see Anthes, J.C. (449) 229
- Westenberg, H.G.M., see De Groot, L. (439) 93
- Wester, R.T., see Marala, R.B. (451) 37
- Westergaard, L., see Ribel, U. (451) 217
- Westerink, B.H.C., see Pudovkina, O.L. (445) 37
- Westerink, B.H.C.
Can antipsychotic drugs be classified by their effects on a particular group of dopamine neurons in the brain? (455) 1
- Wheat, L., see Wingrove, P.B. (437) 31
- White, E., see Belus, A. (445) 171
- White, L.R., Juul, R., Cappelen, J. and Aasly, J.
Cyclooxygenase inhibitors attenuate endothelin ET_B receptor-mediated contraction in human temporal artery (448) 51
- Whiting, P.J., see Wingrove, P.B. (437) 31
- Whitworth, C.A., see Bhat, S.G. (442) 250
- Wielosz, M., see Tutka, P. (437) 47
- Wielosz, M., see Stążka, J. (448) 133
- Wikberg, J.E.S., see Dambrova, M. (445) 105
- Wiley, J.L., see Martin, B.R. (435) 35
- Wilken, M., see Ribel, U. (451) 217
- Wilkins, D.G., see Riddle, E.L. (435) 181
- Willer, J.-C., see Benoist, J.-M. (445) 201
- Williams, A.J., Dave, J.R., Lu, X.M., Ling, G. and Tortella, F.C.
Selective NR2B NMDA receptor antagonists are protective against staurosporine-induced apoptosis (452) 135
- Williams, G., see Smart, D. (440) 199
- Williams, M., see Buckner, S.A. (449) 159
- Williams, P.D., see Lemaire, W. (450) 19
- Williams, S.M., see Anthes, J.C. (449) 229
- Williams, W., see Martin, B.R. (435) 35
- Williams Jr., D.L., see Lemaire, W. (450) 19
- Williamson, D.J., see Akerman, S. (452) 223
- Williamson, T., see Menton, K. (444) 53
- Winckler, R., see Martin, B.R. (435) 35
- Wingrove, P.B., Safo, P., Wheat, L., Thompson, S.A., Wafford, K.A. and Whiting, P.J.
Mechanism of α -subunit selectivity of benzodiazepine pharmacology at γ -aminobutyric acid type A receptors (437) 31
- Wirkner, K., see Gerevich, Z. (451) 161
- Wolfes, H., see Krampfl, K. (435) 1
- Wong, D., Koo, M.W.L., Shin, V.Y., Liu, E.S.L. and Cho, C.-H.
Pathogenesis of nicotine treatment and its withdrawal on stress-induced gastric ulceration in rats (434) 81
- Wong, W.S.F., see Seow, C.-J. (443) 189
- Wong, Y.F., see Choy, W.Y. (434) 55
- Wright, C.E., see Scott, D.A. (451) 279
- Wrześniok, D., Buszman, E., Karna, E., Nawrat, P. and Palka, J.
Melanin potentiates gentamicin-induced inhibition of collagen biosynthesis in human skin fibroblasts (446) 7
- Wu, C.-H., see Lin, C.-H. (438) 143
- Wu, C.-H., see Lin, C.-H. (450) 1
- Wu, C.-L., Hung, C.-R., Chang, F.-Y., Lin, L.-C., Pau, K.-Y. Francis and Wang, P.S.
Effects of evodiamine on gastrointestinal motility in male rats (457) 169
- Wu, H.-e., see Hung, K.-c. (448) 169
- Wu, X.-C., see Wang, G.-J. (445) 239
- Wu, Y.-Y., see Wang, G.-J. (445) 239
- Wulff, B.S., Hastrup, S. and Rimmvall, K.
Characteristics of recombinantly expressed rat and human histamine H_3 receptors (453) 33
- Wurch, T., see Bhalla, P. (436) 23
- Wüst, M., Averbach, B., Reif, S., Bräter, M. and Ravens, U.
Different responses to drugs against overactive bladder in detrusor muscle of pig, guinea pig and mouse (454) 59
- Xiao, C.Y., see Su, Z.G. (454) 9
- Xie, H.-J., Lundgren, S., Broberg, U., Finnström, N., Rane, A. and Hassan, M.
Effect of cyclophosphamide on gene expression of cytochromes $P450$ and β -actin in the HL-60 cell line (449) 197
- Xin, C., see Rölz, W. (442) 194
- Xiong, X., see Davidson, C. (453) 255
- Xu, X.-J., see Kouya, P.F. (450) 49
- Yagi, K., see Kagaya, N. (450) 231
- Yaginuma, H., see Ichinowatari, G. (434) 187
- Yahata, T., Nishimura, Y., Maeda, H. and Yokoyama, M.
Modulation of airway responsiveness by anionic and cationic polyelectrolyte substances (434) 71
- Yamada, K., Wada, E., Santo-Yamada, Y. and Wada, K.
Bombesin and its family of peptides: prospects for the treatment of obesity (440) 281
- Yamada, K., Wada, E., Santo-Yamada, Y. and Wada, K.
Erratum to "Bombesin and its family of peptides: prospects for the treatment of obesity" [Eur. J. Pharmacol. 440 (2002) 281–290] (448) 269
- Yamada, K., see Kozako, T. (454) 199

- Yamada, M., Sasaki, R., Sato, N., Suzuki, M., Tamura, M., Matsushita, T. and Kurumatani, H.
Amelioration by beraprost sodium, a prostacyclin analogue, of established renal dysfunction in rat glomerulonephritis model (449) 167
- Yamada, M., see Ichinowatari, G. (434) 187
- Yamada, M., see Saito, M. (454) 81
- Yamaguchi, M., see Egashira, N. (445) 221
- Yamaguchi, T., see Satoh, S.-i. (455) 169
- Yamaguchi, Y., Matsuno, S., Kagota, S., Haginaka, J. and Kunitomo, M.
Fluvastatin reduces modification of low-density lipoprotein in hyperlipidemic rabbit loaded with oxidative stress (436) 97
- Yamakuni, H., Sawai-Nakayama, H., Imazumi, K., Maeda, Y., Matsuo, M., Manda, T. and Mutoh, S.
Resiniferatoxin antagonizes cisplatin-induced emesis in dogs and ferrets (442) 272
- Yamamoto, H., see Kageyama, S. (443) 143
- Yamamoto, K., see Rudd, J.A. (454) 47
- Yamamoto, M., see Tsuchiya, S. (443) 185
- Yamamoto, Y., see Shibano, M. (456) 77
- Yamamura, H.I., see Varga, E.V. (451) 101
- Yamamura, T., see Tada, H. (454) 53
- Yamane, S., see Nakazato, H. (446) 175
- Yamanishi, Y., see Abe, Y. (455) 127
- Yamasaki, I., see Saito, E.-s. (453) 75
- Yamasaki, M., Mizutani, N., Sasaki, K., Nabe, T. and Kohno, S.
No involvement of interleukin-5 or eosinophils in experimental allergic rhinitis in guinea pigs (439) 159
- Yamatodani, A., see Rudd, J.A. (454) 47
- Yamazaki, H., see Aoki, T. (444) 107
- Yamazaki, J., see Sato, R. (434) 125
- Yanagisawa, I., see Moritani, Y. (439) 43
- Yanagisawa, M., see Konishi, F. (451) 177
- Yanai, K., see Sakurada, S. (434) 29
- Yang, L.-L., see Shen, S.-C. (446) 185
- Yang, X., see Wang, J. (452) 303
- Yang, X.-S., see Li, L. (449) 23
- Yang, Z.-j., see Wang, J. (452) 303
- Yano, K., see Mochida, H. (440) 45
- Yano, K., see Inoue, H. (443) 179
- Yano, K., see Mochida, H. (456) 91
- Yasar, S., see Stefanski, R. (439) 59
- Yashiro, A., see Tsuda, Y. (446) 15
- Yatsu, T., see Tsukada, J. (446) 127
- Yatsu, T., see Wada, K.-i. (450) 169
- Yeh, G.-C., Tao, P.-L., Chen, J.-R., Lai, M.-C., Gao, F.-S. and Hu, C.-L.
Dextromethorphan attenuates morphine withdrawal syndrome in neonatal rats passively exposed to morphine (453) 197
- Yeh, J.-L., see Chao, Y.-Y. (443) 31
- Yeh, J.Z., see Bian, J.-T. (453) 159
- Yin, L.-L., see Li, S.-M. (435) 217
- Yoburn, B.C., see Patel, M. (446) 37
- Yokotani, K., Okada, S. and Nakamura, K.
Characterization of functional nicotinic acetylcholine receptors involved in catecholamine release from the isolated rat adrenal gland (446) 83
- Yokotani, K., see Murakami, Y. (452) 289
- Yokotani, K., see Murakami, Y. (455) 73
- Yokotani, K., see Okada, S. (457) 29
- Yokoyama, M., see Yahata, T. (434) 71
- Yoneyama, H., see Tian, R.-X. (437) 79
- Yoshida, K., see Tsubokou, Y. (457) 85
- Yoshida, M., see Fukushima, Y. (437) 69
- Yoshida, N., see Uemura, M. (456) 29
- Yoshida, S., see Karasawa, Y. (449) 127
- Yoshihara, F., Horio, T., Nishikimi, T., Matsuo, H. and Kangawa, K.
Possible involvement of oxidative stress in hypoxia-induced adrenomedullin secretion in cultured rat cardiomyocytes (436) 1
- Yoshihara, F., see Nishikimi, T. (453) 175
- Yoshikawa, T., see Uemura, M. (456) 29
- Yoshinaka, Y., see Aoki, T. (444) 107
- Yoshioka, T., see Nishikori, T. (451) 327
- Yoshitake, T., see Egashira, N. (445) 221
- Yoshizawa, Y., see Togashi, Y. (435) 259
- Young, R., see Dukat, M. (435) 171
- Young, R. and Glennon, R.A.
Nicotine and bupropion share a similar discriminative stimulus effect (443) 113
- Yu, H., see Quirk, J.C. (454) 125
- Yuasa, K., see Mochida, H. (456) 91
- Yue, T.-L., see Christopher, T.A. (446) 137
- Yunes, R.A., see Bortalanza, L.B. (453) 203
- Yura, Y., see Shiojiri, T. (448) 231
- Yuzurihara, M., Ikarashi, Y., Goto, K., Sakakibara, I., Hayakawa, T. and Sasaki, H.
Geissoschizine methyl ether, an indole alkaloid extracted from *Uncariae Ramulus* et *Uncus*, is a potent vasorelaxant of isolated rat aorta (444) 183
- Zaagsma, J., see Oostendorp, J. (457) 1
- Zadrożniak, M., see Borowicz, K.K. (449) 85
- Zahniser, N.R., see Hanania, T. (457) 125
- Zahorodna, A., Tokarski, K. and Bijak, M.
Imipramine but not 5-HT_{1A} receptor agonists or neuroleptics induces adaptive changes in hippocampal 5-HT_{1A} and 5-HT₄ receptors (443) 51
- Zajac, J.-M., see Quélven, I. (449) 91
- Zajac, J.-M., see Mollereau, C. (451) 245
- Zanatta, N., see Souza, F.R. (451) 141
- Žanić-Grubišić, T., see Čulić, O. (450) 277
- Zapata, G., see Sepúlveda, J. (445) 87
- Zarrindast, M.R., see Karami, M. (449) 113
- Zarrindast, M.-R., see Gholami, A. (449) 269
- Zarrindast, M.-R., Adl, M., Sharifzadeh, M. and Bahreini, T.
Role of nitric oxide in systemic effect of theophylline on mouse body temperature (451) 63
- Zarrindast, M.-R., Habibi, M., Borzabadi, S., Fazli-Tabaei, S., Hossein Yahyavi, S. and Rostamin, P.
The effects of dopamine receptor agents on naloxone-induced jumping behaviour in morphine-dependent mice (451) 287
- Zarrindast, M.-R., Eidi, M., Eidi, A. and Oryan, S.
Effects of histamine and opioid systems on memory retention of passive avoidance learning in rats (452) 193
- Zarrindast, M.R., Karami, M., Sepehri, H. and Sahraei, H.
Influence of nitric oxide on morphine-induced conditioned place preference in the rat central amygdala (453) 81
- Zarrindast, M.-R., Ahmadi, R., Oryan, S., Parivar, K. and Haeri-Rohani, A.
Effects of α -adrenoceptor agonists and antagonists on histamine-induced impairment of memory retention of passive avoidance learning in rats (454) 193
- Zeilek-Molik, A., see Nalepa, I. (444) 151
- Zembatov, M., see Junker, V. (446) 25
- Zepp, F., see Zhou, X. (453) 309
- Zhang, A., see Altura, B.M. (448) 89
- Zhang, B., see Gabriele, J. (453) 13
- Zhang, F., see Chen, X. (448) 1
- Zhang, J.-R., see Sheng, G.-Q. (451) 119
- Zhang, L., Parratt, J.R., Beastall, G.H., Pyne, N.J. and Furman, B.L.
Streptozotocin diabetes protects against arrhythmias in rat isolated hearts: role of hypothyroidism (435) 269
- Zhang, L., see Su, Z.G. (454) 9
- Zhang, S.Z., see Su, Z.G. (454) 9
- Zhang, T.-C., see Chen, A. (448) 11

- Zhao, Q. and Tang, X.C.
Effects of huperzine A on acetylcholinesterase isoforms in vitro: comparison with tacrine, donepezil, rivastigmine and physostigmine (455) 101
- Zhao, Y.L., Du, J., Kanazawa, H., Sugawara, A., Takagi, K., Kitaichi, K., Tatsumi, Y., Takagi, K. and Hasegawa, T.
Effect of endotoxin on doxorubicin transport across blood–brain barrier and P-glycoprotein function in mice (445) 115
- Zhao, Z.-Q., see Zhou, Y. (450) 29
- Zheng, J.-W., see Li, S.-M. (435) 217
- Zheng, J.-W., see Li, S.-M. (443) 205
- Zhou, M.-S., see Tian, R.-X. (437) 79
- Zhou, X., Meyer, C.U., Schmidtke, P. and Zepp, F.
Effect of cordycepin on interleukin-10 production of human peripheral blood mononuclear cells (453) 309
- Zhou, Y. and Zhao, Z.-Q.
Effects of neomycin on high-threshold Ca^{2+} currents and tetrodotoxin-resistant Na^{+} currents in rat dorsal root ganglion neuron (450) 29
- Zhou, Z.-H., Jiang, J.-L., Peng, J., Deng, H.-W. and Li, Y.-J.
Reversal of tolerance to nitroglycerin with *N*-acetylcysteine or captopril: a role of calcitonin gene-related peptide (439) 129
- Zicca, A., Cafaggi, S., Mariggio, M.A., Vannozzi, M.O., Ottone, M., Bocchini, V., Caviglioli, G. and Viale, M.
Reduction of cisplatin hepatotoxicity by procainamide hydrochloride in rats (442) 264
- Zidek, W., see van der Giet, M. (448) 207
- Zieglgänsberger, W., see Kirschke, C. (446) 43
- Zieglgänsberger, W., see Haseneder, R. (451) 43
- Ziganshin, A.U., Rychkov, A.V., Ziganshina, L.E. and Burnstock, G.
Temperature dependency of P2 receptor-mediated responses (456) 107
- Ziganshina, L.E., see Ziganshin, A.U. (456) 107
- Zimniak, P., see Raufman, J.-P. (457) 77
- Zipkin, R., see Törnquist, K. (453) 1
- Żółkowska, D., see Tutka, P. (437) 47
- Zou, S., see Guo, W. (452) 309
- Zuideveld, K.P., van Gestel, A., Peletier, L.A., Van der Graaf, P.H. and Danhof, M.
Pharmacokinetic–pharmacodynamic modelling of the hypothermic and corticosterone effects of the 5-HT_{1A} receptor agonist flesinoxan (445) 43
- Zuo, G.-Y., see Li, L. (449) 23
- Zushida, K. and Kamei, J.
Effect of MK-801 on the antinociceptive effect of [D-Ala²,*N*-MePhe⁴, Gly-ol⁵]enkephalin in diabetic mice (448) 39
- Zushida, K., Onodera, K. and Kamei, J.
Effect of diabetes on pinacidil-induced antinociception in mice (453) 209
- Zwart, R., see Broad, L.M. (452) 137
- Zwiller, J., see Jouvert, P. (449) 239
- Zuo, J.Z., see Choy, W.Y. (434) 55