

Author index

- Abdelrahman, A.M. and Pang, C.C.Y.
Regional haemodynamic effects of urocortin in the anaesthetized rat (466) 317
- Adachi-Akahane, S., see Hagiwara, M. (466) 63
- Aiden McCormick, P., see Vandeputte, C. (466) 129
- Alvarez-Guerra, M., Hannaert, P., Hider, H., Chiavaroli, C. and Garay, R.P.
Vascular permeabilization by intravenous arachidonate in the rat peritoneal cavity: antagonism by antioxidants (466) 199
- Alvarez-Guerra, M., see Hannaert, P. (466) 207
- Amano, Y., Nishimoto, T., Tozawa, R.-i., Ishikawa, E., Imura, Y. and Sugiyama, Y.
Lipid-lowering effects of TAK-475, a squalene synthase inhibitor, in animal models of familial hypercholesterolemia (466) 155
- Andersen, H.S., see Høy, M. (466) 213
- Antkiewicz-Michaluk, L., Karolewicz, B., Romańska, I., Michaluk, J., Bojarski, A.J. and Vetulani, J.
1-Methyl-1,2,3,4-tetrahydroisoquinoline protects against rotenone-induced mortality and biochemical changes in rat brain (466) 263
- Balfagón, G., see Ferrer, M. (466) 289
- Basavarajappa, B.S., Saito, M., Cooper, T.B. and Hungund, B.L.
Chronic ethanol inhibits the anandamide transport and increases extracellular anandamide levels in cerebellar granule neurons (466) 73
- Benedetti, G., see Evans, N.M. (466) 31
- Benton, J.P., see Evans, N.M. (466) 31
- Berg, T.
The vascular response to the K⁺ channel inhibitor 4-aminopyridine in hypertensive rats (466) 301
- Berger, J.P., see Bruemmer, D. (466) 225
- Bojarski, A.J., see Antkiewicz-Michaluk, L. (466) 263
- Bokvist, K., see Høy, M. (466) 213
- Boland, A., Gérardy, J., Mossay, D. and Seutin, V.
Pre- and post-treatment with pirlindole and dehydropirlindole protects cultured brain cells against nitric oxide-induced death (466) 21
- Borsodi, A., see Oakley, S.M. (466) 91
- Bose, S., see Evans, N.M. (466) 31
- Broad, L.M., see Evans, N.M. (466) 31
- Bruemmer, D., Berger, J.P., Liu, J., Kintscher, U., Wakino, S., Fleck, E., Moller, D.E. and Law, R.E.
A non-thiazolidinedione partial peroxisome proliferator-activated receptor γ ligand inhibits vascular smooth muscle cell growth (466) 225
- Bruins Slot, L.A., Koek, W., Tarayre, J.-P. and Colpaert, F.C.
Tolerance and inverse tolerance to the hyperalgesic and analgesic actions, respectively, of the novel analgesic, F 13640 (466) 271
- Burgermeister, E., Endl, J. and Scheuer, W.V.
Activation of cytosolic phospholipase A₂ in human T-lymphocytes involves inhibitor- κ B and mitogen-activated protein kinases (466) 169
- Buschard, K., see Høy, M. (466) 213
- Carpéné, C., see Visentin, V. (466) 235
- Chatterjee, P.K., see McDonald, M.C. (466) 181
- Chiavaroli, C., see Alvarez-Guerra, M. (466) 199
- Chiavaroli, C., see Hannaert, P. (466) 207
- Chiba, S., see Yang, X.-P. (466) 311
- Colpaert, F.C., see Bruins Slot, L.A. (466) 271
- Coop, A., see McMahon, L.R. (466) 113
- Cooper, T.B., see Basavarajappa, B.S. (466) 73
- Craig, P.J., see Evans, N.M. (466) 31
- Cuzzocrea, S., see McDonald, M.C. (466) 181
- Danysz, W., see Löscher, W. (466) 99
- d'Emmanuele di Villa Bianca, R., see McDonald, M.C. (466) 181
- Docherty, J.R., see Vandeputte, C. (466) 129
- Endl, J., see Burgermeister, E. (466) 169
- Endou, H., see Enomoto, A. (466) 13
- Enomoto, A., Takeda, M., Taki, K., Takayama, F., Noshiro, R., Niwa, T. and Endou, H.
Interactions of human organic anion as well as cation transporters with indoxyl sulfate (466) 13
- Evans, N.M., Bose, S., Benedetti, G., Zwart, R., Pearson, K.H., McPhie, G.I., Craig, P.J., Benton, J.P., Volsen, S.G., Sher, E. and Broad, L.M.
Expression and functional characterisation of a human chimeric nicotinic receptor with $\alpha 6\beta 4$ properties (466) 31
- Felix, S.B., see Staudt, Y. (466) 1
- Ferrer, M., Salaices, M., Sánchez, M. and Balfagón, G.
Different effects of acute clenbuterol on vasomotor response in mesenteric arteries from young and old spontaneously hypertensive rats (466) 289
- Fleck, E., see Bruemmer, D. (466) 225
- France, C.P., see McMahon, L.R. (466) 113
- Fu, M., see Staudt, Y. (466) 1
- Gérard, J., see Boland, A. (466) 21
- Garay, R.P., see Alvarez-Guerra, M. (466) 199
- Garay, R.P., see Hannaert, P. (466) 207
- Gromada, J., see Høy, M. (466) 213
- Høy, M., Olsen, H.L., Andersen, H.S., Bokvist, K., Buschard, K., Hansen, J., Jacobsen, P., Petersen, J.S., Rorsman, P. and Gromada, J.
Imidazoline NNC77-0074 stimulates insulin secretion and inhibits glucagon release by control of Ca²⁺-dependent exocytosis in pancreatic α - and β -cells (466) 213
- Hagiwara, M., Adachi-Akahane, S. and Nagao, T.
High-affinity binding of [³H]DTZ323 to the diltiazem-binding site of L-type Ca²⁺ channels (466) 63
- Hannaert, P., see Alvarez-Guerra, M. (466) 199
- Hannaert, P., Alvarez-Guerra, M., Hider, H., Chiavaroli, C. and Garay, R.P.
Vascular permeabilization by intravenous arachidonate in the rat peritoneal cavity: antagonism by ethamsylate (466) 207
- Hansen, J., see Høy, M. (466) 213
- Hara, A., see Niwa, M. (466) 245
- Hashimoto, K., see Sugiyama, A. (466) 137
- Haskó, G., see Mabley, J. (466) 323
- Hatakeyama, D., see Niwa, M. (466) 245
- Hider, H., see Alvarez-Guerra, M. (466) 199
- Hider, H., see Hannaert, P. (466) 207
- Hirade, K., see Niwa, M. (466) 245

- Hotta, K., see Niwa, M. (466) 245
 Hughes, A.D., see Pickkers, P. (466) 281
 Hungund, B.L., see Basavarajappa, B.S. (466) 73
- Imura, Y., see Amano, Y. (466) 155
 Ishii, K., see Mitani, A. (466) 223
 Ishikawa, E., see Amano, Y. (466) 155
 Ito, H., see Niwa, M. (466) 245
 Iwamoto, Y., see Okamoto, H. (466) 147
- Järbe, T.U.C., Lamb, R.J., Liu, Q. and Makriyannis, A.
 (R)-Methanandamide and Δ^9 -tetrahydrocannabinol-induced operant rate decreases in rats are not readily antagonized by SR-141716A (466) 121
 Jacobsen, P., see Høy, M. (466) 213
- Kühn, J.P., see Staudt, Y. (466) 1
 Kan, K.K.W., see Sam, T.S.W. (466) 163
 Kanamori, Y., see Niwa, M. (466) 245
 Karolewicz, B., see Antkiewicz-Michaluk, L. (466) 263
 Katayama, M., see Niwa, M. (466) 245
 Kato, K., see Niwa, M. (466) 245
 Kieffer, B.L., see Oakley, S.M. (466) 91
 Kimura, I., see Tanaka, K. (466) 191
 Kuniwa, M., see Tanaka, K. (466) 191
 Kintscher, U., see Bruemmer, D. (466) 225
 Kitamura, K., see Uchida, R. (466) 53
 Kitchen, I., see Oakley, S.M. (466) 91
 Kleeberg, U., see Krusekopf, S. (466) 7
 Klitgaard, H., see Margineanu, D.G. (466) 255
 Koek, W., see Bruins Slot, L.A. (466) 271
 Kozawa, O., see Niwa, M. (466) 245
 Krusekopf, S., Roots, I. and Kleeberg, U.
 Differential drug-induced mRNA expression of human CYP3A4 compared to CYP3A5, CYP3A7 and CYP3A43 (466) 7
 Kuraishi, Y., see Tanaka, K. (466) 191
- Löscher, W., Potschka, H., Wlaz, P., Danysz, W. and Parsons, C.G.
 Are neuronal nicotinic receptors a target for antiepileptic drug development? Studies in different seizure models in mice and rats (466) 99
 Lamb, R.J., see Järbe, T.U.C. (466) 121
 Law, R.E., see Bruemmer, D. (466) 225
 Liu, J., see Bruemmer, D. (466) 225
 Liu, Q., see Järbe, T.U.C. (466) 121
- Mabley, J., Soriano, F., Pacher, P., Haskó, G., Marton, A., Wallace, R., Salzman, A. and Szabó, C.
 The adenosine A_3 receptor agonist, N^6 -(3-iodobenzyl)-adenosine-5'- N -methyluronamide, is protective in two murine models of colitis (466) 323
 Maki, M., see Okamoto, H. (466) 147
 Makriyannis, A., see Järbe, T.U.C. (466) 121
 Margineanu, D.G. and Klitgaard, H.
 Levitracetam has no significant γ -aminobutyric acid-related effect on paired-pulse interaction in the dentate gyrus of rats (466) 255
 Marti, L., see Visentin, V. (466) 235
 Marton, A., see Mabley, J. (466) 323
 Matsuno, H., see Niwa, M. (466) 245
 McDonald, M.C., d'Emmanuele di Villa Bianca, R., Wayman, N.S., Pinto, A., Sharpe, M.A., Cuzzocrea, S., Chatterjee, P.K. and Thiernemann, C.
 A superoxide dismutase mimetic with catalase activity (EUK-8) reduces the organ injury in endotoxic shock (466) 181
 McMahon, L.R., Coop, A., France, C.P., Winger, G. and Woolverton, W.L.
 Evaluation of the reinforcing and discriminative stimulus effects of 1,4-butanediol and γ -butyrolactone in rhesus monkeys (466) 113
 McPhie, G.I., see Evans, N.M. (466) 31
- Michaluk, J., see Antkiewicz-Michaluk, L. (466) 263
 Mitani, A., Nakahara, T., Sakamoto, K. and Ishii, K.
 Expression of multidrug resistance protein 4 and 5 in the porcine coronary and pulmonary arteries (466) 223
 Miyata, K., see Sugiyama, A. (466) 137
 Mobini, R., see Staudt, Y. (466) 1
 Moller, D.E., see Bruemmer, D. (466) 225
 Mori, H., see Niwa, M. (466) 245
 Mossay, D., see Boland, A. (466) 21
- Nagao, T., see Hagiwara, M. (466) 63
 Nakahara, T., see Mitani, A. (466) 223
 Nakamura, Y., see Sugiyama, A. (466) 137
 Ngan, M.P., see Sam, T.S.W. (466) 163
 Nishimoto, T., see Amano, Y. (466) 155
 Niwa, M., Hotta, K., Kanamori, Y., Hatakeyama, D., Hirade, K., Katayama, M., Hara, A., Mori, H., Ito, H., Kato, K., Matsuno, H., Uematsu, T. and Kozawa, O.
 Involvement of p38 mitogen-activated protein kinase in heat shock protein 27 induction in human neutrophils (466) 245
 Niwa, T., see Enomoto, A. (466) 13
 Noshiro, R., see Enomoto, A. (466) 13
- Oakley, S.M., Toth, G., Borsodi, A., Kieffer, B.L. and Kitchen, I.
 G-protein coupling of δ -opioid receptors in brains of μ -opioid receptor knockout mice (466) 91
 Okamoto, H., Iwamoto, Y., Maki, M., Sotani, T., Yonemori, F. and Wakitani, K.
 Effect of JTT-705 on cholesteryl ester transfer protein and plasma lipid levels in normolipidemic animals (466) 147
 Olsen, H.L., see Høy, M. (466) 213
- Pacher, P., see Mabley, J. (466) 323
 Pang, C.C.Y., see Abdelrahman, A.M. (466) 317
 Parsons, C.G., see Löscher, W. (466) 99
 Pearson, K.H., see Evans, N.M. (466) 31
 Petersen, J.S., see Høy, M. (466) 213
 Pickkers, P., Russel, F.G.M., Thien, T., Hughes, A.D. and Smits, P.
 Only weak vasorelaxant properties of loop diuretics in isolated resistance arteries from man, rat and guinea pig (466) 281
 Pinto, A., see McDonald, M.C. (466) 181
 Potschka, H., see Löscher, W. (466) 99
 Prévot, D., see Visentin, V. (466) 235
- Roeder, T.
 Metabotropic histamine receptors—nothing for invertebrates? (466) 85
 Romańska, I., see Antkiewicz-Michaluk, L. (466) 263
 Roots, I., see Krusekopf, S. (466) 7
 Rorsman, P., see Høy, M. (466) 213
 Rudd, J.A., see Sam, T.S.W. (466) 163
 Russel, F.G.M., see Pickkers, P. (466) 281
- Sánchez, M., see Ferrer, M. (466) 289
 Saito, M., see Basavarajappa, B.S. (466) 73
 Sakamoto, K., see Mitani, A. (466) 223
 Salaices, M., see Ferrer, M. (466) 289
 Salzman, A., see Mabley, J. (466) 323
 Sam, T.S.W., Kan, K.K.W., Ngan, M.P., Rudd, J.A. and Yeung, J.H.K.
 Action of metyrapone and tetracosactrin to modify cisplatin-induced acute and delayed emesis in the ferret (466) 163
 Sato, S., see Sugiyama, A. (466) 137
 Satoh, Y., see Sugiyama, A. (466) 137
 Scheuer, W.V., see Burgermeister, E. (466) 169
 Seutin, V., see Boland, A. (466) 21
 Sharpe, M.A., see McDonald, M.C. (466) 181
 Sher, E., see Evans, N.M. (466) 31
 Shimizu-Sasamata, M., see Sugiyama, A. (466) 137

- Smits, P., see Pickkers, P. (466) 281
- Soriano, F., see Mabley, J. (466) 323
- Sotani, T., see Okamoto, H. (466) 147
- Staudt, A., see Staudt, Y. (466) 1
- Staudt, Y., Mobini, R., Fu, M., Felix, S.B., Kühn, J.P. and Staudt, A.
 β_1 -Adrenoceptor antibodies induce apoptosis in adult isolated cardio-
myocytes (466) 1
- Sugiyama, A., Satoh, Y., Takahara, A., Nakamura, Y.,
Shimizu-Sasamata, M., Sato, S., Miyata, K. and Hashimoto, K.
Famotidine does not induce long QT syndrome: experimental evidence
from in vitro and in vivo test systems (466) 137
- Sugiyama, Y., see Amano, Y. (466) 155
- Suzuki, T., see Tanaka, K. (466) 191
- Szabó, C., see Mabley, J. (466) 323
- Takahara, A., see Sugiyama, A. (466) 137
- Takayama, F., see Enomoto, A. (466) 13
- Takeda, M., see Enomoto, A. (466) 13
- Taki, K., see Enomoto, A. (466) 13
- Tanaka, K., Watanabe, M., Kuraishi, Y., Kimura, I., Suzuki, T. and
Kiniwa, M.
Peroral TAS-202 reduced vessel density in rats with adjuvant-induced
arthritis (466) 191
- Tarayre, J.-P., see Bruins Slot, L.A. (466) 271
- Tavi, P., see Voutilainen-Myllylä, S. (466) 41
- Thiemermann, C., see McDonald, M.C. (466) 181
- Thien, T., see Pickkers, P. (466) 281
- Toth, G., see Oakley, S.M. (466) 91
- Tozawa, R.-i., see Amano, Y. (466) 155
- Uchida, R., Yamazaki, J. and Kitamura, K.
Characterization of Ca^{2+} current inhibition by cilnidipine using a β -
subunit antisense oligonucleotide (466) 53
- Uematsu, T., see Niwa, M. (466) 245
- Vandeputte, C., Aiden McCormick, P. and Docherty, J.R.
Responsiveness to noradrenaline in aorta from wild-type, nitric oxide
synthase-2, nitric oxide synthase-3 and $\alpha_{2A/D}$ -adrenoceptor knockout
mice (466) 129
- Vetulani, J., see Antkiewicz-Michaluk, L. (466) 263
- Visentin, V., Prévot, D., Marti, L. and Carpené, C.
Inhibition of rat fat cell lipolysis by monoamine oxidase and
semicarbazide-sensitive amine oxidase substrates (466) 235
- Volsen, S.G., see Evans, N.M. (466) 31
- Voutilainen-Myllylä, S., Tavi, P. and Weckström, M.
Chelerythrine and bisindolylmaleimide I prolong cardiac action
potentials by protein kinase C-independent mechanism (466) 41
- Wakino, S., see Bruemmer, D. (466) 225
- Wakitani, K., see Okamoto, H. (466) 147
- Wallace, R., see Mabley, J. (466) 323
- Watanabe, M., see Tanaka, K. (466) 191
- Wayman, N.S., see McDonald, M.C. (466) 181
- Weckström, M., see Voutilainen-Myllylä, S. (466) 41
- Winger, G., see McMahon, L.R. (466) 113
- Wlaż, P., see Löscher, W. (466) 99
- Woolverton, W.L., see McMahon, L.R. (466) 113
- Yamazaki, J., see Uchida, R. (466) 53
- Yang, X.-P. and Chiba, S.
Interaction between neuropeptide Y Y_1 receptors and α_{1B} -adrenocep-
tors in the neurovascular junction of canine splenic arteries (466) 311
- Yeung, J.H.K., see Sam, T.S.W. (466) 163
- Yonemori, F., see Okamoto, H. (466) 147
- Zwart, R., see Evans, N.M. (466) 31