

Keyword index

Acetylcholine

Glutamate; NMDA receptor; Enteric nervous system; Colon; (Human) (Giaroni, C. (476) 63)

Acidosis

Hyperpolarization; K⁺ channel, ATP-sensitive; K⁺ channel, Ca²⁺-activated; K⁺ channel, delayed rectifier; Aorta, Wistar rat; Aorta, Wistar Kyoto rat (Rohra, D.K. (476) 123)

Adenosine

Cerebral blood flow; Hypercapnia; Nitric oxide (NO); ZM 241385 (Phillis, J.W. (476) 211)

Airway

Ca²⁺; Calmodulin; Inflammatory cell; Mast cell (Ten Broeke, R. (476) 151)

Substance P; Inflammation; Neutrophil; Mast cell (van der Kleij, H.P.M. (476) 249)

Allergic rhinitis

Nasal blockage; Hyperresponsiveness; Bradykinin; Bradykinin B₁ receptor; Bradykinin B₂ receptor (Sugahara, S. (476) 229)

TAK-427 {2-[6-[[3-[4-(diphenylmethoxy) piperidino]propyl]amino]imida-zo[1,2-*b*]]pyridazin-2-yl]-2-methylpropionic acid dihydrate}; Nasal acute symptom; Histamine H₁-receptor antagonist; Cedar pollen; Nasal obstruction (Fukuda, S. (476) 239)

Aminoguanidine

Brain-derived neurotrophic factor (BDNF); Nitric oxide (NO) (Johansson, R. (476) 221)

D-Amphetamine

Sequential three-key drug discrimination; Drug discrimination retention; Fixed-interval schedule; Pentobarbital; Morphine; Caffeine; (Pigeon) (Li, M. (476) 79)

Angiotensin AT₁ receptor

Angiotensin II; [Lys²]angiotensin II; Tachyphylaxis; mRNA; Untranslated region; CHO cell line (França, L.P. (476) 25)

Angiotensin II

[Lys²]angiotensin II; Angiotensin AT₁ receptor; Tachyphylaxis; mRNA; Untranslated region; CHO cell line (França, L.P. (476) 25)

Anticonvulsant

Glutamate receptor, metabotropic; Epilepsy; DBA/2 mouse; Temporal lobe epilepsy; Kindling (Moldrich, R.X. (476) 3)

Antidiabetic agent

JTT-608; Hemoglobin A1c; Goto–Kakizaki rat; Neuropathy; Nephropathy (Ohta, T. (476) 159)

Anxiety

Microdialysis; Norepinephrine; Cortex prefrontal; Reboxetine; Rat (Dazzi, L. (476) 55)

Aorta, Wistar Kyoto rat

Acidosis; Hyperpolarization; K⁺ channel, ATP-sensitive; K⁺ channel, Ca²⁺-activated; K⁺ channel, delayed rectifier; Aorta, Wistar rat (Rohra, D.K. (476) 123)

Aorta, Wistar rat

Acidosis; Hyperpolarization; K⁺ channel, ATP-sensitive; K⁺ channel, Ca²⁺-activated; K⁺ channel, delayed rectifier; Aorta, Wistar Kyoto rat (Rohra, D.K. (476) 123)

Artery

Irradiation; Endothelium-dependent relaxation; endothelial nitric oxide synthase (eNOS); Free radical scavenger (Zhang, X.-H. (476) 131)

Asiatic acid

Ursolic acid; HaCaT human keratinocyte; Reactive oxygen species; Matrix metalloproteinase; p53 (Soo Lee, Y. (476) 173)

Autoreceptor

CP-93,129; 5-HT (5-hydroxytryptamine, serotonin); Selective reuptake inhibitor; Fluvoxamine; Caudate putamen; Heteroreceptor (De Groote, L. (476) 71)

Bradykinin

Allergic rhinitis; Nasal blockage; Hyperresponsiveness; Bradykinin B₁ receptor; Bradykinin B₂ receptor (Sugahara, S. (476) 229)

Bradykinin B₁ receptor

Allergic rhinitis; Nasal blockage; Hyperresponsiveness; Bradykinin; Bradykinin B₂ receptor (Sugahara, S. (476) 229)

Bradykinin B₂ receptor

Allergic rhinitis; Nasal blockage; Hyperresponsiveness; Bradykinin; Bradykinin B₁ receptor (Sugahara, S. (476) 229)

Brain-derived neurotrophic factor (BDNF)

Aminoguanidine; Nitric oxide (NO) (Johansson, R. (476) 221)

Ca²⁺

Calmodulin; Airway; Inflammatory cell; Mast cell (Ten Broeke, R. (476) 151)

Nitrosourea; Glutathione reductase; Oxidative stress; Cation channel; Cl[−] channel (Doroshenko, N. (476) 185)

Ca²⁺ current

K⁺ current; Long QT syndrome; Heart (Bai, C.-X. (476) 35)
Ghrelin; Ghrelin derivative, endogenous; Growth hormone secretagogue; GH secretagogues receptor; Cardiac contractility (Bedendi, I. (476) 87)

Ca²⁺ current, L-type

Nitric oxide (NO); Contraction; Excitation–contraction coupling (Au, A. (476) 45)

Ca²⁺ influx

17β-Oestradiol; K⁺ channel; Vasorelaxation (Tep-arcanan, P. (476) 139)

Caffeine

Sequential three-key drug discrimination; Drug discrimination retention; Fixed-interval schedule; Pentobarbital; D-Amphetamine; Morphine; (Pigeon) (Li, M. (476) 79)

Calmodulin

Ca²⁺; Airway; Inflammatory cell; Mast cell (Ten Broeke, R. (476) 151)

Capsaicin

Vagal sensory nerve; Nitric oxide (NO); cGMP; Ischemia; Heart, rat (Csont, T. (476) 107)

Cardiac contractility

Ghrelin; Ghrelin derivative, endogenous; Growth hormone secretagogue; GH secretagogues receptor; Ca²⁺ current (Bedendi, I. (476) 87)

Cathinone

MDMA (methylenedioxymethamphetamine); MDA (methylenedioxyamphetamine); MDEA (methylenedioxyethylamphetamine); Cocaine; Nisoxetine (Cleary, L. (476) 31)

Cation channel

Nitrosourea; Glutathione reductase; Oxidative stress; Cl⁻ channel; Ca²⁺ (Doroshenko, N. (476) 185)

Caudate putamen

CP-93,129; 5-HT (5-hydroxytryptamine, serotonin); Selective reuptake inhibitor; Fluvoxamine; Autoreceptor; Heteroreceptor (De Groote, L. (476) 71)

Cedar pollen

TAK-427 {2-[6-[[3-[4-(diphenylmethoxy) piperidino]propyl]amino]imidazo[1,2-*b*]pyridazin-2-yl]-2-methylpropionic acid dihydrate}; Nasal acute symptom; Allergic rhinitis; Histamine H₁-receptor antagonist; Nasal obstruction (Fukuda, S. (476) 239)

Cerebral blood flow

Adenosine; Hypercapnia; Nitric oxide (NO); ZM 241385 (Phillis, J.W. (476) 211)

cGMP

Capsaicin; Vagal sensory nerve; Nitric oxide (NO); Ischemia; Heart, rat (Csont, T. (476) 107)

CHO cell line

Angiotensin II; [Lys²]angiotensin II; Angiotensin AT₁ receptor; Tachyphylaxis; mRNA; Untranslated region (França, L.P. (476) 25)

Cl⁻ channel

Nitrosourea; Glutathione reductase; Oxidative stress; Cation channel; Ca²⁺ (Doroshenko, N. (476) 185)

Clozapine

Metabolite; Metabolism; Hippocampus (Heiser, P. (476) 167)

Cocaine

MDMA (methylenedioxymethamphetamine); MDA (methylenedioxyamphetamine); MDEA (methylenedioxyethylamphetamine); Cathinone; Nisoxetine (Cleary, L. (476) 31)

Colon

Glutamate; NMDA receptor; Acetylcholine; Enteric nervous system; (Human) (Giaroni, C. (476) 63)

Contractility

Nebivolol; Nebivolol, enantiomer; Nebivolol, metabolite; Myocardium, human (Bundkirchen, A. (476) 97)

Contraction

Ca²⁺ current, L-type; Nitric oxide (NO); Excitation–contraction coupling (Au, A. (476) 45)

Cortex prefrontal

Anxiety; Microdialysis; Norepinephrine; Reboxetine; Rat (Dazzi, L. (476) 55)

CP-101,606

(Rat); Morris watermaze; NMDA receptor NR2B subunit selective antagonist (Guscott, M.R. (476) 193)

CP-93,129

5-HT (5-hydroxytryptamine, serotonin); Selective reuptake inhibitor; Fluvoxamine; Caudate putamen; Autoreceptor; Heteroreceptor (De Groote, L. (476) 71)

DBA/2 mouse

Glutamate receptor, metabotropic; Epilepsy; Anticonvulsant; Temporal lobe epilepsy; Kindling (Moldrich, R.X. (476) 3)

15-Deoxy^{Δ12,14} prostaglandin J₂

Shock; PPAR (Collin, M. (476) 257)

Drug discrimination retention

Sequential three-key drug discrimination; Fixed-interval schedule; Pentobarbital; D-Amphetamine; Morphine; Caffeine; (Pigeon) (Li, M. (476) 79)

Effective refractory period

Mexiletine; Sparfloxacin; Long QT syndrome; Monophasic action potential (Takahara, A. (476) 115)

Electrophysiology

GABA_A receptor; Spontaneous activity; Potency; Partial agonist; Oocyte (Mortensen, M. (476) 17)

endothelial nitric oxide synthase (eNOS)

Irradiation; Endothelium-dependent relaxation; Free radical scavenger; Artery (Zhang, X.-H. (476) 131)

Endothelium-dependent relaxation

Irradiation; endothelial nitric oxide synthase (eNOS); Free radical scavenger; Artery (Zhang, X.-H. (476) 131)

Enteric nervous system

Glutamate; NMDA receptor; Acetylcholine; Colon; (Human) (Giaroni, C. (476) 63)

Epilepsy

Glutamate receptor, metabotropic; Anticonvulsant; DBA/2 mouse; Temporal lobe epilepsy; Kindling (Moldrich, R.X. (476) 3)

Excitation–contraction coupling

Ca²⁺ current, L-type; Nitric oxide (NO); Contraction (Au, A. (476) 45)

Fixed-interval schedule

Sequential three-key drug discrimination; Drug discrimination retention; Pentobarbital; D-Amphetamine; Morphine; Caffeine; (Pigeon) (Li, M. (476) 79)

Fluvoxamine

CP-93,129; 5-HT (5-hydroxytryptamine, serotonin); Selective reuptake inhibitor; Caudate putamen; Autoreceptor; Heteroreceptor (De Groote, L. (476) 71)

Free radical scavenger

Irradiation; Endothelium-dependent relaxation; endothelial nitric oxide synthase (eNOS); Artery (Zhang, X.-H. (476) 131)

GABA_A receptor

Spontaneous activity; Potency; Partial agonist; Oocyte; Electrophysiology (Mortensen, M. (476) 17)

Ghrelin

Ghrelin derivative, endogenous; Growth hormone secretagogue; GH secretagogues receptor; Cardiac contractility; Ca²⁺ current (Bedendi, I. (476) 87)

Ghrelin derivative, endogenous

Ghrelin; Growth hormone secretagogue; GH secretagogues receptor; Cardiac contractility; Ca²⁺ current (Bedendi, I. (476) 87)

GH secretagogues receptor

Ghrelin; Ghrelin derivative, endogenous; Growth hormone secretagogue; Cardiac contractility; Ca²⁺ current (Bedendi, I. (476) 87)

Glutamate

NMDA receptor; Acetylcholine; Enteric nervous system; Colon; (Human) (Giaroni, C. (476) 63)

Glutamate receptor, metabotropic

Epilepsy; Anticonvulsant; DBA/2 mouse; Temporal lobe epilepsy; Kindling (Moldrich, R.X. (476) 3)

Glutamate uptake

Nicotine; Glutamine synthetase; Na⁺/K⁺ ATPase (Lim, D.K. (476) 179)

Glutamine synthetase

Nicotine; Glutamate uptake; Na⁺/K⁺ ATPase (Lim, D.K. (476) 179)

Glutathione reductase

Nitrosourea; Oxidative stress; Cation channel; Cl⁻ channel; Ca²⁺ (Doroshenko, N. (476) 185)

Goto–Kakizaki rat

JTT-608; Antidiabetic agent; Hemoglobin A1c; Neuropathy; Nephropathy (Ohta, T. (476) 159)

Growth hormone secretagogue

Ghrelin; Ghrelin derivative, endogenous; GH secretagogues receptor; Cardiac contractility; Ca²⁺ current (Bedendi, I. (476) 87)

HaCaT human keratinocyte

Asiatic acid; Ursolic acid; Reactive oxygen species; Matrix metalloproteinase; p53 (Soo Lee, Y. (476) 173)

Heart

Ca²⁺ current; K⁺ current; Long QT syndrome (Bai, C.-X. (476) 35)

Heart, rat

Capsaicin; Vagal sensory nerve; Nitric oxide (NO); cGMP; Ischemia (Csont, T. (476) 107)

Hemoglobin A1c

JTT-608; Antidiabetic agent; Goto–Kakizaki rat; Neuropathy; Nephropathy (Ohta, T. (476) 159)

Heteroreceptor

CP-93,129; 5-HT (5-hydroxytryptamine, serotonin); Selective reuptake inhibitor; Fluvoxamine; Caudate putamen; Autoreceptor (De Groote, L. (476) 71)

Hippocampus

Clozapine; Metabolite; Metabolism (Heiser, P. (476) 167)

Histamine H₁-receptor antagonist

TAK-427 {2-[6-[[3-[4-(diphenylmethoxy) piperidino]propyl]amino]imidazo[1,2-*b*]pyridazin-2-yl]-2-methylpropionic acid dihydrate}; Nasal acute symptom; Allergic rhinitis; Cedar pollen; Nasal obstruction (Fukuda, S. (476) 239)

5-HT (5-hydroxytryptamine, serotonin)

CP-93,129; Selective reuptake inhibitor; Fluvoxamine; Caudate putamen; Autoreceptor; Heteroreceptor (De Groote, L. (476) 71)

(Human)

Glutamate; NMDA receptor; Acetylcholine; Enteric nervous system; Colon (Giaroni, C. (476) 63)

Hypercapnia

Adenosine; Cerebral blood flow; Nitric oxide (NO); ZM 241385 (Phillis, J.W. (476) 211)

Hyperpolarization

Acidosis; K⁺ channel, ATP-sensitive; K⁺ channel, Ca²⁺-activated; K⁺ channel, delayed rectifier; Aorta, Wistar rat; Aorta, Wistar Kyoto rat (Rohra, D.K. (476) 123)

Hyperresponsiveness

Allergic rhinitis; Nasal blockage; Bradykinin; Bradykinin B₁ receptor; Bradykinin B₂ receptor (Sugahara, S. (476) 229)

Inflammation

Airway; Substance P; Neutrophil; Mast cell (van der Kleij, H.P.M. (476) 249)

Inflammatory cell

Ca²⁺; Calmodulin; Airway; Mast cell (Ten Broeke, R. (476) 151)

Irradiation

Endothelium-dependent relaxation; endothelial nitric oxide synthase (eNOS); Free radical scavenger; Artery (Zhang, X.-H. (476) 131)

Ischemia

Capsaicin; Vagal sensory nerve; Nitric oxide (NO); cGMP; Heart, rat (Csont, T. (476) 107)

JTT-608

Antidiabetic agent; Hemoglobin A1c; Goto–Kakizaki rat; Neuropathy; Nephropathy (Ohta, T. (476) 159)

K⁺ channel

17β-Oestradiol; Vasorelaxation; Ca²⁺ influx (Tep-areenan, P. (476) 139)

K⁺ channel, ATP-sensitive

Acidosis; Hyperpolarization; K⁺ channel, Ca²⁺-activated; K⁺ channel, delayed rectifier; Aorta, Wistar rat; Aorta, Wistar Kyoto rat (Rohra, D.K. (476) 123)

K⁺ channel, Ca²⁺-activated

Acidosis; Hyperpolarization; K⁺ channel, ATP-sensitive; K⁺ channel, delayed rectifier; Aorta, Wistar rat; Aorta, Wistar Kyoto rat (Rohra, D.K. (476) 123)

K⁺ channel, delayed rectifier

Acidosis; Hyperpolarization; K⁺ channel, ATP-sensitive; K⁺ channel, Ca²⁺-activated; Aorta, Wistar rat; Aorta, Wistar Kyoto rat (Rohra, D.K. (476) 123)

K⁺ current

Ca²⁺ current; Long QT syndrome; Heart (Bai, C.-X. (476) 35)

Kindling

Glutamate receptor, metabotropic; Epilepsy; Anticonvulsant; DBA/2 mouse; Temporal lobe epilepsy (Moldrich, R.X. (476) 3)

Long QT syndrome

Ca²⁺ current; K⁺ current; Heart (Bai, C.-X. (476) 35)

Mexiletine; Sparfloxacin; Monophasic action potential; Effective refractory period (Takahara, A. (476) 115)

[Lys²]angiotensin II

Angiotensin II; Angiotensin AT₁ receptor; Tachyphylaxis; mRNA; Untranslated region; CHO cell line (França, L.P. (476) 25)

Mast cell

Ca²⁺; Calmodulin; Airway; Inflammatory cell (Ten Broeke, R. (476) 151)

Airway; Substance P; Inflammation; Neutrophil (van der Kleij, H.P.M. (476) 249)

Matrix metalloproteinase

Asiatic acid; Ursolic acid; HaCaT human keratinocyte; Reactive oxygen species; p53 (Soo Lee, Y. (476) 173)

MDA (methylenedioxyamphetamine)

MDMA (methylenedioxymethamphetamine); MDEA (methylenedioxyethylamphetamine); Cathinone; Cocaine; Nisoxetine (Cleary, L. (476) 31)

MDEA (methylenedioxyethylamphetamine)

MDMA (methylenedioxymethamphetamine); MDA (methylenedioxyamphetamine); Cathinone; Cocaine; Nisoxetine (Cleary, L. (476) 31)

MDMA (methylenedioxymethamphetamine)

MDA (methylenedioxyamphetamine); MDEA (methylenedioxyethylamphetamine); Cathinone; Cocaine; Nisoxetine (Cleary, L. (476) 31)

Metabolism

Clozapine; Metabolite; Hippocampus (Heiser, P. (476) 167)

Metabolite

Clozapine; Metabolism; Hippocampus (Heiser, P. (476) 167)

Mexiletine

Sparfloxacin; Long QT syndrome; Monophasic action potential; Effective refractory period (Takahara, A. (476) 115)

Microdialysis

Anxiety; Norepinephrine; Cortex prefrontal; Reboxetine; Rat (Dazzi, L. (476) 55)

Monophasic action potential

Mexiletine; Sparfloxacin; Long QT syndrome; Effective refractory period (Takahara, A. (476) 115)

Morphine

Sequential three-key drug discrimination; Drug discrimination retention; Fixed-interval schedule; Pentobarbital; D-Amphetamine; Caffeine; (Pigeon) (Li, M. (476) 79)

Morris watermaze

CP-101,606; (Rat); NMDA receptor NR2B subunit selective antagonist (Guscott, M.R. (476) 193)

mRNA

Angiotensin II; [Lys²]angiotensin II; Angiotensin AT₁ receptor; Tachyphylaxis; Untranslated region; CHO cell line (França, L.P. (476) 25)

Myocardium, human

Nebivolol; Nebivolol, enantiomer; Nebivolol, metabolite; Contractility (Bundkirchen, A. (476) 97)

Myosin light chain phosphorylation

Norepinephrine; Smooth muscle; Tyrosine kinase (Adegunloye, B.J. (476) 201)

Na⁺/K⁺ ATPase

Nicotine; Glutamate uptake; Glutamine synthetase (Lim, D.K. (476) 179)

Nasal acute symptom

TAK-427 {2-[6-[[3-[4-(diphenylmethoxy) piperidino]propyl]amino]imidazo[1,2-*b*]pyridazin-2-yl]-2-methylpropionic acid dihydrate}; Allergic rhinitis; Histamine H₁-receptor antagonist; Cedar pollen; Nasal obstruction (Fukuda, S. (476) 239)

Nasal blockage

Allergic rhinitis; Hyperresponsiveness; Bradykinin; Bradykinin B₁ receptor; Bradykinin B₂ receptor (Sugahara, S. (476) 229)

Nasal obstruction

TAK-427 {2-[6-[[3-[4-(diphenylmethoxy) piperidino]propyl]amino]imidazo[1,2-*b*]pyridazin-2-yl]-2-methylpropionic acid dihydrate}; Nasal acute symptom; Allergic rhinitis; Histamine H₁-receptor antagonist; Cedar pollen (Fukuda, S. (476) 239)

Nebivolol

Nebivolol, enantiomer; Nebivolol, metabolite; Contractility; Myocardium, human (Bundkirchen, A. (476) 97)

Nebivolol, enantiomer

Nebivolol; Nebivolol, metabolite; Contractility; Myocardium, human (Bundkirchen, A. (476) 97)

Nebivolol, metabolite

Nebivolol; Nebivolol, enantiomer; Contractility; Myocardium, human (Bundkirchen, A. (476) 97)

Nephropathy

JTT-608; Antidiabetic agent; Hemoglobin A1c; Goto–Kakizaki rat; Neuropathy (Ohta, T. (476) 159)

Neuropathy

JTT-608; Antidiabetic agent; Hemoglobin A1c; Goto–Kakizaki rat; Nephropathy (Ohta, T. (476) 159)

Neutrophil

Airway; Substance P; Inflammation; Mast cell (van der Kleij, H.P.M. (476) 249)

Nicotine

Glutamate uptake; Glutamine synthetase; Na⁺/K⁺ ATPase (Lim, D.K. (476) 179)

Nisoxetine

MDMA (methylenedioxymethamphetamine); MDA (methylenedioxyamphetamine); MDEA (methylenedioxyethylamphetamine); Cathinone; Cocaine (Cleary, L. (476) 31)

Nitric oxide (NO)

Ca²⁺ current, L-type; Contraction; Excitation–contraction coupling (Au, A. (476) 45)
Capsaicin; Vagal sensory nerve; cGMP; Ischemia; Heart, rat (Csont, T. (476) 107)

Adenosine; Cerebral blood flow; Hypercapnia; ZM 241385 (Phillis, J.W. (476) 211)

Aminoguanidine; Brain-derived neurotrophic factor (BDNF) (Johansson, R. (476) 221)

Nitrosourea

Glutathione reductase; Oxidative stress; Cation channel; Cl^- channel; Ca^{2+} (Doroshenko, N. (476) 185)

NMDA receptor

Glutamate; Acetylcholine; Enteric nervous system; Colon; (Human) (Giaroni, C. (476) 63)

NMDA receptor NR2B subunit selective antagonist

CP-101,606; (Rat); Morris watermaze (Guscott, M.R. (476) 193)

Norepinephrine

Anxiety; Microdialysis; Cortex prefrontal; Reboxetine; Rat (Dazzi, L. (476) 55)

Smooth muscle; Tyrosine kinase; Myosin light chain phosphorylation (Adegunloye, B.J. (476) 201)

17 β -Oestradiol

K^+ channel; Vasorelaxation; Ca^{2+} influx (Tep-areenan, P. (476) 139)

Oocyte

GABA_A receptor; Spontaneous activity; Potency; Partial agonist; Electrophysiology (Mortensen, M. (476) 17)

Oxidative stress

Nitrosourea; Glutathione reductase; Cation channel; Cl^- channel; Ca^{2+} (Doroshenko, N. (476) 185)

p53

Asiatic acid; Ursolic acid; HaCaT human keratinocyte; Reactive oxygen species; Matrix metalloproteinase (Soo Lee, Y. (476) 173)

Partial agonist

GABA_A receptor; Spontaneous activity; Potency; Oocyte; Electrophysiology (Mortensen, M. (476) 17)

Pentobarbital

Sequential three-key drug discrimination; Drug discrimination retention; Fixed-interval schedule; D-Amphetamine; Morphine; Caffeine; (Pigeon) (Li, M. (476) 79)

(Pigeon)

Sequential three-key drug discrimination; Drug discrimination retention; Fixed-interval schedule; Pentobarbital; D-Amphetamine; Morphine; Caffeine (Li, M. (476) 79)

Potency

GABA_A receptor; Spontaneous activity; Partial agonist; Oocyte; Electrophysiology (Mortensen, M. (476) 17)

PPAR

Shock; 15-Deoxy $\Delta^{12,14}$ prostaglandin J₂ (Collin, M. (476) 257)

Rat

Anxiety; Microdialysis; Norepinephrine; Cortex prefrontal; Reboxetine (Dazzi, L. (476) 55)

(Rat)

CP-101,606; Morris watermaze; NMDA receptor NR2B subunit selective antagonist (Guscott, M.R. (476) 193)

Reactive oxygen species

Asiatic acid; Ursolic acid; HaCaT human keratinocyte; Matrix metalloproteinase; p53 (Soo Lee, Y. (476) 173)

Reboxetine

Anxiety; Microdialysis; Norepinephrine; Cortex prefrontal; Rat (Dazzi, L. (476) 55)

Selective reuptake inhibitor

CP-93,129; 5-HT (5-hydroxytryptamine, serotonin); Fluvoxamine; Caudate putamen; Autoreceptor; Heteroreceptor (De Groote, L. (476) 71)

Sequential three-key drug discrimination

Drug discrimination retention; Fixed-interval schedule; Pentobarbital; D-Amphetamine; Morphine; Caffeine; (Pigeon) (Li, M. (476) 79)

Shock

PPAR; 15-Deoxy $\Delta^{12,14}$ prostaglandin J₂ (Collin, M. (476) 257)

Smooth muscle

Norepinephrine; Tyrosine kinase; Myosin light chain phosphorylation (Adegunloye, B.J. (476) 201)

Sparfloxacin

Mexiletine; Long QT syndrome; Monophasic action potential; Effective refractory period (Takahara, A. (476) 115)

Spontaneous activity

GABA_A receptor; Potency; Partial agonist; Oocyte; Electrophysiology (Mortensen, M. (476) 17)

Substance P

Airway; Inflammation; Neutrophil; Mast cell (van der Kleij, H.P.M. (476) 249)

Tachyphylaxis

Angiotensin II; [Lys²]angiotensin II; Angiotensin AT₁ receptor; mRNA; Untranslated region; CHO cell line (França, L.P. (476) 25)

TAK-427 {2-[6-[[3-[4-(diphenylmethoxy) piperidino]propyl]amino]imidazo[1,2-b]pyridazin-2-yl]-2-methylpropionic acid dihydrate}

Nasal acute symptom; Allergic rhinitis; Histamine H₁-receptor antagonist; Cedar pollen; Nasal obstruction (Fukuda, S. (476) 239)

Temporal lobe epilepsy

Glutamate receptor, metabotropic; Epilepsy; Anticonvulsant; DBA/2 mouse; Kindling (Moldrich, R.X. (476) 3)

Tyrosine kinase

Norepinephrine; Smooth muscle; Myosin light chain phosphorylation (Adegunloye, B.J. (476) 201)

Untranslated region

Angiotensin II; [Lys²]angiotensin II; Angiotensin AT₁ receptor; Tachyphylaxis; mRNA; CHO cell line (França, L.P. (476) 25)

Ursolic acid

Asiatic acid; HaCaT human keratinocyte; Reactive oxygen species; Matrix metalloproteinase; p53 (Soo Lee, Y. (476) 173)

Vagal sensory nerve

Capsaicin; Nitric oxide (NO); cGMP; Ischemia; Heart, rat (Csont, T. (476) 107)

Vasorelaxation

17 β -Oestradiol; K^+ channel; Ca^{2+} influx (Tep-areenan, P. (476) 139)

ZM 241385

Adenosine; Cerebral blood flow; Hypercapnia; Nitric oxide (NO) (Phillis, J.W. (476) 211)