

Author index

- Ábrahám, C., see Benkő, I. (477) 180
 Agrawal, S.M., see McCullumsmith, R.E. (477) 102
 Akaike, A., see Taguchi, R. (477) 195
 Alexoff, D., see Gerasimov, M.R. (477) 45
 Anic, T., see Bedekovic, V. (477) 73
 Antohe, F., see Manduteanu, I. (477) 269
 Antunes, E., see Baracat, J.S. (477) 164
 Aoki, M., see Itoh, F. (477) 9
 Aoyagi, S., see Itoh, F. (477) 9
- Balster, R.L., see Gerasimov, M.R. (477) 45
 Baracat, J.S., Teixeira, C.E., Okuyama, C.E., Priviero, F.B.M., Faro, R., Antunes, E. and De Nucci, G.
 Relaxing effects induced by the soluble guanylyl cyclase stimulator BAY 41-2272 in human and rabbit corpus cavernosum (477) 164
 Batelja, L., see Bedekovic, V. (477) 73
 Bazzani, C., see Mioni, C. (477) 227
 Bedekovic, V., Mise, S., Anic, T., Staresinic, M., Gjurasin, M., Kopljar, M., Kalogjera, L., Drvis, P., Boban Blagaic, A., Batelja, L., Seiwerth, S. and Sikiric, P.
 Different effect of antiulcer agents on rat cysteamine-induced duodenal ulcer after sialoadenectomy, but not gastrectomy (477) 73
 Benkő, I., Djazayeri, K., Ábrahám, C., Zsuga, J. and Szilvássy, Z.
 Rosiglitazone-induced protection against myelotoxicity produced by 5-fluorouracil (477) 180
 Berti, F., see Rossoni, G. (477) 59
 Bertolini, A., see Mioni, C. (477) 227
 Boban Blagaic, A., see Bedekovic, V. (477) 73
 Bocci, G., Danesi, R., Del Tacca, M. and Kerbel, R.S.
 Selective anti-endothelial effects of protracted low-dose BAL-9504, a novel geranylgeranyl-transferase inhibitor (477) 17
 Bril, A., see Maddock, H.L. (477) 235
 Broadley, K.J., see Maddock, H.L. (477) 235
- Cainazzo, M.M., see Mioni, C. (477) 227
 Capraru, M., see Manduteanu, I. (477) 269
 Castorina, M., Marino, R., Grassi, M. and Drago, F.
 Very low doses of ethanol induce behavioral changes involving dopamine D2 receptors (477) 130
 Chen, A., see Tsao, C.-M. (477) 184
 Ciottoli, G.B., see Lacroix, P. (477) 69
 Collier, L., see Gerasimov, M.R. (477) 45
 Crumb, W.J., see Lacroix, P. (477) 69
- Danesi, R., see Bocci, G. (477) 17
 Daniels, S., see Hadipour-Jahromy, M. (477) 82
 De Backer, W.A., see van Overveld, F.J. (477) 261
 De Nucci, G., see Baracat, J.S. (477) 164
 Del Soldato, P., see Rossoni, G. (477) 59
 Del Tacca, M., see Bocci, G. (477) 17
 Demkow, U.A., see van Overveld, F.J. (477) 261
 Djazayeri, K., see Benkő, I. (477) 180
 Drago, F., see Castorina, M. (477) 130
 Drago, F., see Mazzola, C. (477) 219
 Dragomir, E., see Manduteanu, I. (477) 269
- Drvis, P., see Bedekovic, V. (477) 73
 Durando, L., see Lacroix, P. (477) 69
- Eidi, A., see Oryan, S. (477) 124
 Eidi, M., see Oryan, S. (477) 124
- Faro, R., see Baracat, J.S. (477) 164
 Fernández-Pérez, S., see Pache, D.M. (477) 205
 Ferrieri, A., see Gerasimov, M.R. (477) 45
 Furihata-Komatsu, H., see Itoh, F. (477) 9
- Gardner, N.M., see Maddock, H.L. (477) 235
 Gerasimov, M.R., Collier, L., Ferrieri, A., Alexoff, D., Lee, D., Gifford, A.N. and Balster, R.L.
 Toluene inhalation produces a conditioned place preference in rats (477) 45
 Gifford, A.N., see Gerasimov, M.R. (477) 45
 Giuliani, D., see Mioni, C. (477) 227
 Gjurasin, M., see Bedekovic, V. (477) 73
 Górecka, D., see van Overveld, F.J. (477) 261
 Grassi, M., see Castorina, M. (477) 130
 Grieco, P., see Mioni, C. (477) 227
 Guarini, S., see Mioni, C. (477) 227
- Hadipour-Jahromy, M. and Daniels, S.
 Binary combinations of propofol and barbiturates on human α_1 glycine receptors expressed in *Xenopus* oocytes (477) 82
 Hamada, K., see Hosogai, N. (477) 172
 Hamada, K., see Yamamoto, T. (477) 253
 Hanioka, N., see Yamamoto, T. (477) 253
 Heibredner, C.A., see Shilliam, C.S. (477) 114
 Hernández, A., see Pelissier, T. (477) 23
 Hirosumi, J., see Hosogai, N. (477) 172
 Ho, S.-T., see Tsao, C.-M. (477) 184
 Honda, T., see Umeuchi, H. (477) 29
 Hosogai, N., Tomita, M., Hamada, K., Ogawa, T., Hirosumi, J., Manda, T. and Mutoh, S.
 Phosphodiesterase type 5 inhibition ameliorates nephrotoxicity induced by cyclosporin A in spontaneous hypertensive rats (477) 172
- Iannone, C., see Mioni, C. (477) 227
 Imazumi, K., see Yamamoto, T. (477) 253
 Itoh, F., Aoyagi, S., Furihata-Komatsu, H., Aoki, M., Kusama, H., Kojima, M. and Kogo, H.
 Clodronate stimulates osteoblast differentiation in ST2 and MC3T3-E1 cells and rat organ cultures (477) 9
- Jones, R.L., see Kan, K.K.W. (477) 247
- Kalogjera, L., see Bedekovic, V. (477) 73
 Kan, K.K.W., Jones, R.L., Ngan, M.-P. and Rudd, J.A.
 Action of prostanoids on the emetic reflex of *Suncus murinus* (the house musk shrew) (477) 247
 Kaneko, S., see Taguchi, R. (477) 195
 Katsuki, H., see Taguchi, R. (477) 195

- Kerbel, R.S., see Bocci, G. (477) 17
- Khandoudi, N., see Maddock, H.L. (477) 235
- Kogo, H., see Itoh, F. (477) 9
- Kohanrooz, B., see Oryan, S. (477) 124
- Kojima, M., see Itoh, F. (477) 9
- Kopljär, M., see Bedekovic, V. (477) 73
- Kramer, V., see Pelissier, T. (477) 23
- Kulkarni, S.K., see Singh, A. (477) 88
- Kume, T., see Taguchi, R. (477) 195
- Kusama, H., see Itoh, F. (477) 9
- Lacroix, P., Crumb, W.J., Durando, L. and Ciottoli, G.B.
Prulifloxacin: in vitro (HERG current) and in vivo (conscious dog) assessment of cardiac risk (477) 69
- Laurido, C., see Pelissier, T. (477) 23
- Leander, J.D., see Wolff, M.C. (477) 213
- Lee, D., see Gerasimov, M.R. (477) 45
- Leone, S., see Mioni, C. (477) 227
- Liang, S., see Xiao, Y. (477) 1
- MacLeod, K.M., see Subramanian, R. (477) 144
- Maddock, H.L., Gardner, N.M., Khandoudi, N., Bril, A. and Broadley, K.J.
Protection from myocardial stunning by ischaemia and hypoxia with the adenosine A₃ receptor agonist, IB-MECA (477) 235
- Maeda, Y., see Yamamoto, T. (477) 253
- Manda, T., see Hosogai, N. (477) 172
- Manda, T., see Yamamoto, T. (477) 253
- Manduteanu, I., Voinea, M., Antohe, F., Dragomir, E., Capraru, M., Radulescu, L. and Simionescu, M.
Effect of enoxaparin on high glucose-induced activation of endothelial cells (477) 269
- Manfredi, B., see Rossoni, G. (477) 59
- Marino, R., see Castorina, M. (477) 130
- Matsumoto, K., see Tokutomi, Y. (477) 138
- Matsuo, M., see Yamamoto, T. (477) 253
- Mazzola, C., Micale, V. and Drago, F.
Amnesia induced by β -amyloid fragments is counteracted by cannabinoid CB₁ receptor blockade (477) 219
- McCullumsmith, R.E., Stincic, T.L., Agrawal, S.M. and Meador-Woodruff, J.H.
Differential effects of antipsychotics on haloperidol-induced vacuous chewing movements and subcortical gene expression in the rat (477) 102
- Meador-Woodruff, J.H., see McCullumsmith, R.E. (477) 102
- Micale, V., see Mazzola, C. (477) 219
- Mioni, C., Giuliani, D., Cainazzo, M.M., Leone, S., Iannone, C., Bazzani, C., Grieco, P., Novellino, E., Tomasi, A., Bertolini, A. and Guarini, S.
Further evidence that melanocortins prevent myocardial reperfusion injury by activating melanocortin MC₃ receptors (477) 227
- Mise, S., see Bedekovic, V. (477) 73
- Mutoh, S., see Hosogai, N. (477) 172
- Mutoh, S., see Yamamoto, T. (477) 253
- Nagase, H., see Umeuchi, H. (477) 29
- Naidu, P.S., see Singh, A. (477) 88
- Nakao, K., see Umeuchi, H. (477) 29
- Ngan, M.-P., see Kan, K.K.W. (477) 247
- Nishi, K., see Tokutomi, Y. (477) 138
- Nishikawa, H., see Taguchi, R. (477) 195
- Novellino, E., see Mioni, C. (477) 227
- Ogawa, T., see Hosogai, N. (477) 172
- Ohizumi, Y., see Tsuchida, H. (477) 53
- Okada, S., Yokotani, K. and Yokotani, K.
Inducible nitric oxide synthase is involved in corticotropin-releasing hormone-mediated central sympatho-adrenal outflow in rats (477) 96
- Okamoto, S., see Tokutomi, Y. (477) 138
- Okano, K., see Umeuchi, H. (477) 29
- Okuyama, C.E., see Baracat, J.S. (477) 164
- Oryan, S., Eidi, M., Eidi, A. and Kohanrooz, B.
Effects of α_1 -adrenoceptors and muscarinic cholinergic receptors on water intake in rats (477) 124
- Otagiri, M., see Tokutomi, Y. (477) 138
- Pache, D.M., Fernández-Pérez, S. and Sewell, R.D.E.
Buspirone differentially modifies short-term memory function in a combined delayed matching/non-matching to position task (477) 205
- Paeile, C., see Pelissier, T. (477) 23
- Pelissier, T., Laurido, C., Kramer, V., Hernández, A. and Paeile, C.
Antinociceptive interactions of ketamine with morphine or methadone in mononeuropathic rats (477) 23
- Polvani, G., see Rossoni, G. (477) 59
- Priviero, F.B.M., see Baracat, J.S. (477) 164
- Radulescu, L., see Manduteanu, I. (477) 269
- Rossoni, G., Manfredi, B., Del Soldato, P., Polvani, G. and Berti, F.
Nitric oxide-releasing aspirin inhibits vasoconstriction in perfused tail artery of normotensive and spontaneously hypertensive rats (477) 59
- Rudd, J.A., see Kan, K.K.W. (477) 247
- Seiwerth, S., see Bedekovic, V. (477) 73
- Sewell, R.D.E., see Pache, D.M. (477) 205
- Shilliam, C.S. and Heidbreder, C.A.
Gradient of dopamine responsiveness to dopamine receptor agonists in subregions of the rat nucleus accumbens (477) 114
- Sikiric, P., see Bedekovic, V. (477) 73
- Simionescu, M., see Manduteanu, I. (477) 269
- Singh, A., Naidu, P.S. and Kulkarni, S.K.
Possible antioxidant and neuroprotective mechanisms of FK506 in attenuating haloperidol-induced orofacial dyskinesia (477) 88
- Staresinic, M., see Bedekovic, V. (477) 73
- Stincic, T.L., see McCullumsmith, R.E. (477) 102
- Subramanian, R. and MacLeod, K.M.
Age-dependent changes in blood pressure and arterial reactivity in obese Zucker rats (477) 144
- Sugimoto, H., see Taguchi, R. (477) 195
- Szilvassy, Z., see Benkő, I. (477) 180
- Taguchi, R., Nishikawa, H., Kume, T., Terauchi, T., Kaneko, S., Katsuki, H., Yonaga, M., Sugimoto, H. and Akaike, A.
Serofendic acid prevents acute glutamate neurotoxicity in cultured cortical neurons (477) 195
- Tanaka, T., see Umeuchi, H. (477) 29
- Teixeira, C.E., see Baracat, J.S. (477) 164
- Terauchi, T., see Taguchi, R. (477) 195
- Thomas, B.J. and Wanstall, J.C.
Alterations in pulmonary vascular function in rats exposed to intermittent hypoxia (477) 154
- Togashi, Y., see Umeuchi, H. (477) 29
- Tokutomi, N., see Tokutomi, Y. (477) 138
- Tokutomi, Y., Okamoto, S., Matsumoto, K., Otagiri, M., Nishi, K. and Tokutomi, N.
Effects of α_1 -acid glycoprotein on isometric tension of mouse aorta (477) 138
- Tomasi, A., see Mioni, C. (477) 227
- Tomita, M., see Hosogai, N. (477) 172
- Tsai, S.-K., see Tsao, C.-M. (477) 184
- Tsao, C.-M., Ho, S.-T., Chen, A., Wang, J.-J., Tsai, S.-K. and Wu, C.-C.
Propofol ameliorates liver dysfunction and inhibits aortic superoxide level in conscious rats with endotoxic shock (477) 184
- Tsuchida, H. and Ohizumi, Y.
(+)-Nantenine isolated from *Nandina domestica* Thunb. inhibits adrenergic pressor responses in pithed rats (477) 53

- Umeuchi, H., Togashi, Y., Honda, T., Nakao, K., Okano, K., Tanaka, T. and Nagase, H.
Involvement of central μ -opioid system in the scratching behavior in mice, and the suppression of it by the activation of κ -opioid system (477) 29
- Van Overveld, F.J., Demkow, U.A., Górecka, D., Zielinski, J. and De Backer, W.A.
Inhibitory capacity of different steroids on neutrophil migration across a bilayer of endothelial and bronchial epithelial cells (477) 261
- Voinea, M., see Manduteanu, I. (477) 269
- Wang, J.-J., see Tsao, C.-M. (477) 184
- Wanstall, J.C., see Thomas, B.J. (477) 154
- Wolff, M.C. and Leander, J.D.
SR141716A, a cannabinoid CB₁ receptor antagonist, improves memory in a delayed radial maze task (477) 213
- Wu, C.-C., see Tsao, C.-M. (477) 184
- Xiao, Y. and Liang, S.
Inhibition of neuronal tetrodotoxin-sensitive Na⁺ channels by two spider toxins: hainantoxin-III and hainantoxin-IV (477) 1
- Yamamoto, T., Hanioka, N., Maeda, Y., Imazumi, K., Hamada, K., Matsuo, M., Manda, T. and Mutoh, S.
Contribution of tachykinin receptor subtypes to micturition reflex in guinea pigs (477) 253
- Yan, Q.-S.
Involvement of non-exocytotic mechanisms in ethanol-induced in vivo dopamine release: comparisons with cocaine (477) 37
- Yokotani, K., see Okada, S. (477) 96
- Yonaga, M., see Taguchi, R. (477) 195
- Zielinski, J., see van Overveld, F.J. (477) 261
- Zsuga, J., see Benkő, I. (477) 180