

Corrigendum

Corrigendum to “Pharmacological profile of YM348, a novel,
potent and orally active 5-HT_{2c} receptor agonist”
[Eur. J. Pharmacol. 483 (2004) 37–43][☆]

Yasuharu Kimura^{a,*}, Ken-ichi Hatanaka^a, Yuki Naitou^a, Kyoichi Maeno^b, Itsuro Shimada^b,
Akiko Koakutsu^a, Fumikazu Wanibuchi^a, Tokio Yamaguchi^a

^aPharmacology Laboratories, Institute for Drug Discovery Research, Yamanouchi Pharmaceutical Co., Ltd., 21 Miyukigaoka,
Tsukuba, Ibaraki 305-8585, Japan

^bChemistry Laboratories, Institute for Drug Discovery Research, Yamanouchi Pharmaceutical Co., Ltd., 21 Miyukigaoka,
Tsukuba, Ibaraki 305-8585, Japan

Please note that in the above-mentioned article, on page 38, Section 2. Materials and methods, in the following four instances, μ was erroneously omitted. The correct units are given below.

Page 38, 2.1. Receptor binding assay, paragraph 1 line 9 should mention: 10 μ M pargyline.

Page 38, 2.1. Receptor binding assay, paragraph 1 line 13 should mention: 10 μ M 5-HT.

Page 38, 2.2 Phosphatidylinositol hydrolysis, paragraph 1 line 7 should mention: (3 μ Ci/ml).

Page 38, 2.2 Phosphatidylinositol hydrolysis, paragraph 1 last line should mention: 10 μ M 5-HT.

[☆] doi of original article 10.1016/j.ejphar.2003.10.004.

* Corresponding author. Tel.: +81-298-63-6510; fax: +81-298-56-2515.

E-mail address: kimura_y@yamanouchi.co.jp (Y. Kimura).