

Author index

- Adem, A., see Olianas, M.C. (487) 65
 Ahmadi, S., see Zarrindast, M.R. (487) 143
 Ahn, B.W., see Kim, M.H. (487) 1
 Ahn, S.J., see Kim, M.H. (487) 1
 Alonso, M.J., see Ferrer, M. (487) 167
- Bakker, R.A., see Bruysters, M. (487) 55
 Balfagón, G., see Ferrer, M. (487) 167
 Bányász, T., see Magyar, J. (487) 29
 Bennani, Y.L., see Hancock, A.A. (487) 183
 Biber, K., see Wittendorp, M.C. (487) 73
 Blackburn-Munro, G., see Nielsen, A.N. (487) 93
 Boddeke, H.W.G.M., see Wittendorp, M.C. (487) 73
 Bonaventure, P., see Hedlund, P.B. (487) 125
 Bruysters, M., Pertz, H.H., Teunissen, A., Bakker, R.A., Gillard, M., Chatelain, P., Schunack, W., Timmerman, H. and Leurs, R.
 Mutational analysis of the histamine H₁-receptor binding pocket of histaprodifens (487) 55
 Bush, E.N., see Hancock, A.A. (487) 183
- Castells, M.T., see González-Cuello, A. (487) 117
 Chang, Y., see Hsiao, G. (487) 159
 Chatelain, P., see Bruysters, M. (487) 55
 Cho, I.S., see Kim, S.-O. (487) 81
 Chojnacka-Wójcik, E., see Tatarczyńska, E. (487) 133
 Chou, D.-S., see Hsiao, G. (487) 159
- Del Carmen Martín, M., see Ferrer, M. (487) 167
 Devoto, P., Flore, G., Pira, L., Longu, G. and Gessa, G.L.
 Mirtazapine-induced corelease of dopamine and noradrenaline from noradrenergic neurons in the medial prefrontal and occipital cortex (487) 105
 Djahanguiri, B., see Zarrindast, M.R. (487) 143
 Durán, N., see Melo, P.S. (487) 47
- El-gowilly, S.M., see El-Mas, M.M. (487) 149
 El-Mas, M.M., Mohy El-Din, M.M., El-gowilly, S.M. and Sharabi, F.M.
 Relative roles of endothelial relaxing factors in cyclosporine-induced impairment of cholinergic and β -adrenergic renal vasodilations (487) 149
 Esbenshade, T.A., see Hancock, A.A. (487) 183
- Faghih, R., see Hancock, A.A. (487) 183
 Ferrer, M., Sánchez, M., del Carmen Martín, M., Márquez-Rodas, I., Alonso, M.J., Salas, M. and Balfagón, G.
 Protein kinase A increases electrical stimulation-induced neuronal nitric oxide release in rat mesenteric artery (487) 167
 Flore, G., see Devoto, P. (487) 105
 Fox, G.B., see Hancock, A.A. (487) 183
 Frew, R., see Lundy, P.M. (487) 17
- Fujimoto, S. and Mori, M.
 Characterization of capsaicin-induced, capsaizine-insensitive relaxation of ileal smooth muscle of rats (487) 175
 Fülöp, L., see Magyar, J. (487) 29
- Gessa, G.L., see Devoto, P. (487) 105
 Gillard, M., see Bruysters, M. (487) 55
 González-Cuello, A., Milanés, M.V., Castells, M.T. and Laorden, M.L.
 Morphine withdrawal-induced *c-fos* expression in the heart: a peripheral mechanism (487) 117
 Gu, H.K., see Kim, S.-O. (487) 81
- Hancock, A.A., Bennani, Y.L., Bush, E.N., Esbenshade, T.A., Faghih, R., Fox, G.B., Jacobson, P., Knourek-Segel, V., Krueger, K.M., Nuss, M.E., Pan, J.B., Shapiro, R., Witte, D.G. and Yao, B.B.
 Antiobesity effects of A-331440, a novel non-imidazole histamine H₃ receptor antagonist (487) 183
 Haun, M., see Melo, P.S. (487) 47
 Hedlund, P.B., Kelly, L., Mazur, C., Lovenberg, T., Sutcliffe, J.G. and Bonaventure, P.
 8-OH-DPAT acts on both 5-HT_{1A} and 5-HT₇ receptors to induce hypothermia in rodents (487) 125
 Hsiao, G., Shen, M.-Y., Chou, D.-S., Chang, Y., Lee, L.-W., Lin, C.-H. and Sheu, J.-R.
 Mechanisms of antiplatelet and antithrombotic activity of midazolam in vitro and in vivo studies (487) 159
 Hwang, Y.S., see Kim, M.H. (487) 1
- Idesawa, A., see Ishibashi, Y. (487) 7
 Ijzerman, A.P., see Wittendorp, M.C. (487) 73
 İlhan, M., see İsmailoğlu, U.B. (487) 233
 Inui, K., see Ohta, Y. (487) 223
 Ishibashi, Y., Kobayashi, F., Idesawa, A., Taniguchi, A. and Matsuzawa, S.
 Effects of carbocysteine on altered activities of glycosidase and glycosyltransferase and expression of Muc5ac in SO₂-exposed rats (487) 7
 İsmailoğlu, U.B., Sahin-Erdemli, I., Sungur, A. and İlhan, M.
 Effects of lipopolysaccharide on epithelium-dependent relaxation in coaxial bioassay (487) 233
- Jacobson, P., see Hancock, A.A. (487) 183
 Jafari, M.R., see Zarrindast, M.R. (487) 143
 Jeong, M., see Kim, M.H. (487) 1
 Jung, M.A., see Kim, M.H. (487) 1
 Jung, Y.D., see Kim, M.H. (487) 1
 Justo, G.Z., see Melo, P.S. (487) 47
- Kamada, Y., Yamada, Y., Yamakage, M., Nagashima, M., Tsutsuura, M., Kobayashi, T., Seki, S., Namiki, A. and Tohse, N.
 Single-channel activity of L-type Ca²⁺ channels reconstituted with the β_{2c} subunit cloned from the rat heart (487) 37

- Karlsson, E., see Olanas, M.C. (487) 65
- Kelly, L., see Hedlund, P.B. (487) 125
- Kim, M.H., Jung, M.A., Hwang, Y.S., Jeong, M., Kim, S.M., Ahn, S.J., Shin, B.A., Ahn, B.W. and Jung, Y.D.
Regulation of urokinase plasminogen activator by epigallocatechin-3-gallate in human fibrosarcoma cells (487) 1
- Kim, S.M., see Kim, M.H. (487) 1
- Kim, S.-O., Cho, I.S., Gu, H.K., Lee, D.H., Lim, H. and Yoo, S.-E.
KR-31378 protects neurons from ischemia–reperfusion brain injury by attenuating lipid peroxidation and glutathione loss (487) 81
- Kitagawa, A., see Ohta, Y. (487) 223
- Kłodzińska, A., see Tatarczyńska, E. (487) 133
- Knourek-Segel, V., see Hancock, A.A. (487) 183
- Kobayashi, F., see Ishibashi, Y. (487) 7
- Kobayashi, T., see Kamada, Y. (487) 37
- Kobayashi, T., see Ohta, Y. (487) 223
- Krueger, K.M., see Hancock, A.A. (487) 183
- Laorden, M.L., see González-Cuello, A. (487) 117
- Lee, D.H., see Kim, S.-O. (487) 81
- Lee, L.-W., see Hsiao, G. (487) 159
- Leurs, R., see Bruysters, M. (487) 55
- Lim, H., see Kim, S.-O. (487) 81
- Lin, C.-H., see Hsiao, G. (487) 159
- Longu, G., see Devoto, P. (487) 105
- Lovenberg, T., see Hedlund, P.B. (487) 125
- Lundy, P.M., Nelson, P., Mi, L., Frew, R., Minaker, S., Vair, C. and Sawyer, T.W.
Pharmacological differentiation of the P2X₇ receptor and the maitotoxin-activated cationic channel (487) 17
- Ma, S., Story, M.E. and Pennefather, J.N.
Muscarinic receptors mediating contraction of female mouse urinary bladder: effects of oestrogen (487) 205
- Magyar, J., Szentandrassy, N., Bányász, T., Fülöp, L., Varró, A. and Nánási, P.P.
Effects of terpenoid phenol derivatives on calcium current in canine and human ventricular cardiomyocytes (487) 29
- Mahadevan, A., see Thomas, A. (487) 213
- Márquez-Rodas, I., see Ferrer, M. (487) 167
- Mathiesen, C., see Nielsen, A.N. (487) 93
- Matsuzawa, S., see Ishibashi, Y. (487) 7
- Mazur, C., see Hedlund, P.B. (487) 125
- Melo, P.S., Justo, G.Z., Durán, N. and Haun, M.
Natural killer cell activity and anti-tumour effects of dehydrocrotonin and its synthetic derivatives (487) 47
- Mi, L., see Lundy, P.M. (487) 17
- Milanés, M.V., see González-Cuello, A. (487) 117
- Minaker, S., see Lundy, P.M. (487) 17
- Miyagawa, I., see Saito, M. (487) 199
- Mohy El-Din, M.M., see El-Mas, M.M. (487) 149
- Mori, M., see Fujimoto, S. (487) 175
- Nagashima, M., see Kamada, Y. (487) 37
- Nakazawa, S., see Ohta, Y. (487) 223
- Namiki, A., see Kamada, Y. (487) 37
- Nánási, P.P., see Magyar, J. (487) 29
- Nanba, E., see Saito, M. (487) 199
- Nelson, P., see Lundy, P.M. (487) 17
- Nielsen, A.N., Mathiesen, C. and Blackburn-Munro, G.
Pharmacological characterisation of acid-induced muscle allodynia in rats (487) 93
- Nuss, M.E., see Hancock, A.A. (487) 183
- Ohta, Y., Kobayashi, T., Inui, K., Yoshino, J., Kitagawa, A. and Nakazawa, S.
Preventive effect of teprenone on acute gastric mucosal lesion progression in compound 48/80-treated rats (487) 223
- Okuda, T., see Takemoto, T. (487) 113
- Olanas, M.C., Adem, A., Karlsson, E. and Onali, P.
Action of the muscarinic toxin MT7 on agonist-bound muscarinic M₁ receptors. (487) 65
- Onali, P., see Olanas, M.C. (487) 65
- Pan, J.B., see Hancock, A.A. (487) 183
- Pennefather, J.N., see Ma, S. (487) 205
- Pertwee, R.G., see Thomas, A. (487) 213
- Pertz, H.H., see Bruysters, M. (487) 55
- Pira, L., see Devoto, P. (487) 105
- Razdan, R.K., see Thomas, A. (487) 213
- Ross, R.A., see Thomas, A. (487) 213
- Saha, B., see Thomas, A. (487) 213
- Sahin-Erdemli, I., see Ismailoglu, U.B. (487) 233
- Saito, M., Tominaga, L., Nanba, E. and Miyagawa, I.
Expression of heat shock protein 70 and its mRNAs during ischemia–reperfusion in the rat prostate (487) 199
- Salaices, M., see Ferrer, M. (487) 167
- Sánchez, M., see Ferrer, M. (487) 167
- Sawyer, T.W., see Lundy, P.M. (487) 17
- Schunack, W., see Bruysters, M. (487) 55
- Seki, S., see Kamada, Y. (487) 37
- Shapiro, R., see Hancock, A.A. (487) 183
- Sharabi, F.M., see El-Mas, M.M. (487) 149
- Shen, M.-Y., see Hsiao, G. (487) 159
- Sheu, J.-R., see Hsiao, G. (487) 159
- Shimogori, H., see Takemoto, T. (487) 113
- Shin, B.A., see Kim, M.H. (487) 1
- Stachowicz, K., see Tatarczyńska, E. (487) 133
- Story, M.E., see Ma, S. (487) 205
- Sugahara, K., see Takemoto, T. (487) 113
- Sungur, A., see Ismailoglu, U.B. (487) 233
- Sutcliffe, J.G., see Hedlund, P.B. (487) 125
- Szentandrassy, N., see Magyar, J. (487) 29
- Takemoto, T., Sugahara, K., Okuda, T., Shimogori, H. and Yamashita, H.
The clinical free radical scavenger, edaravone, protects cochlear hair cells from acoustic trauma (487) 113
- Taniguchi, A., see Ishibashi, Y. (487) 7
- Tatarczyńska, E., Kłodzińska, A. and Chojnacka-Wójcik, E.
Effect of combined administration of 5-HT_{1A} or 5-HT_{1B/1D} receptor antagonists and antidepressants in the forced swimming test (487) 133
- Teunissen, A., see Bruysters, M. (487) 55
- Thomas, A., Ross, R.A., Saha, B., Mahadevan, A., Razdan, R.K. and Pertwee, R.G.
6"-Azidohehex-2"-yne-cannabidiol: a potential neutral, competitive cannabinoid CB₁ receptor antagonist (487) 213
- Timmerman, H., see Bruysters, M. (487) 55
- Tohse, N., see Kamada, Y. (487) 37
- Tominaga, L., see Saito, M. (487) 199
- Tsutsuura, M., see Kamada, Y. (487) 37
- Vair, C., see Lundy, P.M. (487) 17
- Varró, A., see Magyar, J. (487) 29
- Von Frijtag Drabbe Künzel, J., see Wittendorp, M.C. (487) 73

- Witte, D.G., see Hancock, A.A. (487) 183
- Wittendorp, M.C., von Frijtag Drabbe Künzel, J., Ijzerman, A.P., Boddeke, H.W.G.M. and Biber, K.
The mouse brain adenosine A₁ receptor: functional expression and pharmacology (487) 73
- Yamada, Y., see Kamada, Y. (487) 37
- Yamakage, M., see Kamada, Y. (487) 37
- Yamashita, H., see Takemoto, T. (487) 113
- Yao, B.B., see Hancock, A.A. (487) 183
- Yoo, S.-E., see Kim, S.-O. (487) 81
- Yoshino, J., see Ohta, Y. (487) 223
- Zarrindast, M.R., Jafari, M.R., Ahmadi, S. and Djahanguiri, B.
Influence of central administration ATP-dependent K⁺ channel on morphine state-dependent memory of passive avoidance (487) 143