

Author index

- Adriaan Bouwknecht, J., van der Gugten, J., Groenink, L., Olivier, B. and Paylor, R.E.
Behavioral and physiological mouse models for anxiety: effects of flesinoxan in 129S6/SvEvTac and C57BL/6J mice (494) 45
- Advenier, C., see Pinto, F.M. (494) 233
- Aglianò, M., see Stasi, M.A. (494) 263
- Ahrén, B., see Rolin, B. (494) 283
- Ahtee, L., see Janhunen, S. (494) 167
- Akyol, O., see Sogut, S. (494) 213
- Almeida, T.A., see Pinto, F.M. (494) 233
- Alves, D.P., see Amarante, L.H. (494) 155
- Amarante, L.H., Alves, D.P. and Duarte, I.D.G.
Study of the involvement of K⁺ channels in the peripheral antinociception of the κ -opioid receptor agonist bremazocine (494) 155
- Armutcu, F., see Sogut, S. (494) 213
- Azuma, N., see Shigemoto, Y. (494) 161
- Bast, A., see De Celle, T. (494) 205
- Biggio, G., see Mostallino, M.C. (494) 83
- Bileviciute-Ljungar, I. and Spetea, M.
Contralateral, ipsilateral and bilateral treatments with the κ -opioid receptor agonist U-50,488H in mononeuropathic rats (494) 139
- Bouwknecht, J.A., van der Gugten, J., Groenink, L., Olivier, B. and Paylor, R.E.
Effects of repeated testing in two inbred strains on flesinoxan dose–response curves in three mouse models for anxiety (494) 35
- Busonero, F., see Mostallino, M.C. (494) 83
- Candenas, M.L., see Pinto, F.M. (494) 233
- Carai, M.A.M., Colombo, G. and Gessa, G.L.
Rapid tolerance to the intestinal prokinetic effect of cannabinoid CB₁ receptor antagonist, SR 141716 (Rimonabant) (494) 221
- Carminati, P., see Stasi, M.A. (494) 263
- Carr, R.D., see Rolin, B. (494) 283
- Cavriani, G., Oliveira-Filho, R.M., Trezena, A.G., da Silva, Z.L., Domingos, H.V., de Arruda, M.J.C., Jancar, S. and Tavares de Lima, W.
Lung microvascular permeability and neutrophil recruitment are differently regulated by nitric oxide in a rat model of intestinal ischemia–reperfusion (494) 241
- Chebib, M., see Huang, S.H. (494) 131
- Choi, S.-W., see Kim, Y.-H. (494) 1
- Colombo, G., see Carai, M.A.M. (494) 221
- Corrigall, W.A., see Rahman, S. (494) 31
- Da Silva, Z.L., see Cavriani, G. (494) 241
- De Arruda, M.J.C., see Cavriani, G. (494) 241
- De Brum-Fernandes, A.J., see Giguère, V. (494) 11
- De Celle, T., Heeringa, P., Strzelecka, A.E., Bast, A., Smits, J.F. and Janssen, B.J.
Sustained protective effects of 7-monohydroxyethylrutoside in an in vivo model of cardiac ischemia–reperfusion (494) 205
- Deacon, C.F., see Rolin, B. (494) 283
- Devillier, P., see Pinto, F.M. (494) 233
- Ding, J., see Tong, Y. (494) 101
- Doi, T., see Nagabukuro, H. (494) 225
- Domingos, H.V., see Cavriani, G. (494) 241
- Duarte, I.D.G., see Amarante, L.H. (494) 155
- Duke, R.K., see Huang, S.H. (494) 131
- Emmerson, P.J., McKinzie, J.H., Surface, P.L., Suter, T.M., Mitch, C.H. and Statnick, M.A.
Na⁺ modulation, inverse agonism, and anorectic potency of 4-phenylpiperidine opioid antagonists (494) 121
- Fatehi, M., see Fatehi-Hassanabad, Z. (494) 199
- Fatehi-Hassanabad, Z., Fatehi, M. and Shahidi, M.I.
Endothelial dysfunction in aortic rings and mesenteric beds isolated from deoxycorticosterone acetate hypertensive rats: possible involvement of protein kinase C (494) 199
- Fosberry, A., see Thomas, D.R. (494) 91
- Fukagawa, M., see Minoura, H. (494) 273
- Gabryel, B., Pudelko, A. and Malecki, A.
Erk1/2 and Akt kinases are involved in the protective effect of aniracetam in astrocytes subjected to simulated ischemia in vitro (494) 111
- Gallant, M.A., see Giguère, V. (494) 11
- Gariepy, C.E., see Okada, Y. (494) 63
- Gasior, M., Witkin, J.M., Goldberg, S.R. and Munzar, P.
Chlormethiazole potentiates the discriminative stimulus effects of methamphetamine in rats (494) 183
- Gessa, G.L., see Carai, M.A.M. (494) 221
- Giguère, V., Gallant, M.A., de Brum-Fernandes, A.J. and Parent, J.-L.
Role of extracellular cysteine residues in dimerization/oligomerization of the human prostacyclin receptor (494) 11
- Goldberg, S.R., see Gasior, M. (494) 183
- Gosens, R., Schaafsma, D., Grootte Bromhaar, M.M., Vrugt, B., Zaagsma, J., Meurs, H. and Nelemans, S.A.
Growth factor-induced contraction of human bronchial smooth muscle is Rho-kinase-dependent (494) 73
- Groenink, L., see Bouwknecht, J.A. (494) 35
- Groenink, L., see Adriaan Bouwknecht, J. (494) 45
- Grootte Bromhaar, M.M., see Gosens, R. (494) 73
- Hanioka, K., see Minoura, H. (494) 273
- Hayes, P.D., see Thomas, D.R. (494) 91
- Heeringa, P., see De Celle, T. (494) 205
- Hernandez, M., see Pinto, F.M. (494) 233
- Hill, M.J., see Thomas, D.R. (494) 91
- Hirosumi, J., see Minoura, H. (494) 273
- Huang, S.H., Duke, R.K., Chebib, M., Sasaki, K., Wada, K. and Johnston, G.A.R.
Ginkgolides, diterpene trilactones of *Ginkgo biloba*, as antagonists at recombinant $\alpha_1\beta_2\gamma_2L$ GABA_A receptors (494) 131
- Hutchinson, M.R. and Somogyi, A.A.
Relationship between 4,5-epoxymorphinan structure and in vitro modulation of cell proliferation (494) 251

- Imoto, T., see Minoura, H. (494) 273
 Inami, H., see Yamashita, H. (494) 147
 Iraz, M., see Sogut, S. (494) 213
 Ita, M., see Minoura, H. (494) 273
 Izumoto, H., see Okada, Y. (494) 63
- Jancar, S., see Cavriani, G. (494) 241
 Janhunen, S. and Ahtee, L.
 Comparison of the effects of nicotine and epibatidine on the striatal extracellular dopamine (494) 167
 Janssen, B.J., see De Celle, T. (494) 205
 Johnston, G.A.R., see Huang, S.H. (494) 131
- Kamei, C., see Shigemoto, Y. (494) 161
 Kamiya, H., see Sima, A.A.F. (494) 77
 Kaplan, S., see Sogut, S. (494) 213
 Kart, L., see Sogut, S. (494) 213
 Kawamura, I., see Minoura, H. (494) 273
 Kayakiri, H., see Minoura, H. (494) 273
 Kim, Y.-H., Lee, S.-H., Lee, J.-Y., Choi, S.-W., Park, J.-W. and Kwon, T.K.
 Triptolide inhibits murine-inducible nitric oxide synthase expression by down-regulating lipopolysaccharide-induced activity of nuclear factor- κ B and c-Jun NH₂-terminal kinase (494) 1
 Kobayashi, Y., see Minoura, H. (494) 273
 Kojo, H., see Minoura, H. (494) 273
 Kwon, T.K., see Kim, Y.-H. (494) 1
- Lang, J., see Tong, Y. (494) 101
 Larminie, C.G., see Thomas, D.R. (494) 91
 Lee, J.-Y., see Kim, Y.-H. (494) 1
 Lee, S.-H., see Kim, Y.-H. (494) 1
 Li, H.-Y., see Yang, S.-C. (494) 179
 Li, M., see Tong, Y. (494) 101
 Li, Z.G., see Sima, A.A.F. (494) 77
 Lin, L., see Tong, Y. (494) 101
 Lodge, N.J., see Sivarao, D.V. (494) 23
 Lograno, M.D. and Romano, M.R.
 Cannabinoid agonists induce contractile responses through G_{i/o}-dependent activation of phospholipase C in the bovine ciliary muscle (494) 55
 Lorenzoni, P., see Stasi, M.A. (494) 263
 Lu, H., see Tong, Y. (494) 101
 Lyons, H.R., see Thomas, D.R. (494) 91
- Mabuchi, M., see Minoura, H. (494) 273
 Malecki, A., see Gabryel, B. (494) 111
 Mascia, M.P., see Mostallino, M.C. (494) 83
 Matsumura, Y., see Okada, Y. (494) 63
 McKinzie, J.H., see Emmerson, P.J. (494) 121
 Meurs, H., see Gosens, R. (494) 73
 Minoura, H., Takeshita, S., Ita, M., Hirosumi, J., Mabuchi, M., Kawamura, I., Nakajima, S., Nakayama, O., Kayakiri, H., Oku, T., Ohkubo-Suzuki, A., Fukagawa, M., Kojo, H., Hanioka, K., Yamasaki, N., Imoto, T., Kobayashi, Y. and Mutoh, S.
 Pharmacological characteristics of a novel nonthiazolidinedione insulin sensitizer, FK614 (494) 273
 Mio, M., see Shigemoto, Y. (494) 161
 Mitch, C.H., see Emmerson, P.J. (494) 121
 Mostallino, M.C., Mascia, M.P., Pisu, M.G., Busonero, F., Talani, G. and Biggio, G.
 Inhibition by miltirone of up-regulation of GABA_A receptor α_4 subunit mRNA by ethanol withdrawal in hippocampal neurons (494) 83
 Munzar, P., see Gasior, M. (494) 183
 Mutoh, S., see Minoura, H. (494) 273
- Nagabukuro, H., Okanishi, S. and Doi, T.
 Effects of TAK-802, a novel acetylcholinesterase inhibitor, and various cholinomimetics on the urodynamic characteristics in anesthetized guinea pigs (494) 225
 Nakajima, S., see Minoura, H. (494) 273
 Nakata, M., see Okada, Y. (494) 63
 Nakayama, O., see Minoura, H. (494) 273
 Nelemans, S.A., see Gosens, R. (494) 73
 Newberry, K., see Sivarao, D.V. (494) 23
- Ohkubo-Suzuki, A., see Minoura, H. (494) 273
 Ohno, K., see Yamashita, H. (494) 147
 Okada, M., see Yamashita, H. (494) 147
 Okada, Y., Nakata, M., Izumoto, H., Takasu, M., Tazawa, N., Takaoka, M., Gariepy, C.E., Yanagisawa, M. and Matsumura, Y.
 Role of endothelin ET_B receptor in partial ablation-induced chronic renal failure in rats (494) 63
 Okanishi, S., see Nagabukuro, H. (494) 225
 Oku, T., see Minoura, H. (494) 273
 Olivier, B., see Bouwknecht, J.A. (494) 35
 Olivier, B., see Adriaan Bouwknecht, J. (494) 45
 Oliveira-Filho, R.M., see Cavriani, G. (494) 241
 Ozen, S., see Sogut, S. (494) 213
 Ozyurt, H., see Sogut, S. (494) 213
- Pacifici, L., see Stasi, M.A. (494) 263
 Pan, J.-T., see Yang, S.-C. (494) 179
 Parent, J.-L., see Giguère, V. (494) 11
 Park, J.-W., see Kim, Y.-H. (494) 1
 Pastor, C.M.
 Hyperthermia decreases the response to vasoconstrictors in rat portal veins (494) 191
 Paylor, R.E., see Bouwknecht, J.A. (494) 35
 Paylor, R.E., see Adriaan Bouwknecht, J. (494) 45
 Pinto, F.M., Almeida, T.A., Hernandez, M., Devillier, P., Advenier, C. and Candenas, M.L.
 mRNA expression of tachykinins and tachykinin receptors in different human tissues (494) 233
 Pisu, M.G., see Mostallino, M.C. (494) 83
 Pudielko, A., see Gabryel, B. (494) 111
- Rahman, S., Zhang, J. and Corrigan, W.A.
 Effects of nicotine preexposure on sulpiride-induced dopamine release in the nucleus accumbens (494) 31
 Rolin, B., Deacon, C.F., Carr, R.D. and Ahrén, B.
 The major glucagon-like peptide-1 metabolite, GLP-1-(9–36)-amide, does not affect glucose or insulin levels in mice (494) 283
 Romano, M.R., see Lograno, M.D. (494) 55
 Ruggiero, V., see Stasi, M.A. (494) 263
- Sakamoto, S., see Yamashita, H. (494) 147
 Sasaki, K., see Huang, S.H. (494) 131
 Schaafsma, D., see Gosens, R. (494) 73
 Shahidi, M.I., see Fatehi-Hassanabad, Z. (494) 199
 Shi, Y., see Tong, Y. (494) 101
 Shigemoto, Y., Shinomiya, K., Mio, M., Azuma, N. and Kamei, C.
 Effects of second-generation histamine H₁ receptor antagonists on the sleep–wakefulness cycle in rats (494) 161
 Shinomiya, K., see Shigemoto, Y. (494) 161
 Shishikura, J.-i., see Yamashita, H. (494) 147
 Sima, A.A.F., Kamiya, H. and Li, Z.G.
 Corrigendum to “Insulin, C-peptide, hyperglycemia, and central nervous system complications in diabetes” [Eur. J. Pharmacol. 490 (2004) 187–197] (494) 77

- Sivarao, D.V., Newberry, K. and Lodge, N.J.
Effect of the 5HT_{1A} receptor partial agonist buspirone on colorectal distension-induced pseudoaffective and behavioral responses in the female Wistar rat (494) 23
- Smits, J.F., see De Celle, T. (494) 205
- Sogut, S., Ozyurt, H., Armutcu, F., Kart, L., Iraz, M., Akyol, O., Ozen, S., Kaplan, S., Temel, I. and Yildirim, Z.
Erdosteine prevents bleomycin-induced pulmonary fibrosis in rats (494) 213
- Somogyi, A.A., see Hutchinson, M.R. (494) 251
- Sorrentino, V., see Stasi, M.A. (494) 263
- Spetea, M., see Bileviciute-Ljungar, I. (494) 139
- Stasi, M.A., Ruggiero, V., Ursillo, A., Taurelli, R., Aglianò, M., Weber, E., Lorenzoni, P., Sorrentino, V., Pacifici, L. and Carminati, P.
Ameliorating effects of the immunomodulator 3-(2-ethylphenyl)-5-(3-methoxyphenyl)-1*H*-1,2,4-triazole in an experimental model of colitis in the rat (494) 263
- Statnick, M.A., see Emmerson, P.J. (494) 121
- Strzelecka, A.E., see De Celle, T. (494) 205
- Surface, P.L., see Emmerson, P.J. (494) 121
- Suter, T.M., see Emmerson, P.J. (494) 121
- Takaoka, M., see Okada, Y. (494) 63
- Takasu, M., see Okada, Y. (494) 63
- Takeshita, S., see Minoura, H. (494) 273
- Talani, G., see Mostallino, M.C. (494) 83
- Tan, W., see Tong, Y. (494) 101
- Taurelli, R., see Stasi, M.A. (494) 263
- Tavares de Lima, W., see Cavriani, G. (494) 241
- Tazawa, N., see Okada, Y. (494) 63
- Temel, I., see Sogut, S. (494) 213
- Thomas, D.R., Larminie, C.G., Lyons, H.R., Fosberry, A., Hill, M.J. and Hayes, P.D.
Cloning and pharmacological characterisation of the guinea pig 5-HT_{5A} receptor (494) 91
- Tong, L., see Tong, Y. (494) 101
- Tong, Y., Zhang, X., Zhao, W., Zhang, Y., Lang, J., Shi, Y., Tan, W., Li, M., Zhang, Y., Tong, L., Lu, H., Lin, L. and Ding, J.
Anti-angiogenic effects of Shiraiachrome A, a compound isolated from a Chinese folk medicine used to treat rheumatoid arthritis (494) 101
- Trezena, A.G., see Cavriani, G. (494) 241
- Ursillo, A., see Stasi, M.A. (494) 263
- Van der Gugten, J., see Bouwknecht, J.A. (494) 35
- Van der Gugten, J., see Adriaan Bouwknecht, J. (494) 45
- Vrugt, B., see Gosens, R. (494) 73
- Wada, K., see Huang, S.H. (494) 131
- Weber, E., see Stasi, M.A. (494) 263
- Witkin, J.M., see Gasior, M. (494) 183
- Yamaguchi, T., see Yamashita, H. (494) 147
- Yamasaki, N., see Minoura, H. (494) 273
- Yamashita, H., Ohno, K., Inami, H., Shishikura, J.-i., Sakamoto, S., Okada, M. and Yamaguchi, T.
Suppression of fully kindled seizure and retardation of kindling acquisition by YM928 in the rat kindling model of epilepsy (494) 147
- Yanagisawa, M., see Okada, Y. (494) 63
- Yang, S.-C., Pan, J.-T. and Li, H.-Y.
CART peptide increases the mesolimbic dopaminergic neuronal activity: a microdialysis study (494) 179
- Yildirim, Z., see Sogut, S. (494) 213
- Zaagsma, J., see Gosens, R. (494) 73
- Zhang, J., see Rahman, S. (494) 31
- Zhang, X., see Tong, Y. (494) 101
- Zhang, Y., see Tong, Y. (494) 101
- Zhao, W., see Tong, Y. (494) 101