

Author index

- Akiyoshi, K., see Nishida, M. (496) 159
 Altura, B.M., see Li, W. (496) 151
 Altura, B.T., see Li, W. (496) 151
 Asplund Persson, A.K., Palmér, L., Gunnarsson, P. and Grenegård, M.
 Characterisation of GEA 3175 on human platelets; comparison with S-nitroso-N-acetyl-D,L-penicillamine (496) 1
 Aurilio, C., see Viggiano, A. (496) 87
 Bass, C.E., Welch, S.P. and Martin, B.R.
 Reversal of Δ^9 -tetrahydrocannabinol-induced tolerance by specific kinase inhibitors (496) 99
 Bi, W.-F., see Shih, C.-M. (496) 41
 Birnir, B., see Lindquist, C.E.L. (496) 23
 Bombini, G., Canetti, C., Rocha, F.A.C. and Cunha, F.Q.
 Tumour necrosis factor- α mediates neutrophil migration to the knee synovial cavity during immune inflammation (496) 197
 Bonacorso, H.G., see Godoy, M.C.M. (496) 93
 Brosius III, F.C., see Park, J.L. (496) 213
 Burt, R.P.
 Depletion of Ca^{2+} from intracellular stores potentiates spontaneous contractions of the rat portal vein (496) 109
 Canetti, C., see Bombini, G. (496) 197
 Chiefari, M., see Viggiano, A. (496) 87
 Collin, M., see Patel, N.S.A. (496) 175
 Cromer, B.A., see Lindquist, C.E.L. (496) 23
 Cunha, F.Q., see Bombini, G. (496) 197
 Daher, J.B., Souza, G.E.P., D'Orléans-Juste, P. and Rae, G.A.
 Endothelin ET_B receptors inhibit articular nociception and priming induced by carrageenan in the rat knee-joint (496) 77
 Dalziel, J.E., see Lindquist, C.E.L. (496) 23
 De la Lande, I.S., Stepien, J.M., Philpott, A.C., Hughes, P.A., Stafford, I. and Horowitz, J.D.
 Aldehyde dehydrogenase, nitric oxide synthase and superoxide in ex vivo nitrate tolerance in rat aorta (496) 141
 De Luca, B., see Viggiano, A. (496) 87
 Dehghani, M., Sadeghipour, H., Shafaroodi, H., Honar, H., Riazi, K., Ebrahimkhani, M.R., Hajrasouliha, A.R., Tavakoli, S. and Dehpour, A.R.
 Time-dependent reduction of acetylcholine-induced relaxation in corpus cavernosum of cholestatic rats: role of nitric oxide and cyclooxygenase pathway (496) 181
 Dehpour, A.R., see Dehghani, M. (496) 181
 D'Orléans-Juste, P., see Daher, J.B. (496) 77
 Ebrahimkhani, M.R., see Dehghani, M. (496) 181
 Enomoto, R., Komai, T., Yoshida, Y., Sugahara, C., Kawaguchi, E., Okazaki, K., Kinoshita, H., Komatsu, H., Konishi, Y. and Lee, E.
 Terfenadine induces thymocyte apoptosis via mitochondrial pathway (496) 11
 Eshiro, K., see Nishida, M. (496) 159
 Ferrer-Alcón, M., see García-Fuster, M.J. (496) 63
 Figuera, M.R., see Godoy, M.C.M. (496) 93
 Flores, A.E., see Godoy, M.C.M. (496) 93
 Franco, M., see Masana, L. (496) 205
 Fujimori, A., see Yuyama, H. (496) 129
 García-Fuster, M.J., Ferrer-Alcón, M., Miralles, A. and García-Sevilla, J.A.
 Deglycosylation of Fas receptor and chronic morphine treatment up-regulate high molecular mass Fas aggregates in the rat brain (496) 63
 García-Sevilla, J.A., see García-Fuster, M.J. (496) 63
 Garipey, C.E., see Nishida, M. (496) 159
 Gautier, P., see Guiraudou, P. (496) 119
 Gayraud, R., see Guiraudou, P. (496) 119
 Godoy, M.C.M., Figuera, M.R., Souza, F.R., Flores, A.E., Rubin, M.A., Oliveira, M.R., Zanatta, N., Martins, M.A.P., Bonacorso, H.G. and Mello, C.F.
 α_2 -Adrenoceptors and 5-HT receptors mediate the antinociceptive effect of new pyrazolines, but not of dipyrone (496) 93
 Grenegård, M., see Asplund Persson, A.K. (496) 1
 Guiraudou, P., Pucheu, S.C., Gayraud, R., Gautier, P., Roccon, A., Herbert, J.M. and Nisato, D.
 Involvement of nitric oxide in amiodarone- and dronedarone-induced coronary vasodilation in guinea pig heart (496) 119
 Gunnarsson, P., see Asplund Persson, A.K. (496) 1
 Gutkowska, J., Jankowski, M., Pawlak, D., Mukaddam-Daher, S. and Izdebski, J.
 The cardiovascular and renal effects of a highly potent μ -opioid receptor agonist, cyclo[N^{ϵ} , N^{β} -carbonyl-D-Lys², Dap⁵]enkephalinamide (496) 167
 Hajrasouliha, A.R., see Dehghani, M. (496) 181
 Heilig, C.W., see Park, J.L. (496) 213
 Herbert, J.M., see Guiraudou, P. (496) 119
 Honar, H., see Dehghani, M. (496) 181
 Horowitz, J.D., see de la Lande, I.S. (496) 141
 Hughes, P.A., see de la Lande, I.S. (496) 141
 Iwamoto, T., see Watanabe, Y. (496) 49
 Izdebski, J., see Gutkowska, J. (496) 167
 Jankowski, M., see Gutkowska, J. (496) 167
 Juan, S.-H., see Shih, C.-M. (496) 41
 Jung, E., see Park, J. (496) 189
 Jung, K., see Park, J. (496) 189
 Kawaguchi, E., see Enomoto, R. (496) 11
 Kelley, B.G. and Thayer, S.A.
 Anandamide transport inhibitor AM404 and structurally related compounds inhibit synaptic transmission between rat hippocampal neurons in culture independent of cannabinoid CB_1 receptors (496) 33
 Kim, J., see Park, J. (496) 189
 Kim, K., see Park, J. (496) 189
 Kimura, J., see Watanabe, Y. (496) 49
 Kinoshita, H., see Enomoto, R. (496) 11
 Koakutsu, A., see Yuyama, H. (496) 129
 Komai, T., see Enomoto, R. (496) 11
 Komatsu, H., see Enomoto, R. (496) 11
 Konishi, Y., see Enomoto, R. (496) 11

- Lee, E., see Enomoto, R. (496) 11
 Lee, J., see Park, J. (496) 189
 Lee, W.-S., see Shih, C.-M. (496) 41
 Li, W., Su, J., Sehgal, S., Altura, B.T. and Altura, B.M.
 Cocaine-induced relaxation of isolated rat aortic rings and mechanisms of action: possible relation to cocaine-induced aortic dissection and hypotension (496) 151
 Liang, Y.-C., see Shih, C.-M. (496) 41
 Lin, H., see Shih, C.-M. (496) 41
 Lindquist, C.E.L., Dalziel, J.E., Cromer, B.A. and Birnir, B.
 Penicillin blocks human $\alpha_1\beta_1$ and $\alpha_1\beta_1\gamma_{2S}$ GABA_A channels that open spontaneously (496) 23
 Martin, B.R., see Bass, C.E. (496) 99
 Martins, M.A.P., see Godoy, M.C.M. (496) 93
 Masana, L., Villoria, J., Sust, M., Ros, E., Plana, N., Pérez-Jiménez, F., Franco, M., Oliván, J.J., Pintó, X. and Videla, S.
 Treatment of type IIb familial combined hyperlipidemia with the combination pravastatin-piperazine sultosilate (496) 205
 Mashimo, T., see Watanabe, I. (496) 71
 Matsumura, Y., see Nishida, M. (496) 159
 Matsuoka, I., see Watanabe, Y. (496) 49
 Mello, C.F., see Godoy, M.C.M. (496) 93
 Miralles, A., see García-Fuster, M.J. (496) 63
 Miyata, K., see Yuyama, H. (496) 129
 Monda, M., see Viggiano, A. (496) 87
 Mukaddam-Daher, S., see Gutkowska, J. (496) 167
 Nève, J., see Van Antwerpen, P. (496) 55
 Nisato, D., see Guiraudou, P. (496) 119
 Nishida, M., Okada, Y., Akiyoshi, K., Eshiro, K., Takaoka, M., Gariepy, C.E., Yanagisawa, M. and Matsumura, Y.
 Role of endothelin ET_B receptor in the pathogenesis of monocrotaline-induced pulmonary hypertension in rats (496) 159
 Okada, Y., see Nishida, M. (496) 159
 Okazaki, K., see Enomoto, R. (496) 11
 Oliván, J.J., see Masana, L. (496) 205
 Oliveira, M.R., see Godoy, M.C.M. (496) 93
 Ono, T., see Watanabe, Y. (496) 49
 Palmér, L., see Asplund Persson, A.K. (496) 1
 Park, B., see Park, J. (496) 189
 Park, D., see Park, J. (496) 189
 Park, E., see Park, J. (496) 189
 Park, J., Lee, J., Jung, E., Park, Y., Kim, K., Park, B., Jung, K., Park, E., Kim, J. and Park, D.
 In vitro antibacterial and anti-inflammatory effects of honokiol and magnolol against *Propionibacterium* sp. (496) 189
 Park, J.L., Heilig, C.W. and Brosius III, F.C.
 GLUT1-deficient mice exhibit impaired endothelium-dependent vascular relaxation (496) 213
 Park, Y., see Park, J. (496) 189
 Patel, N.S.A., Collin, M. and Thiernemann, C.
 Urocortin does not reduce the renal injury and dysfunction caused by experimental ischaemia/reperfusion (496) 175
 Pawlak, D., see Gutkowska, J. (496) 167
 Pérez-Jiménez, F., see Masana, L. (496) 205
 Philpott, A.C., see de la Lande, I.S. (496) 141
 Pintó, X., see Masana, L. (496) 205
 Plana, N., see Masana, L. (496) 205
 Pucheu, S.C., see Guiraudou, P. (496) 119
 Roccon, A., see Guiraudou, P. (496) 119
 Rocha, F.A.C., see Bombini, G. (496) 197
 Ros, E., see Masana, L. (496) 205
 Rubin, M.A., see Godoy, M.C.M. (496) 93
 Sadeghipour, H., see Dehghani, M. (496) 181
 Sanagi, M., see Yuyama, H. (496) 129
 Sasamata, M., see Yuyama, H. (496) 129
 Sawada, T., see Watanabe, I. (496) 71
 Sehgal, S., see Li, W. (496) 151
 Shafaroodi, H., see Dehghani, M. (496) 181
 Shigekawa, M., see Watanabe, Y. (496) 49
 Shih, C.-M., Lin, H., Liang, Y.-C., Lee, W.-S., Bi, W.-F. and Juan, S.-H.
 Concentration-dependent differential effects of quercetin on rat aortic smooth muscle cells (496) 41
 Souza, F.R., see Godoy, M.C.M. (496) 93
 Souza, G.E.P., see Daher, J.B. (496) 77
 Stafford, I., see de la Lande, I.S. (496) 141
 Stepien, J.M., see de la Lande, I.S. (496) 141
 Su, J., see Li, W. (496) 151
 Sudoh, K., see Yuyama, H. (496) 129
 Sugahara, C., see Enomoto, R. (496) 11
 Sust, M., see Masana, L. (496) 205
 Takenoshita, M., see Watanabe, I. (496) 71
 Takaoka, M., see Nishida, M. (496) 159
 Tavakoli, S., see Dehghani, M. (496) 181
 Thayer, S.A., see Kelley, B.G. (496) 33
 Thiernemann, C., see Patel, N.S.A. (496) 175
 Uchida, I., see Watanabe, I. (496) 71
 Van Antwerpen, P. and Nève, J.
 In vitro comparative assessment of the scavenging activity against three reactive oxygen species of non-steroidal anti-inflammatory drugs from the oxicam and sulfoanilide families (496) 55
 Videla, S., see Masana, L. (496) 205
 Viggiano, A., Monda, M., Viggiano, A., Chiefari, M., Aurilio, C. and De Luca, B.
 Evidence that GABAergic neurons in the spinal trigeminal nucleus involved in the transmission of inflammatory pain in the rat: a microdialysis and pharmacological study (496) 87
 Viggiano, A., see Viggiano, A. (496) 87
 Villoria, J., see Masana, L. (496) 205
 Watanabe, I., Takenoshita, M., Sawada, T., Uchida, I. and Mashimo, T.
 Xenon suppresses nociceptive reflex in newborn rat spinal cord in vitro; comparison with nitrous oxide (496) 71
 Watanabe, Y., Iwamoto, T., Matsuoka, I., Ono, T., Shigekawa, M. and Kimura, J.
 Effects of amiodarone on mutant Na⁺/Ca²⁺ exchangers expressed in CCL 39 cells (496) 49
 Welch, S.P., see Bass, C.E. (496) 99
 Yanagisawa, M., see Nishida, M. (496) 159
 Yoshida, Y., see Enomoto, R. (496) 11
 Yuyama, H., Fujimori, A., Sanagi, M., Koakutsu, A., Sudoh, K., Sasamata, M. and Miyata, K.
 The orally active nonpeptide selective endothelin ET_A receptor antagonist YM598 prevents and reverses the development of pulmonary hypertension in monocrotaline-treated rats (496) 129
 Zanatta, N., see Godoy, M.C.M. (496) 93