

## Author index

- Aceto, M.D., see Carroll, I. (501) 111  
 Akihisa-Umeno, H., see Ueshima, K. (501) 137  
 Allen, R.M., see Carroll, I. (501) 111  
 Alonso, R., see Díaz, M. (501) 161  
 Amann, R., see Ulcar, R. (501) 9  
 Andrés, M., Peña, A., Derick, S., Raufaste, D., Trojnar, J., Wisniewski, K., Trueba, M., Serradeil-Le Gal, C. and Guillon, G.  
 Comparative pharmacology of bovine, human and rat vasopressin receptor isoforms (501) 59  
 Assreuy, J., see Fernandes, D. (501) 209  
  
 Bakker, W.W., see Kapojos, J.J. (501) 191  
 Banas, B., see Kapojos, J.J. (501) 191  
 Bardelli, C., see Lavagno, L. (501) 199  
 Bardou, M., see Guerard, P. (501) 127  
 Bernard, A., see Guerard, P. (501) 127  
 Borghuis, T., see Kapojos, J.J. (501) 191  
 Brady, E., see Dallas-Yang, Q. (501) 225  
 Brunelleschi, S., see Lavagno, L. (501) 199  
 Brunner, L.J., see Lu, S.K. (501) 215  
  
 Callahan, S.M., see Lu, S.K. (501) 215  
 Candelore, M.R., see Dallas-Yang, Q. (501) 225  
 Carrera, M.R.A., see Navarro, M. (501) 235  
 Carroll, I., Thomas, J.B., Dykstra, L.A., Granger, A.L., Allen, R.M., Howard, J.L., Pollard, G.T., Aceto, M.D. and Harris, L.S.  
 Pharmacological properties of JD1c: a novel  $\kappa$ -opioid receptor antagonist (501) 111  
 Catalli, A., see Helli, P.B. (501) 179  
 Chaki, S., see Shimazaki, T. (501) 121  
 Cunha, F.d.Q., see da Cunha, J.M. (501) 87  
  
 Da Cunha, J.M., Rae, G.A., Ferreira, S.H. and Cunha, F.d.Q.  
 Endothelins induce ET<sub>B</sub> receptor-mediated mechanical hypernociception in rat hindpaw: roles of cAMP and protein kinase C (501) 87  
 Dallas-Yang, Q., Shen, X., Strowski, M., Brady, E., Saperstein, R., Gibson, R.E., Szalkowski, D., Qureshi, S.A., Candelore, M.R., Fenyk-Melody, J.E., Parmee, E.R., Zhang, B.B. and Jiang, G.  
 Hepatic glucagon receptor binding and glucose-lowering in vivo by peptidyl and non-peptidyl glucagon receptor antagonists (501) 225  
 Del Arco, I., see Navarro, M. (501) 235  
 Derick, S., see Andrés, M. (501) 59  
 Díaz, M., Ramírez, C.M., Marin, R., Marrero-Alonso, J., Gómez, T. and Alonso, R.  
 Acute relaxation of mouse duodenum by estrogens: Evidence for an estrogen receptor-independent modulation of muscle excitability (501) 161  
 Drinyaev, V.A., Mosin, V.A., Kruglyak, E.B., Novik, T.S., Sterlina, T.S., Ermakova, N.V., Kublik, L.N., Levitman, M.Kh., Shaposhnikova, V.V. and Korystov, Y.N.  
 Antitumor effect of avermectins (501) 19  
 Dumas, M., see Guerard, P. (501) 127  
  
 Dykstra, L.A., see Carroll, I. (501) 111  
 Dziedzicka-Wasylewska, M., see Faron-Górecka, A. (501) 103  
  
 Ermakova, N.V., see Drinyaev, V.A. (501) 19  
  
 Farley, S.R., see Squires, P.E. (501) 31  
 Faron-Górecka, A., Kuśmider, M., Inan, S.Y., Siwanowicz, J., Piwowarczyk, T. and Dziedzicka-Wasylewska, M.  
 Long-term exposure of rats to tramadol alters brain dopamine and  $\alpha_1$ -adrenoceptor function that may be related to antidepressant potency (501) 103  
 Fenyk-Melody, J.E., see Dallas-Yang, Q. (501) 225  
 Fernandes, D. and Assreuy, J.  
 Involvement of guanylate cyclase and potassium channels on the delayed phase of mouse carrageenan-induced paw oedema (501) 209  
 Ferreira, S.H., see da Cunha, J.M. (501) 87  
 Fichet, N., see Guerard, P. (501) 127  
 Fresu, L.G., see Lavagno, L. (501) 199  
  
 Gao, Q., see Zhang, S. (501) 25  
 Garland, P., see Squires, P.E. (501) 31  
 Gibson, R.E., see Dallas-Yang, Q. (501) 225  
 Giles, H., see Wilson, R.J. (501) 49  
 Goirand, F., see Guerard, P. (501) 127  
 Gómez, T., see Díaz, M. (501) 161  
 Granger, A.L., see Carroll, I. (501) 111  
 Gray, D.W., see Wilson, R.J. (501) 49  
 Guerard, P., Goirand, F., Fichet, N., Bernard, A., Rochette, L., Morcillo, E.J., Dumas, M. and Bardou, M.  
 Arachidonic acid relaxes human pulmonary arteries through K<sup>+</sup> channels and nitric oxide pathways (501) 127  
 Guillon, G., see Andrés, M. (501) 59  
 Gunella, G., see Lavagno, L. (501) 199  
  
 Harris, L.S., see Carroll, I. (501) 111  
 Hasegawa, T., see Shimizu, A. (501) 151  
 Heinemann, A., see Ulcar, R. (501) 9  
 Helli, P.B., Catalli, A. and Janssen, L.J.  
 The bronchodilators 8-*iso*-prostaglandin E<sub>2</sub> and prostaglandin E<sub>2</sub> induce K<sup>+</sup> current suppression via thromboxane A<sub>2</sub> receptors in porcine tracheal smooth muscle (501) 179  
 Hikita, K., see Saito, M. (501) 143  
 Hills, C.E., see Squires, P.E. (501) 31  
 Holý, A., see Zidek, Z. (501) 79  
 Hosseini, A.-R., see Sabetkasaie, M. (501) 95  
 Houri, D., see Saito, M. (501) 143  
 Howard, J.L., see Carroll, I. (501) 111  
 Hsu, Y.-L., see Kuo, P.-L. (501) 41  
 Huitema, S., see Kapojos, J.J. (501) 191

- Iijima, M., see Shimazaki, T. (501) 121  
 Inan, S.Y., see Faron-Górecka, A. (501) 103
- Janssen, L.J., see Helli, P.B. (501) 179  
 Jiang, G., see Dallas-Yang, Q. (501) 225  
 Jin, D., see Takai, S. (501) 1  
 Jin, M., see Shimizu, A. (501) 151  
 Jin, R., see Lu, S.K. (501) 215
- Kapojos, J.J., van den Berg, A., Borghuis, T., Banas, B., Huitema, S., Poelstra, K. and Bakker, W.W.  
 Enhanced ecto-apyrase activity of stimulated endothelial or mesangial cells is downregulated by glucocorticoids in vitro (501) 191  
 Kessler, H.H., see Ulcar, R. (501) 9  
 Khansefid, N., see Sabetkasaie, M. (501) 95  
 Kinoshita, Y., see Saito, M. (501) 143  
 Kmoníčková, E., see Zidek, Z. (501) 79  
 Kobayashi, N., see Saito, M. (501) 143  
 Koob, G.F., see Navarro, M. (501) 235  
 Korystov, Y.N., see Drinyaev, V.A. (501) 19  
 Kruglyak, E.B., see Drinyaev, V.A. (501) 19  
 Kublik, L.N., see Drinyaev, V.A. (501) 19  
 Kuo, P.-L., Hsu, Y.-L., Lin, T.-C. and Lin, C.-C.  
 Prodelphinidin B-2 3,3'-di-*O*-gallate from *Myrica rubra* inhibits proliferation of A549 carcinoma cells via blocking cell cycle progression and inducing apoptosis (501) 41  
 Kuśmider, M., see Faron-Górecka, A. (501) 103
- Lavagno, L., Gunella, G., Bardelli, C., Spina, S., Fresu, L.G., Viano, I. and Brunelleschi, S.  
 Anti-inflammatory drugs and tumor necrosis factor- $\alpha$  production from monocytes: role of transcription factor NF- $\kappa$ B and implication for rheumatoid arthritis therapy (501) 199  
 Levitman, M.Kh., see Drinyaev, V.A. (501) 19  
 Li, M.-F. and Shi, Y.-L.  
 Toosendanin, a triterpenoid derivative, acts as a novel agonist of L-type  $\text{Ca}^{2+}$  channels in neonatal rat ventricular cells (501) 71  
 Li, W., see Zhang, S. (501) 25  
 Lin, C.-C., see Kuo, P.-L. (501) 41  
 Lin, T.-C., see Kuo, P.-L. (501) 41  
 Lu, S.K., Callahan, S.M., Jin, R. and Brunner, L.J.  
 Cyclosporine and bromocriptine-induced suppressions of CYP3A1/2 and CYP2C11 are not mediated by prolactin (501) 215
- Marin, R., see Díaz, M. (501) 161  
 Marrero-Alonso, J., see Díaz, M. (501) 161  
 Matsuo, M., see Ueshima, K. (501) 137  
 Miyagawa, I., see Saito, M. (501) 143  
 Miyamoto, K.-i., see Shimizu, A. (501) 151  
 Miyazaki, M., see Takai, S. (501) 1  
 Miyoshi, M., see Shimizu, A. (501) 151  
 Morcillo, E.J., see Guerard, P. (501) 127  
 Morgan, N.G., see Squires, P.E. (501) 31  
 Mosin, V.A., see Drinyaev, V.A. (501) 19  
 Muramatsu, M., see Takai, S. (501) 1  
 Mutoh, S., see Ueshima, K. (501) 137
- Nagayoshi, A., see Ueshima, K. (501) 137  
 Nakaki, T., see Tanaka, K. (501) 185  
 Navarro, M., Carrera, M.R.A., del Arco, I., Trigo, J.M., Koob, G.F. and Rodríguez de Fonseca, F.  
 Cannabinoid receptor antagonist reduces heroin self-administration only in dependent rats (501) 235  
 Noel, L.S., see Wilson, R.J. (501) 49  
 Novik, T.S., see Drinyaev, V.A. (501) 19
- Okamoto, Y., see Takai, S. (501) 1
- Parmee, E.R., see Dallas-Yang, Q. (501) 225  
 Peña, A., see Andrés, M. (501) 59  
 Peskar, B.A., see Ulcar, R. (501) 9  
 Piwowarczyk, T., see Faron-Górecka, A. (501) 103  
 Poelstra, K., see Kapojos, J.J. (501) 191  
 Pollard, G.T., see Carroll, I. (501) 111
- Qureshi, S.A., see Dallas-Yang, Q. (501) 225
- Rae, G.A., see da Cunha, J.M. (501) 87  
 Ramírez, C.M., see Díaz, M. (501) 161  
 Raufaste, D., see Andrés, M. (501) 59  
 Rhodes, S.A., see Wilson, R.J. (501) 49  
 Rochette, L., see Guerard, P. (501) 127  
 Rodríguez de Fonseca, F., see Navarro, M. (501) 235  
 Rogers, G.J., see Squires, P.E. (501) 31
- Sabetkasaie, M., Vala, S., Khansefid, N., Hosseini, A.-R. and Sadat Ladgevardi, M.-A.R.  
 Clonidine and guanfacine-induced antinociception in visceral pain: possible role of  $\alpha_2/1_2$  binding sites (501) 95  
 Sadat Ladgevardi, M.-A.R., see Sabetkasaie, M. (501) 95  
 Saito, M., Suzuki, H., Yamada, M., Hikita, K., Kobayashi, N., Kinoshita, Y., Houri, D., Miyagawa, I. and Satoh, K.  
 Effect of cyclohexenonic long-chain fatty alcohol on rat overactive bladder induced by bladder neck obstruction (501) 143  
 Santner, B.I., see Ulcar, R. (501) 9  
 Saperstein, R., see Dallas-Yang, Q. (501) 225  
 Sasaki, T., see Shimizu, A. (501) 151  
 Satoh, K., see Saito, M. (501) 143  
 Schuligoi, R., see Ulcar, R. (501) 9  
 Serradeil-Le Gal, C., see Andrés, M. (501) 59  
 Shaposhnikova, V.V., see Drinyaev, V.A. (501) 19  
 Shen, X., see Dallas-Yang, Q. (501) 225  
 Shi, Y.-L., see Li, M.-F. (501) 71  
 Shield, V.J., see Wilson, R.J. (501) 49  
 Shimazaki, T., Iijima, M. and Chaki, S.  
 Anxiolytic-like activity of MGS0039, a potent group II metabotropic glutamate receptor antagonist, in a marble-burying behavior test (501) 121  
 Shimizu, A., Miyoshi, M., Sugie, M., Ueyama, J., Yamaguchi, T., Sasaki, T., Takagi, K., Jin, M., Miyamoto, K.-i., Tsuji, A. and Hasegawa, T.  
 Possible involvement of P-glycoprotein in renal excretion of pazufloxacin in rats (501) 151  
 Siwanowicz, J., see Faron-Górecka, A. (501) 103  
 Spina, S., see Lavagno, L. (501) 199  
 Squires, P.E., Hills, C.E., Rogers, G.J., Garland, P., Farley, S.R. and Morgan, N.G.  
 The putative imidazoline receptor agonist, harmaline, promotes intracellular calcium mobilisation in pancreatic  $\beta$ -cells (501) 31  
 Sterlina, T.S., see Drinyaev, V.A. (501) 19  
 Strowski, M., see Dallas-Yang, Q. (501) 225  
 Sugie, M., see Shimizu, A. (501) 151  
 Suzuki, H., see Saito, M. (501) 143  
 Szalkowski, D., see Dallas-Yang, Q. (501) 225
- Takagi, K., see Shimizu, A. (501) 151  
 Takai, S., Jin, D., Muramatsu, M., Okamoto, Y. and Miyazaki, M.  
 Therapeutic applications of chymase inhibitors in cardiovascular diseases and fibrosis (501) 1  
 Takakura, S., see Ueshima, K. (501) 137  
 Tanaka, K. and Nakaki, T.  
 Reduced renal  $\text{ClC-5 Cl}^-$  channel expression in spontaneously hypertensive rats with microalbuminuria (501) 185  
 Thomas, J.B., see Carroll, I. (501) 111  
 Trigo, J.M., see Navarro, M. (501) 235

- Trojnar, J., see Andrés, M. (501) 59
- Trueba, M., see Andrés, M. (501) 59
- Tsuji, A., see Shimizu, A. (501) 151
- Ueshima, K., Akihisa-Umeno, H., Nagayoshi, A., Takakura, S., Matsuo, M. and Mutoh, S.  
A gastrointestinal lipase inhibitor reduces progression of atherosclerosis in mice fed a western-type diet (501) 137
- Ueyama, J., see Shimizu, A. (501) 151
- Ulcár, R., Peskar, B.A., Schuligoi, R., Heinemann, A., Kessler, H.H., Santner, B.I. and Amann, R.  
Cyclooxygenase inhibition in human monocytes increases endotoxin-induced TNF $\alpha$  without affecting cyclooxygenase-2 expression (501) 9
- Vala, S., see Sabetkasaie, M. (501) 95
- Van den Berg, A., see Kapojos, J.J. (501) 191
- Viano, I., see Lavagno, L. (501) 199
- Wei, T., see Zhang, S. (501) 25
- Wilson, R.J., Rhodes, S.A., Wood, R.L., Shield, V.J., Noel, L.S., Gray, D.W. and Giles, H.  
Functional pharmacology of human prostanoid EP<sub>2</sub> and EP<sub>4</sub> receptors (501) 49
- Wisniewski, K., see Andrés, M. (501) 59
- Wood, R.L., see Wilson, R.J. (501) 49
- Yamada, M., see Saito, M. (501) 143
- Yamaguchi, T., see Shimizu, A. (501) 151
- Zhang, B.B., see Dallas-Yang, Q. (501) 225
- Zhang, S., Li, W., Gao, Q. and Wei, T.  
Effect of melatonin on the generation of nitric oxide in murine macrophages (501) 25
- Zídek, Z., Kmoníčková, E. and Holý, A.  
Involvement of adenosine A<sub>1</sub> receptors in upregulation of nitric oxide by acyclic nucleotide analogues (501) 79