

Author index

- Abekawai, T., see Li, X. (505) 145
- Adams, M., see Mukherjee, S. (505) 1
- Ahn, W., see Moon, S.J. (505) 61
- Alarcón de la Lastra, C., see Villegas, I. (505) 195
- Alsasua, Á., see López-Miranda, V. (505) 151
- An, J.M., see Moon, S.J. (505) 61
- Ando, S., see Koga, K. (505) 75
- Arai, I., Takano, N., Hashimoto, Y., Futaki, N., Sugimoto, M., Takahashi, N., Inoue, T. and Nakaike, S.
Prostanoid DP₁ receptor agonist inhibits the pruritic activity in NC/Nga mice with atopic dermatitis (505) 229
- Auguet, M., see Cornet, S. (505) 111
- Baba, A., see Takahashi, T. (505) 163
- Banks, W.A., Jumbe, N.L., Farrell, C.L., Niehoff, M.L. and Heatherington, A.C.
Passage of erythropoietic agents across the blood–brain barrier: a comparison of human and murine erythropoietin and the analog darbepoetin alfa (505) 93
- Battaglia, A., see Vairetti, M. (505) 121
- Behra, T., see Poburko, D. (505) 19
- Bertè, F., see Vairetti, M. (505) 121
- Blennow, K., see Paulson, L. (505) 103
- Canonica, P.L., see Vairetti, M. (505) 121
- Carpagnano, G.E., Resta, O., Foschino-Barbaro, M.P., Spanevello, A., Stefano, A., Di Gioia, G., Serviddio, G. and Gramiccioni, E.
Exhaled Interleukine-6 and 8-isoprostane in chronic obstructive pulmonary disease: effect of carbocysteine lysine salt monohydrate (SCMC-Lys) (505) 169
- Cassar, S., see Mukherjee, S. (505) 1
- Chabrier, P.E., see Cornet, S. (505) 111
- Charnet, C., see Cornet, S. (505) 111
- Che, J.-H., see Choi, E.-K. (505) 83
- Choi, E.-K., Park, D., Yon, J.-M., Hur, G.-H., Ha, Y.-C., Che, J.-H., Kim, J., Shin, S., Jang, J.Y., Hwang, S.-Y., Seong, Y.-H., Kim, D.J., Kim, J.-C. and Kim, Y.-B.
Protection by sustained release of physostigmine and procyclidine of soman poisoning in rats (505) 83
- Clothier, R.H., see Mellor, I.R. (505) 37
- Cornet, S., Spinnewyn, B., Delaflotte, S., Charnet, C., Roubert, V., Favre, C., Hider, H., Chabrier, P.E. and Auguet, M.
Lack of evidence of direct mitochondrial involvement in the neuro-protective effect of minocycline (505) 111
- Dannert, M.T., see López-Miranda, V. (505) 151
- Davidsson, P., see Paulson, L. (505) 103
- Daza, A., see Mukherjee, S. (505) 1
- De Vry, J. and Rüdiger Jentzsch, K.
Discriminative stimulus effects of the structurally novel cannabinoid CB₁/CB₂ receptor partial agonist BAY 59-3074 in the rat (505) 127
- Delaflotte, S., see Cornet, S. (505) 111
- Deng, M., Zhao, J.Y., Tu, P.F., Jiang, Y., Li, Z.B. and Wang, Y.H.
Echinacoside rescues the SHSY5Y neuronal cells from TNF α -induced apoptosis (505) 11
- Di Gioia, G., see Carpagnano, G.E. (505) 169
- Dohgu, S., Yamauchi, A., Nakagawa, S., Takata, F., Kai, M., Egawa, T., Naito, M., Tsuruo, T., Sawada, Y., Niwa, M. and Kataoka, Y.
Nitric oxide mediates cyclosporine-induced impairment of the blood–brain barrier in cocultures of mouse brain endothelial cells and rat astrocytes (505) 51
- Doi, Y., Murasaki, O., Kaibara, M., Uezono, Y., Hayashi, H., Yano, K. and Taniyama, K.
Characterization of functional effects of Z-338, a novel gastroprokinetic agent, on the muscarinic M₁, M₂, and M₃ receptors expressed in *Xenopus* oocytes (505) 31
- Egawa, T., see Dohgu, S. (505) 51
- Fagerholm, V., Grönroos, T., Marjamäki, P., Viljanen, T., Scheinin, M. and Haaparanta, M.
Altered glucose homeostasis in α_{2A} -adrenoceptor knockout mice (505) 243
- Farrell, C.L., see Banks, W.A. (505) 93
- Favre, C., see Cornet, S. (505) 111
- Ferrigno, A., see Vairetti, M. (505) 121
- Foschino-Barbaro, M.P., see Carpagnano, G.E. (505) 169
- Futaki, N., see Arai, I. (505) 229
- Goto, J., see Okuda, T. (505) 135
- Gramiccioni, E., see Carpagnano, G.E. (505) 169
- Grönroos, T., see Fagerholm, V. (505) 243
- Ha, Y.-C., see Choi, E.-K. (505) 83
- Haaparanta, M., see Fagerholm, V. (505) 243
- Harasawa, I., see Koga, K. (505) 75
- Hashimoto, Y., see Arai, I. (505) 229
- Hayashi, H., see Doi, Y. (505) 31
- Heatherington, A.C., see Banks, W.A. (505) 93
- Herradón, E., see López-Miranda, V. (505) 151
- Hider, H., see Cornet, S. (505) 111
- Higo, K., see Takasaki, K. (505) 237
- Hishinuma, T., see Okuda, T. (505) 135
- Honda, K., see Koga, K. (505) 75
- Hur, G.-H., see Choi, E.-K. (505) 83
- Hwang, S.-Y., see Choi, E.-K. (505) 83
- Iida, H., see Ma, J. (505) 67
- Illanes, M., see Sánchez-Fidalgo, S. (505) 187
- Inoue, T., see Arai, I. (505) 229
- Inoue, T., see Li, X. (505) 145
- Ito, Y., see Okuda, T. (505) 135
- Iwabuchi, K., see Okuda, T. (505) 135

- Jang, J.Y., see Choi, E.-K. (505) 83
- Jiang, Y., see Deng, M. (505) 11
- Jo, T., see Ma, J. (505) 67
- Jones, D.N.C., see Kirk, S.L. (505) 253
- Jumbe, N.L., see Banks, W.A. (505) 93
- Kage, K., see Mukherjee, S. (505) 1
- Kai, M., see Dohgu, S. (505) 51
- Kaibara, M., see Doi, Y. (505) 31
- Kamiya, H.-o., see Koga, K. (505) 75
- Kataoka, Y., see Dohgu, S. (505) 51
- Kim, D.J., see Choi, E.-K. (505) 83
- Kim, J., see Moon, S.J. (505) 61
- Kim, J., see Choi, E.-K. (505) 83
- Kim, J.-C., see Choi, E.-K. (505) 83
- Kim, K.H., see Moon, S.J. (505) 61
- Kim, Y.-B., see Choi, E.-K. (505) 83
- Kirk, S.L., Neill, J.C., Jones, D.N.C. and Reynolds, G.P.
Ziprasidone suppresses olanzapine-induced increases in ingestive behaviour in the rat (505) 253
- Kitaichi, K., see Okuda, T. (505) 135
- Koga, K., Honda, K., Ando, S., Harasawa, I., Kamiya, H.-o. and Takano, Y.
Intrathecal clonidine inhibits mechanical allodynia via activation of the spinal muscarinic M₁ receptor in streptozotocin-induced diabetic mice (505) 75
- Kokubo, T., see Nakashima, K. (505) 223
- Koyama, T., see Li, X. (505) 145
- Kurata, H., see Teraishi, K. (505) 205
- Lee, S.-I., see Moon, S.J. (505) 61
- Lhote, P., see Poburko, D. (505) 19
- Li, X., Inoue, T., Abekawai, T., YiRui, F. and Koyama, T.
Effect of MS-153 on the acquisition and expression of conditioned fear in rats (505) 145
- Li, Y.-F., see Nakashima, K. (505) 223
- Li, Z.B., see Deng, M. (505) 11
- Ljung, E., see Paulson, L. (505) 103
- López-Miranda, V., Herradón, E., Dannert, M.T., Alsasua, Á. and Martín, M.I.
Anandamide vehicles: a comparative study (505) 151
- Ma, J., Iida, H., Jo, T., Takano, H., Oonuma, H., Morita, T., Toyo-oka, T., Omata, M., Nagai, R., Okuda, Y., Yamada, N. and Nakajima, T.
Ursodeoxycholic acid inhibits endothelin-1 production in human vascular endothelial cells (505) 67
- Manolopoulos, V.G., see Tavridou, A. (505) 213
- Marjamäki, P., see Fagerholm, V. (505) 243
- Martín, M.I., see López-Miranda, V. (505) 151
- Martín, P., see Paulson, L. (505) 103
- Martín-Lacave, I., see Sánchez-Fidalgo, S. (505) 187
- Matsuda, T., see Takahashi, T. (505) 163
- Matsumura, Y., see Teraishi, K. (505) 205
- McManus, B., see Poburko, D. (505) 19
- Melchiorre, C., see Mellor, I.R. (505) 37
- Mellor, I.R., Ogilvie, J., Pluteanu, F., Clothier, R.H., Parker, T.L., Rosini, M., Minarini, A., Tumiatti, V. and Melchiorre, C.
Methocramine analogues inhibit responses to capsaicin and protons in rat dorsal root ganglion neurons (505) 37
- Mert, E., see Yildirim, S. (505) 177
- Meyer, M., see Mukherjee, S. (505) 1
- Minarini, A., see Mellor, I.R. (505) 37
- Moon, S.J., An, J.M., Kim, J., Lee, S.-I., Ahn, W., Kim, K.H. and Seo, J.T.
Pharmacological characterization of rebamipide: its cholecystokinin CCK₁ receptor binding profile and effects on Ca²⁺ mobilization and amylase release in rat pancreatic acinar cells (505) 61
- Morita, T., see Ma, J. (505) 67
- Motilva, V., see Sánchez-Fidalgo, S. (505) 187
- Mukherjee, S., Adams, M., Whiteaker, K., Daza, A., Kage, K., Cassar, S., Meyer, M. and Yao, B.B.
Species comparison and pharmacological characterization of rat and human CB₂ cannabinoid receptors (505) 1
- Murasaki, O., see Doi, Y. (505) 31
- Nagai, R., see Ma, J. (505) 67
- Naito, M., see Dohgu, S. (505) 51
- Nakagawa, N., see Okuda, T. (505) 135
- Nakagawa, S., see Dohgu, S. (505) 51
- Nakaike, S., see Takahashi, T. (505) 163
- Nakaike, S., see Arai, I. (505) 229
- Nakajima, A., see Teraishi, K. (505) 205
- Nakajima, T., see Ma, J. (505) 67
- Nakajima, T., see Takasaki, K. (505) 237
- Nakashima, K., Kokubo, T., Shichijo, M., Li, Y.-F., Yura, T. and Yamamoto, N.
A novel Syk kinase-selective inhibitor blocks antigen presentation of immune complexes in dendritic cells (505) 223
- Neill, J.C., see Kirk, S.L. (505) 253
- Niehoff, M.L., see Banks, W.A. (505) 93
- Niwa, M., see Dohgu, S. (505) 51
- Ogilvie, J., see Mellor, I.R. (505) 37
- Okuda, T., Ito, Y., Nakagawa, N., Hishinuma, T., Tsukamoto, H., Iwabuchi, K., Watanabe, T., Kitaichi, K., Goto, J. and Yanai, K.
Drug interaction between methamphetamine and antihistamines: behavioral changes and tissue concentrations of methamphetamine in rats (505) 135
- Okuda, Y., see Ma, J. (505) 67
- Omata, M., see Ma, J. (505) 67
- Onishi, M., see Takahashi, T. (505) 163
- Oonuma, H., see Ma, J. (505) 67
- Ota, T., see Takahashi, T. (505) 163
- Park, D., see Choi, E.-K. (505) 83
- Parker, T.L., see Mellor, I.R. (505) 37
- Paulson, L., Martin, P., Ljung, E., Blennow, K. and Davidsson, P.
Effects on rat thalamic proteome by acute and subchronic MK-801-treatment (505) 103
- Pluteanu, F., see Mellor, I.R. (505) 37
- Poburko, D., Lhote, P., Szado, T., Behra, T., Rahimian, R., McManus, B., van Breemen, C. and Ruegg, U.T.
Basal calcium entry in vascular smooth muscle (505) 19
- Rahimian, R., see Poburko, D. (505) 19
- Ramón Martín, A., see Villegas, I. (505) 195
- Resta, O., see Carpagnano, G.E. (505) 169
- Reynolds, G.P., see Kirk, S.L. (505) 253
- Richelmi, P., see Vairetti, M. (505) 121
- Rosini, M., see Mellor, I.R. (505) 37
- Roubert, V., see Cornet, S. (505) 111
- Rüdiger Jentzsch, K., see De Vry, J. (505) 127
- Ruegg, U.T., see Poburko, D. (505) 19
- Rustu, O., see Yildirim, S. (505) 177
- Sánchez-Fidalgo, S., Martín-Lacave, I., Illanes, M. and Motilva, V.
Angiogenesis, cell proliferation and apoptosis in gastric ulcer healing. Effect of a selective cox-2 inhibitor (505) 187
- Sawada, Y., see Dohgu, S. (505) 51
- Scheinin, M., see Fagerholm, V. (505) 243
- Seo, J.T., see Moon, S.J. (505) 61
- Seong, Y.-H., see Choi, E.-K. (505) 83
- Serviddio, G., see Carpagnano, G.E. (505) 169
- Shichijo, M., see Nakashima, K. (505) 223
- Shin, S., see Choi, E.-K. (505) 83
- Spanevello, A., see Carpagnano, G.E. (505) 169

- Spinnewyn, B., see Cornet, S. (505) 111
- Stefano, A., see Carpagnano, G.E. (505) 169
- Sugimoto, M., see Arai, I. (505) 229
- Suzuki, T., see Takahashi, T. (505) 163
- Szado, T., see Poburko, D. (505) 19
- Takada, H., see Takasaki, K. (505) 237
- Takahashi, K., see Takahashi, T. (505) 163
- Takahashi, N., see Arai, I. (505) 229
- Takahashi, T., Takahashi, K., Onishi, M., Suzuki, T., Tanaka, Y., Ota, T., Yoshida, S., Nakaike, S., Matsuda, T. and Baba, A.
Effects of SEA0400, a novel inhibitor of the $\text{Na}^+/\text{Ca}^{2+}$ exchanger, on myocardial stunning in anesthetized dogs (505) 163
- Takano, H., see Ma, J. (505) 67
- Takano, N., see Arai, I. (505) 229
- Takano, Y., see Koga, K. (505) 75
- Takaoka, M., see Teraishi, K. (505) 205
- Takasaki, K., Takada, H., Nakajima, T., Ueno, K., Ushiki, J. and Higo, K.
Involvement of the active metabolites in the inhibitory activity of K579 on rat plasma dipeptidyl peptidase IV (505) 237
- Takata, F., see Dohgu, S. (505) 51
- Tanaka, Y., see Takahashi, T. (505) 163
- Taniyama, K., see Doi, Y. (505) 31
- Tavridou, A. and Manolopoulos, V.G.
Antioxidant properties of two novel 2-biphenylmorpholine compounds (EP2306 and EP2302) in vitro and in vivo (505) 213
- Teraishi, K., Kurata, H., Nakajima, A., Takaoka, M. and Matsumura, Y.
Preventive effect of Y-27632, a selective Rho-kinase inhibitor, on ischemia/reperfusion-induced acute renal failure in rats (505) 205
- Toma, W., see Villegas, I. (505) 195
- Toyo-oka, T., see Ma, J. (505) 67
- Tsukamoto, H., see Okuda, T. (505) 135
- Tsuruo, T., see Dohgu, S. (505) 51
- Tu, P.F., see Deng, M. (505) 11
- Tumiatti, V., see Mellor, I.R. (505) 37
- Ueno, K., see Takasaki, K. (505) 237
- Uezono, Y., see Doi, Y. (505) 31
- Ushiki, J., see Takasaki, K. (505) 237
- Vairetti, M., Ferrigno, A., Canonico, P.L., Battaglia, A., Bertè, F. and Richelmi, P.
Nicergoline reverts haloperidol-induced loss of detoxifying-enzyme activity (505) 121
- Van Breemen, C., see Poburko, D. (505) 19
- Viljanen, T., see Fagerholm, V. (505) 243
- Villegas, I., Ramón Martín, A., Toma, W. and Alarcón de la Lastra, C.
Rosiglitazone, an agonist of peroxisome proliferator-activated receptor gamma, protects against gastric ischemia-reperfusion damage in rats: role of oxygen free radicals generation (505) 195
- Wang, Y.H., see Deng, M. (505) 11
- Watanabe, T., see Okuda, T. (505) 135
- Whiteaker, K., see Mukherjee, S. (505) 1
- Yamada, N., see Ma, J. (505) 67
- Yamamoto, N., see Nakashima, K. (505) 223
- Yamauchi, A., see Dohgu, S. (505) 51
- Yanai, K., see Okuda, T. (505) 135
- Yano, K., see Doi, Y. (505) 31
- Yao, B.B., see Mukherjee, S. (505) 1
- Yildirim, S., Mert, E. and Rustu, O.
The role of nitric oxide on contractile impairment during endotoxemia in rat diaphragm muscle (505) 177
- YiRui, F., see Li, X. (505) 145
- Yon, J.-M., see Choi, E.-K. (505) 83
- Yoshida, S., see Takahashi, T. (505) 163
- Yura, T., see Nakashima, K. (505) 223
- Zhao, J.Y., see Deng, M. (505) 11