

Author index

- Abadi, N.Y.F., see Langroudi, R.M. (507) 107
- Aburada, M., see Ohtake, N. (507) 301
- Ando, T., Takagi, N., Takagi, K., Kago, T. and Takeo, S.
Effects of nefiracetam on the levels of brain-derived neurotrophic factor and synapsin I mRNA and protein in the hippocampus of microspheres-embolized rats (507) 49
- Arafa, M., see El-Medany, A. (507) 291
- Arai, Y., see Wada, K.-i. (507) 145
- Asano, T., see Kamei, J. (507) 163
- Bleich, M., see Löhn, M. (507) 179
- Brain, S.D., see Grant, A.D. (507) 273
- Brunner, F., see Toller, W. (507) 199
- Busch, A.E., see Löhn, M. (507) 179
- Cabeza, R., see Méndez-Díaz, M. (507) 21
- Cai, D.-Y., see Jiang, W. (507) 153
- Calixto, J.B., see Otuki, M.F. (507) 253
- Candeletti, S., see Sandrini, M. (507) 43
- Christoph, T., Kögel, B., Schiene, K., Méen, M., De Vry, J. and Friderichs, E.
Broad analgesic profile of buprenorphine in rodent models of acute and chronic pain (507) 87
- Chu, L. and Endoh, M.
Wortmannin inhibits the myofilament Ca^{2+} sensitization induced by endothelin-1 (507) 135
- Conti, L.H.
Characterization of the effects of corticotropin-releasing factor on prepulse inhibition of the acoustic startle response in Brown Norway and Wistar-Kyoto rats (507) 125
- Cortijo, J., see Suchankova, J. (507) 261
- Cuzzocrea, S., see Di Paola, R. (507) 281
- Dableh, L.J., Yashpal, K., Rochford, J. and Henry, J.L.
Antidepressant-like effects of neurokinin receptor antagonists in the forced swim test in the rat (507) 99
- De Sarro, A., see Di Paola, R. (507) 281
- De Vry, J., see Christoph, T. (507) 87
- Dehpour, A.R., see Langroudi, R.M. (507) 107
- Di Paola, R., Mazzon, E., Patel, N.S.A., Genovese, T., Muià, C., Thiemermann, C., De Sarro, A. and Cuzzocrea, S.
Beneficial effects of GW274150 treatment on the development of experimental colitis induced by dinitrobenzene sulfonic acid (507) 281
- El-Medany, A., Mahgoub, A., Mustafa, A., Arafa, M. and Morsi, M.
The effects of selective cyclooxygenase-2 inhibitors, celecoxib and rofecoxib, on experimental colitis induced by acetic acid in rats (507) 291
- Endoh, M., see Chu, L. (507) 135
- Fahadan, P.T., see Langroudi, R.M. (507) 107
- Fendt, M., see Schweimer, J. (507) 117
- Feng, Y., Fratkins, J.D. and LeBlanc, M.H.
Estrogen attenuates hypoxic–ischemic brain injury in neonatal rats (507) 77
- Fratkins, J.D., see Feng, Y. (507) 77
- Friderichs, E., see Christoph, T. (507) 87
- Fujimori, A., see Wada, K.-i. (507) 145
- Geng, B., see Jiang, W. (507) 153
- Genovese, T., see Di Paola, R. (507) 281
- Geppetti, P., see Tagawa, A. (507) 223
- Ghahremani, M.H., see Langroudi, R.M. (507) 107
- Gómez-Chavarrín, M., see Méndez-Díaz, M. (507) 21
- Grant, A.D., Pinter, E., Salmon, A.-M.L. and Brain, S.D.
An examination of neurogenic mechanisms involved in mustard oil-induced inflammation in the mouse (507) 273
- Hasegawa, T., see Miyoshi, M. (507) 229
- Hashimoto, K., see Takahara, A. (507) 169
- Henry, J.L., see Dableh, L.J. (507) 99
- Hofer, M., see Pospíšil, M. (507) 1
- Holá, J., see Pospíšil, M. (507) 1
- Honda, H., see Iwata, T. (507) 311
- Honsho, S., see Takahara, A. (507) 169
- Horvath, P., Szilvassy, J., Nemeth, J., Peitl, B., Szilasi, M. and Szilvassy, Z.
Decreased sensory neuropeptide release in isolated bronchi of rats with cisplatin-induced neuropathy (507) 247
- Ichiki, H., see Kamei, J. (507) 163
- Iiduka, A., see Kamei, J. (507) 163
- Imai, Y., see Komatsu, Y. (507) 317
- Inoue, M., see Ohtake, N. (507) 301
- Irwin, L., see Méndez-Díaz, M. (507) 21
- Isaji, M., see Komatsu, Y. (507) 317
- Ishigatsubo, Y., see Tagawa, A. (507) 223
- Ishige, A., see Ohtake, N. (507) 301
- Itoh, F., see Komatsu, Y. (507) 317
- Ivashchenko, Y., see Löhn, M. (507) 179
- Iwata, T., Honda, H., Matsuda, H., Kondo, M., Taniguchi, J., Miwa, T., Kumasaka, K., Moroe, H. and Notoya, Y.
Hypothyroidism changes adrenoceptor- and muscarinic receptor-mediated blood pressure responses (507) 311
- Jazvinščak Jembrek, M., see Peričić, D. (507) 7
- Jiang, H.-F., see Jiang, W. (507) 153
- Jiang, W., Cai, D.-Y., Pan, C.-S., Qi, Y.-F., Jiang, H.-F., Geng, B. and Tang, C.-S.
Changes in production and metabolism of brain natriuretic peptide in rats with myocardial necrosis (507) 153
- Jiménez-Anguiano, A., see Méndez-Díaz, M. (507) 21

- Kago, T., see Ando, T. (507) 49
- Kamei, J., Saitoh, A., Asano, T., Nakamura, R., Ichiki, H., Iiduka, A. and Kubo, M.
Pharmacokinetic and pharmacodynamic profiles of the antitussive principles of *Glycyrrhizae radix* (licorice), a main component of the Kampo preparation Bakumondo-to (Mai-men-dong-tang) (507) 163
- Kaneko, T., see Tagawa, A. (507) 223
- Kendall, D.A., see O'Sullivan, S.E. (507) 211
- Kerr, D.I.B., see Ong, J. (507) 35
- Khoshnoodi, M.A., see Langroudi, R.M. (507) 107
- Kikuchi, H., see Nusuetrong, P. (507) 239
- Kimoto, A., see Yoshino, T. (507) 69
- Kögel, B., see Christoph, T. (507) 87
- Kojima, M., see Komatsu, Y. (507) 317
- Komatsu, Y., Imai, Y., Itoh, F., Kojima, M., Isaji, M. and Shibata, N.
Rat model of the hypercalcaemia induced by parathyroid hormone-related protein: characteristics of three bisphosphonates (507) 317
- Kondo, M., see Iwata, T. (507) 311
- Kubo, M., see Kamei, J. (507) 163
- Kumasaka, K., see Iwata, T. (507) 311
- Langroudi, R.M., Khoshnoodi, M.A., Abadi, N.Y.F., Fahadan, P.T., Ghahremani, M.H. and Dehpour, A.R.
Effect of cyclosporin A on morphine-induced place conditioning in mice: involvement of nitric oxide (507) 107
- Lazić, J., see Perićić, D. (507) 7
- LeBlanc, M.H., see Feng, Y. (507) 77
- Löhn, M., Steioff, K., Bleich, M., Busch, A.E. and Ivashchenko, Y.
Inhibition of Rho-kinase stimulates nitric oxide-independent vaso-relaxation (507) 179
- Lopetuso, G., see Sandrini, M. (507) 43
- Mahgoub, A., see El-Medany, A. (507) 291
- Malheiros, Â., see Otuki, M.F. (507) 253
- Marino, V., see Ong, J. (507) 35
- Mata, M., see Suchankova, J. (507) 261
- Matsuda, H., see Iwata, T. (507) 311
- Matsukawa, U., see Wada, K.-i. (507) 145
- Mazzon, E., see Di Paola, R. (507) 281
- Méen, M., see Christoph, T. (507) 87
- Meksuriyen, D., see Nusuetrong, P. (507) 239
- Méndez-Díaz, M., Irwin, L., Gómez-Chavarrín, M., Jiménez-Anguiano, A., Cabeza, R., Murillo-Rodríguez, E. and Prospéro-García, O.
Cortistatin modulates memory evocation in rats (507) 21
- Metzler, H., see Toller, W. (507) 199
- Miwa, T., see Iwata, T. (507) 311
- Miyata, K., see Yoshino, T. (507) 69
- Miyata, K., see Wada, K.-i. (507) 145
- Miyoshi, M., Nadai, M., Nitta, A., Ueyama, J., Shimizu, A., Takagi, K., Nabeshima, T., Takagi, K., Saito, K. and Hasegawa, T.
Role of tumor necrosis factor- α in down-regulation of hepatic cytochrome P450 and P-glycoprotein by endotoxin (507) 229
- Mizugaki, M., see Nusuetrong, P. (507) 239
- Morcillo, E.J., see Suchankova, J. (507) 261
- Moroe, H., see Iwata, T. (507) 311
- Morsi, M., see El-Medany, A. (507) 291
- Muià, C., see Di Paola, R. (507) 281
- Murillo-Rodríguez, E., see Méndez-Díaz, M. (507) 21
- Murphy, N.P., see Okabe, C. (507) 57
- Mustafa, A., see El-Medany, A. (507) 291
- Nabeshima, T., see Miyoshi, M. (507) 229
- Nadai, M., see Miyoshi, M. (507) 229
- Nakahata, N., see Nusuetrong, P. (507) 239
- Nakamura, R., see Kamei, J. (507) 163
- Nemeth, J., see Horvath, P. (507) 247
- Nishiyama, H., see Tagawa, A. (507) 223
- Nitta, A., see Miyoshi, M. (507) 229
- Noguchi, M., see Yoshino, T. (507) 69
- Notoya, Y., see Iwata, T. (507) 311
- Nusuetrong, P., Yoshida, M., Tanitsu, M.-a., Kikuchi, H., Mizugaki, M., Shimazu, K.-i., Pengsuparp, T., Meksuriyen, D., Oshima, Y. and Nakahata, N.
Involvement of reactive oxygen species and stress-activated MAPKs in satratoxin H-induced apoptosis (507) 239
- Ohtake, N., Yamamoto, M., Takeda, S., Aburada, M., Ishige, A., Watanabe, K. and Inoue, M.
The herbal medicine Sho-Saiko-To selectively inhibits CD8⁺ T-cell proliferation (507) 301
- Okabe, C., Takeshima, H. and Murphy, N.P.
Methamphetamine sensitization in nociceptin receptor knockout mice: locomotor and c-fos expression (507) 57
- Okutsu, H., see Yoshino, T. (507) 69
- Ong, J., Parker, D.A.S., Marino, V., Kerr, D.I.B., Puspawati, N.M. and Prager, R.H.
3-Chloro,4-methoxyfendiline is a potent GABA_B receptor potentiator in rat neocortical slices (507) 35
- Oshima, Y., see Nusuetrong, P. (507) 239
- O'Sullivan, S.E., Kendall, D.A., and Randall, M.D.
Vascular effects of Δ^9 -tetrahydrocannabinol (THC), anandamide and N-arachidonoyldopamine (NADA) in the rat isolated aorta (507) 211
- Otuki, M.F., Vieira-Lima, F., Malheiros, Â., Yunes, R.A. and Calixto, J.B.
Topical antiinflammatory effects of the ether extract from *Protium kleinii* and α -amyrin pentacyclic triterpene (507) 253
- Pan, C.-S., see Jiang, W. (507) 153
- Parker, D.A.S., see Ong, J. (507) 35
- Patel, N.S.A., see Di Paola, R. (507) 281
- Peitl, B., see Horvath, P. (507) 247
- Pengsuparp, T., see Nusuetrong, P. (507) 239
- Perićić, D., Jazvinščak Jembrek, M., Švob Štrac, D., Lazić, J. and Špoljarić, I.R.
Enhancement of benzodiazepine binding sites following chronic treatment with flumazenil (507) 7
- Pini, L.A., see Sandrini, M. (507) 43
- Pinter, E., see Grant, A.D. (507) 273
- Pipalová, I., see Pospíšil, M. (507) 1
- Pospíšil, M., Hofer, M., Vacek, A., Holá, J., Pipalová, I. and Znojil, V.
N⁶-Cyclopentyladenosine inhibits proliferation of murine haematopoietic progenitor cells in vivo (507) 1
- Prager, R.H., see Ong, J. (507) 35
- Prospéro-García, O., see Méndez-Díaz, M. (507) 21
- Puspawati, N.M., see Ong, J. (507) 35
- Qi, Y.-F., see Jiang, W. (507) 153
- Randall, M.D., see O'Sullivan, S.E. (507) 211
- Rochford, J., see Dableh, L.J. (507) 99
- Romualdi, P., see Sandrini, M. (507) 43
- Saito, K., see Miyoshi, M. (507) 229
- Saitoh, A., see Kamei, J. (507) 163
- Sakakibara, A., see Tsuchiya, M. (507) 29
- Salmon, A.-M.L., see Grant, A.D. (507) 273
- Sandrini, M., Vitale, G., Pini, L.A., Lopetuso, G., Romualdi, P. and Candeletti, S.
Nociceptin/orphanin FQ prevents the antinociceptive action of paracetamol on the rat hot plate test (507) 43
- Sasamata, M., see Yoshino, T. (507) 69
- Sasamata, M., see Wada, K.-i. (507) 145
- Sato, T., see Tagawa, A. (507) 223

- Satoh, Y., see Takahara, A. (507) 169
- Schiene, K., see Christoph, T. (507) 87
- Schnitzler, H.-U., see Schweimer, J. (507) 117
- Schweimer, J., Fendt, M. and Schnitzler, H.-U.
Effects of clonidine injections into the bed nucleus of the stria terminalis on fear and anxiety behavior in rats (507) 117
- Shibata, N., see Komatsu, Y. (507) 317
- Shimazu, K.-i., see Nusuetrong, P. (507) 239
- Shimizu, A., see Miyoshi, M. (507) 229
- Shinohara, T., see Tagawa, A. (507) 223
- Špoljarić, I.R., see Peričić, D. (507) 7
- Steioff, K., see Löhn, M. (507) 179
- Stranz, C., see Toller, W. (507) 199
- Suchankova, J., Mata, M., Cortijo, J. and Morcillo, E.J.
Effects of bemiparin on airway responses to antigen in sensitized Brown-Norway rats (507) 261
- Sudoh, K., see Wada, K.-i. (507) 145
- Sugiyama, A., see Takahara, A. (507) 169
- Švob Štrac, D., see Peričić, D. (507) 7
- Szilasi, M., see Horvath, P. (507) 247
- Szilvassy, J., see Horvath, P. (507) 247
- Szilvassy, Z., see Horvath, P. (507) 247
- Tagawa, A., Kaneko, T., Nishiyama, H., Shinohara, T., Sato, T., Geppetti, P. and Ishigatsubo, Y.
Cigarette smoke increases mucosal permeability in guinea pig trachea via tachykinin NK₂ receptor activation (507) 223
- Takagi, K., see Ando, T. (507) 49
- Takagi, K., see Miyoshi, M. (507) 229
- Takagi, N., see Ando, T. (507) 49
- Takahara, A., Sugiyama, A., Satoh, Y., Wang, K., Honsho, S. and Hashimoto, K.
Halothane sensitizes the canine heart to pharmacological I_{Kr} blockade (507) 169
- Takeda, S., see Ohtake, N. (507) 301
- Takeo, S., see Ando, T. (507) 49
- Takeshima, H., see Okabe, C. (507) 57
- Tang, C.-S., see Jiang, W. (507) 153
- Taniguchi, J., see Iwata, T. (507) 311
- Tanitsu, M.-a., see Nusuetrong, P. (507) 239
- Thiemermann, C., see Di Paola, R. (507) 281
- Toller, W., Wölkart, G., Stranz, C., Metzler, H. and Brunner, F.
Contractile action of levosimendan and epinephrine during acidosis (507) 199
- Tsuchiya, M., Sakakibara, A. and Yamamoto, M.
A tachykinin NK₁ receptor antagonist attenuates the 4β-phorbol-12-myristate-13-acetate-induced nociceptive behaviour in the rat (507) 29
- Ueyama, J., see Miyoshi, M. (507) 229
- Vacek, A., see Pospíšil, M. (507) 1
- Van den Buuse, M. and Wegener, N.
Involvement of serotonin_{1A} receptors in cardiovascular responses to stress: a radio-telemetry study in four rat strains (507) 187
- Van Hooft, J.A., see van Welie, I. (507) 15
- Van Welie, I., Wadman, W.J. and van Hooft, J.A.
Low affinity block of native and cloned hyperpolarization-activated I_h channels by Ba²⁺ ions (507) 15
- Vieira-Lima, F., see Otuki, M.F. (507) 253
- Vitale, G., see Sandrini, M. (507) 43
- Wada, K.-i., Fujimori, A., Matsukawa, U., Arai, Y., Sudoh, K., Yatsu, T., Sasamata, M. and Miyata, K.
Intravenous administration of conivaptan hydrochloride improves cardiac hemodynamics in rats with myocardial infarction-induced congestive heart failure (507) 145
- Wadman, W.J., see van Welie, I. (507) 15
- Wang, K., see Takahara, A. (507) 169
- Watanabe, K., see Ohtake, N. (507) 301
- Wegener, N., see van den Buuse, M. (507) 187
- Wölkart, G., see Toller, W. (507) 199
- Yamamoto, M., see Tsuchiya, M. (507) 29
- Yamamoto, M., see Ohtake, N. (507) 301
- Yashpal, K., see Dableh, L.J. (507) 99
- Yatsu, T., see Wada, K.-i. (507) 145
- Yoshida, M., see Nusuetrong, P. (507) 239
- Yoshino, T., Noguchi, M., Okutsu, H., Kimoto, A., Sasamata, M. and Miyata, K.
Celecoxib does not induce convulsions nor does it affect GABA_A receptor binding activity in the presence of new quinolones in mice (507) 69
- Yunes, R.A., see Otuki, M.F. (507) 253
- Znojil, V., see Pospíšil, M. (507) 1