

Keyword index

Acetic-acid-induced colitis

Celecoxib; Rofecoxib; Myeloperoxidase; Reduced glutathione; Total nitric oxide synthetase (El-Medany, A. (507) 291)

Acidosis

Levosimendan; Epinephrine; Guinea pig; Contractility; cAMP (Toller, W. (507) 199)

Adenosine receptor

*N*⁶-Cyclopentyladenosine; Haematopoietic progenitor cell; 5-Fluorouracil; (Mouse) (Pospišil, M. (507) 1)

Adrenoceptor

Hypothyroidism; Blood pressure; Muscarinic receptor; Nitric oxide (NO) (Iwata, T. (507) 311)

Aminoguanidine

Cyclosporin A; Morphine; L-NAME (*N*^G-nitro-L-arginine methyl ester); Nitric oxide; Neuroimmunophilin ligands; Conditioned place preference (Langroudi, R.M. (507) 107)

α-Amyrin

Skin inflammation; *Protium kleinii*; Burseraceae; Triterpenes; Ear oedema (Otuki, M.F. (507) 253)

Analgesia

N/OFQ (nociceptin/orphanin FQ); R-K, paracetamol; UFP-101; Hot plate test (Sandrini, M. (507) 43)

Analgesic

Neuropathic pain; Inflammatory pain; Nociception; (Rat, Mouse) (Christoph, T. (507) 87)

Anandamide

Cannabinoids; THC (Tetrahydrocannabinol); Aorta; Endothelium; Vanilloid (O'Sullivan, S.E. (507) 211)

Antinociception

Tachykinin NK₁ receptor antagonist; Substance P; Spinal cord; Peripheral inflammation; 4β-Phorbol-12-myristate-13-acetate (Tsuchiya, M. (507) 29)

Antitussive effect

Glycyrrhizae radix; Bakumondo-to (Mai-men-dong-tang); Liquiritin apioside; Liquiritin; Liquiritigenin (Kamei, J. (507) 163)

Anxiolytic

5-HT_{1A} receptor; Stress; Blood pressure; Heart rate; Strain difference (van den Buuse, M. (507) 187)

Aorta

Cannabinoids; Anandamide; THC (Tetrahydrocannabinol); Endothelium; Vanilloid (O'Sullivan, S.E. (507) 211)

Apoptosis

Stroke; Neuroprotection; Thiobarbituric acid reacting substance; Oxygen radical (Feng, Y. (507) 77)

Satratoxin H; Reactive oxygen species; Glutathione; *N*-Acetyl-L-cysteine; Mitogen-activated protein kinase (Nusuetrong, P. (507) 239)

Aquaretic effect

Conivaptan hydrochloride; Myocardial infarction; Vasopressin; Vasopressin V_{1A} receptor; Vasopressin V₂ receptor; Hemodynamics (Wada, K.-i. (507) 145)

Ba²⁺

Hyperpolarization-activated cation channels; In situ patch clamp; HEK 293 cells (van Welie, I. (507) 15)

Baclofen

Neocortex; 3-Chloro,4-methoxyfendiline; Pre- and postsynaptic GABA_B receptor; (Rat) (Ong, J. (507) 35)

Bakumondo-to (Mai-men-dong-tang)

Glycyrrhizae radix; Antitussive effect; Liquiritin apioside; Liquiritin; Liquiritigenin (Kamei, J. (507) 163)

BDNF

Cerebral ischemia; Microsphere; Synapsin I (Ando, T. (507) 49)

Behavioral sensitization

Nociceptin; Orphanin FQ; *c-fos*; Nociceptin receptor; Orphanin FQ receptor (Okabe, C. (507) 57)

Bemiparin

Experimental asthma; Brown–Norway (rat); Fondaparinux (Suchankova, J. (507) 261)

Bisphosphonate

Hypercalcaemia; Renal dysfunction (Komatsu, Y. (507) 317)

Blood pressure

5-HT_{1A} receptor; Stress; Heart rate; Anxiolytic; Strain difference (van den Buuse, M. (507) 187)

Hypothyroidism; Adrenoceptor; Muscarinic receptor; Nitric oxide (NO) (Iwata, T. (507) 311)

Brain natriuretic peptide

Corin; Neutral endopeptidase; Myocardial necrosis (Jiang, W. (507) 153)

Brown Norway rat

Schizophrenia; Sensorimotor gating; Startle amplitude; Wistar-Kyoto rat (Conti, L.H. (507) 125)

Brown-Norway (rat)

Experimental asthma; Bemiparin; Fondaparinux (Suchankova, J. (507) 261)

Burseraceae

Skin inflammation; *Protium kleinii*; α -Amyrin; Triterpenes; Ear oedema (Otuki, M.F. (507) 253)

Ca²⁺ transient

Inotropic effect; Endothelin-1; Wortmannin; Rabbit cardiac myocyte (Chu, L. (507) 135)

cAMP

Cortistatin; Circadian rhythm; Sleep-waking cycle; Memory evocation (Méndez-Díaz, M. (507) 21)

Levosimendan; Acidosis; Epinephrine; Guinea pig; Contractility (Toller, W. (507) 199)

Cannabinoids

Anandamide; THC (Tetrahydrocannabinol); Aorta; Endothelium; Vanilloid (O'Sullivan, S.E. (507) 211)

CD4/CD8 ratio

Sho-saiko-to, (SST); Wogonin; CD8⁺ T cell; Proliferation (Ohtake, N. (507) 301)

CD8⁺ T-cell

Sho-saiko-to, (SST); Wogonin; CD4/CD8 ratio; Proliferation (Ohtake, N. (507) 301)

Celecoxib

Rofecoxib; Acetic-acid-induced colitis; Myeloperoxidase; Reduced glutathione; Total nitric oxide synthetase (El-Medany, A. (507) 291)

Cerebral ischemia

Microsphere; BDNF; Synapsin I (Ando, T. (507) 49)

c-fos

Nociceptin; Orphanin FQ; Behavioral sensitization; Nociceptin receptor; Orphanin FQ receptor (Okabe, C. (507) 57)

CGRP

Mustard oil; Neurogenic inflammation; Substance P; Mouse (Grant, A.D. (507) 273)

3-Chloro,4-methoxyfendiline

Neocortex; Baclofen; Pre- and postsynaptic GABA_B receptor; (Rat) (Ong, J. (507) 35)

Cigarette smoke

Tachykinins; Tachykinin NK receptors; SSR240,600; SR48,968; SR142,801 (Tagawa, A. (507) 223)

Circadian rhythm

Cortistatin; Sleep-waking cycle; Memory evocation; cAMP (Méndez-Díaz, M. (507) 21)

Cisplatin

Sensory neuropathy; Neuropeptide release (Horvath, P. (507) 247)

Conditioned place preference

Cyclosporin A; Morphine; L-NAME (*N*^G-nitro-L-arginine methyl ester); Aminoguanidine; Nitric oxide; Neuroimmunophilin ligands (Langroudi, R.M. (507) 107)

Conivaptan hydrochloride

Myocardial infarction; Vasopressin; Vasopressin V_{1A} receptor; Vasopressin V₂ receptor; Aquaretic effect; Hemodynamics (Wada, K.-i. (507) 145)

Contractility

Levosimendan; Acidosis; Epinephrine; Guinea pig; cAMP (Toller, W. (507) 199)

Convulsion

New quinolone; Nonsteroidal anti-inflammatory drug; Drug interaction; GABA_A receptor (Yoshino, T. (507) 69)

Corin

Brain natriuretic peptide; Neutral endopeptidase; Myocardial necrosis (Jiang, W. (507) 153)

Cortistatin

Circadian rhythm; Sleep-waking cycle; Memory evocation; cAMP (Méndez-Díaz, M. (507) 21)

CP-96,345

Forced swim test; Depression; Neurokinin receptor antagonist; SR 48968; SR 142801 (Dableh, L.J. (507) 99)

Cyclosporin A

Morphine; L-NAME (*N*^G-nitro-L-arginine methyl ester); Aminoguanidine; Nitric oxide; Neuroimmunophilin ligands; Conditioned place preference (Langroudi, R.M. (507) 107)

Cytochrome P450 (CYP)

Tumor necrosis factor- α (TNF- α); P-glycoprotein; Endotoxin; TNF- α knockout mice (Miyoshi, M. (507) 229)

Depression

GABA_A receptor; HEK 293 cell; Flumazenil; GABA (γ -aminobutyric acid); [³H]flunitrazepam binding (Perićić, D. (507) 7)

Forced swim test; Neurokinin receptor antagonist; CP-96,345; SR 48968; SR 142801 (Dableh, L.J. (507) 99)

Diazepam

GABA_A receptor; HEK 293 cell; Flumazenil; GABA (γ -aminobutyric acid); [³H]flunitrazepam binding (Perićić, D. (507) 7)

Forced swim test; Neurokinin receptor antagonist; CP-96,345; SR 48968; SR 142801 (Dableh, L.J. (507) 99)

Drug interaction

New quinolone; Nonsteroidal anti-inflammatory drug; Convulsion; GABA_A receptor (Yoshino, T. (507) 69)

Ear oedema

Skin inflammation; *Protium kleinii*; Burseraceae; α -Amyrin; Triterpenes (Otuki, M.F. (507) 253)

Endothelial function

Rho-kinase; eNOS; Hypertension; Nitric oxide; Y27632 (Löhn, M. (507) 179)

Endothelin-1

Inotropic effect; Ca^{2+} transient; Wortmannin; Rabbit cardiac myocyte (Chu, L. (507) 135)

Endothelium

Cannabinoids; Anandamide; THC (Tetrahydrocannabinol); Aorta; Vanilloid (O'Sullivan, S.E. (507) 211)

Endotoxin

Tumor necrosis factor- α (TNF- α); Cytochrome *P*450 (CYP); P-glycoprotein; TNF- α knockout mice (Miyoshi, M. (507) 229)

eNOS

Rho-kinase; Hypertension; Endothelial function; Nitric oxide; Y27632 (Löhn, M. (507) 179)

Epinephrine

Levosimendan; Acidosis; Guinea pig; Contractility; cAMP (Toller, W. (507) 199)

Experimental asthma

Brown-Norway (rat); Bemiparin; Fondaparinux (Suchankova, J. (507) 261)

Fear conditioning

Fear-potentiated startle; Foot shock; Light-enhanced startle; Sensitization; Noradrenaline (Schweimer, J. (507) 117)

Fear-potentiated startle

Fear conditioning; Foot shock; Light-enhanced startle; Sensitization; Noradrenaline (Schweimer, J. (507) 117)

Flumazenil

GABA_A receptor; HEK 293 cell; Diazepam; GABA (γ -aminobutyric acid); [³H]flunitrazepam binding (Peričić, D. (507) 7)

5-Fluorouracil

Adenosine receptor; *N*⁶-Cyclopentyladenosine; Haematopoietic progenitor cell; (Mouse) (Pospíšil, M. (507) 1)

Fondaparinux

Experimental asthma; Brown-Norway (rat); Bemiparin (Suchankova, J. (507) 261)

Foot shock

Fear conditioning; Fear-potentiated startle; Light-enhanced startle; Sensitization; Noradrenaline (Schweimer, J. (507) 117)

Forced swim test

Depression; Neurokinin receptor antagonist; CP-96,345; SR 48968; SR 142801 (Dableh, L.J. (507) 99)

GABA (γ -aminobutyric acid)

GABA_A receptor; HEK 293 cell; Flumazenil; Diazepam; [³H]flunitrazepam binding (Peričić, D. (507) 7)

GABA_A receptor

HEK 293 cell; Flumazenil; Diazepam; GABA (γ -aminobutyric acid); [³H]flunitrazepam binding (Peričić, D. (507) 7)

New quinolone; Nonsteroidal anti-inflammatory drug; Drug interaction; Convulsion (Yoshino, T. (507) 29)

Glutathione

Satratoxin H; Reactive oxygen species; Apoptosis; *N*-Acetyl-L-cysteine; Mitogen-activated protein kinase (Nusuetrong, P. (507) 239)

Glycyrrhizae radix

Bakumondo-to (Mai-men-dong-tang); Antitussive effect; Liquiritin apioside; Liquiritin; Liquiritigenin (Kamei, J. (507) 163)

Guinea pig

Levosimendan; Acidosis; Epinephrine; Contractility; cAMP (Toller, W. (507) 199)

Haematopoietic progenitor cell

Adenosine receptor; *N*⁶-Cyclopentyladenosine; 5-Fluorouracil; (Mouse) (Pospíšil, M. (507) 1)

Halothane

Pentobarbital; Sematilide; Ventricular repolarization (Takahara, A. (507) 169)

Heart rate

5-HT_{1A} receptor; Stress; Blood pressure; Anxiolytic; Strain difference (van den Buuse, M. (507) 187)

HEK 293 cell

GABA_A receptor; Flumazenil; Diazepam; GABA (γ -aminobutyric acid); [³H]flunitrazepam binding (Peričić, D. (507) 7)

HEK 293 cells

Ba²⁺; Hyperpolarization-activated cation channels; In situ patch clamp (van Welie, I. (507) 15)

Hemodynamics

Conivaptan hydrochloride; Myocardial infarction; Vasopressin; Vasopressin V_{1A} receptor; Vasopressin V₂ receptor; Aquaretic effect (Wada, K.-i. (507) 145)

[³H]flunitrazepam binding

GABA_A receptor; HEK 293 cell; Flumazenil; Diazepam; GABA (γ -aminobutyric acid) (Peričić, D. (507) 7)

Hot plate test

N/OFQ (nociceptin/orphanin FQ); R-K, paracetamol; UFP-101; Analgesia (Sandrini, M. (507) 43)

5-HT_{1A} receptor

Stress; Blood pressure; Heart rate; Anxiolytic; Strain difference (van den Buuse, M. (507) 187)

Hypercalcaemia

Bisphosphonate; Renal dysfunction (Komatsu, Y. (507) 317)

Hyperpolarization-activated cation channels

Ba²⁺; In situ patch clamp; HEK 293 cells (van Welie, I. (507) 15)

Hypertension

Rho-kinase; eNOS; Endothelial function; Nitric oxide; Y27632 (Löhn, M. (507) 179)

Hypothyroidism

Blood pressure; Adrenoceptor; Muscarinic receptor; Nitric oxide (NO) (Iwata, T. (507) 311)

In situ patch clamp

Ba²⁺; Hyperpolarization-activated cation channels; HEK 293 cells (van Welie, I. (507) 15)

Inflammatory bowel disease

Nitric oxide synthase; Oxidative stress (Di Paola, R. (507) 281)

Inflammatory pain

Analgesic; Neuropathic pain; Nociception; (Rat, Mouse) (Christoph, T. (507) 87)

Inotropic effect

Ca²⁺ transient; Endothelin-1; Wortmannin; Rabbit cardiac myocyte (Chu, L. (507) 135)

Levosimendan

Acidosis; Epinephrine; Guinea pig; Contractility; cAMP (Toller, W. (507) 199)

Light-enhanced startle

Fear conditioning; Fear-potentiated startle; Foot shock; Sensitization; Noradrenaline (Schweimer, J. (507) 117)

Liquiritigenin

Glycyrrhizae radix; Bakumondo-to (Mai-men-dong-tang); Antitussive effect; Liquiritin apioside; Liquiritin (Kamei, J. (507) 163)

Liquiritin

Glycyrrhizae radix; Bakumondo-to (Mai-men-dong-tang); Antitussive effect; Liquiritin apioside; Liquiritigenin (Kamei, J. (507) 163)

Liquiritin apioside

Glycyrrhizae radix; Bakumondo-to (Mai-men-dong-tang); Antitussive effect; Liquiritin; Liquiritigenin (Kamei, J. (507) 163)

Memory evocation

Cortistatin; Circadian rhythm; Sleep–waking cycle; cAMP (Méndez-Díaz, M. (507) 21)

Microsphere

Cerebral ischemia; BDNF; Synapsin I (Ando, T. (507) 49)

Mitogen-activated protein kinase

Satratoxin H; Reactive oxygen species; Apoptosis; Glutathione; *N*-Acetyl-L-cysteine (Nusuetrong, P. (507) 239)

Morphine

Cyclosporin A; L-NAME (*N*^G-nitro-L-arginine methyl ester); Aminoguanidine; Nitric oxide; Neuroimmunophilin ligands; Conditioned place preference (Langroudi, R.M. (507) 107)

(Mouse)

Adenosine receptor; *N*⁶-Cyclopentyladenosine; Haematopoietic progenitor cell; 5-Fluorouracil (Pospíšil, M. (507) 1)

Mouse

Mustard oil; Neurogenic inflammation; Substance P; CGRP (Grant, A.D. (507) 273)

Muscarinic receptor

Hypothyroidism; Blood pressure; Adrenoceptor; Nitric oxide (NO) (Iwata, T. (507) 311)

Mustard oil

Neurogenic inflammation; Substance P; CGRP; Mouse (Grant, A.D. (507) 273)

Myeloperoxidase

Celecoxib; Rofecoxib; Acetic-acid-induced colitis; Reduced glutathione; Total nitric oxide synthetase (El-Medany, A. (507) 291)

Myocardial infarction

Conivaptan hydrochloride; Vasopressin; Vasopressin V_{1A} receptor; Vasopressin V₂ receptor; Aquaretic effect; Hemodynamics (Wada, K.-i. (507) 145)

Myocardial necrosis

Brain natriuretic peptide; Corin; Neutral endopeptidase (Jiang, W. (507) 153)

***N*-Acetyl-L-cysteine**

Satratoxin H; Reactive oxygen species; Apoptosis; Glutathione; Mitogen-activated protein kinase (Nusuetrong, P. (507) 239)

L-NAME (*N*^G-nitro-L-arginine methyl ester)

Cyclosporin A; Morphine; Aminoguanidine; Nitric oxide; Neuroimmunophilin ligands; Conditioned place preference (Langroudi, R.M. (507) 107)

***N*⁶-Cyclopentyladenosine**

Adenosine receptor; Haematopoietic progenitor cell; 5-Fluorouracil; (Mouse) (Pospíšil, M. (507) 1)

Neocortex

Baclofen; 3-Chloro,4-methoxyfendiline; Pre- and postsynaptic GABA_B receptor; (Rat) (Ong, J. (507) 35)

Neurogenic inflammation

Mustard oil; Substance P; CGRP; Mouse (Grant, A.D. (507) 273)

Neuroimmunophilin ligands

Cyclosporin A; Morphine; L-NAME (*N*^G-nitro-L-arginine methyl ester); Aminoguanidine; Nitric oxide; Conditioned place preference (Langroudi, R.M. (507) 107)

Neurokinin receptor antagonist

Forced swim test; Depression; CP-96,345; SR 48968; SR 142801 (Dableh, L.J. (507) 99)

Neuropathic pain

Analgesic; Inflammatory pain; Nociception; (Rat, Mouse) (Christoph, T. (507) 87)

Neuropeptide release

Cisplatin; Sensory neuropathy (Horvath, P. (507) 247)

Neuroprotection

Stroke; Apoptosis; Thiobarbituric acid reacting substance; Oxygen radical (Feng, Y. (507) 77)

Neutral endopeptidase

Brain natriuretic peptide; Corin; Myocardial necrosis (Jiang, W. (507) 153)

New quinolone

Nonsteroidal anti-inflammatory drug; Drug interaction; Convulsion; GABA_A receptor (Yoshino, T. (507) 69)

Nitric oxide

Cyclosporin A; Morphine; L-NAME (*N*^G-nitro-L-arginine methyl ester); Aminoguanidine; Neuroimmunophilin ligands; Conditioned place preference (Langroudi, R.M. (507) 107)

Rho-kinase; eNOS; Hypertension; Endothelial function; Y27632 (Löhn, M. (507) 179)

Nitric oxide (NO)

Hypothyroidism; Blood pressure; Adrenoceptor; Muscarinic receptor (Iwata, T. (507) 311)

Nitric oxide synthase

Inflammatory bowel disease; Oxidative stress (Di Paola, R. (507) 281)

Nociceptin

Orphanin FQ; *c-fos*; Behavioral sensitization; Nociceptin receptor; Orphanin FQ receptor (Okabe, C. (507) 57)

Nociceptin receptor

Nociceptin; Orphanin FQ; *c-fos*; Behavioral sensitization; Orphanin FQ receptor (Okabe, C. (507) 57)

Nociception

Analgesic; Neuropathic pain; Inflammatory pain; (Rat, Mouse) (Christoph, T. (507) 87)

N/OFQ (nociceptin/orphanin FQ)

R-K, paracetamol; UFP-101; Analgesia; Hot plate test (Sandrini, M. (507) 43)

Nonsteroidal anti-inflammatory drug

New quinolone; Drug interaction; Convulsion; GABA_A receptor (Yoshino, T. (507) 69)

Noradrenaline

Fear conditioning; Fear-potentiated startle; Foot shock; Light-enhanced startle; Sensitization (Schweimer, J. (507) 117)

Orphanin FQ

Nociceptin; *c-fos*; Behavioral sensitization; Nociceptin receptor; Orphanin FQ receptor (Okabe, C. (507) 57)

Orphanin FQ receptor

Nociceptin; Orphanin FQ; *c-fos*; Behavioral sensitization; Nociceptin receptor (Okabe, C. (507) 57)

Oxidative stress

Inflammatory bowel disease; Nitric oxide synthase (Di Paola, R. (507) 281)

Oxygen radical

Stroke; Neuroprotection; Apoptosis; Thiobarbituric acid reacting substance (Feng, Y. (507) 77)

Pentobarbital

Halothane; Sematilide; Ventricular repolarization (Takahara, A. (507) 169)

Peripheral inflammation

Antinociception; Tachykinin NK₁ receptor antagonist; Substance P; Spinal cord; 4 β -Phorbol-12-myristate-13-acetate (Tsuchiya, M. (507) 29)

P-glycoprotein

Tumor necrosis factor- α (TNF- α); Cytochrome P450 (CYP); Endotoxin; TNF- α knockout mice (Miyoshi, M. (507) 229)

4 β -Phorbol-12-myristate-13-acetate

Antinociception; Tachykinin NK₁ receptor antagonist; Substance P; Spinal cord; Peripheral inflammation (Tsuchiya, M. (507) 29)

Pre- and postsynaptic GABA_B receptor

Neocortex; Baclofen; 3-Chloro,4-methoxyfendiline; (Rat) (Ong, J. (507) 35)

Proliferation

Sho-saiko-to, (SST); Wogonin; CD4/CD8 ratio; CD8⁺ T-cell (Ohtake, N. (507) 301)

Protium kleinii

Skin inflammation; Burseraceae; α -Amyrin; Triterpenes; Ear oedema (Otuki, M.F. (507) 253)

Rabbit cardiac myocyte

Inotropic effect; Ca²⁺ transient; Endothelin-1; Wortmannin (Chu, L. (507) 135)

(Rat)

Neocortex; Baclofen; 3-Chloro,4-methoxyfendiline; Pre- and postsynaptic GABA_B receptor (Ong, J. (507) 35)

(Rat, Mouse)

Analgesic; Neuropathic pain; Inflammatory pain; Nociception (Christoph, T. (507) 87)

Reactive oxygen species

Satratoxin H; Apoptosis; Glutathione; *N*-Acetyl-L-cysteine; Mitogen-activated protein kinase (Nusuetrong, P. (507) 239)

Reduced glutathione

Celecoxib; Rofecoxib; Acetic-acid-induced colitis; Myeloperoxidase; Total nitric oxide synthetase (El-Medany, A. (507) 291)

Renal dysfunction

Bisphosphonate; Hypercalcaemia (Komatsu, Y. (507) 317)

Rho-kinase

eNOS; Hypertension; Endothelial function; Nitric oxide; Y27632 (Löhn, M. (507) 179)

R-K, paracetamol

N/OFQ (nociceptin/orphanin FQ); UFP-101; Analgesia; Hot plate test (Sandrini, M. (507) 43)

Rofecoxib

Celecoxib; Acetic-acid-induced colitis; Myeloperoxidase; Reduced glutathione; Total nitric oxide synthetase (El-Medany, A. (507) 291)

Satratoxin H

Reactive oxygen species; Apoptosis; Glutathione; *N*-Acetyl-L-cysteine; Mitogen-activated protein kinase (Nusuetrong, P. (507) 239)

Schizophrenia

Brown Norway rat; Sensorimotor gating; Startle amplitude; Wistar-Kyoto rat (Conti, L.H. (507) 125)

Sematilide

Halothane; Pentobarbital; Ventricular repolarization (Takahara, A. (507) 169)

Sensitization

Fear conditioning; Fear-potentiated startle; Foot shock; Light-enhanced startle; Noradrenaline (Schweimer, J. (507) 117)

Sensorimotor gating

Brown Norway rat; Schizophrenia; Startle amplitude; Wistar-Kyoto rat (Conti, L.H. (507) 125)

Sensory neuropathy

Cisplatin; Neuropeptide release (Horvath, P. (507) 247)

Sho-saiko-to, (SST)

Wogonin; CD4/CD8 ratio; CD8⁺ T-cell; Proliferation (Ohtake, N. (507) 301)

Skin inflammation

Protium kleinii; Burseraceae; α -Amyrin; Triterpenes; Ear oedema (Otuki, M.F. (507) 253)

Sleep-waking cycle

Cortistatin; Circadian rhythm; Memory evocation; cAMP (Méndez-Díaz, M. (507) 21)

Spinal cord

Antinociception; Tachykinin NK₁ receptor antagonist; Substance P; Peripheral inflammation; 4 β -Phorbol-12-myristate-13-acetate (Tsuchiya, M. (507) 29)

SR 142801

Forced swim test; Depression; Neurokinin receptor antagonist; CP-96,345; SR 48968 (Dableh, L.J. (507) 99)

SR 48968

Forced swim test; Depression; Neurokinin receptor antagonist; CP-96,345; SR 142801 (Dableh, L.J. (507) 99)

SR142,801

Cigarette smoke; Tachykinins; Tachykinin NK receptors; SSR240,600; SR48,968 (Tagawa, A. (507) 223)

SR48,968

Cigarette smoke; Tachykinins; Tachykinin NK receptors; SSR240,600; SR142,801 (Tagawa, A. (507) 223)

SSR240,600

Cigarette smoke; Tachykinins; Tachykinin NK receptors; SR48,968; SR142,801 (Tagawa, A. (507) 223)

Startle amplitude

Brown Norway rat; Schizophrenia; Sensorimotor gating; Wistar-Kyoto rat (Conti, L.H. (507) 125)

Strain difference

5-HT_{1A} receptor; Stress; Blood pressure; Heart rate; Anxiolytic (van den Buuse, M. (507) 187)

Stress

5-HT_{1A} receptor; Blood pressure; Heart rate; Anxiolytic; Strain difference (van den Buuse, M. (507) 187)

Stroke

Neuroprotection; Apoptosis; Thiobarbituric acid reacting substance; Oxygen radical (Feng, Y. (507) 77)

Substance P

Antinociception; Tachykinin NK₁ receptor antagonist; Spinal cord; Peripheral inflammation; 4 β -Phorbol-12-myristate-13-acetate (Tsuchiya, M. (507) 29)

Mustard oil; Neurogenic inflammation; CGRP; Mouse (Grant, A.D. (507) 273)

Synapsin I

Cerebral ischemia; Microsphere; BDNF (Ando, T. (507) 49)

Tachykinin NK receptors

Cigarette smoke; Tachykinins; SSR240,600; SR48,968; SR142,801 (Tagawa, A. (507) 223)

Tachykinin NK₁ receptor antagonist

Antinociception; Substance P; Spinal cord; Peripheral inflammation; 4 β -Phorbol-12-myristate-13-acetate (Tsuchiya, M. (507) 29)

Tachykinins

Cigarette smoke; Tachykinin NK receptors; SSR240,600; SR48,968; SR142,801 (Tagawa, A. (507) 223)

THC (Tetrahydrocannabinol)

Cannabinoids; Anandamide; Aorta; Endothelium; Vanilloid (O'Sullivan, S.E. (507) 211)

Thiobarbituric acid reacting substance

Stroke; Neuroprotection; Apoptosis; Oxygen radical (Feng, Y. (507) 77)

TNF- α knockout mice

Tumor necrosis factor- α (TNF- α); Cytochrome P450 (CYP); P-glycoprotein; Endotoxin (Miyoshi, M. (507) 229)

Total nitric oxide synthetase

Celecoxib; Rofecoxib; Acetic-acid-induced colitis; Myeloperoxidase; Reduced glutathione (El-Medany, A. (507) 291)

Triterpenes

Skin inflammation; *Protium kleinii*; Burseraceae; α -Amyrin; Ear oedema (Otuki, M.F. (507) 253)

Tumor necrosis factor- α (TNF- α)

Cytochrome P450 (CYP); P-glycoprotein; Endotoxin; TNF- α knockout mice (Miyoshi, M. (507) 229)

UFP-101

N/OFQ (nociceptin/orphanin FQ); R-K, paracetamol; Analgesia; Hot plate test (Sandrini, M. (507) 43)

Vanilloid

Cannabinoids; Anandamide; THC (Tetrahydrocannabinol); Aorta; Endothelium; (O'Sullivan, S.E. (507) 211)

Vasopressin

Conivaptan hydrochloride; Myocardial infarction; Vasopressin V_{1A} receptor; Vasopressin V₂ receptor; Aquaretic effect; Hemodynamics (Wada, K.-i. (507) 145)

Vasopressin V_{1A} receptor

Conivaptan hydrochloride; Myocardial infarction; Vasopressin; Vasopressin V₂ receptor; Aquaretic effect; Hemodynamics (Wada, K.-i. (507) 145)

Vasopressin V₂ receptor

Conivaptan hydrochloride; Myocardial infarction; Vasopressin; Vasopressin V_{1A} receptor; Aquaretic effect; Hemodynamics (Wada, K.-i. (507) 145)

Ventricular repolarization

Halothane; Pentobarbital; Sematilide (Takahara, A. (507) 169)

Wistar-Kyoto rat

Brown Norway rat; Schizophrenia; Sensorimotor gating; Startle amplitude (Conti, L.H. (507) 125)

Wogonin

Sho-saiko-to, (SST); CD4/CD8 ratio; CD8⁺ T-cell; Proliferation (Ohtake, N. (507) 301)

Wortmannin

Inotropic effect; Ca²⁺ transient; Endothelin-1; Rabbit cardiac myocyte (Chu, L. (507) 135)

Y27632

Rho-kinase; eNOS; Hypertension; Endothelial function; Nitric oxide (Löhn, M. (507) 179)