

Author index

- Akaike, A., see Katsuki, H. (508) 85
 Alewood, D., see Lima, V. (508) 183
 Alfredo, B.-A. and Ofir, P.
 Effect of the postsynaptic 5-HT_{1A} receptor antagonist MM-77 on stressed mice treated with 5-HT_{1A} receptor agents (508) 155
 Andrews, C.M., Kung, H.F. and Lucki, I.
 The 5-HT_{1A} receptor modulates the effects of cocaine on extracellular serotonin and dopamine levels in the nucleus accumbens (508) 123
 Andrews, P.L.R., see Cheng, F.H.M. (508) 231
 Arai, H., see Tanaka, T. (508) 255
 Asada, Y., see Tsuruda, T. (508) 201

 Badila, E., see Georgescu, A. (508) 159
 Bahr, B.A., see Karanian, D.A. (508) 47
 Bell, D. and McDermott, B.J.
 Effects of rosiglitazone and interactions with growth-regulating factors in ventricular cell hypertrophy (508) 69
 Bennion, P., see Godfrey, L. (508) 99
 Bianchi, R., see Rodella, L.F. (508) 139
 Borsani, E., see Rodella, L.F. (508) 139
 Borys, D., see Varga, E.V. (508) 93
 Breese, E., see Zacharowski, P. (508) 7
 Brown, Q.B., see Karanian, D.A. (508) 47
 Brzozowski, T., see Dembiński, A. (508) 211
 Buffoli, B., see Rodella, L.F. (508) 139

 Ceranowicz, P., see Dembiński, A. (508) 211
 Chen, Z., see Lima, V. (508) 183
 Cheng, F.H.M., Andrews, P.L.R., Moreaux, B., Ngan, M.-P., Rudd, J.A., Sam, T.S.W., Wai, M.-K. and Wan, C.
 Evaluation of the anti-emetic potential of anti-migraine drugs to prevent resiniferatoxin-induced emesis in *Suncus murinus* (house musk shrew) (508) 231
 Chun, T.-H., see Tanaka, T. (508) 255
 Clarke, G.D., see Godfrey, L. (508) 99

 Del Soldato, P., see Zacharowski, P. (508) 7
 Dembiński, A., Warzecha, Z., Ceranowicz, P., Brzozowski, T., Dembiński, M., Konturek, S.J. and Pawlik, W.W.
 Role of capsaicin-sensitive nerves and histamine H₁, H₂, and H₃ receptors in the gastroprotective effect of histamine against stress ulcers in rats (508) 211
 Dembiński, M., see Dembiński, A. (508) 211
 Doi, K., see Tanaka, T. (508) 255
 Dorobantu, M., see Georgescu, A. (508) 159

 Eto, T., see Tsuruda, T. (508) 201

 Flonta, M.-L., see Georgescu, A. (508) 159
 Fu, Y.-F., Xiong, Y. and Guo, Z.
 A reduction of endogenous asymmetric dimethylarginine contributes to the effect of captopril on endothelial dysfunction induced by homocysteine in rats (508) 167

 Fujimoto, S., see Katsuki, H. (508) 85
 Fukunaga, Y., see Tanaka, T. (508) 255

 Georgescu, A., Pluteanu, F., Flonta, M.-L., Badila, E., Dorobantu, M. and Popov, D.
 The cellular mechanisms involved in the vasodilator effect of nebevivolol on the renal artery (508) 159
 Godfrey, L., Morselli, A., Bennion, P., Clarke, G.D., Hourani, S.M.O. and Kitchen, I.
 An investigation of binding sites for paracetamol in the mouse brain and spinal cord (508) 99
 Grover, A.K., see Pande, J. (508) 1
 Guo, Z., see Fu, Y.-F. (508) 167

 Hara, H., see Yoneda, S. (508) 223
 Hatakeyama, K., see Tsuruda, T. (508) 201
 Hirayama, Y., see Ishikawa, T. (508) 239
 Hoebel, B.G., see Rada, P. (508) 131
 Hosohata, K., see Varga, E.V. (508) 93
 Hourani, S.M.O., see Godfrey, L. (508) 99
 Hu, G.-Y., see Yu, B. (508) 15
 Hutchings, S., see Song, D. (508) 205

 Imamura, T., see Tsuruda, T. (508) 201
 Imamura, Y., see Ishikawa, T. (508) 239
 Imanishi, J., see Ishikawa, T. (508) 239
 Inoue, M., see Tanaka, T. (508) 255
 Ishikawa, T., Nishigaki, F., Miyata, S., Hirayama, Y., Minoura, K., Imanishi, J., Neya, M., Mizutani, T., Imamura, Y., Ohkubo, Y. and Mutoh, S.
 Prevention of progressive joint destruction in adjuvant induced arthritis in rats by a novel matrix metalloproteinase inhibitor, FR217840 (508) 239
 Itoh, H., see Tanaka, T. (508) 255

 Kalueff, A.V. and Tuohimaa, P.
 Mouse grooming microstructure is a reliable anxiety marker bidirectionally sensitive to GABAergic drugs (508) 147
 Kamikihara, S.Y., see Lima, V. (508) 183
 Karanian, D.A., Brown, Q.B., Makriyannis, A. and Bahr, B.A.
 Blocking cannabinoid activation of FAK and ERK1/2 compromises synaptic integrity in hippocampus (508) 47
 Kato, J., see Tsuruda, T. (508) 201
 Kato, M., see Yoneda, S. (508) 223
 Katsuki, H., Shinohara, A., Fujimoto, S., Kume, T. and Akaike, A.
 Tetraethylammonium exacerbates ischemic neuronal injury in rat cerebrocortical slice cultures (508) 85
 Keshavarz, M., see Soltani, N. (508) 177
 Kitamura, K., see Tsuruda, T. (508) 201
 Kitchen, I., see Godfrey, L. (508) 99
 Konturek, S.J., see Dembiński, A. (508) 211
 Kozaki, S., see Yoneda, S. (508) 223

- Kume, T., see Katsuki, H. (508) 85
 Kung, H.F., see Andrews, C.M. (508) 123
- Lee, H.-Z., see Leung, H.W.-C. (508) 77
 Lee, Y.J. and Shukla, S.D.
 Pro- and anti-apoptotic roles of c-Jun N-terminal kinase (JNK) in ethanol and acetaldehyde exposed rat hepatocytes (508) 31
 Leung, H.W.-C., Wu, C.-H., Lin, C.-H. and Lee, H.-Z.
 Luteolin induced DNA damage leading to human lung squamous carcinoma CH27 cell apoptosis (508) 77
 Lewis, R.J., see Lima, V. (508) 183
 Lima, V., Mueller, A., Kamikihara, S.Y., Raymundi, V., Alewood, D., Lewis, R.J., Chen, Z., Minneman, K.P. and Pupo, A.S.
 Differential antagonism by conotoxin ρ -TIA of contractions mediated by distinct α_1 -adrenoceptor subtypes in rat vas deferens, spleen and aorta (508) 183
 Lin, C.-H., see Leung, H.W.-C. (508) 77
 Lin, H.-C., Wan, F.-J., Wu, C.-C., Tung, C.-S. and Wu, T.-H.
 Hyperbaric oxygen protects against lipopolysaccharide-stimulated oxidative stress and mortality in rats (508) 249
 Long, J.B., Yourick, D.L., Slusher, B.S., Robinson, M.B. and Meyerhoff, J.L.
 Inhibition of glutamate carboxypeptidase II (NAALADase) protects against dynorphin A-induced ischemic spinal cord injury in rats (508) 115
 Lucki, I., see Andrews, C.M. (508) 123
- Makriyannis, A., see Karanian, D.A. (508) 47
 Mallhi, K.K., see Pande, J. (508) 1
 Masatsugu, K., see Tanaka, T. (508) 255
 Masuyama, H., see Tsuruda, T. (508) 201
 Matsui, E., see Tsuruda, T. (508) 201
 McDermott, B.J., see Bell, D. (508) 69
 Meyerhoff, J.L., see Long, J.B. (508) 115
 Minneman, K.P., see Lima, V. (508) 183
 Minoura, K., see Ishikawa, T. (508) 239
 Mitchell, J., see Zacharowski, P. (508) 7
 Miyata, S., see Ishikawa, T. (508) 239
 Mizutani, T., see Ishikawa, T. (508) 239
 Moreaux, B., see Cheng, F.H.M. (508) 231
 Morselli, A., see Godfrey, L. (508) 99
 Mueller, A., see Lima, V. (508) 183
 Mutoh, S., see Ishikawa, T. (508) 239
- Nakao, K., see Tanaka, T. (508) 255
 Nakazawa, K. and Ohno, Y.
 Characterization of voltage-dependent gating of P2X₂ receptor/channel (508) 23
 Navratilova, E., see Varga, E.V. (508) 93
 Ney, M., see Ishikawa, T. (508) 239
 Ngan, M.-P., see Cheng, F.H.M. (508) 231
 Nishigaki, F., see Ishikawa, T. (508) 239
 Nishino, H., see Yoneda, S. (508) 223
 Nonoyama, A., see Yoneda, S. (508) 223
 Nylen, A., see Varga, E.V. (508) 93
- Ofir, P., see Alfredo, B.-A. (508) 155
 Ohkubo, Y., see Ishikawa, T. (508) 239
 Ohno, Y., see Nakazawa, K. (508) 23
- Pande, J., Mallhi, K.K. and Grover, A.K.
 A novel plasma membrane Ca²⁺-pump inhibitor: caloxin 1A1 (508) 1
 Pang, C.C.Y., see Song, D. (508) 205
 Pawlik, W.W., see Dembiński, A. (508) 211
 Pluteanu, F., see Georgescu, A. (508) 159
 Popov, D., see Georgescu, A. (508) 159
- Porreca, F., see Varga, E.V. (508) 93
 Pupo, A.S., see Lima, V. (508) 183
- Qiu, Y., see Quilley, J. (508) 193
 Quelven, I., Roussin, A. and Zajac, J.-m.
 Comparison of pharmacological activities of Neuropeptide FF₁ and Neuropeptide FF₂ receptor agonists (508) 107
 Quilley, J. and Qiu, Y.
 K⁺-induced vasodilation in the rat kidney is dependent on the endothelium and activation of K⁺ channels (508) 193
- Rada, P. and Hoebel, B.G.
 Acetylcholine in the accumbens is decreased by diazepam and increased by benzodiazepine withdrawal: a possible mechanism for dependency (508) 131
 Raymundi, V., see Lima, V. (508) 183
 Reza Dehpour, A., see Soltani, N. (508) 177
 Rezzani, R., see Rodella, L.F. (508) 139
 Ricci, F., see Rodella, L.F. (508) 139
 Robinson, M.B., see Long, J.B. (508) 115
 Rodella, L.F., Borsani, E., Rezzani, R., Ricci, F., Buffoli, B. and Bianchi, R.
 AM404, an inhibitor of anandamide reuptake decreases Fos-immuno-reactivity in the spinal cord of neuropathic rats after non-noxious stimulation (508) 139
 Roeske, W.R., see Varga, E.V. (508) 93
 Roussin, A., see Quelven, I. (508) 107
 Rudd, J.A., see Cheng, F.H.M. (508) 231
- Saito, T., see Tanaka, T. (508) 255
 Sakaguchi, S., see Tanaka, T. (508) 255
 Sam, T.S.W., see Cheng, F.H.M. (508) 231
 Sawada, N., see Tanaka, T. (508) 255
 Shimazawa, M., see Yoneda, S. (508) 223
 Shinohara, A., see Katsuki, H. (508) 85
 Shukla, S.D., see Lee, Y.J. (508) 31
 Slusher, B.S., see Long, J.B. (508) 115
 Sohanaki, H., see Soltani, N. (508) 177
 Soltani, N., Keshavarz, M., Sohanaki, H., Zahedi Asl, S. and Reza Dehpour, A.
 Relaxatory effect of magnesium on mesenteric vascular beds differs from normal and streptozotocin induced diabetic rats (508) 177
 Song, D., Hutchings, S. and Pang, C.C.Y.
 Chronic N-acetylcysteine prevents fructose-induced insulin resistance and hypertension in rats (508) 205
 Sugimoto, N., see Yoneda, S. (508) 223
 Sun, W.-C., see Wang, L.-Z. (508) 57
- Tanaka, T., Fukunaga, Y., Itoh, H., Doi, K., Yamashita, J., Chun, T.-H., Inoue, M., Masatsugu, K., Saito, T., Sawada, N., Sakaguchi, S., Arai, H. and Nakao, K.
 Therapeutic potential of thiazolidinediones in activation of peroxisome proliferator-activated receptor γ for monocyte recruitment and endothelial regeneration (508) 255
 Torii, Y., see Yoneda, S. (508) 223
 Tsuruda, T., Kato, J., Matsui, E., Hatakeyama, K., Masuyama, H., Imamura, T., Kitamura, K., Asada, Y. and Eto, T.
 Adrenomedullin alleviates not only neointimal formation but also perivascular hyperplasia following arterial injury in rats (508) 201
 Tung, C.-S., see Lin, H.-C. (508) 249
 Tuohimaa, P., see Kalueff, A.V. (508) 147
- Vanderah, T.W., see Varga, E.V. (508) 93
 Varga, E.V., Hosohata, K., Borys, D., Navratilova, E., Nylen, A., Vanderah, T.W., Porreca, F., Roeske, W.R. and Yamamura, H.I.
 Antinociception depends on the presence of G protein γ_2 -subunits in brain (508) 93

- Wai, M.-K., see Cheng, F.H.M. (508) 231
- Wan, C., see Cheng, F.H.M. (508) 231
- Wan, F.-J., see Lin, H.-C. (508) 249
- Wang, L.-Z., Sun, W.-C. and Zhu, X.-Z.
Ethyl pyruvate protects PC12 cells from dopamine-induced apoptosis (508) 57
- Warner, T., see Zacharowski, P. (508) 7
- Warzecha, Z., see Dembiński, A. (508) 211
- Wood, E., see Zacharowski, P. (508) 7
- Wu, C.-C., see Lin, H.-C. (508) 249
- Wu, C.-H., see Leung, H.W.-C. (508) 77
- Wu, T.-H., see Lin, H.-C. (508) 249
- Xiong, Y., see Fu, Y.-F. (508) 167
- Yamamura, H.I., see Varga, E.V. (508) 93
- Yamashita, J., see Tanaka, T. (508) 255
- Yoneda, S., Shimazawa, M., Kato, M., Nonoyama, A., Torii, Y., Nishino, H., Sugimoto, N., Kozaki, S. and Hara, H.
Comparison of the therapeutic indexes of different molecular forms of botulinum toxin type A (508) 223
- Yourick, D.L., see Long, J.B. (508) 115
- Yu, B. and Hu, G.-Y.
Donepezil blocks voltage-gated ion channels in rat dissociated hippocampal neurons (508) 15
- Zacharowski, P., Breese, E., Wood, E., Del Soldato, P., Warner, T. and Mitchell, J.
NSAIDs increase GM-CSF release by human synoviocytes: comparison with nitric oxide-donating derivatives (508) 7
- Zahedi Asl, S., see Soltani, N. (508) 177
- Zajac, J.-m., see Quelven, I. (508) 107
- Zhu, X.-Z., see Wang, L.-Z. (508) 57