

Author index

- Abdelrahman, A.M., Lin Lim, S. and Pang, C.C.Y.
Influence of urocortin and corticotropin releasing factor on venous tone in conscious rats (510) 107
- Acsai, K., see Biliczki, P. (510) 161
- Adachi, K., see Uchida, T. (510) 39
- Andersen, C.U., Mulvany, M.J. and Simonsen, U.
Lack of synergistic effect of molsidomine and sildenafil on development of pulmonary hypertension in chronic hypoxic rats (510) 87
- Aoki, M., see Yatsu, T. (510) 121
- Appleton, N., see Tarantino, P. (510) 75
- Avila, Ma.E., see Lemini, C. (510) 229
- Avila, Ma.E., see Lemini, C. (510) 235
- Baba, K., see Ueyama, J. (510) 127
- Bartoszyk, G.D., see Hughes, Z.A. (510) 49
- Biliczki, A., see Biliczki, P. (510) 161
- Biliczki, P., Acsai, K., Virág, L., Tólosi, L., Jost, N., Biliczki, A., Papp, J.G. and Varró, A.
Cellular electrophysiological effect of terikalant in the dog heart (510) 161
- Burt, R.P.
Depletion of Ca^{2+} from intracellular stores of the rat portal vein stimulates a tonic contraction (510) 97
- Burton, T.J., Cooper, D.M.F., Dunning-Davies, B., Mansour, D., Masada, N. and Ferguson, D.R.
Aldosterone stimulates active Na^{+} transport in rabbit urinary bladder by both genomic and non-genomic processes (510) 181
- Büyükaşar, K., see Köksel, O. (510) 135
- Chan, H.C., see Zhu, J.X. (510) 187
- Chen, Y., see Xie, W. (510) 113
- Chiavaroli, C., see Lameynardie, S. (510) 149
- Chung, Y.W., see Zhu, J.X. (510) 187
- Cinel, L., see Köksel, O. (510) 135
- Cools, A.R., see Uchida, T. (510) 39
- Cooper, D.M.F., see Burton, T.J. (510) 181
- Corrêa, D.H.A., Melo, P.S., de Carvalho, C.A.A., de Azevedo, M.B.M., Durán, N. and Haun, M.
Dehydrocrotinin and its β -cyclodextrin complex: Cytotoxicity in V79 fibroblasts and rat cultured hepatocytes (510) 17
- Dawson, L.A., see Hughes, Z.A. (510) 49
- De Azevedo, M.B.M., see Corrêa, D.H.A. (510) 17
- De Carvalho, C.A.A., see Corrêa, D.H.A. (510) 17
- De Ligt, R.A.F., Rivkees, S.A., Lorenzen, A., Leurs, R. and IJzerman, A.P.
A “locked-on,” constitutively active mutant of the adenosine A_1 receptor (510) 1
- Değirmenci, U., see Köksel, O. (510) 135
- Dewey, W.L., see Wiley, J.L. (510) 59
- Du, L., see Xie, W. (510) 113
- Dunning-Davies, B., see Burton, T.J. (510) 181
- Durán, N., see Corrêa, D.H.A. (510) 17
- Fahrenholz, F., see Gimpl, G. (510) 9
- Faravelli, L., see Stummann, T.C. (510) 197
- Fariello, R.G., see Stummann, T.C. (510) 197
- Ferguson, D.R., see Burton, T.J. (510) 181
- Franco, Y., see Lemini, C. (510) 229
- Franco, Y., see Lemini, C. (510) 235
- Fujita, S., see Uchida, T. (510) 39
- Garay, R.P., see Lameynardie, S. (510) 149
- Gimpl, G., Postina, R., Fahrenholz, F. and Reinheimer, T.
Binding domains of the oxytocin receptor for the selective oxytocin receptor antagonist barusiban in comparison to the agonists oxytocin and carbetocin (510) 9
- Gionhaku, N., see Uchida, T. (510) 39
- Hagan, J.J., see Hughes, Z.A. (510) 49
- Hanaoka, K., see Tamai, H. (510) 223
- Hasegawa, T., see Ueyama, J. (510) 127
- Hashimoto, K., see Ueyama, J. (510) 127
- Haun, M., see Corrêa, D.H.A. (510) 17
- Hill, M., see Hughes, Z.A. (510) 49
- Hirahara, K., see Murasugi, T. (510) 143
- Hölter, S.M., Kallnik, M., Wurst, W., Marsicano, G., Lutz, B. and Wotjak, C.T.
Cannabinoid CB_1 receptor is dispensable for memory extinction in an appetitively-motivated learning task (510) 69
- Hughes, Z.A., Starr, K.R., Langmead, C.J., Hill, M., Bartoszyk, G.D., Hagan, J.J., Middlemiss, D.N. and Dawson, L.A.
Neurochemical evaluation of the novel 5-HT $_{1A}$ receptor partial agonist/serotonin reuptake inhibitor, vilazodone (510) 49
- IJzerman, A.P., see de Ligt, R.A.F. (510) 1
- Imaizumi, N., see Yoshida, J. (510) 217
- Ishibashi, T., see Yoshida, J. (510) 217
- Ito, K., see Murasugi, T. (510) 143
- Iwase, M., see Ueyama, J. (510) 127
- Jaimez, R., see Lemini, C. (510) 229
- Jaimez, R., see Lemini, C. (510) 235
- Jost, N., see Biliczki, P. (510) 161
- Kallnik, M., see Hölter, S.M. (510) 69
- Kanazawa, H., see Ueyama, J. (510) 127
- Kaplan, M.B., see Köksel, O. (510) 135
- Kimura, M. and Ogihara, M.
Effects of branched-chain amino acids on DNA synthesis and proliferation in primary cultures of adult rat hepatocytes (510) 167
- Köksel, O., Yıldırım, Ç., Tiftik, R.N., Kubat, H., Tamer, L., Cinel, L., Kaplan, M.B., Değirmenci, U., Özdülger, A. and Büyükaşar, K.
Rho-kinase (ROCK-1 and ROCK-2) upregulation in oleic acid-induced lung injury and its restoration by Y-27632 (510) 135
- Koshikawa, N., see Uchida, T. (510) 39
- Kubat, H., see Köksel, O. (510) 135

- Lameynardie, S., Chiavaroli, C., Travo, P., Garay, R.P. and Parés-Herbuté, N.
Inhibition of choroidal angiogenesis by calcium dobesilate in normal Wistar and diabetic GK rats (510) 149
- Langmead, C.J., see Hughes, Z.A. (510) 49
- Lansdell, K., see Tarantino, P. (510) 75
- Lee, J., see Uchida, T. (510) 39
- Lemini, C., Franco, Y., Avila, Ma.E. and Jaimez, R.
Contrasting effects of estradiol and 17 β -aminoestrogens on blood clotting time in rats and mice (510) 229
- Lemini, C., Franco, Y., Avila, Ma.E. and Jaimez, R.
Estrogenic effects of 17 β -aminoestrogens assessed in uteri of rats and mice (510) 235
- Leurs, R., see de Ligt, R.A.F. (510) 1
- Li, X.-C., Wang, Z.-F., Zhang, J.-X., Wang, Q. and Wang, J.-Z.
Effect of melatonin on calyculin A-induced tau hyperphosphorylation (510) 25
- Lin Lim, S., see Abdelrahman, A.M. (510) 107
- Lorenzen, A., see de Ligt, R.A.F. (510) 1
- Lutz, B., see Höltér, S.M. (510) 69
- Mansour, D., see Burton, T.J. (510) 181
- Marsicano, G., see Höltér, S.M. (510) 69
- Masada, N., see Burton, T.J. (510) 181
- Melo, P.S., see Corrêa, D.H.A. (510) 17
- Meng, Z., see Xie, W. (510) 113
- Middlemiss, D.N., see Hughes, Z.A. (510) 49
- Moalem, J., see Zhang, Q. (510) 209
- Mulvany, M.J., see Andersen, C.U. (510) 87
- Murasugi, T., Nakagami, Y., Yoshitomi, T., Hirahara, K., Yamashita, M., Taniguchi, Y., Sakaguchi, M. and Ito, K.
Oral administration of a T cell epitope inhibits symptoms and reactions of allergic rhinitis in Japanese cedar pollen allergen-sensitized mice (510) 143
- Nadai, M., see Ueyama, J. (510) 127
- Nakagami, Y., see Murasugi, T. (510) 143
- Nakayama, H., see Ueyama, J. (510) 127
- Nishio, M., see Yoshida, J. (510) 217
- Ogihara, M., see Kimura, M. (510) 167
- Orii, R., see Tamai, H. (510) 223
- Özdülger, A., see Köksel, O. (510) 135
- Pang, C.C.Y., see Abdelrahman, A.M. (510) 107
- Papadimitriou, E., see Polytarchou, C. (510) 31
- Papp, J.G., see Biliczki, P. (510) 161
- Parés-Herbuté, N., see Lameynardie, S. (510) 149
- Polytarchou, C. and Papadimitriou, E.
Antioxidants inhibit human endothelial cell functions through down-regulation of endothelial nitric oxide synthase activity (510) 31
- Postina, R., see Gimpl, G. (510) 9
- Razdan, R.K., see Wiley, J.L. (510) 59
- Reinheimer, T., see Gimpl, G. (510) 9
- Rivkees, S.A., see de Ligt, R.A.F. (510) 1
- Rowlands, D.K., see Zhu, J.X. (510) 187
- Sakaguchi, M., see Murasugi, T. (510) 143
- Salvati, P., see Stummann, T.C. (510) 197
- Sawamura, S., see Tamai, H. (510) 223
- Scholz, P.M., see Zhang, Q. (510) 209
- Simonsen, U., see Andersen, C.U. (510) 87
- Smith, F.L., see Wiley, J.L. (510) 59
- Starr, K.R., see Hughes, Z.A. (510) 49
- Stummann, T.C., Salvati, P., Fariello, R.G. and Faravelli, L.
The anti-nociceptive agent ralfinamide inhibits tetrodotoxin-resistant and tetrodotoxin-sensitive Na⁺ currents in dorsal root ganglion neurons (510) 197
- Su, H., see Xie, W. (510) 113
- Takagi, K., see Ueyama, J. (510) 127
- Takagi, K., see Ueyama, J. (510) 127
- Takeda, K., see Tamai, H. (510) 223
- Takegami, T., see Yoshida, J. (510) 217
- Tálosi, L., see Biliczki, P. (510) 161
- Tamai, H., Sawamura, S., Takeda, K., Orii, R. and Hanaoka, K.
Anti-allodynic and anti-hyperalgesic effects of nociceptin receptor antagonist, JTC-801, in rats after spinal nerve injury and inflammation (510) 223
- Tamer, L., see Köksel, O. (510) 135
- Tanaka, A., see Yatsu, T. (510) 121
- Taniguchi, Y., see Murasugi, T. (510) 143
- Tarantino, P., Appleton, N. and Lansdell, K.
Effect of trazodone on hERG channel current and QT-interval (510) 75
- Tiftik, R.N., see Köksel, O. (510) 135
- Travo, P., see Lameynardie, S. (510) 149
- Tsang, L.L., see Zhu, J.X. (510) 187
- Tse, J., see Zhang, Q. (510) 209
- Uchida, T., Adachi, K., Fujita, S., Lee, J., Gionhaku, N., Cools, A.R. and Koshikawa, N.
Role of GABA_A receptors in the retrorubral field and ventral pallidum in rat jaw movements elicited by dopaminergic stimulation of the nucleus accumbens shell (510) 39
- Ueyama, J., Nadai, M., Kanazawa, H., Iwase, M., Nakayama, H., Hashimoto, K., Yokoi, T., Baba, K., Takagi, K., Takagi, K. and Hasegawa, T.
Endotoxin from various gram-negative bacteria has differential effects on function of hepatic cytochrome P450 and drug transporters (510) 127
- Varró, A., see Biliczki, P. (510) 161
- Virág, L., see Biliczki, P. (510) 161
- Wang, J.-Z., see Li, X.-C. (510) 25
- Wang, Q., see Li, X.-C. (510) 25
- Wang, Z.-F., see Li, X.-C. (510) 25
- Weiss, H.R., see Zhang, Q. (510) 209
- Wiley, J.L., Smith, F.L., Razdan, R.K. and Dewey, W.L.
Task specificity of cross-tolerance between Δ^9 -tetrahydrocannabinol and anandamide analogs in mice (510) 59
- Wong, H.Y.C., see Zhu, J.X. (510) 187
- Wotjak, C.T., see Höltér, S.M. (510) 69
- Wurst, W., see Höltér, S.M. (510) 69
- Xie, W., Xing, D., Zhao, Y., Su, H., Meng, Z., Chen, Y. and Du, L.
A new tactic to treat postprandial hyperlipidemia in diabetic rats with gastroparesis by improving gastrointestinal transit (510) 113
- Xing, D., see Xie, W. (510) 113
- Yamashita, M., see Murasugi, T. (510) 143
- Yang, N., see Zhu, J.X. (510) 187
- Yatsu, T., Aoki, M. and Tanaka, A.
Effect of zelandopam, a dopamine D1-like receptor agonist, in puromycin aminonucleoside nephrosis rats (510) 121
- Yıldırım, Ç., see Köksel, O. (510) 135
- Yokoi, T., see Ueyama, J. (510) 127
- Yoshida, J., Ishibashi, T., Imaizumi, N., Takegami, T. and Nishio, M.
Capacitative Ca²⁺ entries and mRNA expression for TRPC1 and TRPC5 channels in human epidermoid carcinoma A431 cells (510) 217
- Yoshitomi, T., see Murasugi, T. (510) 143

- Zhang, G.H., see Zhu, J.X. (510) 187
- Zhang, J.-X., see Li, X.-C. (510) 25
- Zhang, Q., Moalem, J., Tse, J., Scholz, P.M. and Weiss, H.R.
Effects of natriuretic peptides on ventricular myocyte contraction and
role of cyclic GMP signaling (510) 209
- Zhao, Y., see Xie, W. (510) 113
- Zhu, J.X., Zhang, G.H., Yang, N., Rowlands, D.K., Wong, H.Y.C., Tsang, L.L.,
Chung, Y.W. and Chan, H.C.
Activation of apical CFTR and basolateral Ca^{2+} -activated K^{+} channels
by tetramethylpyrazine in Caco-2 cell line (510) 187