

Author index

- Ahtee, L., see Janhunen, S. (511) 143
 Al-Mulla, F., see Bitar, M.S. (511) 53
 Al-Saleh, E., see Bitar, M.S. (511) 53
 Altunkaya, H., see Comert, M. (511) 183
 Athias, P., see Bès, S. (511) 109
 Ayalasomayajula, S.P. and Kompella, U.B.
 Subconjunctivally administered celecoxib-PLGA microparticles sustain
 retinal drug levels and alleviate diabetes-induced oxidative stress in a rat
 model (511) 191

 Baeyens, J.M., see Cendán, C.M. (511) 73
 Balduino, A., see Neves, J.S. (511) 219
 Barreiro, E.J., see Neves, J.S. (511) 219
 Barut, F., see Comert, M. (511) 183
 Benhamú, B., see Delgado, M. (511) 9
 Berrococo, E., see Rojas-Corrales, M.O. (511) 21
 Bès, S., Vandroux, D., Tissier, C., Devillard, L., Brochot, A., Tatou, E.,
 Duvillard, L., Rochette, L. and Athias, P.
 Direct, pleiotropic protective effect of cyclosporin A against simulated
 ischemia-induced injury in isolated cardiomyocytes (511) 109
 Bhat, A.-S., Tandan, S.K., Kumar, D., Krishna, V. and Prakash, V.R.
 Interaction between inhibitors of inducible nitric oxide synthase and
 cyclooxygenase in Brewer's yeast induced pyrexia in mice: An
 isobolographic study (511) 137
 Bigioni, M., see Sacco, G. (511) 167
 Binaschi, M., see Sacco, G. (511) 167
 Bitar, M.S., Wahid, S., Mustafa, S., Al-Saleh, E., Dhaunsi, G.S. and
 Al-Mulla, F.
 Nitric oxide dynamics and endothelial dysfunction in type II model of
 genetic diabetes (511) 53
 Bonhomme, N., see Lockhart, B. (511) 127
 Braida, D., Iosué, S., Pegorini, S. and Sala, M.
 Corrigendum to "Δ⁹-Tetrahydrocannabinol-induced conditioned place
 preference and intracerebroventricular self-administration in rats" [Eur.
 J. Pharmacol. 506 (2005) 63–69] (511) 75
 Brochot, A., see Bès, S. (511) 109
 Bruchey, A.K., see Riha, P.D. (511) 151
 Bufler, J., see Krampfl, K. (511) 1

 Caicoya, A.G., see Delgado, M. (511) 9
 Carey, R.J., see Mello Jr., E.L. (511) 43
 Cendán, C.M., Pujalte, J.M., Portillo-Salido, E., Montoliu, L. and Baeyens,
 J.M.
 Formalin-induced pain is reduced in σ₁ receptor knockout mice (511) 73
 Certain, M.E., see Thompson, T.L. (511) 121
 Cheng, D., see Rohrbach, K.W. (511) 31
 Chi, C.L., see Rohrbach, K.W. (511) 31
 Comert, M., Yilmaz Sipahi, E., Ustun, H., Isikdemir, F., Numanoglu, G.,
 Barut, F., Altunkaya, H., Ozer, Y., Niyazi Ayoglu, F., Hakan Sipahi, T.,
 Ozel Tekin, I. and Nur Banoglu, Z.
 Morphine modulates inducible nitric oxide synthase expression and
 reduces pulmonary oedema induced by α-naphthylthiourea (511) 183

 Cooper, G.J., see Sheridan, R.D. (511) 99
 Cordes, A.-L., see Krampfl, K. (511) 1
 Criscuoli, M., see Sacco, G. (511) 167

 Delgado, M., Caicoya, A.G., Greciano, V., Benhamú, B., López-Rodríguez,
 M.L., Fernández-Alfonso, M.S., Pozo, M.A., Manzanares, J. and
 Fuentes, J.A.
 Anxiolytic-like effect of a serotonergic ligand with high affinity for
 5-HT_{1A}, 5-HT_{2A} and 5-HT₃ receptors (511) 9
 Devillard, L., see Bès, S. (511) 109
 Dhaunsi, G.S., see Bitar, M.S. (511) 53
 Diaz, B.L., see Neves, J.S. (511) 219
 Ding, J., see Xie, W. (511) 81
 Duvillard, L., see Bès, S. (511) 109

 E Silva, P.M.R., see Neves, J.S. (511) 219
 Echevarria, D.J., see Riha, P.D. (511) 151
 Evangelista, S., see Sacco, G. (511) 167

 Fernández-Alfonso, M.S., see Delgado, M. (511) 9
 Fraga, C.A.M., see Neves, J.S. (511) 219
 Fuentes, J.A., see Delgado, M. (511) 9
 Fukuda, Y., see Shimoyama, M. (511) 199

 Gan, J., see Rohrbach, K.W. (511) 31
 Goldstein, S., see Lockhart, B. (511) 127
 Gonzalez-Lima, F., see Riha, P.D. (511) 151
 Goso, C., see Sacco, G. (511) 167
 Greciano, V., see Delgado, M. (511) 9

 Hakan Sipahi, T., see Comert, M. (511) 183
 Han, S., see Rohrbach, K.W. (511) 31
 Hescheler, J., see Pereverzev, A. (511) 65
 Hu, G., see Xie, W. (511) 81
 Huston, J.P., see Mello Jr., E.L. (511) 43

 Iosué, S., see Braida, D. (511) 75
 Isikdemir, F., see Comert, M. (511) 183

 Jacobs, E.H., Wardeh, G., Smit, A.B. and Schoffmeier, A.N.M.
 Morphine causes a delayed increase in glutamate receptor functioning
 in the nucleus accumbens core (511) 27
 Janhunen, S., Tuominen, R.K., Piepponen, T.P. and Ahtee, L.
 Nicotine and epibatidine alter differently nomifensine-elevated dop-
 amine output in the rat dorsal and ventral striatum (511) 143

 Khosrovani, S., see Sharifzadeh, M. (511) 159
 Kim, S.H., Oh, S.M. and Kim, T.S.
 Induction of human leukemia HL-60 cell differentiation via a PKC/
 ERK pathway by helenalin, a pseudoguaienolide sesquiterpene lactone
 (511) 89
 Kim, T.S., see Kim, S.H. (511) 89

- Kompella, U.B., see Ayalasomayajula, S.P. (511) 191
- Krampfl, K., Cordes, A.-L., Schlesinger, F., Wolfes, H. and Bufler, J.
Effects of propofol on recombinant AMPA receptor channels (511) 1
- Krishna, V., see Bhat, A.-S. (511) 137
- Kumar, D., see Bhat, A.-S. (511) 137
- Kuwaki, T., see Shimoyama, M. (511) 199
- Largent, B.L., see Rohrbach, K.W. (511) 31
- Lee, B.H., Seo, H.W., Yi, K.Y., Lee, S., Lee, S. and Yoo, S.-e.
Effects of KR-32570, a new Na⁺/H⁺ exchanger inhibitor, on functional and metabolic impairments produced by global ischemia and reperfusion in the perfused rat heart (511) 175
- Lee, S., see Lee, B.H. (511) 175
- Lee, S., see Lee, B.H. (511) 175
- Lestage, P., see Lockhart, B. (511) 127
- Lima, L.M., see Neves, J.S. (511) 219
- Lockhart, B., Roger, A., Bonhomme, N., Goldstein, S. and Lestage, P.
In vivo neuroprotective effects of the novel imidazolyl nitron free-radical scavenger (Z)- α -[2-thiazol-2-yl]imidazol-4-yl]-N-tert-butyl nitron (S34176) (511) 127
- López-Rodríguez, M.L., see Delgado, M. (511) 9
- Maggi, C.A., see Sacco, G. (511) 167
- Maier, R.S., see Mello Jr., E.L. (511) 43
- Manzanares, J., see Delgado, M. (511) 9
- Manzini, S., see Sacco, G. (511) 167
- Martins, M.A., see Neves, J.S. (511) 219
- Mello Jr., E.L., Maier, R.S., Carey, R.J., Huston, J.P., Tomaz, C. and Müller, C.P.
Serotonin_{1A}-receptor antagonism blocks psychostimulant properties of diethylpropion in marmosets (*Callithrix penicillata*) (511) 43
- Micó, J.A., see Rojas-Corralles, M.O. (511) 21
- Mikhna, M., see Pereverzev, A. (511) 65
- Miranda, A.L.P., see Neves, J.S. (511) 219
- Montoliu, L., see Cendán, C.M. (511) 73
- Müller, C.P., see Mello Jr., E.L. (511) 43
- Mustafa, S., see Bitar, M.S. (511) 53
- Naghdi, N., see Sharifzadeh, M. (511) 159
- Nakamura, A., see Shimoyama, M. (511) 199
- Neves, J.S., Lima, L.M., Fraga, C.A.M., Barreiro, E.J., Miranda, A.L.P., Diaz, B.L., Balduino, A., Siqueira, R.d.A., e Silva, P.M.R. and Martins, M.A.
Evaluating the prophylactic potential of the phthalimide derivative LASSBio 552 on allergen-evoked inflammation in rats (511) 219
- Niyazi Ayoglu, F., see Comert, M. (511) 183
- Numanoglu, G., see Comert, M. (511) 183
- Nur Banoglu, Z., see Comert, M. (511) 183
- Oh, S.M., see Kim, S.H. (511) 89
- Ostad, S.N., see Sharifzadeh, M. (511) 159
- O'Tanyi, E.J., see Rohrbach, K.W. (511) 31
- Ozel Tekin, I., see Comert, M. (511) 183
- Ozer, Y., see Comert, M. (511) 183
- Pegorini, S., see Braidà, D. (511) 75
- Pereverzev, A., Salehi, A., Mikhna, M., Renström, E., Hescheler, J., Weiergräber, M., Smyth, N. and Schneider, T.
The ablation of the Ca_v2.3/E-type voltage-gated Ca²⁺ channel causes a mild phenotype despite an altered glucose induced glucagon response in isolated islets of Langerhans (511) 65
- Piepponen, T.P., see Janhunen, S. (511) 143
- Planas, E., see Romero, A. (511) 207
- Pol, O., see Romero, A. (511) 207
- Portillo-Salido, E., see Cendán, C.M. (511) 73
- Poveda, R., see Romero, A. (511) 207
- Pozo, M.A., see Delgado, M. (511) 9
- Prakash, V.R., see Bhat, A.-S. (511) 137
- Puig, M.M., see Romero, A. (511) 207
- Pujalte, J.M., see Cendán, C.M. (511) 73
- Renström, E., see Pereverzev, A. (511) 65
- Riha, P.D., Bruchey, A.K., Echevarria, D.J. and Gonzalez-Lima, F.
Memory facilitation by methylene blue: Dose-dependent effect on behavior and brain oxygen consumption (511) 151
- Rochette, L., see Bès, S. (511) 109
- Roger, A., see Lockhart, B. (511) 127
- Roghani, A., see Sharifzadeh, M. (511) 159
- Rohrbach, K.W., Han, S., Gan, J., O'Tanyi, E.J., Zhang, H., Chi, C.L., Taub, R., Largent, B.L. and Cheng, D.
Disconnection between the early onset anorectic effects by C75 and hypothalamic fatty acid synthase inhibition in rodents (511) 31
- Rojas-Corralles, M.O., Berrocoso, E. and Micó, J.A.
Role of 5-HT_{1A} and 5-HT_{1B} receptors in the antinociceptive effect of tramadol (511) 21
- Romero, A., Planas, E., Poveda, R., Sánchez, S., Pol, O. and Puig, M.M.
Anti-exudative effects of opioid receptor agonists in a rat model of carrageenan-induced acute inflammation of the paw (511) 207
- Sacco, G., Evangelista, S., Criscuoli, M., Goso, C., Bigioni, M., Binaschi, M., Manzini, S. and Maggi, C.A.
Involvement of nitric oxide in both central and peripheral haemodynamic effect of D/L-nebivolol and its enantiomers in rats (511) 167
- Sala, M., see Braidà, D. (511) 75
- Salehi, A., see Pereverzev, A. (511) 65
- Sánchez, S., see Romero, A. (511) 207
- Schiller, P.W., see Shimoyama, M. (511) 199
- Schlesinger, F., see Krampfl, K. (511) 1
- Schneider, T., see Pereverzev, A. (511) 65
- Schoffemeer, A.N.M., see Jacobs, E.H. (511) 27
- Seo, H.W., see Lee, B.H. (511) 175
- Sharifzadeh, K., see Sharifzadeh, M. (511) 159
- Sharifzadeh, M., Naghdi, N., Khosrovani, S., Ostad, S.N., Sharifzadeh, K. and Roghani, A.
Post-training intrahippocampal infusion of the COX-2 inhibitor celecoxib impaired spatial memory retention in rats (511) 159
- Sheridan, R.D., Turner, S.R., Cooper, G.J. and Tattersall, J.E.H.
Effects of seven drugs of abuse on action potential repolarisation in sheep cardiac Purkinje fibres (511) 99
- Shimoyama, M., Kuwaki, T., Nakamura, A., Fukuda, Y., Shimoyama, N., Schiller, P.W. and Szeto, H.H.
Differential respiratory effects of [Dmt¹]DALDA and morphine in mice (511) 199
- Shimoyama, N., see Shimoyama, M. (511) 199
- Siqueira, R.d.A., see Neves, J.S. (511) 219
- Smit, A.B., see Jacobs, E.H. (511) 27
- Smyth, N., see Pereverzev, A. (511) 65
- Szeto, H.H., see Shimoyama, M. (511) 199
- Tandan, S.K., see Bhat, A.-S. (511) 137
- Tatou, E., see Bès, S. (511) 109
- Tattersall, J.E.H., see Sheridan, R.D. (511) 99
- Taub, R., see Rohrbach, K.W. (511) 31
- Thompson, T.L. and Certain, M.E.
Estrogen mediated inhibition of dopamine transport in the striatum: Regulation by G $\alpha_{i/o}$ (511) 121
- Tissier, C., see Bès, S. (511) 109
- Tomaz, C., see Mello Jr., E.L. (511) 43
- Tuominen, R.K., see Janhunen, S. (511) 143
- Turner, S.R., see Sheridan, R.D. (511) 99
- Ustun, H., see Comert, M. (511) 183
- Vandroux, D., see Bès, S. (511) 109

- Wahid, S., see Bitar, M.S. (511) 53
 Wang, H., see Xie, W. (511) 81
 Wang, H., see Xie, W. (511) 81
 Wardeh, G., see Jacobs, E.H. (511) 27
 Weiergräber, M., see Pereverzev, A. (511) 65
 Wolfes, H., see Krampfl, K. (511) 1
- Yi, K.Y., see Lee, B.H. (511) 175
 Yilmaz Sipahi, E., see Comert, M. (511) 183
 Yoo, S.-e., see Lee, B.H. (511) 175
- Zhang, H., see Rohrbach, K.W. (511) 31
- Xie, W., Wang, H., Ding, J., Wang, H. and Hu, G.
 Anti-proliferating effect of iptakalim, a novel K_{ATP} channel opener, in
 cultured rabbit pulmonary arterial smooth muscle cells (511) 81