

Author index

- Alkon, D.L., see Sun, M.-K. (512) 43
- Ambriz-Tututi, M., Velázquez-Zamora, D.A., Urquiza-Marín, H. and Granados-Soto, V.
Analysis of the mechanism underlying the peripheral antinociceptive action of sildenafil in the formalin test (512) 121
- Andreas, J.-O., see Schneider, J. (512) 53
- Anic, T., see Boban Blagaic, A. (512) 173
- Arai, J., see Yokotani, K. (512) 29
- Arakawa, N., see Nakamura, H. (512) 239
- Bäckström, T., Wahlström, G., Wahlström, K., Zhu, D. and Wang, M.-D.
Isoallopregnanolone; an antagonist to the anaesthetic effect of allopregnanolone in male rats (512) 15
- Barbee, J.L., see Dowless, M.S. (512) 9
- Baydas, G., Ozveren, F., Tuzcu, M. and Yasar, A.
Effects of thinner exposure on the expression pattern of neural cell adhesion molecules, level of lipid peroxidation in the brain and cognitive function in rats (512) 181
- Bienkowski, P., see Korkosz, A. (512) 165
- Billeter, R., see Stones, R. (512) 117
- Blagaic, V., see Boban Blagaic, A. (512) 173
- Boban Blagaic, A., Blagaic, V., Mirt, M., Jelovac, N., Dodig, G., Rucman, R., Petek, M., Turkovic, B., Anic, T., Dubovecak, M., Staresinic, M., Seiwerth, S. and Sikiric, P.
Gastric pentadecapeptide BPC 157 effective against serotonin syndrome in rats (512) 173
- Bocchinfuso, W.P., see Dowless, M.S. (512) 9
- Borchert, K.M., see Dowless, M.S. (512) 9
- Busch, A.E., see Steioff, K. (512) 247
- Cavicchioni, G., Fraulini, A., Turchetti, M., Varani, K., Falzarano, S., Pavan, B. and Spisani, S.
Biological activity of for-Met-Leu-Phe-OMe analogs: Relevant substitutions specifically trigger killing mechanisms in human neutrophils (512) 1
- Chebib, M., see Hall, B.J. (512) 97
- Chen, J.Y.-R., see Wu, C.-C. (512) 37
- Chen, Y.-A., see Wu, C.-C. (512) 37
- Choy, D.F., see Wang, Y.-X. (512) 215
- Cristalli, G., see Pinna, A. (512) 157
- Da Cunha, V., see Wang, Y.-X. (512) 215
- Diener, M., see Schultheiss, G. (512) 67
- Dodig, G., see Boban Blagaic, A. (512) 173
- Dole, W.P., see Wang, Y.-X. (512) 215
- Dowless, M.S., Barbee, J.L., Borchert, K.M., Bocchinfuso, W.P. and Houck, K.A.
Cyclic AMP-independent activation of *CYP3A4* gene expression by forskolin (512) 9
- Duarte, I.D.G., see Pacheco, D.F. (512) 23
- Dubovecak, M., see Boban Blagaic, A. (512) 173
- Falzarano, S., see Cavicchioni, G. (512) 1
- Fernández, S.P., Wasowski, C., Paladini, A.C. and Marder, M.
Synergistic interaction between hesperidin, a natural flavonoid, and diazepam (512) 189
- Forsberg, T., see Visser, S.A.G. (512) 139
- Fraulini, A., see Cavicchioni, G. (512) 1
- Fujimori, I., see Nakamura, H. (512) 239
- Gabrielsson, J., see Visser, S.A.G. (512) 139
- Granados-Soto, V., see Ambriz-Tututi, M. (512) 121
- Guimarães, F.S., see Moreira, F.A. (512) 199
- Halks-Miller, M., see Wang, Y.-X. (512) 215
- Hall, B.J., Chebib, M., Hanrahan, J.R. and Johnston, G.A.R.
6-Methylflavanone, a more efficacious positive allosteric modulator of γ -aminobutyric acid (GABA) action at human recombinant $\alpha_2\beta_2\gamma_{2L}$ than at $\alpha_1\beta_2\gamma_{2L}$ and $\alpha_1\beta_2$ GABA_A receptors expressed in *Xenopus* oocytes (512) 97
- Hanrahan, J.R., see Hall, B.J. (512) 97
- Harrison, S., see Stones, R. (512) 117
- Hauser, R., see Schneider, J. (512) 53
- Hayashi, A., see Suzuki, M. (512) 61
- Hernández, J., see Juan-Fita, M.J. (512) 207
- Hikita, M., see Ibarra M., C.A. (512) 77
- Houck, K.A., see Dowless, M.S. (512) 9
- Huang, X.-y., see Li, H. (512) 231
- Ibarra M., C.A., Ichihara, Y., Hikita, M., Yoshida, K., Junji, S., Maehara, Y. and Kikuchi, H.
Effect of bupivacaine enantiomers on Ca^{2+} release from sarcoplasmic reticulum in skeletal muscle (512) 77
- Ichihara, Y., see Ibarra M., C.A. (512) 77
- Inoue, T., see Nakamura, H. (512) 239
- Ivashchenko, Y., see Steioff, K. (512) 247
- Iwagaki, H., see Takahashi, H.K. (512) 223
- Jahnel, U., see Schneider, J. (512) 53
- Jelovac, N., see Boban Blagaic, A. (512) 173
- Jesmin, S., see Otani, H. (512) 129
- Jia, Y.-f., see Li, H. (512) 231
- Johns, A., see Wang, Y.-X. (512) 215
- Johnston, G.A.R., see Hall, B.J. (512) 97
- Jorjani, M., see Sajedianfard, J. (512) 153
- Juan-Fita, M.J., Vargas, M.L. and Hernández, J.
The phosphodiesterase 3 inhibitor cilostamide enhances inotropic responses to glucagon but not to dobutamine in rat ventricular myocardium (512) 207
- Junji, S., see Ibarra M., C.A. (512) 77
- Kakehata, H., see Otani, H. (512) 129
- Katsuno, G., see Takahashi, H.K. (512) 223
- Khatami, S., see Sajedianfard, J. (512) 153

- Kikuchi, H., see Ibarra M., C.A. (512) 77
- Kimura, I., see Tsuneki, H. (512) 105
- Kobayashi, S., see Tsuneki, H. (512) 105
- Kopanchuk, S., Veiksina, S., Petrovska, R., Mutule, I., Szardenings, M., Rinke, A. and Wikberg, J.E.S.
Co-operative regulation of ligand binding to melanocortin receptor subtypes: Evidence for interacting binding sites (512) 85
- Korkosz, A., Taracha, E., Plaznik, A., Wrobel, E., Kostowski, W. and Bienkowski, P.
Extended blockade of the discriminative stimulus effects of nicotine with low doses of ethanol (512) 165
- Kostowski, W., see Korkosz, A. (512) 165
- Li, D., see Li, H. (512) 231
- Li, H., Zhang, Y.-y., Huang, X.-y., Sun, Y.-n., Jia, Y.-f. and Li, D.
Beneficial effect of tripterine on systemic lupus erythematosus induced by active chromatin in BALB/c mice (512) 231
- Li, W., see Wang, Y.-X. (512) 215
- Light, D.R., see Wang, Y.-X. (512) 215
- Linz, K., see Schneider, J. (512) 53
- Löhn, M., see Steioff, K. (512) 247
- Ma, E.-L., see Tsuneki, H. (512) 105
- Maehara, Y., see Ibarra M., C.A. (512) 77
- Maekawa, K., see Tsuneki, H. (512) 105
- Mahmoudi, M., see Wang, Y.-X. (512) 215
- Marder, M., see Fernández, S.P. (512) 189
- Martin-McNulty, B., see Wang, Y.-X. (512) 215
- Martinsson, S., see Visser, S.A.G. (512) 139
- Matsumoto, M., see Otani, H. (512) 129
- Mirt, M., see Boban Blagaic, A. (512) 173
- Moreira, F.A. and Guimarães, F.S.
Cannabidiol inhibits the hyperlocomotion induced by psychotomimetic drugs in mice (512) 199
- Morelli, M., see Pinna, A. (512) 157
- Mori, S., see Takahashi, H.K. (512) 223
- Mutule, I., see Kopanchuk, S. (512) 85
- Naghdi, N., see Sajedianfard, J. (512) 153
- Nakamura, H., Inoue, T., Arakawa, N., Shimizu, Y., Yoshigae, Y., Fujimori, I., Shimakawa, E., Toyoshi, T. and Yokoyama, T.
Pharmacological and pharmacokinetic study of olmesartan medoxomil in animal diabetic retinopathy models (512) 239
- Nakamura, K., see Yokotani, K. (512) 29
- Nishibori, M., see Takahashi, H.K. (512) 223
- Noguchi, Y., see Suzuki, M. (512) 61
- Ohtake, A., see Suzuki, M. (512) 61
- Okada, S., see Yokotani, K. (512) 29
- Okutsu, H., see Suzuki, M. (512) 61
- Otani, H., Togashi, H., Jesmin, S., Sakuma, I., Yamaguchi, T., Matsumoto, M., Kakehata, H. and Yoshioka, M.
Temporal effects of edaravone, a free radical scavenger, on transient ischemia-induced neuronal dysfunction in the rat hippocampus (512) 129
- Ozveren, F., see Baydas, G. (512) 181
- Pacheco, D.F. and Duarte, I.D.G.
 δ -Opioid receptor agonist SNC80 induces peripheral antinociception via activation of ATP-sensitive K^+ channels (512) 23
- Paladini, A.C., see Fernández, S.P. (512) 189
- Pavan, B., see Cavicchioni, G. (512) 1
- Petek, M., see Boban Blagaic, A. (512) 173
- Petrovska, R., see Kopanchuk, S. (512) 85
- Pinna, A., Volpini, R., Cristalli, G. and Morelli, M.
New adenosine A_{2A} receptor antagonists: Actions on Parkinson's disease models (512) 157
- Plaznik, A., see Korkosz, A. (512) 165
- Plettenburg, O., see Steioff, K. (512) 247
- Pozarek, S., see Visser, S.A.G. (512) 139
- Rinke, A., see Kopanchuk, S. (512) 85
- Ross, S.B., see Visser, S.A.G. (512) 139
- Rucman, R., see Boban Blagaic, A. (512) 173
- Rütten, H., see Steioff, K. (512) 247
- Sajedianfard, J., Khatami, S., Semnani, S., Naghdi, N. and Jorjani, M.
In vivo measurement of noradrenaline in the locus coeruleus of rats during the formalin test: A microdialysis study (512) 153
- Sakuma, I., see Otani, H. (512) 129
- Sasamata, M., see Suzuki, M. (512) 61
- Sasaoka, T., see Tsuneki, H. (512) 105
- Sato, S., see Suzuki, M. (512) 61
- Schneider, J., Hauser, R., Andreas, J.-O., Linz, K. and Jahnel, U.
Differential effects of human ether-a-go-go-related gene (HERG) blocking agents on QT duration variability in conscious dogs (512) 53
- Schroeder, M., see Wang, Y.-X. (512) 215
- Schultheiss, G. and Diener, M.
The epidermal growth factor-pathway is not involved in down-regulation of Ca^{2+} -induced Cl^- secretion in rat distal colon (512) 67
- Seiwert, S., see Boban Blagaic, A. (512) 173
- Sekizaki, N., see Tsuneki, H. (512) 105
- Semnani, S., see Sajedianfard, J. (512) 153
- Shimakawa, E., see Nakamura, H. (512) 239
- Shimizu, T., see Yokotani, K. (512) 29
- Shimizu, Y., see Nakamura, H. (512) 239
- Sikiric, P., see Boban Blagaic, A. (512) 173
- Spisani, S., see Cavicchioni, G. (512) 1
- Staresinic, M., see Boban Blagaic, A. (512) 173
- Steioff, K., Rütten, H., Busch, A.E., Plettenburg, O., Ivashchenko, Y. and Löhn, M.
Long term Rho-kinase inhibition ameliorates endothelial dysfunction in LDL-Receptor deficient mice (512) 247
- Stones, R., Billeter, R., Harrison, S. and White, E.
Heterogenic contractile response of rat left ventricular myocytes to β_1 -adrenoceptor stimulation (512) 117
- Sugita, S., see Takahashi, H.K. (512) 223
- Sun, M.-K. and Alkon, D.L.
Dual effects of bryostatin-1 on spatial memory and depression (512) 43
- Sun, Y.-n., see Li, H. (512) 231
- Suzuki, M., Ohtake, A., Yoshino, T., Yuyama, H., Hayashi, A., Ukai, M., Okutsu, H., Noguchi, Y., Sato, S. and Sasamata, M.
Effects of solifenacin succinate (YM905) on detrusor overactivity in conscious cerebral infarcted rats (512) 61
- Szardenings, M., see Kopanchuk, S. (512) 85
- Takahashi, H.K., Iwagaki, H., Tamura, R., Katsuno, G., Xue, D., Sugita, S., Mori, S., Yoshino, T., Tanaka, N. and Nishibori, M.
Differential effect of prostaglandins E_1 and E_2 on lipopolysaccharide-induced adhesion molecule expression on human monocytes (512) 223
- Tamura, R., see Takahashi, H.K. (512) 223
- Tanaka, N., see Takahashi, H.K. (512) 223
- Tao, P.-L., see Wu, C.-C. (512) 37
- Taracha, E., see Korkosz, A. (512) 165
- Togashi, H., see Otani, H. (512) 129
- Toyoshi, T., see Nakamura, H. (512) 239
- Tsuneki, H., Ma, E.-L., Kobayashi, S., Sekizaki, N., Maekawa, K., Sasaoka, T., Wang, M.-W. and Kimura, I.
Antiangiogenic activity of β -eudesmol in vitro and in vivo (512) 105
- Turchetti, M., see Cavicchioni, G. (512) 1
- Turkovic, B., see Boban Blagaic, A. (512) 173
- Tuzcu, M., see Baydas, G. (512) 181
- Ukai, M., see Suzuki, M. (512) 61
- Urquiza-Marín, H., see Ambriz-Tututi, M. (512) 121

- Varani, K., see Cavicchioni, G. (512) 1
- Vargas, M.L., see Juan-Fita, M.J. (512) 207
- Veiksina, S., see Kopanchuk, S. (512) 85
- Velázquez-Zamora, D.A., see Ambriz-Tututi, M. (512) 121
- Vincelette, J., see Wang, Y.-X. (512) 215
- Visser, S.A.G., Pozarek, S., Martinsson, S., Forsberg, T., Ross, S.B. and Gabrielsson, J.
Rapid and long-lasting tolerance to clomethiazole-induced hypothermia in the rat (512) 139
- Volpini, R., see Pinna, A. (512) 157
- Wahlström, G., see Bäckström, T. (512) 15
- Wahlström, K., see Bäckström, T. (512) 15
- Wakiguchi, H., see Yokotani, K. (512) 29
- Wang, M.-D., see Bäckström, T. (512) 15
- Wang, M.-W., see Tsuneki, H. (512) 105
- Wang, Y.-X., da Cunha, V., Martin-McNulty, B., Vincelette, J., Li, W., Choy, D.F., Halks-Miller, M., Mahmoudi, M., Schroeder, M., Johns, A., Light, D.R. and Dole, W.P.
Inhibition of Rho-kinase by fasudil attenuated angiotensin II-induced cardiac hypertrophy in apolipoprotein E deficient mice (512) 215
- Wasowski, C., see Fernández, S.P. (512) 189
- White, E., see Stones, R. (512) 117
- Wikberg, J.E.S., see Kopanchuk, S. (512) 85
- Wrobel, E., see Korkosz, A. (512) 165
- Wu, C.-C., Chen, J.Y.-R., Tao, P.-L., Chen, Y.-A. and Yeh, G.-C.
Serotonin reuptake inhibitors attenuate morphine withdrawal syndrome in neonatal rats passively exposed to morphine (512) 37
- Xue, D., see Takahashi, H.K. (512) 223
- Yamaguchi, T., see Otani, H. (512) 129
- Yamaguchi-Shima, N., see Yokotani, K. (512) 29
- Yasar, A., see Baydas, G. (512) 181
- Yeh, G.-C., see Wu, C.-C. (512) 37
- Yokotani, K., Okada, S., Nakamura, K., Yamaguchi-Shima, N., Shimizu, T., Arai, J., Wakiguchi, H. and Yokotani, K.
Brain prostanoid TP receptor-mediated adrenal noradrenaline secretion and EP₃ receptor-mediated sympathetic noradrenaline release in rats (512) 29
- Yokotani, K., see Yokotani, K. (512) 29
- Yokoyama, T., see Nakamura, H. (512) 239
- Yoshida, K., see Ibarra M., C.A. (512) 77
- Yoshigae, Y., see Nakamura, H. (512) 239
- Yoshino, T., see Suzuki, M. (512) 61
- Yoshino, T., see Takahashi, H.K. (512) 223
- Yoshioka, M., see Otani, H. (512) 129
- Yuyama, H., see Suzuki, M. (512) 61
- Zhang, Y.-y., see Li, H. (512) 231
- Zhu, D., see Bäckström, T. (512) 15