

Author index

- Abreu, G.R., see Silva, A.L.S. (518) 152
 Akahane, M., see Oana, F. (518) 71
 Akahane, S., see Oana, F. (518) 71
 Amico-Roxas, M., see Cantarella, G. (518) 221
 Aoki, C.A., see Umeuchi, H. (518) 133
 Arai, I., see Honma, Y. (518) 56
 Asensio, V.J., see Miralles, A. (518) 234
- Bernardini, R., see Cantarella, G. (518) 221
 Bissoli, N.S., see Silva, A.L.S. (518) 152
 Bruno, V., see Marganella, C. (518) 111
- Cabral, A.M., see Silva, A.L.S. (518) 152
 Cantarella, G., Martinez, G., Cutuli, V.M., Loreto, C., D'Alcamo, M., Prato, A., Amico-Roxas, M., Bernardini, R. and Clementi, G.
 Adrenomedullin modulates COX-2 and HGF expression in reserpine-injured gastric mucosa in the rat (518) 221
 Chang, Q., see Tepperman, B.L. (518) 1
 Chatelain, P., see Wolff, C. (518) 10
 Cho, C.-H., see Liu, E.S.L. (518) 47
 Clementi, G., see Cantarella, G. (518) 221
 Cowan, A., see Inan, S. (518) 182
 Cutuli, V.M., see Cantarella, G. (518) 221
- D'Alcamo, M., see Cantarella, G. (518) 221
 De Vries, A., see van den Worm, E. (518) 77
 Duarte, A.I., see Monteiro, P. (518) 158
 Ducouret, P., see Ducroq, J. (518) 165
 Ducroq, J., Rouet, R., Puddu, P.E., Sallé, L., Tabourel, C., Ducouret, P. and Gérard, J.-L.
 Electrophysiological effects of azimilide in an in vitro model of simulated-ischemia and reperfusion in guinea-pig ventricular myocardium (518) 165
- Engels, F., see van den Worm, E. (518) 77
 Esteban, S., see Miralles, A. (518) 234
- Fuks, B., see Wolff, C. (518) 10
 Futaki, N., see Honma, Y. (518) 56
- Gao, Y.-J., see Yang, L. (518) 145
 García-Sevilla, J.A., see Miralles, A. (518) 234
 Gérard, J.-L., see Ducroq, J. (518) 165
 Gershwin, M.E., see Umeuchi, H. (518) 133
 Gillard, M., see Wolff, C. (518) 10
 Gonçalves, L.M., see Monteiro, P. (518) 158
 Green, A.C., see Harrison, P.K. (518) 123
- Harrison, P.K., Sheridan, R.D., Green, A.C. and Tattersall, J.E.H.
 Effects of anticonvulsants on soman-induced epileptiform activity in the guinea-pig in vitro hippocampus (518) 123
 Hashimoto, Y., see Honma, Y. (518) 56
- Haynes, W.G., see Rahmouni, K. (518) 175
 Hee Youn Kim, see Kim, K.-R. (518) 63
 Hirano, T., see Itagaki, S. (518) 83
 Honma, Y., Arai, I., Hashimoto, Y., Futaki, N., Sugimoto, M., Tanaka, M. and Nakaïke, S.
 Prostaglandin D₂ and prostaglandin E₂ accelerate the recovery of cutaneous barrier disruption induced by mechanical scratching in mice (518) 56
 Hoque, A., see Lewis, S.J. (518) 187
 Huypens, P., Quartier, E., Pipeleers, D. and Van de Casteele, M.
 Metformin reduces adiponectin protein expression and release in 3T3-L1 adipocytes involving activation of AMP activated protein kinase (518) 90
 Hyae Gyeong Cheon, see Kim, K.-R. (518) 63
- Iida, M., see Iwase, M. (518) 243
 Iimori, M., see Takeda, H. (518) 30
 Ikoshi, H., see Takeda, H. (518) 30
 Inan, S. and Cowan, A.
 Reduced kappa-opioid activity in a rat model of cholestasis (518) 182
 Isaji, M., see Oana, F. (518) 71
 Iseki, K., see Itagaki, S. (518) 83
 Itagaki, S., Shimamoto, S., Sugawara, M., Kobayashi, M., Miyazaki, K., Hirano, T. and Iseki, K.
 Phenolsulfonphthalein transport by potential-sensitive urate transport system (518) 83
 Itoh, M., see Umeuchi, H. (518) 133
 Iwase, M., Nakamura, U., Uchizono, Y., Nohara, S., Sasaki, N., Sonoki, K. and Iida, M.
 Nateglinide, a non-sulfonylurea rapid insulin secretagogue, increases pancreatic islet blood flow in rats (518) 243
- Jalali, A., see Rahmouni, K. (518) 175
 Jancar, S., see Landgraf, R.G. (518) 212
 Jin Hee Ahn, see Kim, K.-R. (518) 63
- Kato, T., see Umeuchi, H. (518) 133
 Kawashima, Y., see Umeuchi, H. (518) 133
 Kikuchi, K., see Umeuchi, H. (518) 133
 Kim, K.-R., Rhee, S.-D., Hee Youn Kim, Won Hoon Jung, Yang, S.-D., Sung Soo Kim, Jin Hee Ahn and Hyae Gyeong Cheon
 KR-62436, 6-{2-[2-(5-cyano-4,5-dihydropyrazol-1-yl)-2-oxoethylamino]ethylamino}nicotinonitrile, is a novel dipeptidyl peptidase-IV (DPP-IV) inhibitor with anti-hyperglycemic activity (518) 63
 Kobayashi, H., see Ohkura, M. (518) 18
 Kobayashi, M., see Itagaki, S. (518) 83
 Kogi, K., see Konno, T. (518) 203
 Kondo, M., see Saita, Y. (518) 227
 Konno, T., Uchibori, T., Nagai, A., Kogi, K. and Nakahata, N.
 2-(1-Hexyn-1-yl)adenosine-induced intraocular hypertension is mediated via K⁺ channel opening through adenosine A_{2A} receptor in rabbits (518) 203

- Kooy, N.W., see Lewis, S.J. (518) 187
- Ku, B.-S., see Xu, Y. (518) 40
- Kurokawa, T., see Umeuchi, H. (518) 133
- Kusumoto, H., see Takahata, K. (518) 140
- Landgraf, R.G., Russo, M. and Jancar, S.
Acute inhibition of inducible nitric oxide synthase but not its absence suppresses asthma-like responses (518) 212
- Lee, R.M.K.W., see Yang, L. (518) 145
- Lewis, S.J., Hoque, A., Walton, T.M. and Kooy, N.W.
Potential role of nitration and oxidation reactions in the effects of peroxynitrite on the function of β -adrenoceptor sub-types in the rat (518) 187
- Li, X.-J., see Xu, Y. (518) 40
- Lin, C.-C., see Wu, S.-J. (518) 96
- Lin, Y.-H., see Xu, Y. (518) 40
- Liu, E.S.L., Shin, V.Y., Ye, Y.-N., Luo, J.-C., Wu, W.K.K. and Cho, C.-H.
Cyclooxygenase-2 in cancer cells and macrophages induces colon cancer cell growth by cigarette smoke extract (518) 47
- Loreto, C., see Cantarella, G. (518) 221
- Luo, J.-C., see Liu, E.S.L. (518) 47
- Ma, X., see Xu, Y. (518) 40
- Marganella, C., Bruno, V., Matrisciano, F., Reale, C., Nicoletti, F. and Melchiorri, D.
Comparative effects of levobupivacaine and racemic bupivacaine on excitotoxic neuronal death in culture and *N*-methyl-D-aspartate-induced seizures in mice (518) 111
- Martinez, G., see Cantarella, G. (518) 221
- Masuya, J., see Takeda, H. (518) 30
- Matrisciano, F., see Marganella, C. (518) 111
- Matsumiya, T., see Takeda, H. (518) 30
- Matsuzawa, A., see Oana, F. (518) 71
- Melchiorri, D., see Marganella, C. (518) 111
- Minami, A., see Takahata, K. (518) 140
- Miralles, A., Esteban, S., Sastre-Coll, A., Moranta, D., Asensio, V.J. and Garcia-Sevilla, J.A.
High-affinity binding of β -carbolines to imidazoline I_{2B} receptors and MAO-A in rat tissues: Norharman blocks the effect of morphine withdrawal on DOPA/noradrenaline synthesis in the brain (518) 234
- Miyakawa, H., see Umeuchi, H. (518) 133
- Miyazaki, K., see Itagaki, S. (518) 83
- Miyazaki, T., see Saita, Y. (518) 227
- Monteiro, P., Duarte, A.I., Gonçalves, L.M. and Providência, L.A.
Valsartan improves mitochondrial function in hearts submitted to acute ischemia (518) 158
- Moranta, D., see Miralles, A. (518) 234
- Morgan, D.A., see Rahmouni, K. (518) 175
- Nagai, A., see Konno, T. (518) 203
- Nakahata, N., see Konno, T. (518) 203
- Nakai, J., see Ohkura, M. (518) 18
- Nakaike, S., see Honma, Y. (518) 56
- Nakamura, U., see Iwase, M. (518) 243
- Nakao, K., see Umeuchi, H. (518) 133
- Nakazawa, K., Yamakoshi, Y., Tsuchiya, T. and Ohno, Y.
Purification and aqueous phase atomic force microscopic observation of recombinant P2X₂ receptor (518) 107
- Ng, L.T., see Wu, S.-J. (518) 96
- Nicoletti, F., see Marganella, C. (518) 111
- Nijkamp, F.P., see van den Worm, E. (518) 77
- Nohara, S., see Iwase, M. (518) 243
- Nomiya, M., see Uchida, H. (518) 195
- Oana, F., Takeda, H., Matsuzawa, A., Akahane, S., Isaji, M. and Akahane, M.
Adiponectin receptor 2 expression in liver and insulin resistance in *db/db* mice given a β_3 -adrenoceptor agonist (518) 71
- Ohkura, M., Tanaka, N., Kobayashi, H., Wada, A., Nakai, J. and Yamamoto, R.
Insulin induces internalization of the 5-HT_{2A} receptor expressed in HEK293 cells (518) 18
- Ohno, Y., see Nakazawa, K. (518) 107
- Okano, K., see Umeuchi, H. (518) 133
- Parkinson, F.E., see Sawynok, J. (518) 116
- Partridge, L.D., see Schiess, A.R. (518) 22
- Pipeleers, D., see Huypens, P. (518) 90
- Pires, J.G.P., see Silva, A.L.S. (518) 152
- Prato, A., see Cantarella, G. (518) 221
- Providência, L.A., see Monteiro, P. (518) 158
- Puddu, P.E., see Ducroq, J. (518) 165
- Quartier, E., see Huypens, P. (518) 90
- Rahmouni, K., Jalali, A., Morgan, D.A. and Haynes, W.G.
Lack of dilator effect of leptin in the hindlimb vascular bed of conscious rats (518) 175
- Ramage, A.G., see Silva, A.L.S. (518) 152
- Reale, C., see Marganella, C. (518) 111
- Reid, A.R., see Sawynok, J. (518) 116
- Rhee, S.-D., see Kim, K.-R. (518) 63
- Rouet, R., see Ducroq, J. (518) 165
- Russo, M., see Landgraf, R.G. (518) 212
- Saita, Y., Kondo, M., Miyazaki, T., Yamaji, N. and Shimizu, Y.
Transgenic mouse expressing human CCR5 as a model for in vivo assessments of human selective CCR5 antagonists (518) 227
- Sallé, L., see Ducroq, J. (518) 165
- Sasaki, N., see Iwase, M. (518) 243
- Sastre-Coll, A., see Miralles, A. (518) 234
- Sawynok, J., Reid, A.R., Xue Jun Liu and Parkinson, F.E.
Amitriptyline enhances extracellular tissue levels of adenosine in the rat hindpaw and inhibits adenosine uptake (518) 116
- Schiess, A.R. and Partridge, L.D.
Pregnenolone sulfate acts through a G-protein-coupled σ_1 -like receptor to enhance short term facilitation in adult hippocampal neurons (518) 22
- Sheridan, R.D., see Harrison, P.K. (518) 123
- Shimamoto, S., see Itagaki, S. (518) 83
- Shimazu, S., see Takahata, K. (518) 140
- Shimizu, Y., see Saita, Y. (518) 227
- Shin, V.Y., see Liu, E.S.L. (518) 47
- Shishido, K., see Uchida, H. (518) 195
- Silva, A.L.S., Cabral, A.M., Abreu, G.R., Pires, J.G.P., Bissoli, N.S. and Ramage, A.G.
Chronic treatment with mianserin prevents DOCA-salt hypertension in rats—evidence for the involvement of central 5-HT₂ receptors (518) 152
- Sonoki, K., see Iwase, M. (518) 243
- Soper, B.D., see Tepperman, B.L. (518) 1
- Sugawara, M., see Itagaki, S. (518) 83
- Sugimoto, M., see Honma, Y. (518) 56
- Sung Soo Kim, see Kim, K.-R. (518) 63
- Tabourel, C., see Ducroq, J. (518) 165
- Takahata, K., Minami, A., Kusumoto, H., Shimazu, S. and Yoneda, F.
Effects of selegiline alone or with donepezil on memory impairment in rats (518) 140
- Takeda, H., Tsuji, M., Ikoshi, H., Yamada, T., Masuya, J., Iimori, M. and Matsumiya, T.
Effects of a 5-HT₇ receptor antagonist DR4004 on the exploratory behavior in a novel environment and on brain monoamine dynamics in mice (518) 30
- Takeda, H., see Oana, F. (518) 71
- Tanaka, M., see Honma, Y. (518) 56

- Tanaka, N., see Ohkura, M. (518) 18
- Tattersall, J.E.H., see Harrison, P.K. (518) 123
- Tepperman, B.L., Soper, B.D. and Chang, Q.
Effect of protein kinase C activation on intracellular Ca^{2+} signaling and integrity of intestinal epithelial cells (518) 1
- Tsuchiya, T., see Nakazawa, K. (518) 107
- Tsuji, M., see Takeda, H. (518) 30
- Uchibori, T., see Konno, T. (518) 203
- Uchida, H., Shishido, K., Nomiya, M. and Yamaguchi, O.
Involvement of cyclic AMP-dependent and -independent mechanisms in the relaxation of rat detrusor muscle via β -adrenoceptors (518) 195
- Uchizono, Y., see Iwase, M. (518) 243
- Umeuchi, H., Kawashima, Y., Aoki, C.A., Kurokawa, T., Nakao, K., Itoh, M., Kikuchi, K., Kato, T., Okano, K., Gershwin, M.E. and Miyakawa, H.
Spontaneous scratching behavior in MRL/*lpr* mice, a possible model for pruritus in autoimmune diseases, and antipruritic activity of a novel κ -opioid receptor agonist nalfurafine hydrochloride (518) 133
- Van de Castele, M., see Huypens, P. (518) 90
- Van den Worm, E., de Vries, A., Nijkamp, F.P. and Engels, F.
Capsazepine, a vanilloid receptor antagonist, inhibits allergen-induced tracheal contraction (518) 77
- Wada, A., see Ohkura, M. (518) 18
- Walton, T.M., see Lewis, S.J. (518) 187
- Wolff, C., Gillard, M., Fuks, B. and Chatelain, P.
[^3H]linopirdine binding to rat brain membranes is not relevant for M-channel interaction (518) 10
- Won Hoon Jung, see Kim, K.-R. (518) 63
- Wu, S.-J., Ng, L.T. and Lin, C.-C.
Effects of antioxidants and caspase-3 inhibitor on the phenylethyl isothiocyanate-induced apoptotic signaling pathways in human PLC/PRF/5 cells (518) 96
- Wu, W.K.K., see Liu, E.S.L. (518) 47
- Xu, Y., Ku, B.-S., Yao, H.-Y., Lin, Y.-H., Ma, X., Zhang, Y.-H. and Li, X.-J.
The effects of curcumin on depressive-like behaviors in mice (518) 40
- Xue Jun Liu, see Sawynok, J. (518) 116
- Yamada, T., see Takeda, H. (518) 30
- Yamaguchi, O., see Uchida, H. (518) 195
- Yamaji, N., see Saita, Y. (518) 227
- Yamakoshi, Y., see Nakazawa, K. (518) 107
- Yamamoto, R., see Ohkura, M. (518) 18
- Yang, L., Gao, Y.-J. and Lee, R.M.K.W.
The effects of quinapril and atorvastatin on artery structure and function in adult spontaneously hypertensive rats (518) 145
- Yang, S.-D., see Kim, K.-R. (518) 63
- Yao, H.-Y., see Xu, Y. (518) 40
- Ye, Y.-N., see Liu, E.S.L. (518) 47
- Yoneda, F., see Takahata, K. (518) 140
- Zhang, Y.-H., see Xu, Y. (518) 40